

Modifications

ANNEXES

1. Annex 3.8.2 - List of loading places on open access railway network - MÁV Zrt

The following modifications were made:

Budapest

Service place	Open access loading place registered by MÁV Zrt										Loading track next to loading places										Applicable speed (km/h)	Possibility of serving (S-straight, D-diverging position)	Restrictions
	Code of the service place	Position	Size	Currently usable area (m ²)	Paved	Material of pavement	Current technical state	Lighting	Loading and other equipments	Name of the track	Usable length (m)	Loading length (m)	Branching-off turnouts		Availability of catenary		Derailer (pcs)	Scotch block (pcs)	Axle load (t)	Current technical state			
		From section to section	Width (m) - length (m)		yes - no								Number	Switch operation mode	yes - no	length (m)							
Hatvan	11205	3+00 - 3+85	8 x85	680	yes	stone	bad	unlighted	none	Répa IV.	709	85	10/1	local	yes	50	0	0	21	average	5	S	

Szeged

Service place	Open access loading place registered by MÁV Zrt										Loading track next to loading places										Applicable speed (km/h)	Possibility of serving (S-straight, D-diverging position)	Restrictions
	Code of the service place	Position From section to section	Size Width (m) - length (m)	Currently usable area (m ²)	Paved yes - no	Material of pavement	Current technical state	Lighting	Loading and other equipments	Name of the track	Usable length (m)	Loading length (m)	Branching-off turnouts		Availability of catenary		Derailer (pcs)	Scotch block (pcs)	Axle load (t)	Current technical state			
													Number	Switch operation mode	yes - no	length (m)							
Katonatelep	17103	263+10 - 265+55	6 x 240	960	no	none	average	lighted		IV.vágány	240	240	4,8	central	no	240	0	2	21	satisfactory	10	D	Culvert can be found next to the track between profiles 261+10 - 263+72 Overhead wire posts: 236+60, 264+14, 264+71, 265+31

2. Annex 5.3.8.2 - Service places affected by service interruption, service stoppage

The following modifications were made:

Traffic Control Regional Centre - DEBRECEN

Line number	Service place	Service interruption			Service stoppage			Number of staff	Remarks
105	Nagycsere	Sun-Fri	23:30	- 3:30				1	Continuous service between 0:00, 03 March 2014 and 23:59, 30 June 2014 between Berettyóújfalu and Biharkeresztes due to track possession.
		Sat/Sun	22:30	- 3:30				1	
	Vámspércs	Sun-Fri	23:40	- 3:40				3	
		Sat/Sun	22:40	- 3:40				3	
	Nyírábrány	Sun-Fri	23:40 23:50	- 3:40 3:50				2	
		Sat/Sun	22:40	- 3:40				2	
106	Sáránd	Mon-Sun	23:15	- 2:15				4 2	station inspector, pointsman
	Pocsaj-Esztár				Mon-Sun	21:00	13:00	1	
109	Hajdúböszörmény	Mon-Sun	23:50 23:40	- 3:50 3:40				2	
110	Nyírgelse				Mon-Sun	18:05 18:35	- 5:05	1	2nd station
		Sun-Fri	0:15	- 3:35				2	
		Sat/Sun	23:00	- 4:00				2	
111	Vásárosnamény	Sun	0:00	- 4:00				2 3	
	Tornyospálca	Mon-Sun	0:00	- 3:00				2	

113	Nagykálló	Mon-Sun	22:00	-	4:00					2	
	Kállósemjén	Mon-Sun	22:00	-	4:00					1	
	Kocsord-alsó	Mon-Sun	23:00 23:30	-	3:00					2	
	Fehérgyarmat	Mon-Sun	23:00 23:30	-	3:00					2	
115	Nagyecsed	Mon-Sun	23:00 23:30	-	3:00					1	
116	Nyíregyháza-Külső	Mon-Sun	23:30 0:00	-	3:30					1	station inspector
		Mon-Fri	23:30	-	4:00					1	pointsman
		Sat/Sun	23:00	-	5:00					1	pointsman
	Ófehértó	Mon-Fri Mon-Sun	0:00	-	3:30					1	station inspector
		Sat/Sun	0:00	-	4:00					1	pointsman
		Mon-Sun	21:30	-	3:30						
	Baktalórántháza	Mon-Sat	0:00	-	3:30					1	
		Sat/Sun	0:00	-	4:00					1	
	Vaja-Rohod	Mon-Sat	0:15	-	3:15					1	
		Sat/Sun	23:00	-	4:00					1	
	Nyírmada	Sun	0:00	-	4:00					2	

3. Annex 6.3.1 - Service place categories and line categories of MÁV Zrt

The following modifications were made:

Line number according to NS	IT line number	Service place code	Name of the service place	Chargeable kilometres	Station category for passenger trains	Station category for freight trains	Line category for passenger trains	Line category for freight trains	Start/end of the train path	Request stop available
130/2	130	44495	Jámborhalom mh.	47,4	4	0	3	3	yes	no
147/2	147	44941	Almáskert mh.	56,7	4	0	3	3	yes	no
154	154	16667	Óalmás mh.	45	4	0	2	2	yes	no
87/2	87	41863	Szilvásvárad-Eger Erdő ipvk.	32,5	0	0	3	3	yes	no

4. Annex 3.3.1.3 - Position of stations and service places on railway lines; main technical and operational characteristics

The following modification was made:

Line number	IT Line number	Name of the service place	Statistical number of service place	Szolgálati hely				Vágány													
				Staffless	Remote controlled	Signalling tool	Suitable for train crossing	Number/name	Function (passenger/freight/other)	Electrified (yes)	Length (m)	Through main line (yes)	Designated to go-round (yes)	length/width/height of platform (m)	Qualified as occupied by persons (yes)	Designated for storage	Preheating/precooling	Connection to electric power	Water supply	Connection to sewer	Equipped with inspection pit
454	454	Óalmás-mh.	46667	yes	no	none	no		passenger / freight	no			no	215/3,2/0,3	yes	no			no		