

Kimutatás a MÁV Zrt. pályahálózatán nyílt hozzáféréssé (közforgalmú) rakterületekről

Budapest TK

| Service place    | Code of the service place | Open access loading place registered by MÁV Zrt |                  |                            |        |                      |                             |           |  | Loading track next to loading places |                   |                    |                          |                        |                          |                         |                |                    |               |                         | Applicable speed (km/h) | Possibility of serving | Restrictions  |
|------------------|---------------------------|---|------------------|----------------------------|--------|----------------------|-----------------------------|-----------|--|--------------------------------------|-------------------|--------------------|--------------------------|------------------------|--------------------------|-------------------------|----------------|--------------------|---------------|-------------------------|-------------------------|------------------------|---|
|                  |                           | Position  | Size             | currently usable area (m2) | Paved  | Material of pavement | Current technical condition | Lighting  | Loading and other equipments                     | Name of the track                    | Usable length (m) | Loading length (m) | Branching-off turnout(s) |                        | Availability of catenary |                         | Derailer (pcs) | Scotch block (pcs) | Axle load (t) | Current technical state |                         |                        |   |
|                  |                           |   |                  |                            |        |                      |                             |           |  |                                      |                   |                    | From section to section  | Width (m) x length (m) | yes / no                 | Number                  |                |                    |               |                         |                         |                        |   |
| Álmásfűzőtő      | 01172                     |   | 14x38            | 532                        | yes    | stone                | good                        | lighted   | side loading                                     | I. vágány                            | 363               | 38                 | 49                       | central                | yes                      | 363                     | 0              | 0                  | 20            | good                    | 5                       | K                      | Can be served only from the end point, during loading the catenary must be earthed. |
| Ács              | 01230                     | 1131+1132                                       | 20x100           | 2000                       | yes    | concrete             | good                        | lighted   | none   | I. vágány                            | 710               | 100                | 20,25                    | central                | yes                      | 710                     | 1              | 0                  | 21            | good                    | 25                      | K                      |   |
| Ács              | 01230                     | 1131+1132                                       | 12x47            | 564                        | yes    | concrete             | good                        | lighted   | side loading, live stock loading (unserviceable) | I.(O) vágány                         | 710               | 47                 | 20,25                    | central                | yes                      | 710                     | 1              | 0                  | 21            | good                    | 25                      | K                      |   |
| Acsa -Erdőkürt   | 10884                     | 232+00-235+20                                   | 6x50             | 300                        | yes    | stone                | good                        | lighted   | side loading                                     | I.(O) vágány                         | 580               | 50                 | 5, 6                     | manual                 | no                       | 0                       | 1              | 0                  | 20            | adequate                | 10                      | K                      |   |
| Acsa -Erdőkürt   | 10884                     | 232+00-235+20                                   | 100 x 10         | 1000                       | yes    | stone                | good                        | lighted   | none   | I. (A) vágány                        | 580               | 100                | 5, 6                     | manual                 | no                       | 0                       | 1              | 0                  | 20            | adequate                | 10                      | K                      |   |
| Acsa -Erdőkürt   | 10884                     | 236+50-237+00                                   | 20 x 40          | 800                        | no     | -                    | bad                         | lighted   | none   | I. (B) vágány                        | 580               | 40                 | 5, 6                     | manual                 | no                       | 0                       | 1              | 0                  | 20            | bad                     | 10                      | E                      |   |
| Adony            | 06452                     | 85+00   | 7,875 X 80       | 630                        | yes    | stone                | bad                         | lighted   | none   | I. vágány                            | 500               | 80                 | 11,6                     | central                | partly                   | 50-50                   | 2              | 0                  | 21            | satisfactory            | 5                       | K                      |   |
| Albertirsa       | 13698                     | 551+80-553+80                                   | 18x200           | 3600                       | yes    | concrete             | good                        | lighted   | none   | IX. csomka vágány                    | 237               | 200                | 23                       | electric               | no                       | 263                     | 0              | 0                  | 21            | good                    | 20                      | E                      |   |
| Angyalföld       | 10124                     | 0+80-2+50                                       | 18,7 x 170       | 3179                       | yes    | cobblestone          | good                        | lighted   | none   | XVIII. vágány                        | 165               | 165                | 41                       | manual                 | no                       | 0                       | 0              | 0                  | 20            | adequate                | 10                      | E                      |   |
| Angyalföld       | 10124                     | 0+80-2+80                                       | 22 x 200         | 4400                       | yes    | concrete             | good                        | lighted   | none   | XV. vágány                           | 386               | 200                | 19                       | manual                 | no                       | 0                       | 0              | 0                  | 20            | adequate                | 10                      | E                      |   |
| Aszód            | 11163                     |   | 10 x 89          | 890                        | yes    | cobblestone          | good                        | lighted   | side loading                                     | I. vágány                            | 330               | 89                 | 27, 32                   | local, central         | yes                      | 380                     | 0              | 0                  | 16            | adequate                | 5                       | K                      |   |
| Aszód            | 11163                     |   | 12 x 250, 15X110 | 3450                       | yes    | asphalt              | good                        | lighted   | none   | XV. Vágány (kerti)                   | 408               | 360                | 25                       | central                | yes                      | 250                     | 0              | 0                  | 16            | adequate                | 5                       | E                      |   |
| Balassagyarmat   | 10967                     | 601-602   | 10 x 100         | 1000                       | yes    | concrete             | good                        | lighted   | none   | I. (A) vágány                        | 321               | 100                | 20                       | manual                 | no                       | 0                       | 0              | 0                  | 16/18,5       | good                    | 5                       | K                      |   |
| Balassagyarmat   | 10967                     | 602-603   | 15 X 30          | 450                        | yes    | concrete             | good                        | lighted   | side loading                                     | I.(O) vágány                         | 321               | 30                 | 20                       | manual                 | no                       | 0                       | 0              | 0                  | 16/18,5       | good                    | 5                       | K                      |   |
| Balassagyarmat   | 10967                     | 603-603+25                                      | 10 X 25          | 250                        | yes    | concrete             | good                        | lighted   | none   | I. (B) vágány                        | 321               | 25                 | 20                       | manual                 | no                       | 0                       | 0              | 0                  | 16/18,5       | good                    | 5                       | K                      |   |
| Balassagyarmat   | 10967                     | 603-605   | 15 x 200         | 3000                       | igen   | concrete             | good                        | lighted   | none   | IX. vágány                           | 210               | 200                | 22                       | manual                 | no                       | 0                       | 0              | 0                  | 16/18,5       | good                    | 5                       | E                      |   |
| Blatorbágy       | 01057                     | 296+298   | 10x200           | 2000                       | yes    | concrete             | good                        | lighted   | none   | I.(A) vágány                         | 710               | 200                | 14, 15                   | central                | yes                      | 100                     | 2              | 0                  | 21            | bad                     | 5                       | K                      |   |
| Blatorbágy       | 01057                     | 300-303   | 17x300           | 5100                       | yes    | concrete             | good                        | lighted   | none   | I. (B) vágány                        | 710               | 300                | 14, 15                   | central                | yes                      | 100                     | 2              | 0                  | 21            | bad                     | 5                       | K                      |   |
| Blicske          | 01081                     | 474+42-477+35                                   | 15x160           | 900                        | yes    | concrete             | good                        | lighted   | none   | XII. vágány                          | 250               | 160                | 63                       | manual                 | no                       | 0                       | 0              | 0                  | 21            | bad                     | 5                       | E                      |   |
| Bodaik           | 03707                     |   | 5X190            | 950                        | yes    | asphalt              | average                     | lighted   | end loading                                      | I. csomka                            | 194               | 190                | 18                       | central                | no                       | 0                       | 0              | 0                  | 20            | 10                      | E                       |                        |   |
| Bodaik           | 03707                     |   | 15x20            | 300                        | yes    | cobblestone          | average                     | lighted   | side loading                                     | I. rak tári                          | 480               | 20                 | 18, 21                   | central                | no                       | 0                       | 0              | 0                  | 20            | 10                      | E                       |                        |   |
| Börjendő         | 04101                     | 68+00 - 70+50                                   | 4x36             | 144                        | yes    | cobblestone          | good                        | lighted   | side loading                                     | I. rakodó                            | 150               | 36                 | 18, 13                   | central                | no                       | 0                       | 0              | 0                  | 20            | 10                      | K                       |                        |   |
| Háros            | 05785                     | 183   | 40x250           | 10000                      | yes    | cobblestone          | adequate                    | lighted   | none   | I. vágány                            | 670               | 250                | 34, 31                   | manual                 | no                       | 0                       | 0              | 0                  | 21            | adequate                | 10                      | K                      | Locomotive is not allowed to run next to the side loading platform.                 |
| Budaörs          | 01032                     | 63+50 - 65+90                                   | 6X35             | 210                        | yes    | concrete             | good                        | lighted   | none   | I. vágány                            | 700               | 35                 | 23,34                    | central                | no                       | 0                       | 0              | 1                  | 21            | bad                     | 5                       | K                      |   |
| Ferencváros      | 10025                     | 17+20-20+80                                     | 4x160            | 640                        | yes    | cobblestone          | average                     | lighted   | side or end loading                              | I. rakodóvágány                      | 411               | 160                | 114                      | central                | yes                      | 480                     | 0              | 0                  | 21            | adequate                | 10                      | E                      |   |
| Budapest-Nyugati | 10033                     | 17+20-20+80                                     | 12 x 360         | 4320                       | yes    | cobblestone          | average                     | lighted   | none   | körház 3. vágány                     | 402               | 360                | 204                      | 36manual               | no                       | 0                       | 0              | 0                  | 20            | bad                     | 20                      | K                      |   |
| Budapest-Nyugati | 10033                     | 719+65-722+45                                   | 11,5 x 360       | 4140                       | yes    | cobblestone          | average                     | lighted   | none   | körház 1. vágány                     | 345               | 327                | 203/a                    | manual                 | no                       | 0                       | 0              | 0                  | 20            | bad                     | 10                      | K                      |   |
| Cegléd           | 13722                     | 722-65-723+61                                   | 16x280           | 4480                       | yes    | concrete sleeper     | good                        | lighted   | scales   | XII. vágány                          | 733               | 280                | 33                       | central                | yes                      | From starting point 200 | 2              | 0                  | 21            | good                    | 20                      | K                      |   |
| Cegléd           | 13722                     | 9+85-11+31                                      | 11,1X96,5        | 1071                       | yes    | concrete sleeper     | good                        | lighted   | none   | XIV. vágány                          | 337               | 96,5               | 23/2                     | local                  | no                       | 0                       | 0              | 0                  | 21            | good                    | 5                       | E                      |   |
| Cegléd           | 13722                     | 425+10-425+90                                   | 10X146           | 1460                       | yes    | concrete             | good                        | lighted   | end loading                                      | XVI. csomka vágány                   | 283               | 146                | 35/9                     | local                  | no                       | 0                       | 0              | 0                  | 21            | good                    | 5                       | E                      |   |
| Dabas            | 16840                     | 266+12-268+80                                   | 10x100           | 1000                       | no     | -                    | average                     | lighted   | none   | I. vágány                            | 595               | 100                | 5, 10                    | local                  | no                       | 0                       | 0              | 2                  | 21            | adequate                | 40                      | E                      |   |
| Delegyháza       | 16162                     | 282+05-283+00                                   | 268 x 10         | 2680                       | no     | -                    | poor                        | lighted   | none   | V. rakodó vágány                     | 268               | 19                 | central                  | yes                    | 135                      | 1                       | 1              | 21                 | average       | 10                      | E                       |                        |   |
| Dősjenő          | 10645                     | 282+05-283+00                                   | 5X10             | 50                         | yes    | stone                | average                     | lighted   | side loading                                     | I. (O) vágány                        | 171               | 10                 | 6, 9                     | manual                 | no                       | 0                       | 0              | 0                  | 12            | adequate                | 5                       | K                      |   |
| Dősjenő          | 10645                     | 436+90-438+00                                   | 15X100           | 1200                       | yes    | stone                | average                     | lighted   | none   | I. vágány                            | 171               | 100                | 6, 9                     | manual                 | no                       | 0                       | 0              | 0                  | 12            | adequate                | 5                       | K                      |   |
| Dömsöd           | 16196                     | 388+80-388+90                                   | 4x500            | 2000                       | no     | -                    | poor                        | lighted   | none   | I. rakodó vágány                     | 540               | 500                | 6, 5                     | central                | yes                      | 618                     | 2              | 0                  | 21            | poor                    | 10                      | K                      | Can be served only from the end point.  |
| Drégegypálánk    | 10694                     | 387+40-388+80                                   | 10 X 10          | 100                        | yes    | stone                | good                        | lighted   | side loading                                     | I. (O) vágány                        | 149               | 10                 | 11                       | manual                 | no                       | 0                       | 0              | 0                  | 12            | adequate                | 5                       | E                      |   |
| Drégegypálánk    | 10694                     | 544-552   | 20X100           | 2000                       | yes    | stone                | average                     | lighted   | none   | I. vágány                            | 149               | 100                | 11                       | manual                 | no                       | 0                       | 0              | 0                  | 12            | adequate                | 5                       | E                      |   |
| Dunaöldvár       | 06569                     | 544-552   | 36X50, 36X100    | 5400                       | yes    | stone                | good                        | lighted   | none   | I. (A) vágány                        | 712               | 150                | 4, 11                    | local                  | no                       | 0                       | 0              | 0                  | 21            | satisfactory            | 5                       | K                      | K group   |
| Dunaöldvár       | 06569                     | 544-552   | 10X20            | 200                        | yes    | stone                | good                        | lighted   | side loading                                     | I. (O) vágány                        | 712               | 20                 | 4, 11                    | local                  | no                       | 0                       | 0              | 0                  | 21            | satisfactory            | 5                       | K                      | K group   |
| Dunaöldvár       | 06569                     | 152+00-152+80                                   | 36X100           | 3600                       | yes    | stone                | good                        | lighted   | none   | I. (B) vágány                        | 712               | 100                | 4, 11                    | local                  | no                       | 0                       | 0              | 0                  | 21            | satisfactory            | 5                       | K                      | K group   |
| Dunaharaszti     | 16121                     | 152+00-152+80                                   | 20X30            | 600                        | yes    | cobblestone          | adequate                    | unlighted | none   | IV. (A) rakodó vágány                | 385               | 30                 | 5, 7                     | central                | no                       | 0                       | 2              | 0                  | 20            | poor                    | 20                      | K                      |   |
| Dunaharaszti     | 16121                     | 152+00-152+80                                   | 10X12            | 120                        | yes    | cobblestone          | adequate                    | unlighted | side loading                                     | IV. (O) rakodó vágány                | 385               | 12                 | 5, 7                     | central                | no                       | 0                       | 2              | 0                  | 20            | poor                    | 20                      | K                      |   |
| Dunaharaszti     | 16121                     | 142+18-145+00                                   | 20X110           | 2200                       | yes    | cobblestone          | adequate                    | unlighted | none   | IV. (B) rakodó vágány                | 385               | 110                | 5, 7                     | central                | no                       | 0                       | 2              | 0                  | 20            | poor                    | 20                      | K                      |   |
| Dunakeszi        | 10371                     | 262+00-266+94                                   | 10,4 x 282       | 2033                       | yes    | concrete             | adequate                    | lighted   | side loading                                     | I. vágány                            | 882               | 282                | 24, 15                   | electric               | no                       | 0                       | 1              | 0                  | 20            | adequate                | 5                       | K                      |   |
| Dunaujváros      | 06502                     | 263+93-267+10                                   | 10X420           | 4200                       | yes    | asphalt              | adequate                    | lighted   | none   | Kerti vágány                         | 420               | 420                | 8                        | local                  | no                       | 0                       | 1              | 0                  | 21            | good                    | 15                      | E                      |   |
| Dunaujváros      | 06502                     | 329-331   | 10X210           | 2100                       | yes    | asphalt              | adequate                    | lighted   | scales, end loading                              | Mérleg vágány                        | 210               | 210                | 42                       | local                  | no                       | 0                       | 0              | 0                  | 21            | good                    | 15                      | E                      |   |
| Ercsi            | 05850                     | 331-332   | 30 x 100         | 3000                       | no     | -                    | adequate                    | lighted   | none   | XIV. vágány                          | 280               | 100                | 24                       | central                | no                       | 0                       | 0              | 0                  | 21            | adequate                | 10                      | E                      |   |
| Ercsi            | 05850                     | 185+30-185+65                                   | 12 x 60          | 720                        | partly | natural stone        | average                     | lighted   | none   | XV. vágány                           | 150               | 60                 | 30,24                    | local, central         | yes                      | 150                     | 0              | 0                  | 21            | adequate                | 10                      | K                      |   |
| Érd              | 05827                     | 185+65-186+02                                   | 10X40            | 400                        | no     | -                    | adequate                    | lighted   | side loading                                     | I. (O) vágány                        | 945               | 40                 | 17,18                    | local                  | no                       | 0                       | 0              | 0                  | 22            | adequate                | 5                       | E                      |   |
| Érd              | 05827                     | 216+25-217+27                                   | 20X35, 10X37     | 1070                       | no     | -                    | adequate                    | lighted   | none   | I. vágány                            | 945               | 72                 | 17,18                    | local                  | no                       | 0                       | 0              | 0                  | 22            | adequate                | 5                       | E                      |   |
| Göd              | 10413                     | 355+00 - 357+00                                 | 10 x 102         | 1020                       | yes    | concrete             | adequate                    | lighted   | none   | VI. vágány                           | 344               | 102                | 18, 10                   | electric               | no                       | 0                       | 0              | 2                  | 20            | adequate                | 5                       | K                      |   |
| Gödöllő          | 11130                     | 1405-1408                                       | 15 x 200         | 3000                       | yes    | cobblestone          | adequate                    | unlighted | none   | IX. vágány                           | 380               | 200                | 22                       | central                | no                       | 0                       | 1              | 0                  | 16            | adequate                | 5                       | E                      |   |
| Győr             | 01289                     | 1403+16-1404+16                                 | 150x9, 20x7,5    | 1500                       | yes    | cobblestone          | good                        | unlighted | none   | Temető II. vágány                    | 191               | 150                | 456                      | manual                 | no                       | 0                       | 0              | 0                  | 21            | adequate                | 5                       | E                      |   |
| Győr             | 01289                     | 1403+72-1405+40                                 | 19x94            | 1786                       | yes    | cobblestone          | adequate                    | lighted   | end loading                                      | Csárda csomka                        | 60                | 19                 | 424                      | manual                 | no                       | 0                       | 0              | 0                  | 21            | adequate                | 5                       | E                      |   |
| Győr             | 01289                     | 1404+00-1405+63                                 | 75x1             |                            |        |                      |                             |           |  |                                      |                   |                    |                          |                        |                          |                         |                |                    |               |                         |                         |                        |   |

| Service place            | Open access loading place registered by MÁV Zrt |                                  |                             |                            |                |                      |                             |                      |                                  | Loading track next to loading places |                   |                    |                          |                           |                          |            |                |                    |               |                         |    |   | Applicable speed (km/h)   | Possibility of serving | Restrictions |
|--------------------------|---|----------------------------------|-----------------------------|----------------------------|----------------|----------------------|-----------------------------|----------------------|----------------------------------|--------------------------------------|-------------------|--------------------|--------------------------|---------------------------|--------------------------|------------|----------------|--------------------|---------------|-------------------------|----|---|---|------------------------|--------------|
|                          | Code of the service place                       | Position From section to section | Size Width (m) x length (m) | currently usable area (m2) | Paved yes / no | Material of pavement | Current technical condition | Lighting             | Loading and other equipments     | Name of the track                    | Usable length (m) | Loading length (m) | Branching-off turnout(s) |                           | Availability of catenary |            | Derailer (pcs) | Scotch block (pcs) | Axle load (t) | Current technical state |    |   |   |                        |              |
|                          |   |                                  |                             |                            |                |                      |                             |                      |                                  |                                      |                   |                    | Number                   | Switch operation mode     | yes / no                 | Length (m) |                |                    |               |                         |    |   |   |                        |              |
| Isaszeg                  | 11122   | 1+80-2+77                        | 10 x 100                    | 1000                       | no             | -                    | adequate                    | unlighted            | none                             | I. vágány                            | 549               | 140                | 13, 16                   | central                   | yes                      | 809        | 0              | 0                  | 21            | adequate                | 5  | K | Can be served only from the end point.                              |                        |              |
| Hegyeshalom              | 01362   | 1+80-2+77                        | 3,5 x 97                    | 340                        | yes            | concrete             | good                        | unlighted            | side loading                     | Raktár I. vágány                     | 115               | 97                 | 404                      | manual                    | no                       | 0          | 0              | 0                  | 21            | adequate                | 5  | E | K group   |                        |              |
| Hegyeshalom              | 01362   | 373+77-381+54                    | 3,5 x 97                    | 340                        | yes            | concrete             | good                        | unlighted            | none                             | Raktár II. vágány                    | 170               | 97                 | 205                      | manual                    | no                       | 0          | 0              | 0                  | 21            | adequate                | 5  | E | D group   |                        |              |
| Herczeghalom             | 01065   | 373+77-381+54                    | 13x175                      | 2275                       | yes            | concrete             | good                        | lighted              | none                             | I. vágány                            | 726               | 175                | 14, 16                   | central, manual           | no                       | 0          | 2              | 0                  | 21            | good                    | 25 | K |   |                        |              |
| Herczeghalom             | 01065   | 423-426                          | 100x20                      | 200                        | yes            | concrete             | good                        | lighted              | side loading                     | I(O) vágány                          | 726               | 20                 | 14, 16                   | central, manual           | no                       | 0          | 2              | 0                  | 21            | good                    | 25 | E |   |                        |              |
| Jászberény               | 11957   | 248-70-250+60                    | 4,5x80                      | 360                        | yes            | concrete             | average                     | lighted              | end and side loading             | VIII. vágány                         | 340               | 80                 | 18                       | manual                    | no                       | 0          | 0              | 0                  | 21            | adequate                | 5  | E |   |                        |              |
| Jászberény               | 11957   | 248-85-250+60                    | 4,5x190                     | 855                        | yes            | concrete             | average                     | lighted              | none                             | VII. vágány                          | 210               | 190                | 18                       | manual                    | no                       | 0          | 0              | 0                  | 21            | adequate                | 5  | E |   |                        |              |
| Jászberény               | 11957   | 414+60-415+90                    | 5x175                       | 875                        | yes            | concrete             | average                     | lighted              | none                             | VI. vágány                           | 388               | 175                | 15, 16                   | central                   | no                       | 0          | 0              | 1                  | 21            | adequate                | 5  | K | Can be served only from the start point.                            |                        |              |
| Jászdobogóháza-Jánoshida | 11981   | 100-94-104+09                    | 4,5x130                     | 585                        | yes            | concrete             | average                     | lighted              | live stock loading, side loading | I. vágány                            | 559               | 130                | 3, 6                     | central                   | no                       | 0          | 0              | 1                  | 21            | adequate                | 5  | K | Bypass wire next to the track therefore loading permit is required! |                        |              |
| Jászfényszaru            | 11932   | 1691-86-1693+90                  | 4,5x315                     | 1418                       | yes            | cobblestone          | average                     | lighted              | none                             | I. vágány                            | 553               | 315                | 2, 3                     | central                   | no                       | 0          | 2              | 2                  | 21            | bad                     | 10 | K |   |                        |              |
| Jászfényszaru            | 11932   | 1691-86-1693+90                  | 15x19                       | 285                        | yes            | cobblestone          | average                     | lighted              | side loading                     | I. (O)vágány                         | 553               | 19                 | 2, 3                     | central                   | no                       | 0          | 2              | 2                  | 21            | bad                     | 10 | K |   |                        |              |
| Kimle                    | 01339   |                                  | 30x240                      | 7200                       | yes            | concrete             | good                        | unlighted            | none                             | VII. vágány                          | 255               | 240                | 7                        | central                   | yes                      | 250        | 1              | 0                  | 21            | adequate                | 5  | K |   |                        |              |
| Kisbér                   | 03764   |                                  | 140x4                       | 560                        | yes            | concrete             | good                        | lighted              | none                             | VI. rakodó                           | 480               | 140                | 17, 22                   | central                   | no                       | 0          | 0              | 0                  | 20            |                         | 10 | K |   |                        |              |
| Kisbér                   | 03764   |                                  | 80x6                        | 480                        | yes            | concrete             | good                        | lighted              | side loading                     | VI. (O)rakodó                        | 480               | 80                 | 17, 22                   | central                   | no                       | 0          | 0              | 0                  | 20            |                         | 10 | K |   |                        |              |
| Kisbér                   | 03764   |                                  | 160x9                       | 1440                       | yes            | concrete             | good                        | lighted              | side and end loading             | VII. csónka                          | 174               | 160                | 22                       | central                   | no                       | 0          | 0              | 0                  | 20            |                         | 10 | E |   |                        |              |
| Kisbér                   | 03764   | 82+05-82+10                      | 140x4                       | 560                        | yes            | concrete             | good                        | lighted              | none                             | VIII. csónka                         | 130               | 115                | 17                       | central                   | no                       | 0          | 0              | 1                  | 20            |                         | 10 | E |   |                        |              |
| Kispest                  | 10119   | 82+07-83+27                      | 5 x 4                       | 20                         | yes            | concrete             | average                     | unlighted            | end loading                      | IV. vágány                           | 86                | 86                 | 13                       | local                     | no                       | 0          | 0              | 0                  | 21            | poor                    | 10 | K |   |                        |              |
| Kispest                  | 10119   | 82+07-83+27                      | 5 x 4                       | 20                         | yes            | concrete             | average                     | unlighted            | end loading                      | V. vágány                            | 86                | 15                 | local                    | local                     | no                       | 0          | 0              | 0                  | 21            | poor                    | 10 | K |   |                        |              |
| Kispest                  | 10119   | 82+07-83+27                      | 5 x 4                       | 20                         | yes            | concrete             | average                     | unlighted            | end loading                      | VI.vágány                            | 177               | 21                 | local                    | local                     | no                       | 0          | 0              | 0                  | 21            | poor                    | 10 | K |   |                        |              |
| Kispest                  | 10119   | 81+00-82+00                      | 120x5                       | 600                        | no             | none                 | average                     | unlighted            | none                             | VII. vágány                          | 160               | 120                | 19                       | local                     | no                       | 0          | 0              | 0                  | 21            | poor                    | 10 | K |   |                        |              |
| Kispest                  | 10119   | 1242+65-1243+60                  | 60 x 2                      | 120                        | yes            | concrete             | average                     | unlighted            | side loading                     | I.vágány                             | 672               | 60                 | 11                       | local                     | no                       | 0          | 0              | 0                  | 21            | poor                    | 10 | K |   |                        |              |
| Kissterenye              | 11858   | 339-80-342+30                    | 20 x 100                    | 2000                       | yes            | concrete             | adequate                    | lighted              | none                             | X. raktári vágány                    | 100               | 100                | 15                       | central (point wire)      | no                       | 0          | 0              | 0                  | 21            | adequate                | 5  | E |   |                        |              |
| Kiskunlacháza            | 16188   | 336+90-339+60                    | 6x20                        | 180                        | yes            | concrete             | average                     | unlighted            | side loading                     | I.(O) vágány                         | 741               | 20                 | 12, 9                    | central                   | yes                      | 0          | 0              | 0                  | 21            | poor                    | 10 | E |   |                        |              |
| Kiskunlacháza            | 16188   | 336+90-339+60                    | 480x10                      | 4800                       | yes            | concrete             | average                     | unlighted            | none                             | I. vágány                            | 741               | 480                | 12, 9                    | local central             | no                       | 0          | 0              | 0                  | 21            | poor                    | 5  | E |   |                        |              |
| Kiskunlacháza            | 16188   | 1045-1047                        | 480x10                      | 4800                       | yes            | concrete             | average                     | unlighted            | none                             | R1 Kerti vágány                      | 330               | 293                | 12, 9                    | local central             | no                       | 0          | 0              | 0                  | 21            | poor                    | 5  | K |   |                        |              |
| Komárom                  | 01222   | 1029-1035                        | 12x90                       | 1080                       | no             | none                 | good                        | lighted              | side loading                     | Nagyrapma vágány                     | 170               | 50                 | 21                       | central                   | no                       | 0          | 1              | 0                  | 21,5          | good                    | 5  | E |   |                        |              |
| Komárom                  | 01222   | 1047-1048                        | 5x360                       | 1800                       | nem            | -                    | bad                         | unlighted            | none                             | Felső-Duna vágány                    | 580               | 360                | 30                       | electric                  | no                       | 0          | 1              | 0                  | 21,5          | good                    | 5  | E |   |                        |              |
| Komárom                  | 01222   | 73+70-75+20                      | 15x30                       | 450                        | no             | -                    | adequate                    | lighted              | side and end loading             | Drocz-rakodó vágány                  | 161               | 30                 | 3                        | manual                    | no                       | 0          | 0              | 0                  | 21,5          | bad                     | 5  | E |   |                        |              |
| Kőbánya teher            | 10108   | 76+91-79+71                      | 150 x 8,17<br>10X5,5 7X11   | 1357,5                     | yes            | cobblestone          | average                     | unlighted            | side and end loading             | XVI.(sór) vágány                     | 186               | 167                | 417                      | manual                    | no                       | 0          | 0              | 0                  | 20            | average                 | 10 | K | K sign track  |                        |              |
| Környe                   | 01743   | 201-203-205                      | 9x260                       | 2340                       | yes            | concrete             | adequate                    | unlighted            | none                             | VI. vágány                           | 623               | 260                | 11-10                    | central                   | yes                      | 623        | 0              | 0                  | 21            | adequate                | 25 | K |   |                        |              |
| Lábatlan                 | 01458   | 204                              | 30x200,<br>70X10            | 6700                       | yes, no        | concrete             | adequate                    | lighted              | none                             | I. raktári vágány                    | 637               | 270                | 13, 14                   | manual with electric lock | no                       |            | 0              | 2                  | 21            | adequate                | 5  | K |   |                        |              |
| Lábatlan                 | 01578   | 1602-1606+30                     | 5x40                        | 200                        | no             | gravel               | adequate                    | lighted              | side loading                     | I. (O)raktári vágány                 | 637               | 40                 | 13, 14                   | central                   | no                       | 0          | 2              | 21                 | adequate      | 5                       | K  |   |   |                        |              |
| Lebény-Moosonszentmiklós | 01371   | 28,9 x 297                       | 858x3                       | 5583                       | yes            | concrete             | good                        | unlighted            | side loading                     | I. vágány                            | 747               | 297                | 18, 15                   | central                   | yes                      | 741        | 1              | 0                  | 21            | adequate                | 5  | E | F group   |                        |              |
| Lovabérény               | 01685   | 446-447+50                       | 35x3,5                      | 122                        | yes            | cobblestone          | good                        | unlighted            | side loading                     | I. rakodó vágány                     | 122               | 35                 | 5,6                      | local                     | no                       | 0          | 1              | 0                  | 20            |                         | 10 | K |   |                        |              |
| Magyaránádor             | 10934   | 223+45-224+18                    | 20 x 107,5                  | 2150                       | yes            | barren               | good                        | lighted              | none                             | I. vágány                            | 246               | 107,5              | 4, 3                     | manual                    | no                       | 0          | 0              | 2                  | 16/18,5       | good                    | 10 | K |   |                        |              |
| Mende                    | 11585   | 226+62-226+96                    | 5 x 73                      | 365                        | yes            | cobblestone          | average                     | lighted              | none                             | I.(A) vágány                         | 896               | 73                 | 14,15                    | electric                  | yes                      | 940        | 0              | 0                  | 20            | bad                     | 20 | K | K sign track  |                        |              |
| Mende                    | 11585   | 227+12-227+92                    | 5 x 34                      | 170                        | yes            | beton                | average                     | lighted              | none                             | I. (B) vágány                        | 896               | 34                 | 14,15                    | electric                  | yes                      | 940        | 0              | 0                  | 20            | bad                     | 20 | K | K sign track  |                        |              |
| Mende                    | 11585   | 380-382                          | 5 x 80                      | 400                        | yes            | beton                | average                     | lighted              | side loading                     | I. (C) vágány                        | 896               | 80                 | 14,15                    | electric                  | yes                      | 940        | 0              | 0                  | 20            | bad                     | 20 | K | K sign track  |                        |              |
| Mezőfalva                | 06536   | 384-385                          | 9 X 200                     | 1800                       | yes            | concrete             | good                        | lighted              | side loading                     | I. vágány                            | 691               | 200                | 4,7                      | local                     | no                       | 0          | 1              | 0                  | 21            | good                    | 5  | E | K sign track  |                        |              |
| Mezőfalva                | 06536   | 99-42-103+90                     | 16 X 50                     | 800                        | no             | -                    | good                        | lighted              | end loading                      | Csonka vágány                        | 141               | 50                 | 7                        | local                     | no                       | 0          | 0              | 1                  | 21            | good                    | 5  | K | K sign track  |                        |              |
| Ménfőcsanak mrt.h.       | 02048   |                                  | 300x10                      | 3000                       | yes            | concrete             | adequate                    | lighting is possible | none                             | Rakodó vágány                        | 385               | 300                | 1,2                      | central (Győrszemere)     | no                       | 0          | 2              | 0                  | 21            | adequate                | 5  | K |   |                        |              |
| Moha                     | 03673   | 369+60-371+25                    | 210x5                       | 1050                       | yes            | concrete             | good                        | lighted              | none                             | I. rakodó vágány                     | 560               | 210                | 5,8                      | central                   | no                       | 0          | 0              | 1                  | 20            |                         | 5  | E | Can be served only from the end point.                              |                        |              |
| Monor                    | 13664   | 1764-1765                        | 10x165                      | 1650                       | yes            | concrete             | good                        | lighted              | none                             | VI. vágány                           | 239               | 165                | 13                       | electric                  | partly                   | 120        | 1              | 0                  | 22            | good                    | 20 | E |   |                        |              |
| Monornagyaróvár          | 01347   | 1760-60-1762                     | 15 x 100                    | 1500                       | yes            | cobblestone          | good                        | unlighted            | none                             | I/c. vágány                          | 160               | 100                | 24                       | local                     | yes                      | 160        | 0              | 0                  | 21            | adequate                | 5  | E | K group   |                        |              |
| Monornagyaróvár          | 01347   | 1759+60-1762+30                  | 10 x 140                    | 1400                       | yes            | concrete             | good                        | unlighted            | none                             | XII. vágány                          | 210               | 110                | 28/1                     | local                     | yes                      | 0          | 1              | 1                  | 21            | adequate                | 5  | K | E group   |                        |              |
| Monornagyaróvár          | 01347   |                                  | 17 x 270                    | 4590                       | yes            | concrete             | good                        | unlighted            | none                             | VIII. vágány                         | 615               | 270                | 34,21                    | central                   | yes                      | 615        | 2              | 0                  | 21            | adequate                | 5  | E | E group   |                        |              |
| Mór                      | 03731   |                                  | 120x5                       | 600                        | yes            | concrete             | good                        | lighted              | none                             | I. rakodó vágány                     | 679               | 120                | 7, 16                    | central                   | no                       | 0          | 0              | 0                  | 20            |                         | 10 | K |   |                        |              |
| Mór                      | 03731   |                                  | 150x5                       | 750                        | yes            | concrete             | good                        | lighted              | end loading                      | I. csónka vágány                     | 154               | 150                | 16                       | central                   | no                       | 0          | 0              | 0                  | 20            |                         | 10 | K |   |                        |              |
| Mór                      | 03731   |                                  | 300x20                      | 6000                       | no             | soil                 | good                        | lighted              | none                             | VI. rakodó vágány                    | 400               | 300                | 9, 20                    | central                   | no                       | 0          | 0              | 0                  | 20            |                         | 10 | K |   |                        |              |
| Mór                      | 03731   | 626+76-628+26                    | 40x14                       | 560                        | yes            | concrete             | good                        | lighted              | side loading                     | I.(O) rakodó vágány                  | 679               | 40                 | 7, 16                    | central                   | no                       | 0          | 0              | 0                  | 20            |                         | 10 | E |   |                        |              |
| Nagyigmánd-Bábolna       | 03798   | 626+76-628+26                    | 15x160                      | 2400                       | yes            | concrete             | adequate                    | lighted              | none                             | IV. vágány                           | 647               | 160                | 8,7                      | local, central            | no                       | 0          | 0              | 0                  | 21            | adequate                | 10 | K |   |                        |              |
| Nagyigmánd-Bábolna       | 03798   | 626+76-628+26                    | 12x44                       | 528                        | yes            | concrete             | adequate                    | lighted              | side loading                     | IV. (O)vágány                        | 647               | 44                 | 8,7                      | local, central            | no                       | 0          | 0              | 0                  | 21            | adequate                | 10 | K |   |                        |              |
| Nagyigmánd-Bábolna       | 03798   | 469+67-470+89                    | 12x44                       | 528                        | yes            | concrete             | adequate                    | lighted              | end loading                      | V. vágány                            | 125               | 125                | 8,7                      | local, central            | no                       | 0          | 0              | 0                  | 21            | adequate                | 10 | K |   |                        |              |
| Nagykátá                 | 11643   | 519+25-520+15                    | 13,69x122                   | 1670                       | yes            | concrete             | average                     | lighted              | none                             | X. vágány                            | 256               | 122                | 21, 19                   | electric                  | yes                      | 279        | 1              | 0                  | 21            | average                 | 5  | K |   |                        |              |

| Service place      | Open access loading place registered by MÁV Zrt |  |                                   |                                  |                   |                         |                                   |           |                                 | Loading track next to loading places |                      |                       |                          |                          |                             |            |                   |                       |                  |                               | Applicable speed<br>(km/h) | Possibility of<br>serving | Restrictions   |
|--------------------|---|--|-----------------------------------|----------------------------------|-------------------|-------------------------|-----------------------------------|-----------|---------------------------------|--------------------------------------|----------------------|-----------------------|--------------------------|--------------------------|-----------------------------|------------|-------------------|-----------------------|------------------|-------------------------------|----------------------------|---------------------------|--|
|                    | Code of the<br>service<br>palce                 | Position<br>From section to<br>section             | Size<br>Width (m) x<br>length (m) | currently<br>usable area<br>(m2) | Paved<br>yes / no | Material of<br>pavement | Current<br>technical<br>condition | Lighting  | Loading and other<br>equipments | Name of the track                    | Usable length<br>(m) | Loading length<br>(m) | Branching-off turnout(s) |                          | Availability of<br>catenary |            | Derailer<br>(pcs) | Scotch block<br>(pcs) | Axle load<br>(t) | Current<br>technical<br>state |                            |                           |  |
|                    |   |  |                                   |                                  |                   |                         |                                   |           |                                 |                                      |                      |                       | Number                   | Switch operation<br>mode | yes / no                    | Length (m) |                   |                       |                  |                               |                            |                           |  |
| Paks               | 06593   | 976+70 - 977+30                                    | 25,2 x 200                        | 5040                             | yes               | concrete                | good                              | lighted   | side loading                    | VI. vágány                           | 262                  | 200                   | 3                        | local                    | no                          | 0          | 0                 | 0                     | 21               | satisfactory                  | 5                          | E                         | K group  |
| Pásztó             | 11809   | 977+60 - 978+20                                    | 13 x 60                           | 780                              | yes               | stone                   | bad                               | unlighted | none                            | I. (A)vágány                         | 650                  | 60                    | 12, 13                   | 12 central, 13 manual    | no                          | 0          | 0                 | 0                     | 21               | bad                           | 5                          | K                         |  |
| Pásztó             | 11809   | 980+20 - 982+00                                    | 13 x 60                           | 780                              | yes               | stone                   | bad                               | unlighted | none                            | I.(B) vágány                         | 650                  | 60                    | 12, 13                   | 13 central, 13 manual    | no                          | 0          | 0                 | 0                     | 21               | bad                           | 5                          | K                         |  |
| Pásztó             | 11809   | 130+71-133+70                                      | 17 x 180                          | 3060                             | yes               | concrete                | average                           | unlighted | none                            | I.(C) vágány                         | 650 + 140            | 180                   | 12, 13                   | 14 central, 13 manual    | no                          | 0          | 0                 | 0                     | 21               | bad                           | 5                          | K                         |  |
| Pestszentlőrinc    | 10181   | 475+65-477+15                                      | 15,8x309                          | 4882,2                           | yes               | stone                   | bad                               | lighted   | none                            | Nagycsonka vágány                    | 263                  | 173                   | 28                       | manual                   | no                          | 0          | 0                 | 0                     | 22,5             | bad                           | 20                         | K                         | Consignments of types<br>22,33,44,55,66,77 - are not<br>allowed to run     |
| Pilis              | 13680   |  | 150x 10                           | 1500                             | yes               | concrete                | good                              | lighted   | none                            | VI.vágány                            | 242                  | 150                   | 16                       | local                    | no                          | 0          | 0                 | 0                     | 22               | good                          | 20                         | E                         |  |
| Pusztamonostor     | 11940   | 144+20-144+56                                      | 4,5 x 120                         | 540                              | yes               | concrete                | average                           | lighted   | none                            | I. vágány                            | 507                  | 120                   | 1, 8                     | central                  | no                          | 0          | 0                 | 1                     | 21               | adequate                      | 10                         | K                         | Bypass wire next to the track,<br>therefore loading permit is<br>required! |
| Pusztamonostor     | 11940   | 478-481  | 10 x 36                           | 360                              | yes               | concrete                | average                           | lighted   | side loading                    | I. (O)vágány                         | 507                  | 36                    | 1, 8                     | central                  | no                          | 0          | 0                 | 1                     | 21               | adequate                      | 10                         | K                         | Bypass wire next to the track,<br>therefore loading permit is<br>required! |
| Pusztaszabolcs     | 05876   | 80-86  | 30x340                            | 10200                            | yes               | concrete                | adequate                          | lighted   | none                            | I. vágány                            | 786                  | 340                   | 25, 32                   | central                  | yes                         | 50         | 0                 | 0                     | 21               | adequate                      | 10                         | K                         |  |
| Rákos              | 10074   | 57+30-60+40  | 450x5                             | 2250                             | no                | -                       | good                              | lighted   | none                            | XXIX. vágány                         | 450                  | 450                   | 435, 438                 | local                    | no                          | 0          | 0                 | 0                     | 21               | good                          | 40                         |                           | Can be served only from the end<br>point.                                  |
| Rákoshegy          | 11528   | 61+93-63+51  | 53 x 310                          | 16430                            | yes               | concrete                | average                           | lighted   | none                            | I. (A) vágány                        | 477                  | 310                   | 16, 13                   | electric                 | yes                         | 628        | 1                 | 0                     | 20               | average                       | 20                         | K                         | K group  |
| Rákoshegy          | 11528   | 79+90-80+70  | 5 x 158                           | 790                              | yes               | concrete                | good                              | lighted   | none                            | I. (B) vágány                        | 477 + 97             | 158                   | 16, 13                   | electric                 | yes                         | 628        | 1                 | 0                     | 20               | average                       | 20                         | K                         | K group  |
| Rákospalota Újpest | 11140   | 42/43  | 30,8 x 80                         | 2464                             | yes               | stone                   | average                           | lighted   | nincsenek                       | 31. csonkavágány                     | 300                  | 80                    | 31                       | manual                   | no                          | 0          | 0                 | 0                     | 20               | adequate                      | 5                          | E                         |  |
| Rákosszentmihály   | 10272   | 169+50-170+20                                      | 130 x 30                          | 3900                             | yes               | concrete                | good                              | lighted   | nincsenek                       | I. vágány                            | 350                  | 130                   | 14, 11                   | central                  | yes                         | 655        | 0                 | 0                     | 21               | good                          | 5                          | K                         | Can be served only from the end<br>point.                                  |
| Romhány            | 10785   | 169+50-170+20                                      | 5 X 10                            | 50                               | no                | -                       | bad                               | lighted   | side loading                    | I.(O) vágány                         | 181                  | 10                    | 3, 5                     | manual                   | no                          | 0          | 0                 | 0                     | 12               | bad                           | 5                          | K                         |  |
| Romhány            | 10785   | 1244+15 - 1244+45                                  | 70 x 15                           | 1050                             | no                | -                       | bad                               | lighted   | none                            | I. vágány                            | 181                  | 70                    | 3, 5                     | manual                   | no                          | 0          | 0                 | 0                     | 12               | bad                           | 5                          | K                         |  |
| Salgótarján-külső  | 11874   | oldalrakodó, nem<br>rakterület!1244+45-<br>1244+85 | 30 x 30                           | 900                              | yes               | stone                   | average                           | unlighted | none                            | Raktári csonka (A)<br>vágány         | 120                  | 30                    | 14                       | manual                   | no                          | 0          | 0                 | 1                     | 21               | adequate                      | 5                          | E                         |  |
| Salgótarján-külső  | 11874   | oldalrakodó, nem<br>rakterület!1244+45-<br>1244+85 | 1,5 x 40                          | 60                               | yes               | stone                   | average                           | unlighted | side loading                    | Raktári csonka<br>(O)vágány          | 120                  | 40                    | 14                       | manual                   | no                          | 0          | 0                 | 1                     | 21               | adequate                      | 5                          | E                         |  |
| Salgótarján-külső  | 11874   | 793+20 - 794+60                                    | 20 x 20                           | 400                              | yes               | stone                   | average                           | unlighted | none                            | Raktári csonka (B)<br>vágány         | 120                  | 20                    | 14                       | manual                   | no                          | 0          | 0                 | 1                     | 21               | adequate                      | 5                          | E                         |  |
| Selyp              | 11759   | 1328+70 - 1329+95                                  | 20 x 140                          | 2800                             | yes               | stone                   | average                           | unlighted | none                            | Közforg. Rak. csonka<br>vágány       | 110                  | 110                   | 23                       | central                  | no                          | 0          | 0                 | 0                     | 21               | adequate                      | 5                          | E                         |  |
| Somoskőújfalu      | 11924   | 1328+70 - 1329+95                                  | 16x87                             | 1392                             | yes               | asphalt                 | good                              | unlighted | none                            | I. vágány                            | 319                  | 87                    | 18, 15                   | electric, local          | no                          | 0          | 0                 | 0                     | 21               | adequate                      | 5                          | K                         |  |
| Somoskőújfalu      | 11924   | 90+70-91+30  | 10,5 x 38                         | 399                              | yes               | stone                   | good                              | unlighted | side loading                    | I. (O) vágány                        | 319                  | 38                    | 18, 15                   | electric, local          | no                          | 0          | 0                 | 0                     | 21               | adequate                      | 5                          | K                         |  |
| Soroksár           | 10332   |  | 43x24                             | 1032                             | no                | -                       | average                           | unlighted | side loading                    | I. (A)vágány                         | 766                  | 43                    | 20, 9                    | central                  | no                          | 0          | 1                 | 0                     | 20               | poor                          | 10                         | K                         |  |
| Soroksár           | 10332   |  | 10x10                             | 100                              | no                | -                       | average                           | unlighted | side loading                    | I. (O)vágány                         | 766                  | 10                    | 20, 9                    | central                  | no                          | 0          | 1                 | 0                     | 20               | poor                          | 10                         | K                         |  |
| Soroksár           | 10332   |  | 75x10                             | 750                              | no                | -                       | average                           | unlighted | side loading                    | I.(B) vágány                         | 766                  | 75                    | 20, 9                    | central                  | no                          | 0          | 1                 | 0                     | 20               | poor                          | 10                         | K                         |  |
| Soroksár           | 10332   |  | 80x5                              | 400                              | yes               | concrete                | adequate                          | lighted   | none                            | Hév csonka vágány                    | 162                  | 80                    | 24                       | local                    | no                          | 0          | 1                 | 0                     | 20               | adequate                      | 5                          | E                         |  |
| Soroksári út rpu.  | 40196   |  | 140x25                            | 3500                             | yes               | macadam                 | average                           | unlighted | side loading                    | XXII. vágány                         | 580                  | 140                   | 449                      | local                    | no                          | 0          | 0                 | 0                     | 20               | adequate                      | 10                         | K                         |  |
| Soroksári út rpu.  | 40196   | 298+42-300+96                                      | 300x25                            | 7500                             | yes               | macadam                 | average                           | lighted   | none                            | Zsíros vágány                        | 300                  | 300                   | 446                      | local                    | no                          | 0          | 0                 | 0                     | 20               | adequate                      | 10                         | K                         |  |
| Süllyáp            | 11601   |  | 5x 254                            | 1270                             | yes               | beton                   | good                              | lighted   | none                            | I. vágány                            | 298                  | 254                   | 13                       | electric                 | yes                         | 324        | 1                 | 0                     | 21               | good                          | 5                          | E                         |  |
| Szabadszátyán      | 03285   |  | 20X185                            | 3700                             | yes               | asphalt                 | good                              | lighted   | none                            | VIII. (A) rakodó                     | 418                  | 185                   | 19, 30                   | central                  | yes                         | 418        | 0                 | 0                     | 21               |                               | 5                          | K                         |  |
| Szabadszátyán      | 03285   |  | 100x35                            | 350                              | yes               | asphalt                 | good                              | lighted   | side loading                    | VIII. (O) rakodó                     | 418                  | 35                    | 19, 30                   | central                  | yes                         | 418        | 0                 | 0                     | 21               |                               | 5                          | K                         |  |
| Szabadszátyán      | 03285   |  | 20X85                             | 1700                             | yes               | asphalt                 | good                              | lighted   | none                            | VIII.(B) rakodó                      | 418                  | 85                    | 19, 30                   | central                  | yes                         | 418        | 0                 | 0                     | 21               |                               | 5                          | K                         |  |
| Székesfehérvár     | 03269   |  | 218x12                            | 2616                             | yes               | asphalt                 | good                              | lighted   | none                            | Kerti II. vg.                        | 270                  | 218                   | 117                      | central                  | no                          | 0          | 1                 | 0                     | 20               |                               | 5                          | K                         | Can be served only from the start<br>point.                                |
| Székesfehérvár     | 03269   | 2+80-3+20  | 185x6                             | 1110                             | yes               | cobblestone             | good                              | lighted   | side loading                    | XXVI. vg.                            | 340                  | 185                   | 132, 414                 | local                    | yes                         | 340        | 0                 | 0                     | 20               |                               | 10                         | K                         |  |
| Szolnok Rpu.       | 40485   | 2+80-3+20  | 30 x 200                          | 6000                             | yes               | concrete                | good                              | lighted   | none                            | C1. vágány                           | 280                  | 200                   | 432; 434                 | local                    | no                          | 0          | 0                 | 0                     | 21               | good                          | 5                          | K                         | Can be served only from the end<br>point.                                  |
| Szolnok Rpu.       | 40485   | 1101+20-1103+20                                    | 6 x 200                           | 1200                             | yes               | concrete                | good                              | lighted   | none                            | C3. vágány                           | 290                  | 200                   | 433; 435                 | local                    | no                          | 0          | 0                 | 0                     | 21               | good                          | 5                          | K                         | Can be served only from the end<br>point.                                  |
| Szajol             | 13771   | 1104+00-1108+00                                    | 200x13                            | 2600                             | yes               | cobblestone             | average                           | lighted   | side loading                    | X.vágány                             | 768                  | 200                   | 45                       | local                    | yes                         | 768        | 0                 | 0                     | 21               | adequate                      | 10                         | K                         |  |
| Szajol             | 13771   | 1104+00-1108+00                                    | 200x13                            | 2600                             | yes               | cobblestone             | average                           | lighted   | side loading                    | XII.vágány                           | 107                  | 107                   | 30                       | local                    | yes                         | 0          | 0                 | 0                     | 21               | adequate                      | 10                         | K                         |  |
| Szajol             | 13771   | 1103+20-1106+00                                    | 400x10                            | 4000                             | igen              | macadam                 | average                           | lighted   | none                            | XVI. Vágány                          | 450                  | 400                   | 25                       | local                    | no                          | 0          | 0                 | 0                     | 21               | adequate                      | 5                          | E                         |  |
| Szajol             | 13771   | 772-775  | 280x16                            | 4480                             | yes               | macadam                 | average                           | lighted   | end loading                     | XI. vágány                           | 316                  | 280                   | 45                       | local                    | no                          | 0          | 0                 | 0                     | 21               | adequate                      | 5                          | E                         |  |
| Szécsény           | 10991   | 772-50-774   | 10x5                              | 50                               | no                | -                       | good                              | lighted   | side loading                    | I. (O)vágány                         | 299                  | 10                    | 4, 3                     | manual                   | no                          | 0          | 0                 | 2                     | 16/18,5          | good                          | 5                          | K                         |  |
| Szécsény           | 10991   | 772-775-50   | 20x70                             | 1400                             | no                | -                       | good                              | lighted   | none                            | I. vágány                            | 299                  | 70                    | 4, 3                     | manual                   | no                          | 0          | 0                 | 0                     | 16/18,5          | good                          | 5                          | K                         |  |
| Szécsény           | 10991   | 189+00-187+36                                      | 20x220                            | 4400                             | yes               | concrete                | good                              | lighted   | none                            | IV. vágány                           | 237                  | 220                   | 5, 6                     | manual                   | no                          | 0          | 2                 | 0                     | 16/18,5          | good                          | 20                         | K                         |  |
| Taksony            | 19147   | 189+00-187+36                                      | 84x17                             | 1428                             | no                | -                       | average                           | lighted   | none                            | I. (B) vágány                        | 725                  | 84                    | 10, 13                   | central                  | no                          | 0          | 1                 | 0                     | 20               | poor                          | 20                         | K                         |  |
| Taksony            | 16147   | 189+00-187+36                                      | 30x10                             | 300                              | no                | -                       | average                           | lighted   | side loading                    | I. (O) vágány                        | 725                  | 30                    | 10, 13                   | central                  | no                          | 0          | 1                 | 0                     | 20               | poor                          | 20                         | K                         |  |
| Taksony            | 16147   | 191+00-191+50                                      | 50x17                             | 850                              | no                | -                       | average                           | lighted   | none                            | I. (C)vágány                         | 725                  | 50                    | 10, 13                   | central                  | no                          | 0          | 1                 | 0                     | 20               | poor                          | 20                         | K                         |  |
| Taksony            | 16147   | 655+26-659+13                                      | 220x14                            | 3080                             | no                | -                       | average                           | unlighted | none                            | I. (A) vágány                        | 725                  | 220                   | 10, 13                   | central                  | no                          | 0          | 1                 | 0                     | 20               | poor                          | 10                         | K                         |  |
| Tápiógyörgye       | 11684   | 369+28-370+68                                      | 387,5 x 8                         | 3100                             | yes               | concrete                | bad                               | lighted   | none                            | I. vágány                            | 830                  | 387                   | 11, 12                   | electric                 | yes                         | 871        | 2                 | 0                     | 21               | bad                           | 5                          | K                         |  |
| Tápiószecső        | 11684   | 588+42-595+92                                      | 4,5 x 140                         | 630                              | yes               | concrete+soil           | bad                               | lighted   | none                            | I.vágány                             | 393                  | 140                   | 11                       | electric                 | no                          | 0          | 1                 | 1                     | 21               | poor                          | 5                          | E                         |  |

| Service place | Open access loading place registered by MÁV Zrt |  |                                   |                                  |                   |                         |                                   |           |                                 | Loading track next to loading places |                      |                       |                          |                          |                             |            |                   |                       |                  |                               | Applicable speed<br>(km/h) | Possibility of<br>serving | Restrictions |
|---------------|---|--|-----------------------------------|----------------------------------|-------------------|-------------------------|-----------------------------------|-----------|---------------------------------|--------------------------------------|----------------------|-----------------------|--------------------------|--------------------------|-----------------------------|------------|-------------------|-----------------------|------------------|-------------------------------|----------------------------|---------------------------|--------------|
|               | Code of<br>the service<br>palce                 | Position<br>From section to<br>section | Size<br>Width (m) x<br>length (m) | currently<br>usable area<br>(m2) | Paved<br>yes / no | Material of<br>pavement | Current<br>technical<br>condition | Lighting  | Loading and other<br>equipments | Name of the track                    | Usable length<br>(m) | Loading length<br>(m) | Branching-off turnout(s) |                          | Availability of<br>catenary |            | Derailer<br>(pcs) | Scotch block<br>(pcs) | Axle load<br>(t) | Current<br>technical<br>state |                            |                           |              |
|               |   |  |                                   |                                  |                   |                         |                                   |           |                                 |                                      |                      |                       | Number                   | Switch operation<br>mode | yes / no                    | Length (m) |                   |                       |                  |                               |                            |                           |              |
| Táplószéle    | 11676   | 812+60-815+03                          | 4,5 x 450                         | 2025                             | yes               | stone                   | bad                               | lighted   | none                            | I. vágány                            | 710                  | 450                   | 18, 17b                  | electric                 | yes                         | 700        | 1                 | 0                     | 21               | bad                           | 5                          | K                         |              |
| Tata          | 01164   | 812+26-815+28                          | 28x150                            | 4200                             | yes               | concrete                | good                              | lighted   | none                            | VIII. vágány                         | 250                  | 150                   | 19                       | manual                   | nem                         | 0          | 0                 | 0                     | 21               | average                       | 5                          | E                         |              |
| Tata          | 01164   | 814+20-815+03                          | 12 x 55                           | 660                              | yes               | concrete                | good                              | lighted   | side loading                    | I. vágány                            | 280                  | 55                    | 13                       | manual                   | nem                         | 0          | 0                 | 0                     | 21               | adequate                      | 5                          | E                         |              |
| Tata          | 01164   | 714+00-715+98                          | 12 x 55                           | 660                              | yes               | concrete                | good                              | lighted   | end loading                     | VII. vágány                          | 80                   | 80                    | 15                       | manual                   | nem                         | 0          | 0                 | 0                     | 21               | adequate                      | 5                          | E                         |              |
| Tatabánya     | 01131   | 712+46-714+46                          | 12x190                            | 2280                             | yes               | concrete                | good                              | lighted   | none                            | rendező I. vágány                    | 220                  | 190                   | 25/3                     | manual                   | yes                         | 220        | 1                 | 0                     | 21               | adequate                      | 25                         | E                         |              |
| Tatabánya     | 01131   | 108+80-110+50                          | 12x190                            | 2280                             | yes               | concrete                | good                              | lighted   | none                            | rendező II. vágány                   | 225                  | 190                   | 25/3                     | manual                   | no                          | 0          | 0                 | 0                     | 21               | adequate                      | 5                          | E                         |              |
| Tószeg        | 17707   | 522+85-524+85                          | 170x9                             | 1530                             | yes               | concrete                | good                              | lighted   | side loading at Track No. 1     | IV. vágány                           | 196                  | 170                   | 6                        | local                    | no                          | 0          | 0                 | 1                     | 18               | good                          | 5                          | K                         |              |
| Újszász       | 11692   | 515+15-522+15                          | 21,5 x 200                        | 4300                             | yes               | concrete                | average                           | lighted   | side loading                    | I. vágány                            | 380                  | 200                   | 25                       | point wire from centre   | yes                         | 254        | 0                 | 0                     | 21               | bad                           | 20                         | E                         |              |
| Újszász       | 11692   | 285+40-286+76                          | 5 x 700                           | 3500                             | no                | -                       | bad                               | lighted   | none                            | IX. vágány                           | 753                  | 700                   | 30, 21                   | point wire from centre   | no                          | 0          | 0                 | 0                     | 21               | bad                           | 20                         | K                         |              |
| Üllő          | 13649   | 280+25-282+25                          | 8 x 136                           | 1088                             | yes               | concrete                | good                              | lighted   | none                            | IV. csonka vágány                    | 470                  | 136                   | 12                       | electric                 | yes                         | 500        | 1                 | 0                     | 22               | good                          | 20                         | E                         |              |
| Üllő          | 13649   | 329+57-331+17                          | 8 x 200                           | 1600                             | yes               | concrete                | good                              | lighted   | none                            | V. csonka vágány                     | 200                  | 200                   | 14                       | electric                 | yes                         | 224        | 1                 | 0                     | 22               | good                          | 20                         | E                         |              |
| Vécsés        | 13623   | 252+00-254+00                          | 8 x 200                           | 1600                             | yes               | concrete                | good                              | lighted   | none                            | V. csonkavágány                      | 490                  | 200                   | 14                       | electric                 | yes                         | 525        | 1                 | 0                     | 22               | good                          | 20                         | E                         |              |
| Veregyház     | 10561   | 432+25-433+58                          | 12 x 100                          | 1200                             | yes               | unpaved                 | adequate                          | lighted   | none                            | I. vágány                            | 270                  | 100                   | 6, 3                     | manual                   | yes                         | 485        | 0                 | 2                     | 20               | good                          | 5                          | K                         |              |
| Verőce        | 10454   |  | 4,5x135                           | 608                              | yes               | concrete                | adequate                          | unlighted | none                            | rakodó vágány                        | 135                  | 135                   | 13                       | electric                 | yes                         | 135        | 0                 | 1                     | 20               | adequate                      | 5                          | E                         |              |

Miskolc TK

Kimutatás a MÁV Zrt. pályahálózatán nyílt hozzáférést (közforgalmú) rakterületekről

| Open access loading place registered by MÁV Zrt |                           |                         |                        |   |          |                      |                         |           |                              |                      |                   |                    | Loading track next to loading places |                       |                          |            |                |                    |               |                         |                            |                        |  | Restrictions |
|---|---------------------------|-------------------------|------------------------|---|----------|----------------------|-------------------------|-----------|------------------------------|----------------------|-------------------|--------------------|--------------------------------------|-----------------------|--------------------------|------------|----------------|--------------------|---------------|-------------------------|----------------------------|------------------------|--|--------------|
| Service place                                   | Code of the service place | Position                | Size                   | Currently usable area (m <sup>2</sup> ) | Paved    | Material of pavement | Current technical state | Lighting  | Loading and other equipments | Name of the track    | Usable length (m) | Loading length (m) | Branching-off turnouts               |                       | Availability of catenary |            | Derailer (pcs) | Scotch block (pcs) | Axle load (t) | Current technical state | Applicable speed (km/h)    | Possibility of serving |  |              |
|   |                           | From section to section | Width (m) - length (m) |   | yes - no |                      |                         |           |                              |                      |                   |                    | Number                               | Switch operation mode | yes - no                 | length (m) |                |                    |               |                         |                            |                        |  |              |
|   |                           |                         |                        |   |          |                      |                         |           |                              |                      |                   |                    |                                      |                       |                          |            |                |                    |               |                         |                            |                        |  |              |
| Bánréve   | 11849                     | 452+00 - 453+40         | 20 × 140               | 2800                                    | no       | -                    | average                 | unlighted | scales                       | XV. csonka vágány    | 300               | 140                | 32                                   | local                 | no                       | -          | 0              | 0                  | 21            | adequate                | 10km/h                     | diverging position     |  |              |
| Bánréve   | 11849                     | 453+80 - 454+10         | 13 × 24                | 312                                     | yes      | broken stone         | average                 | lighted   | side loading                 | XV. csonka (O)vágány | 300               | 24                 | 32                                   | local                 | no                       | -          | 0              | 0                  | 21            | adequate                | 10km/h                     | diverging position     |  |              |
| Bodrogkeresztúr                                 | 13417                     | 111+51 - 113+37         | 7,5 × 186              | 1395                                    | yes      | macadam              | average                 | lighted   | none                         | I. vágány            | 421               | 186                | 16, 17                               | local                 | no                       | -          | 0              | 0                  | 21            | adequate                | 40km/h                     | diverging position     |  |              |
| Center  | 12864                     | 63+40 - 64+56           | 15 × 116               | 1740                                    | yes      | broken stone         | average                 | unlighted | none                         | I. vágány            | 235               | 116                | 5, 14                                | local                 | no                       | -          | 0              | 1                  | 21            | adequate                | 10km/h                     | diverging position     |  |              |
| Center  | 12864                     | 64+56 - 65+75           | 15 × 119               | 1785                                    | yes      | broken stone         | average                 | lighted   | side loading                 | I. (O) vágány        | 235               | 119                | 5, 14                                | local                 | no                       | -          | 0              | 1                  | 21            | adequate                | 10km/h                     | diverging position     |  |              |
| Edelény   | 12948                     | 437+00 - 435+02         | 5,6 × 100              | 560                                     | no       | -                    | average                 | unlighted | none                         | I. csonka vágány     | 398               | 100                | 3, 8                                 | central               | no                       | -          | 0              | 1                  | 21            | average                 | 10km/h                     | straight position      |  |              |
| Edelény   | 12948                     | 437+05 - 439+10         | 5,6 × 172              | 963                                     | yes      | macadam              | average                 | unlighted | none                         | V. csonka vágány     | 172               | 172                | 6                                    | central               | no                       | -          | 0              | 1                  | 21            | average                 | 10km/h                     | straight position      |  |              |
| Eger  | 12401                     | 161+25 - 162+75         | 8,32 × 50              | 416                                     | yes      | concrete             | good                    | lighted   | none                         | VIII. vágány         | 115               | 50                 | 12                                   | local                 | no                       | -          | 0              | 0                  | 21            | good                    | 20km/h                     | straight position      |  |              |
| Eger  | 12401                     | 162+25 - 162+75         | 21,7 × 50              | 1085                                    | yes      | asphalt              | good                    | lighted   | side loading                 | IX. vágány           | 210               | 50                 | 12                                   | local                 | no                       | -          | 0              | 0                  | 21            | adequate                | 20km/h                     | straight position      |  |              |
| Eger  | 12401                     | 165+90 - 167+20         | 9,38 × 130             | 1219                                    | yes      | stone                | bad                     | unlighted | none                         | X. vágány            | 140               | 130                | 13                                   | local                 | no                       | -          | 0              | 0                  | 21            | bad                     | 20km/h                     | diverging position     |  |              |
| Felsőzsolca                                     | 11395                     | 1859+20 - 1864+20       | 460 × 13 keskenyedő    | 5980                                    | yes      | concrete             | adequate                | unlighted | none                         | I. vágány            | 580               | 460                | 14                                   | central               | yes                      | 570        | 0              | 1                  | 21            | adequate                | 20km/h.                    | diverging position     |  |              |
| Füzesabony                                      | 11296                     | 1245+20 - 1246+00       | 8 × 80                 | 640                                     | yes      | stone                | adequate                | unlighted | side loading, scales         | XII. vágány          | 584               | 80                 | 52                                   | local                 | yes                      | 580        | 0              | 0                  | 21            | average                 | 20km/h                     | diverging position     |  |              |
| Füzesabony                                      | 11296                     | 1245+20 - 1246+01       | 8 × 80                 | 640                                     | yes      | stone                | adequate                | unlighted | end loading                  | XIX. vágány          | 135               | 8                  | 60                                   | local                 | yes                      | 135        | 0              | 0                  | 21            | average                 | 20km/h                     | diverging position     |  |              |
| Füzesabony                                      | 11296                     | 1241+30 - 1244          | 39,56 × 270            | 10681                                   | yes      | stone                | good                    | unlighted | none                         | XX. Vágány           | 296               | 270                | 58                                   | local                 | no                       | -          | 0              | 0                  | 21            | average                 | XVII. 20km/h<br>XX. 10km/h | straight position      |  |              |
| Gyöngyös  | 12096                     | 125+00 - 127+44         | 14 × 204               | 2856                                    | yes      | cinder               | average                 | lighted   | none                         | I. vágány            | 280               | 204                | 18, 15                               | local                 | yes                      | 100        | 0              | 0                  | 21            | good                    | 15km/h                     | diverging position     |  |              |
| Gyöngyös  | 12096                     | 126+10 - 127+59         | 13,4 × 149             | 1997                                    | yes      | stone                | average                 | lighted   | none                         | XIII, XVII. vágány   | XIII.134 XVII.59  | 149                | 22, 13                               | local                 | no                       | -          | 1              | 0                  | 21            | good                    | 5km/h                      | diverging position     |  |              |
| Hidasnémeti                                     | 13243                     | 566+75 - 570+30         | 30 × 100               | 3000                                    | yes      | asphalt              | good                    | lighted   | side loading                 | XI. (O) vágány       | 352               | 100                | 27, 35                               | central               | yes                      | 352        | 0              | 2                  | 21            | good                    | 40km/h                     | straight position      |  |              |
| Hidasnémeti                                     | 13243                     | 566+75 - 570+30         | 30 × 252               | 7560                                    | yes      | asphalt              | good                    | lighted   | none                         | XI. vágány           | 352               | 300                | 27, 35                               | central               | yes                      | 352        | 0              | 2                  | 21            | good                    | 40km/h                     | straight position      |  |              |
| Hort-Csány                                      | 11221                     | 773+75 - 777+50         | 17,3 × 375             | 6488                                    | yes      | stone                | average                 | lighted   | none                         | I. vágány            | 650               | 375                | 14, 9                                | central               | yes                      | 790        | 1              | 2                  | 21            | good                    | 20km/h                     | diverging position     |  |              |
| Jászapáti                                       | 12039                     | 318+75 - 321+75         | 37,85 × 299            | 11317                                   | partly   | whinstone            | good                    | lighted   | none                         | V. vágány            | 299               | 299                | 12                                   | central               | no                       | -          | 0              | 1                  | 21            | good                    | 20km/h                     | diverging position     |  |              |
| Jászapáti                                       | 12039                     | 317+89 - 319+24         | 8,6 × 135              | 1161                                    | yes      | concrete             | good                    | lighted   | none                         | I. vágány            | 388               | 135                | 201, 16                              | local, central        | no                       | -          | 0              | 0                  | 21            | good                    | 20km/h                     | diverging position     |  |              |
| Jászárokszállás                                 | 12013                     | 533+11 - 535+20         | 12 × 209               | 2508                                    | yes      | concrete             | average                 | lighted   | none                         | I. vágány            | 305               | 209                | 3, 4                                 | central               | no                       | -          | 0              | 2                  | 21            | good                    | 20km/h                     | diverging position     |  |              |
| Jáskisér  | 12047                     | 236+82 - 238+95         | 17,5 × 213             | 3727                                    | yes      | concrete             | good                    | lighted   | none                         | I. vágány            | 291               | 213                | 9, 4                                 | central               | no                       | -          | 0              | 1                  | 21            | good                    | 20km/h                     | diverging position     |  |              |
| Jászládány                                      | 12062                     | 129+70 - 131+65         | 15,25 × 195            | 2974                                    | yes      | concrete             | average                 | lighted   | nincs                        | I. vágány            | 340               | 195                | 3,6                                  | local                 | no                       | -          | 0              | 1                  | 21            | good                    | 20km/h                     | diverging position     |  |              |
| Kál-Kápolna                                     | 11288                     | 1128+08 - 1129+65       | 17 × 157               | 2669                                    | yes      | stone                | good                    | unlighted | none                         | XI. vágány           | 330               | 157                | 29, 40                               | central               | yes                      | 330        | 0              | 0                  | 21            | average                 | 10km/h                     | diverging position     |  |              |
| Kazincbarcika                                   | 12781                     | 244+70 - 245+47         | 19 × 65                | 1235                                    | yes      | asphalt              | adequate                | unlighted | none                         | I.vágány             | 372               | 65                 | 17                                   | local                 | no                       | -          | 0              | 1                  | 21            | adequate                | 10km/h                     | straight position      |  |              |
| Mezőkeresztes-Mezőnyárad                        | 11338                     | 1467 - 1467+50          | 2,46 × 50              | 123                                     | yes      | concrete             | good                    | lighted   | none                         | VII. vágány          | 62                | 50                 | 23                                   | local                 | no                       | -          | 0              | 0                  | 21            | adequate                | 40km/h                     | diverging position     |  |              |
| Mezőkeresztes-Mezőnyárad                        | 11338                     | 1466 - 1466+50          | 3,74 × 50              | 187                                     | yes      | stone                | good                    | lighted   | none                         | VIII. vágány         | 59                | 50                 | 22                                   | local                 | no                       | -          | 0              | 0                  | 21            | adequate                | 40km/h                     | diverging position     |  |              |
| Mezőkeresztes-Mezőnyárad                        | 11338                     | 1463 - 1463+50          | 3 × 50                 | 150                                     | yes      | stone                | good                    | lighted   | none                         | X. csonka vágány     | 96                | 50                 | 20                                   | central               | yes                      | 50         | 0              | 0                  | 21            | adequate                | 40km/h                     | straight position      |  |              |
| Mezőkeresztes-Mezőnyárad                        | 11338                     | 1461+50 1463+00         | 17,4 × 150             | 2610                                    | yes      | concrete             | good                    | lighted   | none                         | IX. csonka vágány    | 447               | 150                | 20                                   | central               | yes                      | 90         | 0              | 0                  | 21            | adequate                | 40km/h                     | straight position      |  |              |
| Mezőkövesd                                      | 11312                     | 1370 - 1371             | 13,2 × 116             | 1531                                    | yes      | asphalt              | good                    | lighted   | end loading                  | VII. vágány          | 62                | 13,2               | 24                                   | local                 | no                       | -          | 0              | 0                  | 21            | adequate                | 40km/h                     | diverging position     |  |              |
| Mezőkövesd                                      | 11312                     | 1372 - 1373             | 13,2 × 116             | 1531                                    | yes      | asphalt              | good                    | lighted   | end loading                  | VI. vágány           | 65                | 13,2               | 21                                   | local                 | no                       | -          | 0              | 1                  | 21            | adequate                | 40km/h                     | diverging position     |  |              |
| Mezőkövesd                                      | 11312                     | 1368 - 1373+20          | 34,91 × 220            | 7680                                    | yes      | concrete             | bad                     | lighted   | none                         | V. vágány            | 463               | 220                | 20                                   | local                 | yes                      | 225        | 0              | 1                  | 21            | bad                     | 40km/h                     | diverging position     |  |              |
| Miskolc-Gömrői                                  | 12674                     | 22+00 - 23+20           | 54,8 × 120             | 6576                                    | yes      | concrete             | average                 | lighted   | none                         | Halicka IV.          | 311               | 120                | 123                                  | local                 | no                       | -          | 0              | 0                  | 21            | average                 | 10km/h                     | diverging position     |  |              |
| Miskolc-Gömrői                                  | 12674                     | 22+00 - 23+21           | 54,8 × 120             | 6576                                    | yes      | concrete             | average                 | lighted   | none                         | Halicka V.           | 143               | 120                | 57                                   | local                 | no                       | -          | 0              | 0                  | 21            | average                 | 10km/h                     | diverging position     |  |              |
| Miskolc-Gömrői                                  | 12674                     | 22+00 - 23+00           | 60 × 100               | 6000                                    | yes      | concrete             | average                 | lighted   | nincs                        | Halicka II. vágány   | 346               | 100                | 17                                   | local                 | no                       | -          | 0              | 0                  | 21            | average                 | 10km/h                     | straight position      |  |              |
| Miskolc-Gömrői                                  | 12674                     | 22+00 - 23+01           | 60 × 100               | 6000                                    | yes      | concrete             | average                 | lighted   | none                         | Halicka III. vágány  | 311               | 100                | 121                                  | local                 | no                       | -          | 0              | 0                  | 21            | average                 | 10km/h                     | straight position      |  |              |
| Miskolc-Gömrői                                  | 12674                     | 22+80 - 24+80           | 13 × 200               | 2600                                    | yes      | stone                | average                 | lighted   | nincs                        | Halicka I. vágány    | 200               | 200                |                                      | local                 | no                       | -          | 0              | 0                  | 21            | average                 | 10km/h                     | straight position      |  |              |
| Miskolc-Gömrői                                  | 12674                     | 21+40-23+50             | 12 × 210               | 2520                                    | yes      | stone                | average                 | lighted   | side loading                 | Rámpa I. vágány      | 210               | 210                | 7                                    | local                 | no                       | -          | 0              | 0                  | 21            | average                 | 10km/h                     | straight position      |  |              |
| Miskolc-Tiszai                                  | 11387                     | 1819+80 - 1820+60       | 80 × 5 keskenyedő      | 400                                     | yes      | asphalt              | adequate                | lighted   | side loading                 | XIII. csonka vágány  | 37                | 37                 | 95                                   | electric              | no                       | -          | 0              | 0                  | 21            | adequate                | 10km/h                     | straight position      |  |              |
| Nyékádháza                                      | 11361                     | 1686+80 - 1687+80       | 5,3 × 106              | 562                                     | yes      | concrete             | good                    | lighted   | side loading                 | I. vágány            | 555               | 106                | 24, 39                               | central               | yes                      | 616        | 0              | 2                  | 21            | good                    | 20km/h                     | straight position      |  |              |
| Nyékádháza                                      | 11361                     | 1686+90 - 1691+30       | 4,1 × 440              | 1804                                    | yes      | asphalt              | good                    | unlighted | none                         | XI vágány            | 653               | 440                | 30, 37                               | central               | yes                      | 695        | 0              | 0                  | 21            | adequate                | 5km/h                      | diverging position     |  |              |
| Olaszliska-Tolcsa                               | 13441                     | 229+30 - 233+30         | 5 × 531 keskenyedő     | 2655                                    | yes      | macadam              | adequate                | unlighted | none                         | I. vágány            | 793               | 531                | 12, 13                               | local                 | no                       | -          | 0              | 0                  | 21            | adequate                | 40km/h                     | diverging position     |  |              |
| Ózd   | 12880                     | 113+82 - 116+52         | 15 × 270               | 4050                                    | yes      | asphalt              | good                    | lighted   | none                         | I. vágány            | 340               | 270                | 6,3                                  | local                 | no                       | -          | 0              | 0                  | 21            | adequate                | 10km/h                     | diverging position     |  |              |
| Ózd   | 12880                     | 116+52 - 116+63         | 15 × 11                | 165                                     | yes      | asphalt              | good                    | lighted   | side loading                 | I.(O) vágány         | 340               | 15                 | 3, 2                                 | local                 | no                       | -          | 0              | 0                  | 21            | adequate                | 10km/h                     | diverging position     |  |              |
| Recsk-Parádfürdő                                | 12153                     | 258+50 - 259+50         | 16 × 100               | 1600                                    | yes      | stone                | average                 | unlighted | none                         | I. vágány            | 110               | 100                | 6                                    | local                 | no                       | -          | 1              | 0                  | 21            | good                    | 10km/h                     | straight position      |  |              |
| Sajóecseg                                       | 12716                     | 103+92 - 106+00         | 12 × 175               | 2100                                    | yes      | concrete             | average                 | unlighted | none                         | I.vágány             | 550               | 175                | 30, 9                                | central               | no                       | -          | 2              | 0                  | 21            | average                 | 10km/h                     | diverging position     |  |              |

|                  |       |                   |            |      |     |                  |          |           |              |                   |     |      |        |                   |     |     |   |   |    |          |         |                    |  |
|------------------|-------|-------------------|------------|------|-----|------------------|----------|-----------|--------------|-------------------|-----|------|--------|-------------------|-----|-----|---|---|----|----------|---------|--------------------|--|
| Sajószentpéter   | 12740 | 170+27 - 171+17   | 17 × 90    | 1530 | yes | asphalt          | adequate | unlighted | none         | IX. vágány        | 90  | 90   | 37     | local             | no  | -   | 0 | 0 | 21 | adequate | 10km/h  | diverging position |  |
| Sajószentpéter   | 12740 | 169+96 - 170+27   | 12,5 × 31  | 387  | yes | stone            | adequate | unlighted | end loading  | IX. (H) vágány    | 90  | 12,5 | 37     | local             | no  | -   | 0 | 0 | 21 | adequate | 10km/h  | diverging position |  |
| Sajószentpéter   | 12740 | 169+96 - 170+27   | 12,5 × 31  | 387  | yes | stone            | adequate | unlighted | side loading | I. vágány         | 879 | 31   | 37     | local             | no  | -   | 0 | 1 | 21 | adequate | 10km/h  | diverging position |  |
| Sárospatak       | 13466 | 357+44 - 359+20   | 51,5 × 176 | 9064 | yes | asphalt+concrete | adequate | lighted   | side loading | I. vágány         | 761 | 176  | 34, 17 | local             | no  | -   | 1 | 1 | 21 | adequate | -       | diverging position |  |
| Sárospatak       | 13466 | 357+44 - 359+20   | 51,5 × 176 | 9064 | yes | asphalt+concrete | adequate | lighted   | end loading  | Rakodó csonka     | 95  | 51,5 | 28     | local             | no  | -   | 0 | 0 | 21 | adequate | -       | diverging position |  |
| Sátoraljaiújhely | 13482 | 450+45 - 453+66   | 80 x 23    | 1840 | yes | asphalt          | good     | unlighted | rakminta     | Raktári           | 90  | 80   | 14     | local             | no  | -   | 0 | 0 | 21 | adequate | 40 km/h | straight position  |  |
| Szendről         | 12963 | 304+15 - 306+15   | 6,1 × 200  | 1220 | no  | -                | average  | unlighted | none         | IV. csonka vágány | 200 | 300  | 4, 5   | local             | no  | -   | 0 | 0 | 21 | average  | 10km/h  | straight position  |  |
| Szendről         | 12963 | 304+15 - 303+00   | 13 × 220   | 2860 | yes | concrete         | average  | unlighted | none         | I. rakodó vágány  | 244 | 220  | 4, 5   | local             | no  | -   | 0 | 1 | 21 | average  | 10km/h  | straight position  |  |
| Szerencs         | 11445 | 2193+30 - 2195+39 | 10,5 × 209 | 2194 | yes | concrete         | adequate | lighted   | end loading  | XV. vágány        | 150 | 10,5 | 24, 38 | local             | yes | 154 | 0 | 0 | 21 | adequate | 10 km/h | straight position  |  |
| Szerencs         | 11445 | 2193+30 - 2195+39 | 10,5 × 209 | 2194 | yes | concrete         | adequate | lighted   | side loading | XIV. vágány       | 422 | 209  | 24, 38 | local             | yes | 154 | 0 | 0 | 21 | adequate | 10 km/h | straight position  |  |
| Vámosgyörk       | 11239 | 873+00 - 874+60   | 10 × 160   | 1600 | yes | concrete         | average  | lighted   | none         | VIII. vágány      | 369 | 160  | 34, 27 | local,<br>central | no  | -   | 2 | 0 | 21 | adequate | 20km/h  | diverging position |  |
| Vámosgyörk       | 11239 | 869+88 - 870+06   | 10,3 × 18  | 185  | yes | concrete         | adequate | lighted   | none         | XI. vágány        | 255 | 18   | 18     | central           | no  | -   | 1 | 0 | 21 | good     | 20km/h  | diverging position |  |

## Kimutatás a MÁV Zrt. pályahálózatán nyílt hozzáféréssé (közforgalmú) rakterületekről

Debrecen TK

| Service place       | Code of the service place | Open access loading place registered by MÁV Zrt |  |           |   |       |                        |  |           |                              |                   | Loading track next to loading places |                    |                        |                            |                          |            |                |                    |               |                         | Applicable speed (km/h)                      | Possibility of serving | Restrictions |
|---------------------|---------------------------|---|--|-----------|---|-------|------------------------|--|-----------|------------------------------|-------------------|--------------------------------------|--------------------|------------------------|----------------------------|--------------------------|------------|----------------|--------------------|---------------|-------------------------|--|------------------------|--------------|
|                     |                           | Position  |  | Size      | Currently usable area (m <sup>2</sup> ) | Paved | Material of pavement   | Current technical state                          | Lighting  | Loading and other equipments | Name of the track | Usable length (m)                    | Loading length (m) | Branching-off turnouts |                            | Availability of catenary |            | Derailer (pcs) | Scotch block (pcs) | Axle load (t) | Current technical state |  |                        |              |
|                     |                           | From section to section                         |  |           |   |       |                        |  |           |                              |                   |                                      |                    | Number                 | Switch operation mode      | yes - no                 | length (m) |                |                    |               |                         |  |                        |              |
| Apagy               | 15669                     | 185+186   |  | 10 x 140  | 1466                                    | yes   | concrete               | adequate   | lighted   | none                         | I.vágány          | 300                                  | 140                | 4,3                    | manual                     | no                       | 0          | 0              | 2                  | 18,5          | adequate                | 5  | K                      |              |
| Apagy               | 15669                     | 185+186   |  | 10x20     | 300                                     | yes   | concrete               | adequate   | lighted   | side loading                 | I.(O).vágány      | 300                                  | 20                 | 4,3                    | manual                     | no                       | 0          | 0              | 2                  | 18,5          | adequate                | 5  | K                      |              |
| Aradványpuszta      | 15362                     | 186+06-186+56                                   |  | 6x50      | 200                                     | yes   | concrete               | adequate   | unlighted | none                         | II. vágány        | 682                                  | 50                 | 1,2                    | local                      | no                       | 0          | 0              | 0                  | 21            | adequate                | 40   | K                      | "K" group    |
| Baktalórántháza     | 15701                     | 338+85 - 341+48                                 |  | 10 x 300  | 2000                                    | yes   | concrete               | adequate   | lighted   | none                         | I.vágány          | 350                                  | 300                | 5,4                    | manual                     | no                       | 0          | 0              | 0                  | 18,5          | adequate                | 5  | K                      |              |
| Baktalórántháza     | 15701                     | 338+85 - 341+48                                 |  | 10x20     | 200                                     | yes   | concrete               | adequate   | lighted   | side loading                 | I.(O)vágány       | 350                                  | 20                 | 5,4                    | manual                     | no                       | 0          | 0              | 0                  | 18,5          | adequate                | 5  | K                      |              |
| Balmazújváros       | 14506                     | 220+10-224+25                                   |  | 20 x 415  | 2430                                    | yes   | concrete               | adequate   | lighted   | none                         | I.vágány          | 724                                  | 415                | 3,4                    | local                      | no                       | 0          | 0              | 0                  | 21            | adequate                | 5  | K                      | "K" group    |
| Balmazújváros       | 14506                     | 224+25-224+35                                   |  | 6x10      | 60                                      | yes   | concrete               | adequate   | lighted   | side loading                 | I.(O) vágány      | 724                                  | 10                 | 3,4                    | local                      | no                       | 0          | 0              | 0                  | 21            | adequate                | 5  | K                      | "K" group    |
| Báránd              | 14407                     | 1148 - 1150                                     |  | 9,85 x 80 | 775                                     | yes   | macadam/broken stone   | adequate   | lighted   | none                         | I.vágány          | 912                                  | 80                 | 2,1                    | central                    | no                       | 0          | 0              | 0                  | 21            | adequate                | 5  | K                      |              |
| Berettyóújfalu      | 14423                     | 1393 - 1393                                     |  | 18,5x212  | 3922                                    | yes   | asphalt                | good   | lighted   | none                         | I./a.vágány       | 242                                  | 212                | 4,13                   | central/manual             | no                       | 0          | 0              | 0                  | 21            | good                    | 5  | E                      |              |
| Berettyóújfalu      | 14423                     | 1393 - 1395                                     |  | 36 x 330  | 11880                                   | yes   | asphalt                | good   | lighted   | none                         | V.vágány          | 883                                  | 330                | 10,3                   | central                    | no                       | 0          | 0              | 0                  | 21            | good                    | 20   | K                      |              |
| Biharkeresztes      | 14449                     | 1565-1568                                       |  | 12x225    | 2950                                    | yes   | asphalt                | good   | lighted   | loading gauge                | XII. vágány       | 275                                  | 225                | 19,7                   | manual/central             | no                       | 0          | 0              | 0                  | 21            | good                    | 5  | K                      |              |
| Cenger              | 15578                     | 169-172   |  | 12 x 150  | 1800                                    | yes   | betonlap               | bad  | lighted   | none                         | I.(A) vágány      | 300                                  | 150                | 2                      | local                      | no                       | 0          | 0              | 0                  | 18,5          | bad                     | 5  | K                      | "K" group    |
| Cenger              | 15578                     | 169-172   |  | 10 x 12   | 120                                     | yes   | macadam                | adequate   | lighted   | none                         | I.(B) vágány      | 300                                  | 12                 | 2                      | local                      | no                       | 0          | 0              | 0                  | 18,5          | bad                     | 5  | K                      | "K" group    |
| Cenger              | 15578                     | 169-172   |  | 7 x 16    | 112                                     | yes   | concrete               | bad  | lighted   | side loading                 | I.(O)vágány       | 300                                  | 16                 | 2                      | local                      | no                       | 0          | 0              | 0                  | 18,5          | bad                     | 5  | K                      | "K" group    |
| Debrecen            | 13912                     | 2203 +50-2206+50                                |  | 10x300    | 3000                                    | no    | unpaved                | adequate   | unlighted | none                         | Répa vágány       | 352                                  | 300                | 603                    | local                      | no                       | 0          | 0              | 0                  | 22,5          | good                    | 5  | E                      |              |
| Debrecen            | 13912                     | 2210+70-2211+60                                 |  | 10x90     | 900                                     | yes   | concrete               | good   | lighted   | none                         | 83. vágány        | 104                                  | 90                 | 2                      | local                      | no                       | 0          | 0              | 0                  | 22,5          | good                    | 5  | E                      |              |
| Debrecen            | 13912                     | 2212+40-2213+40                                 |  | 15x100    | 1500                                    | yes   | concrete               | good   | lighted   | end loading                  | 84. vágány        | 125                                  | 100                | 516                    | local                      | no                       | 0          | 0              | 0                  | 22,5          | good                    | 5  | E                      |              |
| Debrecen            | 13912                     | 2211+30-2213+30                                 |  | 15x200    | 3000                                    | yes   | concrete               | fragmented pavement, level crossing is dangerous | lighted   | none                         | 86. vágány        | 258                                  | 200                | 518                    | local                      | no                       | 0          | 0              | 0                  | 22,5          | good                    | 5  | E                      | "K" group    |
| Debrecen            | 13912                     | 2210+75 - 2215+35                               |  | 10x460    | 4600                                    | yes   | concrete               | fragmented pavement, level crossing is dangerous | lighted   | none                         | 87. vágány        | 487                                  | 460                | 514                    | local                      | no                       | 0          | 0              | 0                  | 22,5          | good                    | 5  | E                      |              |
| Debrecen            | 13912                     | 2212+30 - 2214+90                               |  | 10x260    | 2600                                    | yes   | concrete               | fragmented pavement, level crossing is dangerous | lighted   | none                         | 88. vágány        | 287                                  | 260                | 524                    | local                      | no                       | 0          | 0              | 0                  | 22,5          | good                    | 5  | E                      |              |
| Debrecen            | 13912                     | 2212+10 - 2214+90                               |  | 8x280     | 2240                                    | yes   | concrete               | fragmented pavement, level crossing is dangerous | lighted   | none                         | 89. vágány        | 300                                  | 280                | 524                    | local                      | no                       | 0          | 0              | 0                  | 22,5          | good                    | 5  | E                      |              |
| Demecser            | 14076                     | 269+00-271+00                                   |  | 10x200    | 1500                                    | yes   | asphalt                | adequate   | lighted   | none                         | I.vágány          | 809                                  | 200                | 13,19                  | central                    | yes                      | 200        | 0              | 2                  | 21            | adequate                | 25   | K                      |              |
| Demecser            | 14076                     | 263+50-265+20                                   |  | 6x170     | 1020                                    | no    | unpaved                | adequate   | lighted   | none                         | VIII. vágány      | 179                                  | 170                | 14                     | central                    | yes                      | 170        | 0              | 1                  | 21            | adequate                | 25   | E                      |              |
| Demecser            | 14076                     | 264+02-268+00                                   |  | 12x500    | 6000                                    | no    | unpaved                | adequate   | lighted   | none                         | VII. vágány       | 802                                  | 500                | 10,15                  | central                    | yes                      | 400        | 0              | 2                  | 21            | adequate                | 25   | K                      |              |
| Derecke             | 14051                     | 64+35 - 65+00                                   |  | 21 x 165  | 1365                                    | yes   | concrete               | adequate   | lighted   | none                         | I.(A) vágány      | 351,8                                | 65                 | 1,2                    | local                      | no                       | 0          | 2              | 0                  | 18,5          | bad                     | 10   | K                      | "K" group    |
| Derecke             | 14051                     | 66+40-67+35                                     |  | 11x95     | 1045                                    | yes   | asphalt                | adequate   | lighted   | none                         | I.(B) vágány      | 351,8                                | 95                 | 1,2                    | local                      | no                       | 0          | 2              | 0                  | 18,5          | bad                     | 10   | K                      | "K" group    |
| Ebes                | 132896                    | 2094+2099                                       |  | 8,5 x 155 | 1317,5                                  | yes   | asphalt, cobblestone   | adequate   | lighted   | none                         | I.vágány          | 450                                  | 155                | 15,16                  | central                    | yes                      | 450        | 0              | 2                  | 21            | adequate                | 5  | K                      |              |
| Ebes                | 13896                     | 2094+2096                                       |  | 8,5x50    | 423                                     | yes   | cobblestone            | bad  | lighted   | side loading                 | I.(O) vágány      | 450                                  | 50                 | 15,16                  | central                    | yes                      | 450        | 0              | 2                  | 21            | adequate                | 5  | K                      |              |
| Egkek               | 14555                     | 585+95-588+30                                   |  | 6x235     | 1410                                    | yes   | macadam                | adequate   | lighted   | none                         | I.vágány          | 403                                  | 235                | 3,4                    | local                      | no                       | 0          | 0              | 0                  | 21            | adequate                | 5  | K                      | "K" group    |
| Egkek               | 14555                     | 588+30-588+47                                   |  | 8,5x17    | 144,5                                   | yes   | asphalt                | adequate   | lighted   | side loading                 | I.(O) vágány      | 403                                  | 17                 | 3,4                    | local                      | no                       | 0          | 0              | 0                  | 21            | adequate                | 5  | K                      | "K" group    |
| Fegyvernek-Örményes | 13805                     | 1312 - 1314                                     |  | 10 x 110  | 1100                                    | yes   | cobblestone            | adequate   | lighted   | none                         | VI. vágány        | 212                                  | 110                | 30,24                  | manual/central             | no                       | 0          | 1              | 0                  | 24            | adequate                | 5  | K                      |              |
| Fegyvernek-Örményes | 13805                     | 1311 - 1315                                     |  | 10 x 229  | 2290                                    | yes   | stone                  | adequate   | lighted   | none                         | I.vágány          | 811                                  | 229                | 18,13                  | central                    | yes                      | 811        | 1              | 0                  | 22,5          | bad                     | 5  | K                      | "K" group    |
| Fehérgyarmat        | 15768                     | 391-395   |  | 14 x 215  | 3010                                    | yes   | unpaved                | adequate   | lighted   | none                         | I.(A) vágány      | 577                                  | 215                | 2                      | local                      | no                       | 0          | 0              | 0                  | 18,5          | bad                     | 5  | K                      | "K" group    |
| Fehérgyarmat        | 15768                     | 391-395   |  | 14 x 100  | 1400                                    | yes   | stone                  | adequate   | lighted   | none                         | I.(B) vágány      | 577                                  | 100                | 2                      | local                      | no                       | 0          | 0              | 0                  | 18,5          | bad                     | 5  | K                      | "K" group    |
| Fehérgyarmat        | 15768                     | 391-395   |  | 15 x 22   | 330                                     | yes   | stone                  | adequate   | lighted   | side loading                 | I.(O) vágány      | 577                                  | 22                 | 2                      | local                      | no                       | 0          | 0              | 0                  | 18,5          | bad                     | 5  | K                      | "K" group    |
| Fényeslitke         | 14134                     | 496+00-498+90                                   |  | 8x290     | 2320                                    | no    | none                   | adequate   | lighted   | none                         | I.(A) vágány      | 780                                  | 290                | 13,16                  | Dominó 55 electric central | yes                      | 780        | 0              | 0                  | 24,5          | adequate                | 40   | K                      |              |
| Fényeslitke         | 14134                     | 496+00-498+90                                   |  | 20x100    | 2000                                    | no    | none                   | adequate   | lighted   | none                         | I.(B) vágány      | 780                                  | 100                | 13,16                  | Dominó 55 electric central | yes                      | 780        | 0              | 0                  | 24,5          | adequate                | 40   | K                      |              |
| Fényeslitke         | 14134                     | 496+00-498+90                                   |  | 5x10      | 50                                      | yes   | concrete               | adequate   | lighted   | side loading                 | I.(O) vágány      | 780                                  | 10                 | 13,16                  | Dominó 55 electric central | yes                      | 780        | 0              | 0                  | 24,5          | adequate                | 40   | K                      |              |
| Görgeaszállás       | 11494                     | 337+50-338+50                                   |  | 8x80      | 640                                     | no    | none                   | adequate   | lighted   | none                         | I.(A) vágány      | 800                                  | 80                 | 5,16                   | manual                     | yes                      | 700        | 0              | 2                  | 21            | adequate                | 5  | K                      | "K" group    |
| Görgeaszállás       | 11494                     | 342+50-344+00                                   |  | 5x250     | 1250                                    | yes   | ferrocconcrete seating | adequate   | lighted   | none                         | I.(B) vágány      | 800                                  | 250                | 5,16                   | manual                     | yes                      | 700        | 0              | 2                  | 21            | adequate                | 5  | K                      | "K" group    |
| Görgeaszállás       | 11494                     | 342+50-344+00                                   |  | 5x25      | 125                                     | yes   | ferrocconcrete seating | adequate   | lighted   | side loading                 | I.(O) vágány      | 800                                  | 25                 | 5,16                   | manual                     | yes                      | 700        | 0              | 2                  | 21            | adequate                | 5  | K                      | "K" group    |
| Hajdúszoboszló      | 14670                     | 210+06-211+61                                   |  | 52x155    | 8060                                    | yes   | concrete               | adequate   | lighted   | none                         | V.(A)vágány       | 240                                  | 155                | 9                      | local                      | no                       | 0          | 0              | 0                  | 21            | adequate                | 5  | K                      | "K" group    |
| Hajdúszoboszló      | 14670                     | 211+70-212+00                                   |  | 5x30      | 150                                     | yes   | concrete               | adequate   | lighted   | none                         | V.(B)vágány       | 240                                  | 30                 | 9                      | local                      | no                       | 0          | 0              | 0                  | 21            | adequate                | 5  | K                      | "K" group    |
| Hajdúszoboszló      | 14670                     | 213+10-213+40                                   |  | 10x30     | 300                                     | yes   | concrete               | adequate   | lighted   | side loading                 | I.(O)vágány       | 500                                  | 30                 | 2,5                    | local                      | no                       | 0          | 1              | 2                  | 21            | adequate                | 5  | K                      | "K" group    |
| Hajdúszoboszló      | 14670                     | 213+10-213+40                                   |  | 52x155    | 8060                                    | yes   | concrete               | adequate   | lighted   | none                         | I.vágány          | 500                                  | 155                | 2,5                    | local                      | no                       | 0          | 1              | 2                  | 21            | adequate                | 5  | K                      | "K" group    |
| Hajdúdorog          | 14696                     | 369+02-369+72                                   |  | 13x70     | 910                                     | yes   | asphalt                | adequate   | lighted   | none                         | I.(A) vágány      | 511                                  | 70                 | 1,2                    | local                      | no                       | 0          | 0              | 2                  | 21            | adequate                | 40   | K                      | "K" group    |
| Hajdúdorog          | 14696                     | 370+39-370+69                                   |  | 13x10     | 390                                     | yes   | asphalt                | adequate   | lighted   | none                         | I.(B) vágány      | 511                                  | 30                 | 1,2                    | local                      | no                       | 0          | 0              | 2                  | 21            | adequate                | 40   | K                      | "K" group    |
| Hajdúdorog          | 14696                     | 370+83-371+01                                   |  | 10x18     | 180                                     | yes   | cobblestone            | adequate   | lighted   | side loading                 | I.(O) vágány      | 511                                  | 18                 | 1,2                    | local                      | no                       | 0          | 0              | 2                  | 21            | adequate                | 40   | K                      | "K" group    |
| Hajdúdorog          | 14696                     | 371+01-371+37                                   |  | 13x36     | 468                                     | yes   | cobblestone            | adequate   | lighted   | none                         | I.(C) vágány      | 511                                  | 36                 | 1,2                    | local                      | no                       | 0          | 0              | 2                  | 21            | adequate                | 40   | K                      | "K" group    |
| Hajdúdorog          | 14696                     | 371+58-373+08                                   |  | 13x150    | 1950                                    | yes   | cobblestone            | adequate   | lighted   | none                         | I.(D) vágány      | 511                                  | 150                | 1,2                    | local                      | no                       | 0          | 0              | 2                  | 21            | adequate                | 40   | K                      | "K" group    |
| Hajdúhadház         | 13953                     | 2407+96-2410+16                                 |  | 10x220    | 2200                                    | yes   | concrete               | adequate   | lighted   | none                         | I.(A) vágány      | 530                                  | 220                | 16, 26                 | central                    | yes                      | 600        | 2              | 0                  | 22,5          | adequate                | 40 at 21 t axle load, 20 at 22,5 t axle load | K                      | "K" group    |
| Hajdúhadház         | 13953                     | 2410+16-2410+46                                 |  | 6x30      | 180                                     | yes   | concrete               | adequate   | lighted   | side loading                 | I.(O) vágány      | 530                                  | 30                 | 16, 26                 | central                    | yes                      | 600        | 2              | 0                  | 22            |                         |  |                        |              |

| Service place | Open access loading place registered by MÁV Zrt |                         |                        |   |          |   |                         |           |                              |                    |                   | Loading track next to loading places |                        |                            |                          |            |                |                    |                  |                         |         |   |           |           |  | Applicable speed (km/h) | Possibility of serving | Restrictions |
|---------------|---|-------------------------|------------------------|---|----------|---|-------------------------|-----------|------------------------------|--------------------|-------------------|--------------------------------------|------------------------|----------------------------|--------------------------|------------|----------------|--------------------|------------------|-------------------------|---------|---|-----------|-----------|--|-------------------------|------------------------|--------------|
|               | Code of the service place                       | Position                | Size                   | Currently usable area (m <sup>2</sup> ) | Paved    | Material of pavement                        | Current technical state | Lighting  | Loading and other equipments | Name of the track  | Usable length (m) | Loading length (m)                   | Branching-off turnouts |                            | Availability of catenary |            | Derailer (pcs) | Scotch block (pcs) | Axle load (t)    | Current technical state |         |   |           |           |  |                         |                        |              |
|               |   | From section to section | Width (m) - length (m) |   | yes - no |   |                         |           |                              |                    |                   |                                      | Number                 | Switch operation mode      | yes - no                 | length (m) |                |                    |                  |                         |         |   |           |           |  |                         |                        |              |
|               |   |                         |                        |   |          |   |                         |           |                              |                    |                   |                                      |                        |                            |                          |            |                |                    |                  |                         |         |   |           |           |  |                         |                        |              |
| Kenderes      | 12351   | 1215-1216               | 15x20                  | 300                                     | no       | unpaved                                     | average                 | lighted   | none                         | I. (B)vágyány      | 266               | 20                                   | 6,3                    | manual                     | no                       | 0          | 0              | 1                  | 20               | adequate                | 5       | K |           |           |  |                         |                        |              |
| Kenderes      | 12351   | 1215-1216               | 15x15                  | 225                                     | yes      | concrete                                    | average                 | lighted   | side loading                 | I. (O) vágyány     | 266               | 15                                   | 6,3                    | manual                     | no                       | 0          | 0              | 1                  | 20               | adequate                | 5       | K |           |           |  |                         |                        |              |
| Kenderes      | 12351   | 1215-1216               | 10x80                  | 800                                     | no       | unpaved                                     | average                 | lighted   | none                         | I.(C) vágyány      | 266               | 80                                   | 6,3                    | manual                     | no                       | 0          | 0              | 1                  | 20               | adequate                | 5       | K |           |           |  |                         |                        |              |
| Kiskőke       | 12310   | 891- 893                | 10 x 150               | 840                                     | yes      | asphalt                                     | adequate                | lighted   | none                         | I.vágyány          | 251               | 150                                  | 4,9                    | manual                     | no                       | 0          | 0              | 1                  | 22,5             | average                 | 5       | K |           |           |  |                         |                        |              |
| Kiskőke       | 12310   | 888-892                 | 8x310                  | 2480                                    | yes      | macadam                                     | bad                     | lighted   | none                         | V. vágyány         | 312               | 310                                  | 8,7                    | manual                     | no                       | 0          | 0              | 2                  | 22,5             | bad                     | 5       | K |           |           |  |                         |                        |              |
| Kisújszállás  | 13821   | 1470- 1476              | 12x80                  | 960                                     | yes      | asphalt                                     | adequate                | lighted   | side loading                 | XV-XII vágyány     | 424               | 80                                   | 27,23,17               | central                    | no                       | 0          | 0              | 0                  | 22,5             | adequate                | 5       | K |           |           |  |                         |                        |              |
| Kisújszállás  | 13821   | 1470- 1476              | 11x362                 | 3982                                    | yes      | asphalt                                     | adequate                | lighted   | none                         | XV-XII vágyány     | 424               | 362                                  | 27,23,17               | central                    | no                       | 0          | 0              | 0                  | 22,5             | adequate                | 5       | K |           |           |  |                         |                        |              |
| Kisújszállás  | 13821   | 1469-1470               | 10 x 65                | 650                                     | yes      | concrete                                    | adequate                | lighted   | none                         | XVIII vágyány      | 69                | 65                                   | 29                     | manual                     | no                       | 0          | 0              | 0                  | 21               | adequate                | 5       | K |           |           |  |                         |                        |              |
| Kisújszállás  | 13821   | 1470-1474               | 11x120 9x205           | 4780                                    | yes      | broken stone/ferrocconcrete seating/asphalt | adequate                | lighted   | none                         | XVIII vágyány      | 620               | 440                                  | 33,21                  | central                    | no                       | 0          | 2              | 2                  | 22,5             | adequate                | 5       | K |           |           |  |                         |                        |              |
| Kővárd        | 14118   | 410-46- 422-51          | 6,5x250                | 2125                                    | yes      | macadam                                     | adequate                | lighted   | none                         | Kerti csomák       | 349               | 250                                  | 26                     | manual                     | no                       | 0          | 0              | 1                  | 24,5             | adequate                | 40      | E |           |           |  |                         |                        |              |
| Kővárd        | 14118   | 416-50- 420-00          | 11 x 400               | 660                                     | yes      | natural stone                               | adequate                | lighted   | end loading                  | Homlok csomák      | 81                | 60                                   | 36                     | manual                     | no                       | 0          | 0              | 0                  | 24,5             | adequate                | 40      | E |           |           |  |                         |                        |              |
| Kővárd        | 14118   | 418-50-419-20           | 8x70                   | 560                                     | yes      | asphalt                                     | adequate                | lighted   | none                         | I. (A) vágyány     | 777               | 70                                   | 26                     | manual                     | yes                      | 777        | 0              | 1                  | 24,5             | adequate                | 40      | E |           |           |  |                         |                        |              |
| Kővárd        | 14118   | 420-00-420-65           | 10 x 65                | 650                                     | yes      | cinder                                      | adequate                | lighted   | side loading                 | I. (O)vágyány      | 777               | 65                                   | 26,36                  | manual                     | yes                      | 777        | 0              | 1                  | 24,5             | adequate                | 40      | E |           |           |  |                         |                        |              |
| Kővárd        | 14118   | 424-00-425-70           | 25x120                 | 3000                                    | yes      | concrete                                    | adequate                | lighted   | none                         | I. (B)vágyány      | 777               | 120                                  | 13,17,19               | central                    | yes                      | 777        | 0              | 2                  | 24,5             | adequate                | 40      | K |           |           |  |                         |                        |              |
| Kővárd        | 14118   | 427-68-426-88           | 5x80                   | 400                                     | no       | none  | adequate                | unlighted | none                         | I. csomák vágyány  | 310               | 80                                   | 13                     | central                    | no                       | 0          | 0              | 0                  | 24,5             | adequate                | 40      | K |           |           |  |                         |                        |              |
| Komór         | 14142   | 532-80-531-00           | 4x100                  | 400                                     | yes      | broken stone                                | adequate                | lighted   | none                         | VII. csomakvágyány | 120               | 100                                  | 22                     | Domino 55 electric central | no                       | 0          | 0              | 1                  | 24,5             | adequate                | 40      | E |           |           |  |                         |                        |              |
| Kunhegyes     | 12344   | 1073-1074               | 18x20                  | 360                                     | yes      | concrete                                    | adequate                | lighted   | none                         | I.(B)vágyány       | 432               | 20                                   | 2,5                    | manual                     | no                       | 0          | 0              | 2                  | 22,5             | bad                     | 5       | K |           |           |  |                         |                        |              |
| Kunhegyes     | 12344   | 1073-1074               | 12x20                  | 240                                     | yes      | concrete                                    | adequate                | lighted   | side loading                 | I.(O)vágyány       | 432               | 20                                   | 2,5                    | manual                     | no                       | 0          | 0              | 2                  | 22,5             | bad                     | 5       | K |           |           |  |                         |                        |              |
| Kunhegyes     | 12344   | 1073-1074               | 18x150                 | 2700                                    | yes      | concrete                                    | adequate                | lighted   | none                         | I.(C)vágyány       | 432               | 150                                  | 2,5                    | manual                     | no                       | 0          | 0              | 2                  | 22,5             | bad                     | 5       | K |           |           |  |                         |                        |              |
| Kunhegyes     | 12344   | 1071-1072               | 20x92                  | 1840                                    | yes      | soil  | average                 | lighted   | none                         | I.(A)vágyány       | 432               | 92                                   | 2,5                    | manual                     | no                       | 0          | 0              | 2                  | 22,5             | bad                     | 5       | K |           |           |  |                         |                        |              |
| Kunmadaras    | 14213   | 178-60- 180-50          | 27 x 102               | 2754                                    | yes      | asphalt                                     | good                    | lighted   | none                         | I.(A)I.vágyány     | 634               | 102                                  | 1                      | manual                     | no                       | 0          | 0              | 1                  | 22,5             | adequate                | 5       | K |           |           |  |                         |                        |              |
| Kunmadaras    | 14213   | 181-10- 184-00          | 30 x 350               | 10378                                   | yes      | concrete                                    | adequate                | lighted   | none                         | I.(B)I.vágyány     | 634               | 350                                  | 1                      | manual                     | no                       | 0          | 0              | 0                  | 22,5             | adequate                | 5       | K |           |           |  |                         |                        |              |
| Macs          | 14480   | 109-49-112-39           | 25x290                 | 7250                                    | yes      | ferrocconcrete seating                      | adequate                | unlighted | none                         | I.vágyány          | 626,5             | 290                                  | 3,4                    | local                      | no                       | 0          | 2              | 0                  | 21               | good                    | 10      | K | "K" group |           |  |                         |                        |              |
| Mándok        | 15875   | 783-791                 | 10x235                 | 2350                                    | no       | soil  | adequate                | lighted   | none                         | I.(A) vágyány      | 812               | 235                                  | 1,4                    | point wire from centre     | no                       | 0          | 0              | 0                  | 21 t             | average                 | 10      | K | "K" group |           |  |                         |                        |              |
| Mándok        | 15875   | 783-791                 | 10x25                  | 250                                     | yes      | concrete                                    | adequate                | lighted   | side loading                 | I. (O)vágyány      | 812               | 25                                   | 1,4                    | point wire from centre     | no                       | 0          | 0              | 0                  | 21 t             | average                 | 10      | K | "K" group |           |  |                         |                        |              |
| Mándok        | 15875   | 783-791                 | 5x160                  | 1800                                    | yes      | asphalt                                     | adequate                | lighted   | none                         | I. (B) vágyány     | 812               | 160                                  | 1,4                    | point wire from centre     | no                       | 0          | 0              | 0                  | 21 t             | average                 | 10      | K | "K" group |           |  |                         |                        |              |
| Ménfőcsanak   | 15446   | 290-00- 291-00          | 10x70                  | 700                                     | yes      | concrete                                    | adequate                | lighted   | none                         | I. vágyány         | 142               | 70                                   | 2,3                    | manual                     | no                       | 0          | 1              | 0                  | 18,5             | bad                     | 5       | K | "K" group |           |  |                         |                        |              |
| Ménfőcsanak   | 15495   | 326-37-330-10           | 7 x 307                | 2100                                    | partly   | asphalt/soil                                | bad                     | lighted   | none                         | Kerti vágyány      | 307               | 307                                  | 1                      | manual                     | no                       | 0          | 0              | 0                  | váltózáras váltó | 21                      | average | 5 | E         | "B" group |  |                         |                        |              |
| Ménfőcsanak   | 15495   | 326-41-327-48           | 8 x 120                | 960                                     | no       | unpaved                                     | bad                     | lighted   | none                         | Volán csomák       | 120               | 120                                  | 1                      | manual                     | no                       | 0          | 0              | 0                  | 21               | average                 | 5       | E | "B" group |           |  |                         |                        |              |
| Ménfőcsanak   | 15495   | 327-65-329-35           | 6 x 196                | 1176                                    | yes      | asphalt                                     | adequate                | lighted   | none                         | I./A.vágyány       | 196               | 196                                  | 2                      | local and D/S              | no                       | 0          | 1              | 2                  | 21               | average                 | 5       | K | "B" group |           |  |                         |                        |              |
| Ménfőcsanak   | 15495   | 29-62-33-40             | 7 x 285                | 2000                                    | no       | concrete components                         | adequate                | lighted   | none                         | Cukorkáryi         | 285               | 285                                  | 0                      | 0                          | no                       | 0          | 0              | 0                  | 21               | adequate                | 10      | E |           |           |  |                         |                        |              |
| Ménfőcsanak   | 14431   | 1478- 1481              | 9,1 x 360              | 3277                                    | yes      | asphalt                                     | good                    | lighted   | none                         | I.vágyány          | 810               | 360                                  | 4,1                    | central                    | no                       | 0          | 0              | 0                  | 21               | adequate                | 20      | K |           |           |  |                         |                        |              |
| Ménfőcsanak   | 14605   | 924-73-924-93           | 12x20                  | 240                                     | yes      | concrete                                    | adequate                | unlighted | side loading                 | I.(O)vágyány       | 299               | 20                                   | 3,4                    | local                      | no                       | 0          | 0              | 0                  | 21               | average                 | 5       | K | "K" group |           |  |                         |                        |              |
| Ménfőcsanak   | 14605   | 924-93-925-93           | 14x100                 | 1400                                    | yes      | unpaved                                     | adequate                | unlighted | none                         | I.vágyány          | 299               | 100                                  | 3,4                    | local                      | no                       | 0          | 0              | 0                  | 21               | average                 | 5       | K | "K" group |           |  |                         |                        |              |
| Nagyecser     | 15149   | 103-30-103-90           | 15,5x60                | 930                                     | yes      | asphalt                                     | adequate                | lighted   | side loading                 | I.(O)vágyány       | 924               | 60                                   | 3,6                    | local                      | no                       | 0          | 2              | 0                  | 21               | adequate                | 40      | K | "K" group |           |  |                         |                        |              |
| Nagyecser     | 15149   | 103-90-104-67           | 10x77                  | 770                                     | yes      | asphalt                                     | adequate                | lighted   | none                         | I.vágyány          | 924               | 77                                   | 3,6                    | local                      | no                       | 0          | 2              | 0                  | 21               | adequate                | 40      | K | "K" group |           |  |                         |                        |              |
| Nagyecser     | 15149   | 220-35-224-73           | 11 x 24                | 264                                     | yes      | stone and soil                              | adequate                | lighted   | side loading                 | I.(O)vágyány       | 524               | 24                                   | 2                      | manual                     | no                       | 0          | 1              | 1                  | 18,5             | bad                     | 5       | K | "K" group |           |  |                         |                        |              |
| Nagyecser     | 15149   | 220-35-224-73           | 10 x 200 8x200         | 3600                                    | yes, no  | stone and soil                              | adequate                | lighted   | none                         | I.vágyány          | 524               | 400                                  | 2                      | manual                     | no                       | 0          | 1              | 1                  | 18,5             | bad                     | 5       | K | "K" group |           |  |                         |                        |              |
| Nagyhalászi   | 14498   | 142-50-142-70           | 12,5x20                | 250                                     | yes      | concrete                                    | adequate                | unlighted | none                         | I.vágyány          | 98,8              | 20                                   | 1,2                    | local                      | no                       | 0          | 2              | 0                  | 21               | adequate                | 10      | K | "K" group |           |  |                         |                        |              |
| Nagyhalászi   | 15040   | 136-70-138-50           | 8,5x180                | 1530                                    | yes      | asphalt                                     | adequate                | lighted   | none                         | I. vágyány         | 329               | 180                                  | 3,4                    | manual                     | no                       | 0          | 0              | 2                  | 18,5             | bad                     | 5       | K | "K" group |           |  |                         |                        |              |
| Nagyhalászi   | 15040   | 136-70-138-50           | 8x10                   | 80                                      | yes      | asphalt                                     | adequate                | lighted   | side loading                 | I. (O)vágyány      | 329               | 10                                   | 3,4                    | manual                     | no                       | 0          | 0              | 2                  | 18,5             | bad                     | 5       | K | "K" group |           |  |                         |                        |              |
| Nagysekere    | 15784   | 316-60- 318-70          | 8 x 10,                | 80                                      | yes      | unpaved                                     | adequate                | unlighted | side loading                 | I. (O)vágyány      | 210               | 10                                   | 2                      | manual                     | no                       | 0          | 0              | 2                  | 18,5             | average                 | 5       | K | "K" group |           |  |                         |                        |              |
| Nagysekere    | 15784   | 316-60- 318-70          | 10x120                 | 1200                                    | yes      | unpaved                                     | adequate                | unlighted | none                         | I.vágyány          | 210               | 120                                  | 2                      | manual                     | no                       | 0          | 0              | 2                  | 18,5             | average                 | 5       | K | "K" group |           |  |                         |                        |              |
| Nyírábrány    | 15180   | 291-30-294-00           | 8x70                   | 2160                                    | no       | unpaved                                     | adequate                | unlighted | none                         | I./A.vágyány       | 279               | 270                                  | 10, 12                 | local                      | no                       | 0          | 0              | 0                  | 21               | adequate                | 40      | K | "K" group |           |  |                         |                        |              |
| Nyírábrány    | 15180   | 297-75-299-00           | 15x18                  | 270                                     | yes      | asphalt                                     | adequate                | lighted   | none                         | I.(A)vágyány       | 844               | 28                                   | 3                      | local                      | no                       | 0          | 0              | 0                  | 21               | adequate                | 40      | K | "K" group |           |  |                         |                        |              |
| Nyírábrány    | 15180   | 297-75-299-00           | 8x18                   | 144                                     | yes      | asphalt                                     | adequate                | lighted   | side loading                 | I.(O)vágyány       | 844               | 18                                   | 3                      | local                      | no                       | 0          | 0              | 0                  | 21               | adequate                | 40      | K | "K" group |           |  |                         |                        |              |
| Nyírábrány    | 15180   | 297-75-299-00           | 15x80                  | 1200                                    | yes      | asphalt                                     | adequate                | lighted   | none                         | I.(B)vágyány       | 844               | 80                                   | 3                      | local                      | no                       | 0          | 0              | 0                  | 21               | adequate                | 40      | K | "K" group |           |  |                         |                        |              |
| Nyírábrány    | 15370   | 246-25-247-10           | 20x85                  | 1700                                    | no       | unpaved                                     | adequate                | lighted   | none                         | I.(A)vágyány       | 260               | 85                                   | 2,9                    | central, local             | no                       | 0          | 0              | 1                  | 21               | adequate                | 40      | K | "K" group |           |  |                         |                        |              |
| Nyírábrány    | 15370   | 247-47-249-21           | 9x174                  | 1574                                    | yes      | unpaved                                     | adequate                | unlighted | none                         | I.vágyány          | 260               | 10                                   | 11,12                  | central, local             | no                       | 0          | 0              | 1                  | 21               | adequate                | 40      | K | "K" group |           |  |                         |                        |              |
| Nyírábrány    | 15370   | 247- 84-248-20          | 9x36                   | 324                                     | yes      | concrete                                    | adequate                | lighted   | side loading                 | I.(O) vágyány      | 260               | 36                                   | 2,9                    | central, local             | no                       | 0          | 0              | 1                  | 21               | adequate                | 40      | K | "K" group |           |  |                         |                        |              |
| Nyírábrány    | 15370   | 248-20-249-30           | 21x110                 | 2310                                    | yes      | ferrocconcrete seating                      | adequate                | lighted   | none                         | I.(B)vágyány       | 260               | 110                                  | 2,9                    | central, local             | no                       | 0          | 0              | 1                  | 21               | adequate                | 40      | K | "K" group |           |  |                         |                        |              |
| Nyírbátor     | 15453   | 379-60-381-20           | 15x140                 | 2100                                    | yes      | stone                                       | adequate                | lighted   | none                         | I. vágyány         | 373               | 140                                  | 11,12                  | central                    | no                       | 0          | 0              | 0                  | 21               | adequate                | 10 km/h | K | "K" group |           |  |                         |                        |              |
| Nyírbátor     | 15453   | 378-60-382-30           | 9x140                  | 1260                                    | yes      | stone                                       | adequate                | lighted   | none                         | VI. vágyány        | 423               | 1                                    |                        |                            |                          |            |                |                    |                  |                         |         |   |           |           |  |                         |                        |              |



| Service place    | Code of the service place | Open access loading place registered by MÁV Zrt |                        |   |          |                      |                         |           |                              |                   |                   | Loading track next to loading places |                        |                            |                          |            |                |                    |               |                         |  |  |  |   | Applicable speed (km/h) | Possibility of serving | Restrictions |
|------------------|---------------------------|---|------------------------|---|----------|----------------------|-------------------------|-----------|------------------------------|-------------------|-------------------|--------------------------------------|------------------------|----------------------------|--------------------------|------------|----------------|--------------------|---------------|-------------------------|--|--|--|---|-------------------------|------------------------|--------------|
|                  |                           | Position  | Size                   | Currently usable area (m <sup>2</sup> ) | Paved    | Material of pavement | Current technical state | Lighting  | Loading and other equipments | Name of the track | Usable length (m) | Loading length (m)                   | Branching-off turnouts |                            | Availability of catenary |            | Derailer (pcs) | Scotch block (pcs) | Axle load (t) | Current technical state |  |  |  |   |                         |                        |              |
|                  |                           | From section to section                         | Width (m) - length (m) |   | yes - no |                      |                         |           |                              |                   |                   |                                      | Number                 | Switch operation mode      | yes - no                 | length (m) |                |                    |               |                         |  |  |  |   |                         |                        |              |
| Tiszafüred       | 14563                     | 687+90 - 689+00                                 | 11 x 110               | 1210                                    | yes      | concrete             | good                    | lighted   | none                         | I.(B)vágány       | 550               | 110                                  | 2, 7                   | local                      | no                       | 0          | 0              | 0                  | 21            | good                    | 5  |  |  | K | "K" group               |                        |              |
| Tízalólk         | 14860                     | 296+80-297+60                                   | 70x80                  | 5600                                    | yes      | cobblestone          | adequate                | lighted   | none                         | I.vágány          | 518,48            | 80                                   | 8, 11                  | local                      | no                       | 0          | 0              | 1                  | 18,5          | adequate                | 5  |  |  | K | "K" group               |                        |              |
| Tízalólk         | 14860                     | 297+60-298+30                                   | 10x70                  | 700                                     | yes      | cobblestone          | adequate                | lighted   | side loading                 | I.(O) vágány      | 518,48            | 70                                   | 8, 11                  | local                      | no                       | 0          | 0              | 1                  | 18,5          | adequate                | 5  |  |  | K | "K" group               |                        |              |
| Tízalólk         | 14860                     | 294+20-297+15                                   | 10x280                 | 2800                                    | yes      | concrete             | adequate                | lighted   | none                         | V.vágány          | 287,65            | 280                                  | 6                      | local                      | no                       | 0          | 0              | 0                  | 18,5          | adequate                | 5  |  |  | E | "K" group               |                        |              |
| Tízavassvári     | 14738                     | 565+50-566+80                                   | 9x200                  | 1800                                    | yes      | concrete             | adequate                | lighted   | none                         | V.vágány          | 216               | 200                                  | 10, 16                 | local                      | no                       | 0          | 0              | 0                  | 21            | adequate                | 5  |  |  | K | "K" group               |                        |              |
| Tízavassvári     | 14738                     | 0+94+1+07                                       | 7x13                   | 91                                      | yes      | cobblestone          | adequate                | lighted   | side loading                 | I. (O) vágány     | 241               | 13                                   | 3, 18                  | local                      | no                       | 0          | 1              | 0                  | 21            | adequate                | 5  |  |  | K | "K" group               |                        |              |
| Tízavassvári     | 14738                     | 1+00+2+20                                       | 24x13                  | 2712                                    | yes      | bitumen              | adequate                | lighted   | none                         | I.vágány          | 241               | 113                                  | 3, 18                  | local                      | no                       | 0          | 1              | 0                  | 21            | adequate                | 5  |  |  | K | "K" group               |                        |              |
| Tízavassvári     | 14738                     | 1+09+2+10                                       | 10x15                  | 150                                     | yes      | concrete             | bad                     | lighted   | side loading                 | AFOR csomka       | 120               | 15                                   | 7                      | local                      | no                       | 0          | 0              | 1                  | 21            | adequate                | 5  |  |  | E | "K" group               |                        |              |
| Tokaj            | 11478                     | 170+40 -172+80                                  | 5x300                  | 1500                                    | yes      | asphalt              | adequate                | lighted   | none                         | I. (A) vágány     | 730               | 300                                  | 10; 12;9;              | central                    | yes                      | 834        | 1              | 2                  | 21            | adequate                | 5  |  |  | k | "K" group               |                        |              |
| Tokaj            | 11478                     | 173+30-174+90                                   | 5x50                   | 250                                     | yes      | asphalt              | adequate                | lighted   | side loading                 | I. (O) vágány     | 730               | 50                                   | 10; 12;9;              | central                    | yes                      | 834        | 1              | 2                  | 21            | adequate                | 5  |  |  | k | "K" group               |                        |              |
| Tokaj            | 11478                     | 174+90 - 175+40                                 | 15x90                  | 1350                                    | yes      | asphalt              | adequate                | lighted   | none                         | I.(B) vágány      | 730               | 90                                   | 10,9                   | central                    | yes                      | 834        | 0              | 2                  | 21            | bad                     | 5  |  |  | K | "K" group               |                        |              |
| Tokaj            | 11478                     | 174+90 - 175+40                                 | 12x50                  | 600                                     | no       | unpaved              | adequate                | lighted   | none                         | I.(C) vágány      | 730               | 50                                   | 10,9                   | central                    | yes                      | 834        | 0              | 2                  | 21            | bad                     | 5  |  |  | K | "K" group               |                        |              |
| Tornyospálca     | 15883                     | 712-720   | 10x200 10x300          | 5000                                    | yes, no  | concrete, soil       | adequate                | lighted   | none                         | I. sz. vágány     | 825               | 500                                  | 2,3                    | Domino 55 electric central | no                       | 0          | 2              | 0                  | 21 t          | average                 | 10   |  |  | K | "K" group               |                        |              |
| Törökcsentmiklós | 13789                     | 1204-1205                                       | 15x200                 | 3000                                    | yes      | asphalt              | adequate                | lighted   | none                         | VI. vágány        | 626               | 200                                  | 14, 15                 | manual                     | yes                      | 160        | 0              | 0                  | 21            | adequate                | 5  |  |  | K |                         |                        |              |
| Törökcsentmiklós | 13789                     | 1203+1204                                       | 10x100                 | 1000                                    | yes      | concrete             | adequate                | lighted   | side loading                 | VII. (O) vágány   | 626               | 100                                  | 14, 15                 | central/manual             | no                       | 0          | 0              | 1                  | 24            | adequate                | 5  |  |  | K |                         |                        |              |
| Tunyogmatolcs    | 15743                     | 37+25 - 35+65                                   | 5 x 150                | 750                                     | yes      | asphalt              | adequate                | lighted   | none                         | I.vágány          | 189               | 150                                  | 2                      | manual                     | yes                      | 0          | 0              | 2                  | 18,5          | average                 | 5  |  |  | K | "K" group               |                        |              |
| Tuzsér           | 14159                     | 579+00-578+50                                   | 15x120                 | 1800                                    | yes      | asphalt              | adequate                | lighted   | none                         | X. csomka         | 150               | 120                                  | 35                     | Domino 55 electric central | yes                      | 150        | 0              | 1                  | 24,5          | good                    | 40   |  |  | E | "K" group               |                        |              |
| Tuzsér           | 14159                     | 579+00-578+50                                   | 5x10                   | 50                                      | yes      | concrete             | adequate                | lighted   | side loading                 | X. (Ö)csomka      | 150               | 10                                   | 35                     | Domino 55 electric central | yes                      | 150        | 0              | 1                  | 24,5          | good                    | 40   |  |  | E | "K" group               |                        |              |
| Újfehértó        | 13987                     | 2554+40 - 2555+15                               | 7,5x75 7,5x90          | 1237,5                                  | no       | unpaved, concrete    | adequate                | lighted   | none                         | I/a (A) vágány    | 365               | 165                                  | 14, 16                 | central                    | yes                      | 420        | 2              | 0                  | 22,5          | adequate                | 40 at 21 t axle load, 20 at 22,5 t axle load |  |  | K | "K" group               |                        |              |
| Újfehértó        | 13987                     | 2556+32 - 2556+88                               | 12x56                  | 672                                     | yes      | concrete             | adequate                | lighted   | none                         | I/a (B) vágány    | 365               | 56                                   | 14, 16                 | central                    | yes                      | 420        | 2              | 0                  | 22,5          | adequate                | 40 at 23 t axle load, 20 at 22,5 t axle load |  |  | K | "K" group               |                        |              |
| Újfehértó        | 13987                     | 2557+33 - 2557+83                               | 15x50                  | 750                                     | yes      | concrete             | adequate                | lighted   | none                         | I/a (C) vágány    | 365               | 50                                   | 14, 16                 | central                    | yes                      | 420        | 2              | 0                  | 22,5          | adequate                | 40 at 24 t axle load, 20 at 22,5 t axle load |  |  | K | "K" group               |                        |              |
| Vaja-Rohod       | 15719                     | 406+10 - 406+60                                 | 12 x 336               | 4032                                    | partly   | asphalt              | good                    | lighted   | none                         | I. vágány         | 437               | 336                                  | 6,3                    | local                      | no                       | 0          | 0              | 1                  | 17,5          | good                    | 20   |  |  | K | "K" group               |                        |              |
| Vaja-Rohod       | 15719                     | 406+10 - 406+60                                 | 8 x 18                 | 144                                     | yes      | concrete             | good                    | lighted   | side loading                 | I. (O) vágány     | 437               | 18                                   | 6,3                    | local                      | no                       | 0          | 0              | 1                  | 17,5          | good                    | 20   |  |  | K | "K" group               |                        |              |
| Vámospercs       | 15164                     | 204+65-505+05                                   | 10,2x40                | 408                                     | yes      | asphalt              | adequate                | lighted   | side loading                 | I.(O) vágány      | 470               | 40                                   | 3/A, 6                 | local                      | no                       | 0          | 0              | 0                  | 21            | adequate                | 40   |  |  | K | "K" group               |                        |              |
| Vámospercs       | 15164                     | 205+05-206+25                                   | 15x120                 | 1800                                    | yes      | asphalt              | adequate                | lighted   | none                         | I.vágány          | 470               | 120                                  | 3/A, 6                 | local                      | no                       | 0          | 0              | 0                  | 21            | adequate                | 40   |  |  | K | "K" group               |                        |              |
| Vásárosnamény    | 15933                     | 533+70 - 535+10                                 | 25x150                 | 3750                                    | yes      | asphalt              | good                    | lighted   | none                         | I.vágány          | 650               | 150                                  | 2                      | central                    | no                       | 0          | 0              | 0                  | 22 t          | bad                     | 20   |  |  | K | "K" group               |                        |              |
| Vásárosnamény    | 15933                     | 532+50 - 533+00                                 | 15x60                  | 900                                     | yes      | concrete             | good                    | lighted   | side and end loading         | I.(O) vágány      | 650               | 60                                   | 2                      | central                    | no                       | 0          | 0              | 0                  | 22 t          | bad                     | 20   |  |  | K | "K" group               |                        |              |
| Vásárosnamény    | 15933                     | 531+60 - 532+55                                 | 11x305                 | 3355                                    | yes      | concrete             | good                    | lighted   | none                         | V.vágány          | 751               | 305                                  | 2                      | central                    | no                       | 0          | 0              | 0                  | 22 t          | bad                     | 20   |  |  | E |                         |                        |              |
| Vásárosnamény    | 15933                     | 531+60 - 532+90                                 | 6 x 140                | 840                                     | yes      | cobblestone          | good                    | lighted   | end loading                  | IX. vágány        | 148               | 140                                  | 16                     | central                    | no                       | 0          | 0              | 0                  | 22 t          | good                    | 20   |  |  | E |                         |                        |              |
| Záhony           | 14175                     | 647+20-649+20                                   | 10x200                 | 2000                                    | no       | unpaved              | adequate                | unlighted | none                         | Raktár II.        | 570               | 200                                  | 4,36                   | local                      | yes                      | 30         | 2              | 0                  | 20,5 t        | adequate                | 5  |  |  | K |                         |                        |              |
| Záhony           | 14175                     | 647+20-649+20                                   | 10x200                 | 2000                                    | no       | unpaved              | adequate                | unlighted | none                         | Raktár III.       | 570               | 200                                  | 4,36                   | local                      | yes                      | 30         | 2              | 0                  | 20,5 t        | adequate                | 5  |  |  | K |                         |                        |              |
| Záhony           | 14175                     | 647+20-649+20                                   | 10x200                 | 2000                                    | no       | unpaved              | adequate                | unlighted | none                         | Raktár III.       | 570               | 200                                  | 4,36                   | local                      | yes                      | 30         | 2              | 0                  | 20,5 t        | adequate                | 5  |  |  | K |                         |                        |              |

## Kimutatás a MÁV Zrt. pályahálózatán nyílt hozzáférést (közforgalmú) rakterületekről

Szeged TK

| Service place        | Open access loading place registered by MÁV Zrt |                         |                        |   |          |                      |                         |           |                              |                   | Loading track next to loading places |                    |                        |                       |                          |            |                |                    |               |                         | Applicable speed (km/h)      | Possibility of serving | Restrictions |
|----------------------|---|-------------------------|------------------------|---|----------|----------------------|-------------------------|-----------|------------------------------|-------------------|--------------------------------------|--------------------|------------------------|-----------------------|--------------------------|------------|----------------|--------------------|---------------|-------------------------|------------------------------|------------------------|--------------|
|                      | Code of the service place                       | Position                | Size                   | Currently usable area (m <sup>2</sup> ) | Paved    | Material of pavement | Current technical state | Lighting  | Loading and other equipments | Name of the track | Usable length (m)                    | Loading length (m) | Branching-off turnouts |                       | Availability of catenary |            | Derailer (pcs) | Scotch block (pcs) | Axle load (t) | Current technical state |                              |                        |              |
|                      |   | From section to section | Width (m) - length (m) |   | yes - no |                      |                         |           |                              |                   |                                      |                    | Number                 | Switch operation mode | yes - no                 | length (m) |                |                    |               |                         |                              |                        |              |
| Ágasegyháza          | 16493   | 235 - 237               | 10x180                 | 1800                                    | yes      | stone                | good                    | unlighted |                              | I. vágány         | 267                                  | 180                | 3, 4                   | local                 | no                       | 0          | 0              | 2                  | 17            | good                    | 10<br>steadily locked switch | K                      |              |
| Algyő                | 18549   | 1688 - 1689+50          | 16 x 150               | 2816                                    | yes      | soil                 | good                    | lighted   |                              | IV. vágány        | 150                                  | 150                | 1                      | central               | no                       | 0          | 0              | 1                  | 21            | good                    | 40                           | E                      |              |
| Apátfalva            | 19117   | 783 - 786               | 2,26 x 40              | 90                                      | yes      | stone                | good                    | lighted   | side loading                 | I. (O)vágány      | 562                                  | 40                 | 3, 4                   | local                 | no                       | 0          | 0              | 2                  | 17            | adequate                | 40                           | K                      |              |
| Apátfalva            | 19117   | 783 - 786               | 2,26 x 150             | 339                                     | yes      | stone                | good                    | lighted   |                              | I. (A)vágány      | 562                                  | 150                | 3, 4                   | local                 | no                       | 0          | 0              | 2                  | 17            | adequate                | 40                           | K                      |              |
| Apátfalva            | 19117   | 783 - 786               | 2,26 x 90              | 203                                     | yes      | stone                | good                    | lighted   |                              | I. (B)vágány      | 562                                  | 90                 | 3, 4                   | local                 | no                       | 0          | 0              | 2                  | 17            | adequate                | 40                           | K                      |              |
| Bácsalmás            | 16642   | 439 - 441               | 15 x 190               | 2850                                    | yes      | concrete             | good                    | unlighted |                              | VIII. vágány      | 186                                  | 186                | 10                     | local                 | no                       | 0          | 0              | 1                  | 21            | good                    | 15                           | E                      |              |
| Bácsalmás            | 16642   | 439 - 441               | 15 x 190               | 2850                                    | yes      | concrete             | good                    | unlighted | side and end loading         | IX. vágány        | 179                                  | 179                | 10                     | local                 | no                       | 0          | 0              | 1                  | 21            | good                    | 15                           | E                      |              |
| Bácsbokod-Bácsborsod | 16675   | 577 - 583               | 12 x 600               | 7383                                    | yes      | concrete             | good                    | lighted   | high loading                 | I. (B)vágány      | 679                                  | 538                | 5, 8                   | local                 | no                       | 0          | 0              | 0                  | 21            | good                    | 40                           | K                      |              |
| Bácsbokod-Bácsborsod | 16675   | 583+20 - 584            | 8 x 80                 | 640                                     | yes      | stone                | good                    | lighted   |                              | I. (A)vágány      | 679                                  | 80                 | 5, 8                   | local                 | no                       | 0          | 0              | 0                  | 21            | good                    | 40                           | K                      |              |
| Baja                 | 16709   | 767 - 769               | 7 x 200                | 1322                                    | yes      | macadam              | good                    | lighted   | end loading                  | VII. vágány       | 224                                  | 200                | 26                     | local                 | no                       | 0          | 0              | 0                  | 21            | good                    | 15                           | E                      |              |
| Baja                 | 16709   | 761+42 - 771+15         | 11 x 573               | 6303                                    | yes      | stone                | good                    | lighted   |                              | XI. vágány        | 321                                  | 321                | 22                     | local                 | no                       | 0          | 0              | 0                  | 21            | good                    | 15                           | E                      |              |
| Baja                 | 16709   | 761+42 - 771+15         | 11 x 573               | 6303                                    | yes      | stone                | good                    | lighted   |                              | XII. vágány       | 321                                  | 321                | 18                     | local                 | no                       | 0          | 0              | 0                  | 21            | good                    | 15                           | E                      |              |
| Baja (Külső)         | 16709   | 23+80 - 26+50           | 40 x 270               | 10800                                   | yes      | concrete             | good                    | unlighted |                              | I. vágány         | 300                                  | 270                | IV/2                   | local                 | no                       | 0          | 0              | 0                  | 21            | good                    | 15                           | E                      |              |
| Baja (Külső)         | 16709   | 23+80 - 26+50           | 40 x 270               | 10800                                   | yes      | concrete             | good                    | unlighted |                              | II. vágány        | 300                                  | 270                | IV/2                   | local                 | no                       | 0          | 0              | 0                  | 21            | good                    | 15                           | E                      |              |
| Bálastáza            | 17178   | 930 - 932               | 9 x 32                 | 288                                     | yes      | stone                | good                    | lighted   | side loading                 | IV. vágány        | 125                                  | 33                 | 4, 8                   | central               | yes                      | 182        | 0              | 2                  | 21            | good                    | 40                           | K                      |              |
| Balogtassáns         | 16329   | 1368 - 1369             | 10 x 100               | 1000                                    | no       | soil                 | bad                     | lighted   |                              | I. vágány         | 286                                  | 100                | 6, 5                   | central               | no                       | 0          | 2              | 0                  | 21            | good                    | 15                           | K                      |              |

| Service place | Code of the service place | Open access loading place registered by MÁV Zrt |                        |   |          |                      |                         |          |                              | Loading track next to loading places |                   |                    |                        |                         |                          |            |                |                    |               | Applicable speed (km/h) | Possibility of serving | Restrictions |  |  |  |
|---------------|---------------------------|---|------------------------|---|----------|----------------------|-------------------------|----------|------------------------------|--------------------------------------|-------------------|--------------------|------------------------|-------------------------|--------------------------|------------|----------------|--------------------|---------------|-------------------------|------------------------|--------------|--|--|--|
|               |                           | Position  | Size                   | Currently usable area (m <sup>2</sup> ) | Paved    | Material of pavement | Current technical state | Lighting | Loading and other equipments | Name of the track                    | Usable length (m) | Loading length (m) | Branching-off turnouts |                         | Availability of catenary |            | Derailer (pcs) | Scotch block (pcs) | Axle load (t) | Current technical state |                        |              |  |  |  |
|               |                           | From section to section                         | Width (m) - length (m) |   | yes - no |                      |                         |          |                              |                                      |                   |                    | Number                 | Switch operation mode   | yes - no                 | length (m) |                |                    |               |                         |                        |              |  |  |  |
| Gyula         | 18697                     | 733-735   | 25 X 110               | 2750                                    | yes      | asphalt              | good                    | lighted  | live stock loading           | I. vágány                            | 513               | 110                | 10-7                   | 7 - local, 10 - central | no                       | 0          | 0              | 2                  | 16            | good                    | 5                      | K            |  |  |  |
| Gyula         | 18697                     | 733-735   | 20 X 7                 | 140                                     | yes      | asphalt              | good                    | lighted  | side loading                 | I. (O) vágány                        | 513               | 20                 | 10-7                   | 8 - local, 10 - central | no                       | 0          | 0              | 2                  | 16            | good                    | 5                      | K            |  |  |  |
| Gyula         | 18697                     | 733-735   | 25 X 110               | 2750                                    | yes      | asphalt              | good                    | lighted  |                              | VIII. vágány                         | 223               | 110                | 10                     | central                 | no                       | 0          | 0              | 1                  | 16            | good                    | 5                      | K            |  |  |  |
| Gyula         | 18697                     | 736-738   | 225 X 8                | 1800                                    | no       | soil                 | good                    | lighted  |                              | V. vágány                            | 260               | 225                |                        |                         |                          |            |                |                    |               |                         |                        |              |  |  |  |

| Service place | Open access loading place registered by MÁV Zrt |                         |                              |   |          |                      |                         |           |                              |                   | Loading track next to loading places |                    |                        |                       |                          |            |                |                    |               |                         | Applicable speed (km/h) | Possibility of serving | Restrictions |  |  |  |
|---------------|---|-------------------------|------------------------------|---|----------|----------------------|-------------------------|-----------|------------------------------|-------------------|--------------------------------------|--------------------|------------------------|-----------------------|--------------------------|------------|----------------|--------------------|---------------|-------------------------|-------------------------|------------------------|--------------|--|--|--|
|               | Code of the service place                       | Position                | Size                         | Currently usable area (m <sup>2</sup> ) | Paved    | Material of pavement | Current technical state | Lighting  | Loading and other equipments | Name of the track | Usable length (m)                    | Loading length (m) | Branching-off turnouts |                       | Availability of catenary |            | Derailer (pcs) | Scotch block (pcs) | Axle load (t) | Current technical state |                         |                        |              |  |  |  |
|               |   | From section to section | Width (m) - length (m)       |   | yes - no |                      |                         |           |                              |                   |                                      |                    | Number                 | Switch operation mode | yes - no                 | length (m) |                |                    |               |                         |                         |                        |              |  |  |  |
| Kondoros      | 18283   | 53 - 56                 | 12 X 24                      | 288                                     | yes      | asphalt              | good                    | unlighted | live stock loading           | I. (E)vágány      | 374                                  | 24                 | 2, 3                   | local                 | no                       | 0          | 1              | 1                  | 20            | bad                     | 5                       | K                      |              |  |  |  |
| Kondoros      | 18283   | 53 - 56                 | 13 x 145                     | 1885                                    | yes      | asphalt              | good                    | unlighted |                              | I. (A)vágány      | 374                                  | 145                | 2, 3                   | local                 | no                       | 0          | 1              | 1                  | 20            | bad                     | 5                       | K                      |              |  |  |  |
| Körösladány   | 18440   | 135-136                 | 49 X 6<br>10 x 10<br>43 x 18 | 1168                                    | yes      | stone asphalt        | good                    | lighted   | live stock loading           | I. (A) vágány     | 259                                  | 102                | 3-4                    | local                 | no                       | 0          | 0              | 2                  | 20            | good                    | 40                      | K                      |              |  |  |  |
| Körösladány   | 18440   | 137-138                 | 20 X 7                       | 140                                     | yes      | asphalt              | good                    |           |                              |                   |                                      |                    |                        |                       |                          |            |                |                    |               |                         |                         |                        |              |  |  |  |

| Service place         | Code of the service place | Open access loading place registered by MÁV Zrt |                     |                            |          |                      |                         |           |                              | Loading track next to loading places |                   |                    |                        |                       |                          |            |                |                    |               |                         | Applicable speed (km/h) | Possibility of serving | Restrictions |
|-----------------------|---------------------------|---|---------------------|----------------------------|----------|----------------------|-------------------------|-----------|------------------------------|--------------------------------------|-------------------|--------------------|------------------------|-----------------------|--------------------------|------------|----------------|--------------------|---------------|-------------------------|-------------------------|------------------------|--------------|
|                       |                           | Position  | Size                | Currently usable area (m²) | Paved    | Material of pavement | Current technical state | Lighting  | Loading and other equipments | Name of the track                    | Usable length (m) | Loading length (m) | Branching-off turnouts |                       | Availability of catenary |            | Derailer (pcs) | Scotch block (pcs) | Axle load (t) | Current technical state |                         |                        |              |
|                       |                           |   |                     |                            | yes - no |                      |                         |           |                              |                                      |                   |                    | Number                 | Switch operation mode | yes - no                 | length (m) |                |                    |               |                         |                         |                        |              |
| Sarkad                | 18739                     | 597-598   | 128 x 5<br>20 X 57  | 1780                       | yes      | stone                | good                    | lighted   | live stock loading           | I.(A) vágány                         | 870               | 195                | 10-13                  | central               | no                       | 0          | 0              | 0                  | 16            | good                    | 40                      | K                      |              |
| Sarkad                | 18739                     | 598-599   | 18 X 130            | 2340                       | yes      | asphalt              | good                    | lighted   |                              | I. (B)vágány                         | 870               | 130                | 10-13                  | central               | no                       | 0          | 0              | 0                  | 16            | good                    | 40                      | K                      |              |
| Solt                  | 16410                     | 294+10 - 300+10                                 | 11,4 x 103          | 1175                       | no       | concrete             | good                    | unlighted |                              | V. vágány                            | 700               | 103                | 3,6                    | local                 | no                       | 0          | 1              | 2                  | 20            | good                    | 40                      | K                      |              |
| Soltvadkert           | 16287                     | 1100 - 1103                                     | 13 x 114            | 2012                       | yes      | asphalt              | average                 | unlighted | end loading                  | V. vágány                            | 127               | 114                | 4,3                    | central               | yes                      | 664        | 2              | 0                  | 21            | good                    | 40                      | E                      |              |
| Soltvadkert           | 16287                     | 1100 - 1103                                     | 65 x 10             | 650                        | yes      | asphalt              | average                 | unlighted | side loading                 | I.(O) vágány                         | 670               | 65                 | 9                      | local                 | no                       | 0          | 1              | 0                  | 21            | good                    | 15                      | K                      |              |
| Soltvadkert           | 16287                     | 1103+06 - 1104+32                               | 13 x 30             | 390                        | yes      | stone                | average                 | unlighted |                              | I. vágány                            | 670               | 30                 | 9                      | local                 | no                       | 0          | 1              | 0                  | 21            | good                    | 15                      | K                      |              |
| Szabadkigyós          | 18044                     | 930+80 - 932+60                                 | 180 x 63            | 11000                      | yes      | concrete             | good                    | lighted   |                              | I. vágány                            | 450               | 180                | 8, 5                   | local                 | no                       | 0          | 0              | 2                  | 21            | average                 | 40                      | K                      |              |
| Szabadszállás         | 16220                     | 716 - 718                                       | 12 x 122            | 1461                       | yes      | stone                | good                    | unlighted |                              | I. vágány                            | 573               | 122                | 8,10                   | central               | yes                      | 653        | 0              | 1                  | 21            | good                    | 40                      | K                      |              |
| Szabadszállás         | 16220                     | 716 - 718                                       | 29 x 10             | 290                        | yes      | stone                | good                    | unlighted | side and end loading         | V. vágány                            | 93                | 93                 | 8,10                   | central               | yes                      | 653        | 0              | 1                  | 21            | good                    | 40                      | K                      |              |
| Szalkszentmárton mrt. | 16378                     | 83 - 85<br>85 - 86                              | 13 x 152<br>17 x 34 | 1982<br>560                | yes      | asphalt<br>stone     | good                    | unlighted |                              | I. vágány                            | 630               | 186                | 4,7                    | local                 | no                       | 0          | 0              | 2                  | 20            | good                    | 40                      | K                      |              |
| Szarvas               | 18259                     | 198 - 199+10                                    | 15 x 110            | 1650                       | yes      | asphalt              | good                    | lighted   | side and end loading         | I. vágány                            | 427               | 110                | 6,11                   | local                 | no                       | 0          | 0              | 1                  | 21            | good                    | 5                       | K                      |              |
| Szarvas               | 18259                     | 200+43 - 202+83                                 | 9,8 X 240           | 2352                       | yes      | asphalt              | good                    | lighted   |                              | V. vágány                            | 365               | 240                | 12                     | local                 | no                       | 0          | 0              | 2                  | 21            | good                    | 5                       | K                      |              |
| Szatymaz              | 17186                     | 1013 - 1015                                     | 10 X 50             | 500                        | yes      | asphalt              | good                    | lighted   | side loading                 | I. (O)vágány                         | 158               | 50                 | 9,12                   | central               | yes                      | 203        | 0              | 2                  | 21            | good                    | 40                      | K                      |              |
| Szatymaz              | 17186                     | 1013 - 1015                                     | 16 x 30             | 480                        | yes      | asphalt              | good                    | lighted   |                              | I. vágány                            | 158               | 30                 | 9,12                   | central               | yes                      | 203        | 0              | 2                  | 21            | good                    | 40                      | K                      |              |
| Szatymaz              | 17186                     | 1008 - 1010                                     | 7 x 192             | 1044                       | yes      | concrete             | good                    | unlighted |                              | VII. vágány                          | 347               | 192                | 10                     | central               | yes                      | 348        | 0              | 1                  | 21            | good                    | 40                      | E                      |              |
| Szeged - Rókus        | 18531                     | 1779 - 1782                                     | 7 x 380             | 2660                       | yes      | stone                | good                    | unlighted |                              | XIX. Vágány                          | 897               | 380                | 26,5                   | local                 | no                       | 0          | 0              | 0                  | 21            | good                    | 40                      | K                      |              |
| Szeged - Rókus        | 18531                     | 1779 - 1782                                     | 5 X 62              | 310                        | yes      | stone                | good                    | unlighted | side loading                 | XVI. (O2)Vágány                      | 311               | 62                 | 33,26                  | local                 | no                       | 0          | 0              | 0                  | 21            | good                    | 40                      | K                      |              |
| Szeged - Rókus        | 18531                     | 1779 - 1782                                     | 5 X 29              | 145                        | yes      | stone                | good                    | unlighted | side loading                 | XVI. (O1)Vágány                      | 311               | 29                 | 33,26                  | local                 | no                       | 0          | 0              | 0                  | 21            | good                    | 40                      | K                      |              |
| Szeged - Rókus        | 18531                     | 1779 - 1782                                     | 10 X 300            | 3000                       | yes      | stone                | good                    | unlighted |                              | XVI. Vágány                          | 311               | 300                | 33,26                  | local                 | no                       | 0          | 0              | 0                  | 21            | good                    | 40                      | K                      |              |
| Szeged - Rókus        | 18531                     | 1779 - 1782                                     | 5 x 90              | 450                        | yes      | stone                | good                    | unlighted | side loading                 | XVIII. (O)Vágány                     | 380               | 90                 | 5,33                   | local                 | no                       | 0          | 0              | 0                  | 21            | good                    | 40                      | E                      |              |
| Szeged - Rókus        | 18531                     | 1779 - 1782                                     | 13 x 50             | 650                        | yes      | stone                | good                    | unlighted | end loading                  | X. (H)Vágány                         | 65                | 50                 | 33                     | local                 | no                       | 0          | 0              | 0                  | 21            | good                    | 40                      | E                      |              |
| Szeged-Rendező        | 17210                     | 6+50 - 12+50                                    | 12,3 x 320          | 3936                       | yes      | concrete             | good                    | lighted   | gantry crane, crane track    | XIII. vágány                         | 320               | 320                | 23                     | local                 | no                       | 0          | 0              | 0                  | 20            | good                    | 40                      | E                      |              |
| Szeged-Rendező        | 17210                     | 6+50 - 12+50                                    | 12,3 x 320          | 3936                       | yes      | concrete             | good                    | lighted   | gantry crane, crane track    | XIV. vágány                          | 378               | 320                | 23                     | local                 | no                       | 0          | 0              | 0                  | 20            | good                    | 40                      | E                      |              |
| Szeghalom             | 18457                     | 207-209   | 6 X 20              | 120                        | yes      | stone                | good                    | lighted   | side loading                 | I. (O)vágány                         | 207               | 20                 | 6-5                    | local                 | no                       | 0          | 0              | 0                  | 21            | good                    | 5                       | E                      |              |
| Szeghalom             | 18457                     | 207-209   | 6 X 20              | 120                        | yes      | stone                | good                    | lighted   | live stock loading           |                                      |                   |                    |                        |                       |                          |            |                |                    |               |                         |                         |                        |              |

## Kimutatás a MÁV Zrt. pályahálózatán nyílt hozzáférésű (közforgalmú) rakterületekről

Pécs TK

| Service place    | Open access loading place registered by MÁV Zrt |                         |                        |   |          |                        |                         |           |                              |                   | Loading track next to loading places |                    |                        |                             |                          |            |                |                    |               |                         |                         |                        | Restrictions                                |
|------------------|---|-------------------------|------------------------|---|----------|------------------------|-------------------------|-----------|------------------------------|-------------------|--------------------------------------|--------------------|------------------------|-----------------------------|--------------------------|------------|----------------|--------------------|---------------|-------------------------|-------------------------|------------------------|---|
|                  | Code of the service place                       | Position                | Size                   | Currently usable area (m <sup>2</sup> ) | Paved    | Material of pavement   | Current technical state | Lighting  | Loading and other equipments | Name of the track | Usable length (m)                    | Loading length (m) | Branching-off turnouts |                             | Availability of catenary |            | Derailer (pcs) | Scotch block (pcs) | Axle load (t) | Current technical state | Applicable speed (km/h) | Possibility of serving |   |
|                  |   | From section to section | Width (m) - length (m) |   | yes - no |                        |                         |           |                              |                   |                                      |                    | Number                 | Switch operation mode       | yes - no                 | length (m) |                |                    |               |                         |                         |                        |   |
| Abaliget         | 07229   | 1865+60-1867+87         | 15 x 227               | 3 405                                   | yes      | broken stone/ concrete | good                    | lighted   | none                         | IV. vágány        | 183                                  | 183                | 5, 7                   | central                     | yes                      | 202        | 2              | 0                  | 21            | adequate                | 40                      | K                      | Fly shunting is not allowed, "K" sign track |
| Aba-Sárkeresztúr | 04135   | 146+00-148+00           | 8 x 200                | 1 600                                   | yes      | asphalt                | good                    | lighted   | none                         | II. vágány        | 732                                  | 200                | 4, 2                   | local                       | no                       | 0          | 0              | 0                  | 21            | average                 | 40                      | K                      |   |
| Aba-Sárkeresztúr | 04135   | 144+85-146+00           | 25 x 115               | 2 875                                   | yes      | asphalt                | good                    | lighted   | side loading                 | I. vágány         | 431                                  | 115                | 4,5                    | local                       | no                       | 0          | 0              | 2                  | 21            | average                 | 10                      | K                      |   |
| Babócsa          | 05637   |                         | 25 x 100               | 2 500                                   | yes      | concrete               | average                 | unlighted | none                         | I. vágány         | 300                                  | 100                | 3, 6                   | local                       | no                       | 0          | 0              | 1                  | 21            | adequate                | 5                       | K                      |   |
| Babócsa          | 05637   |                         | 65X12                  | 780                                     | yes      | concrete               | average                 | unlighted | side loading                 | I.(O) vágány      | 300                                  | 65                 | 3, 6                   | local                       | no                       | 0          | 0              | 1                  | 21            | adequate                | 5                       | K                      |   |
| Balatonkeresztúr | 08615   |                         | 20 x 60                | 1 200                                   | yes      | gravel                 | average                 | lighted   | none                         | I. vágány         | 179                                  | 60                 | 3, 7                   | local                       | no                       | 0          | 0              | 2                  | 18,5          | adequate                | 10                      | K                      |   |
| Balatszentzemes  | 03434   | 1385+61-1386+77         | 8 x 116,5              | 932                                     | yes      | gravel                 | average                 | lighted   | none                         | V. vágány         | 120                                  | 116,5              | 3, 9                   | local, with central locking | yes                      | 80         | 0              | 2                  | 21            | to be repaired          | 40                      | K                      |   |
| Balatszentgyörgy | 03566   | 1800+00-1801+18         | 10 x 118               | 1 180                                   | yes      | concrete               | good                    | lighted   | end loading                  | IX. vágány        | 282                                  | 118                | 24/1                   | local                       | no                       | 0          | 1              | 0                  | 21            | to be repaired          | 20                      | E                      |   |
| Balatszentgyörgy | 03566   | 1801+18-1801+45         | 12 x 27                | 321                                     | yes      | macadam                | good                    | lighted   | none                         | VIII. vágány      | 180                                  | 27                 | 24                     | electric                    | yes                      | 305        | 1              | 0                  | 21            | good                    | 40                      | K                      |   |
| Barcs            | 05660   |                         | 8 x 180                | 1 440                                   | yes      | concrete               | good                    | unlighted | none                         | XIII. vágány      | 146                                  | 146                | 8/1                    | local                       | no                       | 0          | 0              | 0                  | 18,5          | adequate                | 5                       | E                      |   |
| Barcs            | 05660   |                         | 8 x 35                 | 280                                     | yes      | concrete               | good                    | lighted   | side loading                 | XIV.(O) vágány    | 230                                  | 35                 | 6, 16                  | central/ local              | no                       | 0          | 0              | 0                  | 18,5          | to be repaired          | 5                       | E                      |   |
| Barcs            | 05660   | 701+50-702+50           | 17,5 x 100             | 1 755                                   | yes      | concrete               | good                    |           |                              |                   |                                      |                    |                        |                             |                          |            |                |                    |               |                         |                         |                        |   |

| Service place        | Open access loading place registered by MÁV Zrt |                                |                        |   |          |                      |                         |           |                                     | Loading track next to loading places |                   |                    |                        |                       |                          |            |                |                    |               |                         |                         | Restrictions |  |
|----------------------|---|--------------------------------|------------------------|---|----------|----------------------|-------------------------|-----------|-------------------------------------|--------------------------------------|-------------------|--------------------|------------------------|-----------------------|--------------------------|------------|----------------|--------------------|---------------|-------------------------|-------------------------|--------------|--|
|                      | Code of the service place                       | Position                       | Size                   | Currently usable area (m <sup>2</sup> ) | Paved    | Material of pavement | Current technical state | Lighting  | Loading and other equipments        | Name of the track                    | Usable length (m) | Loading length (m) | Branching-off turnouts |                       | Availability of catenary |            | Derailer (pcs) | Scotch block (pcs) | Axle load (t) | Current technical state | Applicable speed (km/h) |              | Possibility of serving                                       |
|                      |   | From section to section        | Width (m) - length (m) |   | yes - no |                      |                         |           |                                     |                                      |                   |                    | Number                 | Switch operation mode | yes - no                 | length (m) |                |                    |               |                         |                         |              |  |
| Lepsény              | 03301   | 947+00-949+12                  | 35 x 112               | 3920                                    | yes      | concrete             | adequate                | lighted   | scales, live stock loading          | VII. vágány                          | 465               | 86                 | 17, 22                 | central               | yes                      | 363        | 1              | 0                  | 21            | adequate                | 10                      | K            | Wagon weigh bridge: 5 km/h                                   |
| Lepsény              | 03301   | 947+10-494+80                  | 7 x 270                | 1890                                    | yes      | concrete             | adequate                | lighted   | none                                | IX. vágány                           | 451               | 270                | 17, 28                 | central/local         | yes                      | 80         | 0              | 0                  | 21            | adequate                | 5                       | K            |  |
| Magyarbóly           | 07476   |                                | 12 x 102               | 1224                                    | no       | -                    | good                    | lighted   | scales, loading gauge, side loading | I.(A)vágány                          | 291               | 102                | 9, 11                  | central/local         | no                       | 0          | 0              | 0                  | 21            | adequate                | 5                       | K            |  |
| Magyarbóly           | 07476   |                                | 12 x 55                | 660                                     | yes      | concrete             | good                    | lighted   | scales, loading gauge, side loading | I. (B)vágány                         | 291               | 55                 | 9, 11                  | central/local         | no                       | 0          | 0              | 0                  | 21            | adequate                | 5                       | K            |  |
| Marcali              | 08599   |                                | 10 x 70                | 700                                     | yes      | concrete             | good                    | lighted   | side loading                        | I. (O)vágány                         | 367               | 70                 | 5, 4                   | local                 | no                       | 0          | 0              | 2                  | 18,5          | good                    | 5                       | K            |  |
| Marcali              | 08599   | 217+20-217+73                  | 30 x 54                | 1 520                                   | yes      | concrete             | good                    | lighted   | live stock loading                  | I. vágány                            | 367               | 54                 | 5, 4                   | local                 | no                       | 0          | 0              | 2                  | 18,5          | good                    | 5                       | K            |  |
| Marcali              | 08599   |                                | 23 x 70                | 1 600                                   | yes      | concrete             | good                    | lighted   | none                                | IV. vágány                           | 263               | 70                 | 5                      | local                 | no                       | 0          | 0              | 1                  | 18,5          | good                    | 5                       | E            |  |
| Marcali              | 08599   | 7X20                           | 140                    | yes                                     | concrete | good                 | good                    | lighted   | end loading                         | IV. vágány                           | 263               | 140                | 5                      | local                 | no                       | 0          | 0              | 1                  | 18,5          | good                    | 5                       | E            |  |
| Mágyocs-Alsómocsolád | 07021   | 123+00-126+70                  | 12 x 370               | 4 516                                   | yes      | concrete             | average                 | lighted   | none                                | IV. vágány                           | 289               | 289                | 9, 11                  | local                 | no                       | 0          | 1              | 0                  | 21            | good                    | 5                       | K            |  |
| Mecsekaltja-Cserkút  | 07286   |                                | 20 x 20                | 400                                     | yes      | concrete             | good                    | lighted   | side loading                        | I.(O) vágány                         | 640               | 20                 | 16, 13                 | central               | no                       | 0          | 1              | 0                  | 21            | adequate                | 40                      | E            | Track between Switches No 8 and 16 is excluded from traffic. |
| Mecsekaltja-Cserkút  | 07286   | 108+79-109+64<br>108+59-108+79 | 20 x 105               | 2 100                                   | yes      | concrete             | good                    | lighted   | none                                | I. vágány                            | 640               | 85                 | 16, 13                 | central               | no                       | 0          | 1              | 0                  | 21            | adequate                | 40                      | E            | Track between Switches No 8 and 16 is excluded from traffic. |
| Mecsekjányosi        | 07526   | 147+04-149+12                  | 13 x 55                | 715                                     | no       | -                    | average                 | lighted   | none                                | I. vágány                            | 173               | 55                 | 1, 4                   | local                 | no                       | 0          | 0              | 1                  | 21            | adequate                | 5                       | K            |  |
| Mernye               | 08268   |                                | 6 x 15                 | 90                                      | yes      | concrete             | adequate                | unlighted | side loading                        | I.(O) vágány                         | 214               | 15                 | 3, 4                   | local                 | no                       | 0          | 2              | 0                  | 20            | adequate                |                         | K            |  |
| Mernye               | 08268   |                                | 5 x 60                 | 300                                     | no       | -                    | adequate                | unlighted | none                                | I. vágány                            | 214               | 60                 | 3, 4                   | local                 | no                       | 0          | 2              | 0                  | 20            | adequate                |                         | K            |  |
| Mesztegyő            | 08573   | 303+40-304+00                  | 20 x 60                | 1 200                                   | yes      | stone                | good                    | unlighted | side loading                        | I. vágány                            | 240               | 60                 | 4, 5                   | local                 | no                       | 0          | 0              | 2                  | 18,5          | good                    | 20                      | K            | 10 km/h  |
| Mohács               | 07781   | 0+00-0+29                      | 15 x 70                | 1 050                                   | yes      | stone                | average                 | unlighted | none                                | XII. vágány                          | 150               | 70                 | 40                     | local                 | no                       | 0          | 0              | 0                  | 18,5          | to be renewed           | 5                       | E            |  |
| Mohács               | 07781   |                                | 15 x 70                | 1 050                                   | yes      | concrete             | average                 | unlighted | side loading                        | XIII. vágány                         | 156               | 70                 | 40                     | local                 | no                       | 0          | 0              | 0                  | 18,5          | to be renewed           | 5                       | E            |  |
| Mohács               | 07781   | 1+00-3+00                      | 17 x 200               | 3 432                                   | yes      | concrete             | average                 | lighted   | none                                | VI. vágány                           | 930               | 200                | 38                     | local                 | no                       | 0          | 0              | 0                  | 18,5          | to be renewed           | 5                       | E            |  |
| Murakeresztúr        | 03640   |                                | 10 x 35                | 350                                     | yes      | concrete             | average                 | lighted   | side loading                        | Sz. XVII. vágány                     | 210               | 35                 | 75                     | local                 | yes                      |            |                |                    |               |                         |                         |              |  |

| Service place     | Code of the service place | Open access loading place registered by MÁV Zrt |                        |   |             |                       |  |           |                              | Loading track next to loading places |                   |                    |                        |                       |                          |            |                |                    |               |                         |                         |                        | Restrictions   |
|-------------------|---------------------------|---|------------------------|---|-------------|-----------------------|--|-----------|------------------------------|--------------------------------------|-------------------|--------------------|------------------------|-----------------------|--------------------------|------------|----------------|--------------------|---------------|-------------------------|-------------------------|------------------------|--|
|                   |                           | Position  | Size                   | Currently usable area (m <sup>2</sup> ) | Paved       | Material of pavement  | Current technical state                | Lighting  | Loading and other equipments | Name of the track                    | Usable length (m) | Loading length (m) | Branching-off turnouts |                       | Availability of catenary |            | Derailer (pcs) | Scotch block (pcs) | Axle load (t) | Current technical state | Applicable speed (km/h) | Possibility of serving |  |
|                   |                           | From section to section                         | Width (m) - length (m) |   | yes - no    |                       |  |           |                              |                                      |                   |                    | Number                 | Switch operation mode | yes - no                 | length (m) |                |                    |               |                         |                         |                        |  |
| Sellye            | 08078                     | 695+42-696+82<br>696+00-696+60                  | 5 x 140<br>10 x 93     | 712<br>930                              | no          | -                     | bad                                    | lighted   | none                         | V. vágány                            | 276               | 233                | 11, 14                 | local                 | no                       | 0          | 0              | 0                  | 21            | good                    | 40                      | K                      | "K'sign track, Fly shunting is not allowed.<br>5 km/h            |
| Siklós            | 08177                     | 300+00-300+80<br>299+00-301+00                  | 12 x 80<br>22 x 200    | 960<br>4400                             | igen<br>nem | asphalt               | average                                | lighted   | none                         | V. vágány                            | 283               | 200                | 8, 11                  | local                 | no                       | 0          | 1              | 0                  | 21            | adequate                | 40                      | K                      |  |
| Siklós            | 08177                     | 301+00-302+00                                   | 22 x 100               | 2 200                                   | no          | -                     | average                                | lighted   | none                         | VI. vágány                           | 120               | 100                | 10                     | local                 | no                       | 0          | 0              | 0                  | 21            | adequate                | 40                      | E                      | 5 km/h   |
| Simontornya       | 05967                     | 968+65-973+72                                   | 17 x 507               | 8 619                                   | yes         | concrete              | average                                | unlighted | none                         | VI. vágány                           | 640               | 507                | 10, 7                  | central               | yes                      | 727        | 0              | 2                  | 21            | adequate                | 10                      | K                      |  |
| Somogyjád         | 08441                     |   | 10 x 190               | 1 900                                   | no          | -                     | adequate                               | unlighted | none                         | I. vágány                            | 554               | 190                | 1, 2                   | local                 | no                       | 0          | 0              | 2                  | 21            | adequate                | 5                       | K                      | 5 km/h   |
| Somogyzszob       | 06379                     |   | 12 x 73                | 876                                     | yes         | concrete              | good                                   | lighted   | side loading                 | I. (O)vágány                         | 712               | 73                 | 5, 20                  | central               | yes                      | 330        | 1              | 1                  | 22,5          | good                    | 40                      | K                      |  |
| Somogyzszob       | 06379                     | 714+20-715+62                                   | 10 x 144               | 1 440                                   | yes         | stone                 | good                                   | lighted   | scales, side loading         | I. vágány                            | 712               | 144                | 5, 20                  | central               | yes                      | 330        | 1              | 1                  | 22,5          | good                    | 40                      | K                      | 5 km/h   |
| Szántód-Köröshegy | 03400                     | 1272+00-1273+85                                 | 12,5 x 185             | 2 313                                   | yes         | macadam               | good                                   | lighted   | none                         | I. (B)vágány                         | 555               | 185                | 6, 7                   | central               | yes                      | 50+50      | 2              | 0                  | 21            | to be renewed           | 10                      | K                      |  |
| Szántód-Köröshegy | 03400                     | 1275+03-1276+13                                 | 16 x 110               | 1 760                                   | yes         | macadam               | good                                   | lighted   | none                         | I. (A) vágány                        | 555               | 110                | 6, 7                   | central               | yes                      | 50+50      | 2              | 0                  | 21            | to be renewed           | 10                      | K                      | 5 km/h   |
| Szakály-Högyész   | 06130                     |   | 10 x 25                | 250                                     | yes         | concrete              | average                                | lighted   | end loading                  | VII. (H) vágány                      | 221               | 25                 | 9                      | local                 | yes                      | 75         | 0              | 0                  | 21            | adequate                | 5                       | E                      |  |
| Szakály-Högyész   | 06130                     | 1298+90-1300+85                                 | 14 x 195               | 3 278                                   | yes         | stone                 | average                                | lighted   | end loading                  | VII. vágány                          | 221               | 195                | 9                      | local                 | yes                      | 75         | 0              | 0                  | 21            | adequate                | 5                       | E                      | "K'sign track 5 km/h   |
| Szentlőrinc       | 07260                     | 234+30-235+30                                   | 10 x 142               | 1 420                                   | yes         | concrete              | good                                   | lighted   | end loading                  | X. vágány                            | 42                | 42                 | 27                     | local                 | no                       | 0          | 0              | 0                  | 21            | adequate                | 10                      | E                      |  |
| Szentlőrinc       | 07260                     |   | 10 x 142               | 1 420                                   | yes         | concrete              | average                                | lighted   | oldalrakodó                  | IX. (O) vágány                       | 510               | 142                | 3, 20                  | central/<br>local     | yes                      | 300        | 0              | 0                  | 21            | adequate                | 10                      | K                      | "K'sign track, side loading ramp stretches into clearance 5 km/h |
| Szentlőrinc       | 07260                     | 231+10-232+70                                   | 30 x 160               | 4 740                                   | yes         | stone                 | average                                | lighted   | scales                       | IX. vágány                           | 510               | 160                | 3, 20                  | central/<br>local     | yes                      | 300        | 0              | 0                  | 21            | adequate                | 10                      | K                      |  |
| Szigetvár         | 05736                     | 383+81-385+53                                   | 7 x 172                | 1 666                                   | yes         | concrete              | good                                   | lighted   | none                         | VII. vágány                          | 108               | 96                 | 6, 18                  | central/<br>local     | no                       | 0          | 2              | 0                  | 21            | average                 | 40                      | K                      | "K'sign track  |
| Szigetvár         | 05736                     | 379+50-380+55                                   | 16 x 105               | 1 179                                   | yes         | concrete              | good                                   | lighted   | none                         | V. vágány                            | 430               | 105                | 7, 14                  | local                 | no                       | 0          | 0              | 0                  | 21            | adequate                | 40                      | K                      |  |
| Szigetvár         | 05736                     | 382+80-383+20<br>382+00-382+80                  | 5 x 40<br>5 x 80       | 200<br>400                              | no          | -                     | good                                   | lighted   | none                         | X. vágány                            | 240               | 120                | 16                     | local                 | no                       | 0          | 0              | 1                  | 21            | good                    | 40                      | E                      | "K'sign track 5 km/h   |
| Tab               | 08342                     | 688+55-689+40                                   | 13 x 85                | 1 105                                   | yes         | concrete              | adequate                               | lighted   | none                         | I. (B)vágány                         | 331               | 85                 | 4,1                    | local                 | no                       | 0          | 0              | 1                  | 18,5          | to be renewed           | 20                      | K                      |  |
| Tab               | 08342                     | 690+26-691+80                                   | 23 x 154               | 3 542                                   | yes         | concrete              | adequate                               | lighted   | live stock and side loading  | I. (A)vágány                         | 331               | 154                | 4,1                    | local                 | no                       | 0          | 0              | 1                  | 18,5          | to be renewed           | 20                      | K                      | 5 km/h   |
| Tamási            | 06890                     | 123+55-124+25<br>124+25-124+65                  | 16 x 70<br>20 x 40     | 1120<br>800                             | yes         | asphalt stone         | average                                | unlighted | none                         | IV. vágány                           | 127               | 90                 | 7                      | local                 | no                       | 0          | 0              | 0                  | 21            | adequate                | 20                      | E                      |  |
| Taszár            | 06262                     | 218+85-219+79                                   | 19 x 94                | 1 786                                   | yes         | concrete              | good, at entrances fragmented, crumbly | lighted   | none                         | IV. vágány                           | 334               | 94                 | 5, 6                   | central               | yes                      | 240        | 2              | 0                  | 21            | bad                     | 10                      | K                      | "K'sign track, Fly shunting is not allowed 5 km/h                |
| Tolna-Mözs        | 06742                     | 472+50-473+70                                   | 23 x 120               | 2 700                                   | yes         | concrete              | average                                | lighted   | none                         | III. vágány                          | 195               | 120                | 8                      | local                 | no                       | 0          | 1              | 0                  | 21            | good                    | 5                       | E                      |  |
| Vajta             | 06668                     | 119+98-121+98                                   | 8 x 200                | 1 603                                   | yes         | ferroconcrete seating | good                                   | unlighted | none                         | I. vágány                            | 400               | 200                | 4, 5                   | central               | no                       | 0          | 1              | 0                  | 21            | adequate                | 10                      | K                      | "K'sign track, Fly shunting is not allowed 5 km/h                |
| Vajszló           | 08094                     | 579+00-580+90                                   | 4 x 190                | 682                                     | yes         | concrete              | average                                | lighted   | none                         | IV. vágány                           | 140               | 140                | 5, 8                   | local                 | no                       | 0          | 0              | 2                  | 21            | adequate                | 40                      | K                      |  |
| Vajszló           | 08094                     | 578+65-580+65                                   | 20 x 200               | 4 000                                   | yes         | concrete              | average                                | lighted   | side loading                 | I. vágány                            | 290               | 160                | 2, 7                   | local                 | no                       | 0          | 0              | 2                  | 21            | adequate                | 40                      | K                      | "K'sign track, Fly shunting is not allowed 5 km/h                |
| Villány           | 07468                     |   | 20 x 80                | 1 600                                   | no          | -                     | bad                                    | lighted   | live stock loading           | IX. (A)vágány                        | 198               | 80                 | 8, 11                  | local                 | no                       | 0          | 1              | 0                  | 21            | adequate                | 10                      | K                      |  |
| Villány           | 07468                     |   | 10 x 100               | 1 000                                   | yes         | stone                 | bad                                    | lighted   | live stock loading           | IX (B) vágány                        | 198               | 100                | 8, 11                  | local                 | no                       | 0          | 1              | 0                  | 21            | adequate                | 10                      | K                      | 5 km/h   |
| Vízvár            | 05629                     | 459+20-459+95                                   | 20 x 75                | 1 500                                   | no          | -                     | good                                   | lighted   | none                         | I.(A) vágány                         | 280               | 75                 | 8, 5                   | local                 | no                       | 0          | 0              | 0                  | 21            | average                 | 40                      | K                      |  |
| Vízvár            | 05629                     |   | 9 x 34                 | 306                                     | yes         | concrete              | bad                                    | lighted   | side loading                 | I. (O)vágány                         | 280               | 34                 | 8, 5                   | local                 | no                       | 0          | 0              | 0                  | 21            | average                 | 40                      | K                      | 5 km/h   |
| Vízvár            | 05629                     | 460+70-462+50                                   | 20 x 185               | 3 700                                   | no          | -                     | bad                                    | lighted   | side loading                 | I.(B) vágány                         | 280               | 151                | 8, 5                   | local                 | no                       | 0          | 0              | 0                  | 21            | average                 | 40                      | K                      |  |
| Zalakomár         | 03657                     |   | 5 x 50                 | 250                                     | yes         | concrete              | adequate                               | lighted   | side loading                 | IV. (O) vágány                       | 662               | 50                 | 8, 5                   | central               | yes                      | 125        | 0              | 2                  | 21            | bad                     | 10                      | K                      | Serving is possible only with diesel locomotive                  |
| Zalakomár         | 03654                     | 1997+12-2003+51                                 | 13 x 639               | 8 310                                   | yes         | concrete              | adequate                               | lighted   | side loading                 | IV. vágány                           | 662               | 589                | 8, 5                   | central               | yes                      | 125        | 0              | 2                  | 21            | bad                     | 10                      | K                      |  |
| Zákány            | 05579                     | 163+65-164+15                                   | 40 x 85                | 3 400                                   | yes         | concrete              | adequate                               | lighted   | none                         | répa vágány                          | 98                | 85                 | 104                    | central               | no                       | 0          | 0              | 0                  | 21            | adequate                | 20                      | E                      | Serving is possible only with diesel locomotive                  |



Sombathely TK

Kimutatás a MÁV Zrt. pályahálózatán nyílt hozzáféréssű (közforgalmú) rakterületekről

| Open access loading place registered by MÁV Zrt |                           |                         |                        |                            |          |                      |                             |          |                              |                   | Loading track next to loading places |                    |                          |                         |                          |            |                |                    |               |                         |    | Applicable speed (km/h) | Possibility of serving | Restrictions |
|---|---------------------------|-------------------------|------------------------|----------------------------|----------|----------------------|-----------------------------|----------|------------------------------|-------------------|--------------------------------------|--------------------|--------------------------|-------------------------|--------------------------|------------|----------------|--------------------|---------------|-------------------------|----|-------------------------|------------------------|--------------|
| Service place                                   | Code of the service place | Position                | Size                   | currently usable area (m2) | Paved    | Material of pavement | Current technical condition | Lighting | Loading and other equipments | Name of the track | Usable length (m)                    | Loading length (m) | Branching-off turnout(s) |                         | Availability of catenary |            | Derailer (pcs) | Scotch block (pcs) | Axle load (t) | Current technical state |    |                         |                        |              |
|   |                           | From section to section | Width (m) x length (m) |                            | yes / no |                      |                             |          |                              |                   |                                      |                    | Number                   | Switch operation mode   | yes / no                 | Length (m) |                |                    |               |                         |    |                         |                        |              |
| Ajka  | 03996                     | 800 - 802               | 8 x 125                | 1000                       | yes      | concrete             | good                        | lighted  | none                         | XIV. vágány       | 423                                  | 125                | 28                       | central electric        | yes                      | 230        | 0              | 0                  | 21            | adequate                | 10 | E                       |                        |              |
| Andráshida                                      | 05108                     | 170-93 - 173-47         | 5 x 200                | 1000                       | yes      | concrete             | good                        | lighted  | none                         | V. vágány         | 254                                  | 200                | 13                       | central electric        | no                       | 0          | 1              | 0                  | 22,5          | good                    | 10 | E                       |                        |              |
| Aszófő  | 04424                     | 703 - 704               | 6 x 100                | 600                        | yes      | concrete             | adequate                    | lighted  | none                         | I. vágány         | 570                                  | 100                | 3,4                      | central electric        | no                       | 0          | 0              | 2                  | 21            | adequate                | 40 | E                       |                        |              |
| Bádogonytoma                                    | 04549                     | 1013 - 1014             | 4,5 x 100              | 450                        | yes      | concrete             | average                     | lighted  | none                         | IV. vágány        | 569                                  | 100                | 5,7,6                    | central electric        | no                       | 0          | 0              | 2                  | 21            | adequate                | 40 | K                       |                        |              |
| Bak   | 04937                     | 523-22 - 527-57         | 2,5 x 100              | 250                        | yes      | concrete             | adequate                    | lighted  | none                         | I. (B) vágány     | 347                                  | 100                | 3,4                      | local                   | no                       | 0          | 0              | 1                  | 20            | good                    | 10 | K                       |                        |              |
| Bak   | 04937                     | 523-22 - 527-57         | 2,5 x 140              | 350                        | yes      | concrete             | adequate                    | lighted  | none                         | I.(A) vágány      | 347                                  | 140                | 3,4                      | local                   | no                       | 0          | 0              | 1                  | 20            | good                    | 10 | K                       |                        |              |
| Bak   | 04937                     | 523-22 - 527-57         | 2,5 x 60               | 150                        | yes      | concrete             | adequate                    | lighted  | side loading                 | I. (O) vágány     | 347                                  | 60                 | 3,4                      | local                   | no                       | 0          | 0              | 1                  | 20            | good                    | 10 | K                       |                        |              |
| Bakonyzentlázló                                 | 02972                     | 349-50 - 349-70         | 5 x 20                 | 100                        | yes      | asphalt              | adequate                    | lighted  | side loading                 | I. (O) vágány     | 372                                  | 20                 | 2                        | local                   | no                       | 0          | 1              | 2                  | 21            | average                 | 10 | K                       |                        |              |
| Bakonyzentlázló                                 | 02972                     | 349-70 - 350-20         | 8 x 50                 | 400                        | yes      | asphalt              | adequate                    | lighted  | none                         | I. vágány         | 372                                  | 50                 | 2                        | local                   | no                       | 0          | 1              | 2                  | 21            | average                 | 10 | K                       |                        |              |
| Balatonszék                                     | 04416                     | 652 - 653-80            | 5,5 x 180              | 1000                       | yes      | asphalt              | adequate                    | lighted  | side loading                 | VII. vágány       | 555                                  | 180                | 12,7                     | central electric        | no                       | 0          | 0              | 1                  | 21            | adequate                | 40 | K                       |                        |              |
| Balatonszék                                     | 04358                     | 448 - 449               | 15 x 100               | 1500                       | no       | -                    | adequate                    | lighted  | none                         | I. vágány         | 524                                  | 100                | 6,5                      | central electric        | no                       | 0          | 0              | 2                  | 21            | average                 | 10 | K                       |                        |              |
| Boba  | 04093                     | 1129-50 - 1131-00       | 150 x 10               | 1500                       | no       | -                    | adequate                    | lighted  | end loading                  | VII. vágány       | 151                                  | 150                | 6                        | central electric        | no                       | 0          | 1              | 0                  | 21            | adequate                | 40 | E                       |                        |              |
| Celldömök I.                                    | 02170                     | 702-00 - 702-60         | 10 x 60                | 600                        | yes      | cobblestone          | good                        | lighted  | none                         | XX. vágány        | 130                                  | 60                 | 60                       | local                   | no                       | 0          | 0              | 0                  | 19            | average                 | 40 | E                       |                        |              |
| Celldömök II.                                   | 02170                     | 701-81 - 699-92         | 10 x 100               | 1600                       | yes      | concrete             | good                        | lighted  | none                         | XV. vágány        | 160                                  | 100                | 50                       | local                   | no                       | 0          | 0              | 0                  | 21,5          | good                    | 40 | E                       |                        |              |
| Celldömök II.                                   | 02170                     | 702-67 - 699-60         | 9 x 100                | 1260                       | yes      | concrete             | good                        | lighted  | none                         | XVI. vágány       | 140                                  | 100                | 56                       | local                   | no                       | 0          | 0              | 0                  | 19            | good                    | 40 | E                       |                        |              |
| Csajlag   | 04317                     | 304 - 306               | 8 x 200                | 1600                       | no       | -                    | adequate                    | lighted  | none                         | VI. vágány        | 230                                  | 200                | 6,12                     | central electric        | no                       | 0          | 0              | 2                  | 21            | average                 | 10 | K                       |                        |              |
| Csömödér - Paka                                 | 04960                     | 761-90 - 764-98         | 2,5 x 150              | 375                        | no       | -                    | average                     | lighted  | side loading                 | I. vágány         | 255                                  | 150                | 7,8                      | local                   | no                       | 0          | 0              | 2                  | 20            | good                    | 10 | K                       |                        |              |
| Devecser  | 04044                     | 922-45 - 923-90         | 25 x 145               | 3625                       | yes      | asphalt              | good                        | lighted  | side loading                 | I. vágány         | 624                                  | 145                | 11,12                    | local, central electric | no                       | 0          | 0              | 0                  | 21            | good                    | 40 | K                       |                        |              |
| Egyed-Rabacsanak                                | 03087                     | 147-80 - 248-30         | 12 x 50                | 600                        | yes      | concrete             | good                        | lighted  | none                         | I. Rakodó vágány  | 279                                  | 50                 | 1,4                      | local                   | no                       | 0          | 0              | 3                  | 18,5          | average                 | 40 | K                       |                        |              |
| Gatorfőde                                       | 04952                     | 674-18 - 676-72         | 2,5 x 120              | 300                        | no       | -                    | adequate                    | lighted  | side loading                 | I. vágány         | 308                                  | 120                | 5,4                      | local                   | no                       | 0          | 0              | 2                  | 20            | good                    | 10 | K                       |                        |              |
| Győrőné   | 02089                     | 258-258-30              | 10 x 30                | 300                        | yes      | concrete             | good                        | lighted  | side loading                 | I. vágány         | 690                                  | 30                 | 3,6                      | 2 local, 1 central      | no                       | 0          | 0              | 0                  | 21            | adequate                | 40 | K                       |                        |              |
| Győrmező  | 02055                     | 158-158-30              | 10 x 30                | 300                        | yes      | concrete             | bad                         | lighted  | none                         | IV. vágány        | 370                                  | 30                 | 8,10,12                  | 3 local, 1 central      | no                       | 0          | 2              | 1                  | 21            | adequate                | 40 | K                       |                        |              |
| Hajmáskér                                       | 03939                     | 364-50-365-20           | 10 x 138               | 1386                       | yes      | concrete             | good                        | lighted  | side loading                 | I. vágány         | 594                                  | 138                | 15,18                    | central point wire      | yes                      | 600        | 0              | 0                  | 21            | average                 | 10 | K                       |                        |              |
| Hajmáskér                                       | 03939                     | 365-20-367              | 10 x 250               | 2500                       | yes      | concrete             | good                        | lighted  | end loading                  | VII. vágány       | 121                                  | 250                | 1                        | central point wire      | yes                      | 50         | 0              | 0                  | 21            | average                 | 10 | E                       |                        |              |
| Hajmáskér                                       | 03939                     | 364-40 - 367-40         | 13 x 300               | 4000                       | yes      | concrete             | adequate                    | lighted  | none                         | VIII. vágány      | 362                                  | 300                | 30                       | central electric        | yes                      | 30         | 0              | 0                  | 21            | average                 | 10 | E                       |                        |              |
| Hérend  | 03954                     | 586-60 - 587-50         | 10 x 90                | 900                        | yes      | concrete             | adequate                    | lighted  | end loading                  | X. vágány         | 90                                   | 90                 | 1,3,7                    | central electric        | no                       | 0          | 0              | 1                  | 21            | average                 | 10 | E                       |                        |              |
| Hérend  | 03954                     | 586-00 - 586-60         | 15 x 60                | 900                        | yes      | concrete             | adequate                    | lighted  | side loading                 | I. vágány         | 668                                  | 60                 | 1,3,7                    | central electric        | yes                      | 135        | 0              | 1                  | 21            | average                 | 10 | K                       |                        |              |
| Hérend  | 03954                     | 579-78 - 582-98         | 6 x 20                 | 1920                       | yes      | concrete             | good                        | lighted  | end loading                  | VIII. vágány      | 20                                   | 20                 | 10                       | central electric        | no                       | 0          | 0              | 0                  | 21            | good                    | 10 | E                       |                        |              |
| Hérend  | 03954                     | 582-98 - 585-98         | 6 x 300                | 1800                       | yes      | concrete             | good                        | lighted  | none                         | V. vágány         | 668                                  | 300                | 10,16                    | central                 |                          |            |                |                    |               |                         |    |                         |                        |              |

| Service place           | Code of the service place | Open access loading place registered by MÁV Zrt |                                |                            |                   |                      |                             |           |                              | Loading track next to loading places |                   |                    |                          |                       |                          |            |                |                    |               |                         |    | Applicable speed (km/h) | Possibility of serving | Restrictions |
|-------------------------|---------------------------|---|--------------------------------|----------------------------|-------------------|----------------------|-----------------------------|-----------|------------------------------|--------------------------------------|-------------------|--------------------|--------------------------|-----------------------|--------------------------|------------|----------------|--------------------|---------------|-------------------------|----|-------------------------|------------------------|--------------|
|                         |                           | Position<br>From section to section             | Size<br>Width (m) x length (m) | Currently usable area (m2) | Paved<br>yes / no | Material of pavement | Current technical condition | Lighting  | Loading and other equipments | Name of the track                    | Usable length (m) | Loading length (m) | Branching-off turnout(s) |                       | Availability of catenary |            | Derailer (pcs) | Scotch block (pcs) | Axle load (t) | Current technical state |    |                         |                        |              |
|                         |                           |   |                                |                            |                   |                      |                             |           |                              |                                      |                   |                    | Number                   | Switch operation mode | yes / no                 | Length (m) |                |                    |               |                         |    |                         |                        |              |
| Zalabér - Batyk         | 04846                     | 310+50 - 311+50                                 | 10 x 100                       | 1000                       | yes               | concrete             | good                        | lighted   | none                         | VI. vágány                           | 360               | 100                | 16,18                    | central electric      | no                       | 0          | 1              | 0                  | 21            | good                    | 10 | K                       |                        |              |
| Zalabáláp               | 04606                     | 45+65 - 46+25                                   | 10 x 60                        | 600                        | no                | -                    | adequate                    | lighted   | end loading                  | I. vágány                            | 120               | 60                 | 8                        | local                 | no                       | 0          | 0              | 0                  | 21            | adequate                | 10 | E                       |                        |              |
| Zalaegerszeg            | 04895                     | 4+12 - 3+57                                     | 8 x 45                         | 360                        | yes               | concrete             | good                        | lighted   | side and end loading         | Ker. telep I. vágány                 | 180               | 45                 | 12/2, 12/4               | local                 | no                       | 0          | 0              | 0                  | 22,5          | good                    | 10 | E                       |                        |              |
| Zalaegerszeg            | 04985                     | 3+04 - 1+24                                     | 10 x 180                       | 1800                       | yes               | concrete             | good                        | lighted   | none                         | Ker. telep II. vágány                | 180               | 180                | 12/3, 12/4, 12/5         | local                 | no                       | 0          | 0              | 0                  | 22,5          | good                    | 10 | E                       |                        |              |
| Zalaegerszeg            | 04895                     | 3+04 - 1+24                                     | 15 x 170                       | 2550                       | yes               | concrete             | good                        | lighted   | none                         | Ker. telep III. vágány               | 170               | 170                | 12/3, 12/4, 12/5         | local                 | no                       | 0          | 0              | 0                  | 22,5          | good                    | 10 | E                       |                        |              |
| Zalaegerszeg            | 04895                     | 3+93 - 2 +23                                    | 4 x 170                        | 680                        | yes               | concrete             | good                        | lighted   | none                         | Ker. telep IV. vágány                | 170               | 170                | 12/3, 12/4               | local                 | no                       | 0          | 0              | 0                  | 22,5          | good                    | 10 | E                       |                        |              |
| Zalaszentiván           | 05371                     | 475+20 -475+70                                  | 50 x 18                        | 900                        | yes               | concrete             | good                        | lighted   | none                         | IX. vágány                           | 115               | 50                 | 19                       | central electric      | no                       | 0          | 0              | 0                  | 21            | good                    | 5  | E                       |                        |              |
| Zalalövő                | 05033                     | 230 - 232                                       | 10 x 40                        | 400                        | yes               | concrete             | good                        | lighted   | side and end loading         | VIII. vágány                         | 150               | 40                 | 13                       | central electric      | yes                      | 150        | 1              | 1                  | 22,5          | good                    | 40 | E                       |                        |              |
| Zalalövő                | 05033                     | 230 - 232                                       | 10 x 100                       | 1000                       | yes               | concrete             | good                        | lighted   | none                         | X.sz. vágány                         | 150               | 100                | 13                       | central electric      | no                       | 0          | 1              | 0                  | 22,5          | good                    | 40 | E                       |                        |              |
| Zalaszentgrót           | 04721                     | 60 - 63   | 12 x 45                        | 540                        | no                | -                    | adequate                    | lighted   | side and end loading         | I. (O) vágány                        | 314               | 20                 | 4,1                      | local                 | no                       | 0          | 0              | 0                  | 21            | adequate                | 5  | K                       |                        |              |
| Zalaszentgrót           | 04721                     | 60 - 63   | 12 x 50                        | 600                        | yes               | concrete             | adequate                    | lighted   | scales                       | I.vágány                             | 314               | 95                 | 4,1                      | local                 | no                       | 0          | 0              | 0                  | 21            | adequate                | 5  | K                       |                        |              |
| Zalaszentgrót           | 04721                     | Nincs adat                                      | 13 x 234                       | 3042                       | yes               | concrete             | adequate                    | lighted   | none                         | IV.vágány                            | 239               | 234                | 5,8                      | central point wire    | no                       | 0          | 0              | 0                  | 21            | adequate                | 5  | K                       |                        |              |
| Zalaszentmihály - Pacsa | 05413                     | 1645 - 1650                                     | 11 x 70                        | 770                        | yes               | concrete             | good                        | lighted   | side loading                 | V. (A) vágány                        | 583               | 70                 | 12,7                     | local                 | no                       | 0          | 1              | 1                  | 21            | good                    | 10 | K                       |                        |              |
| Zalaszentmihály - Pacsa | 05413                     | 1645 - 1650                                     | 15 x 244                       | 3660                       | yes               | concrete             | good                        | lighted   | none                         | V. (B) vágány                        | 583               | 244                | 12,7                     | local                 | no                       | 0          | 1              | 1                  | 21            | good                    | 10 | K                       |                        |              |
| Zalaszentmihály - Pacsa | 05413                     | 1645 - 1650                                     | 15 x 132                       | 1980                       | yes               | concrete             | good                        | unlighted | none                         | V. (C) vágány                        | 583               | 132                | 12,7                     | local                 | no                       | 0          | 1              | 1                  | 21            | good                    | 10 | K                       |                        |              |
| Zánka-Köveskál          | 04473                     | 837+50 - 838+50                                 | 8 x 100                        | 800                        | yes               | concrete             | adequate                    | lighted   | none                         | I. vágány                            | 461               | 100                | 6,5                      | central electric      | no                       | 0          | 0              | 2                  | 21            | adequate                | 40 | K                       |                        |              |
| Zirc                    | 02998                     | 516+70-517+50                                   | 8 x 80                         | 640                        | no                | rubble               | adequate                    | lighted   | none                         | VII. vágány                          | 325               | 80                 | 12,13                    | local                 | no                       | 0          | 0              | 0                  | 18,5          | good                    | 20 | K                       |                        |              |