

List of loading places on open access railway network - MÁV Zrt

| Service place    | Code of the service place | Position<br>From section to section | Size<br>Width (m) x length (m) | Open access loading place registered by MÁV Zrt |                   |                                 |                             |                          | Lighting   | Loading and other equipments | Name of the track | Usable length (m) | Loading length (m) | Loading track next to loading places |          |                         |                    |               |                         |              |          |            |   | Applicable speed (km/h) | Possibility of serving (S-straight, D-diverging position) | Restrictions |
|------------------|---------------------------|-------------------------------------|--------------------------------|---|-------------------|---------------------------------|-----------------------------|--------------------------|--|------------------------------|-------------------|-------------------|--------------------|--------------------------------------|----------|-------------------------|--------------------|---------------|-------------------------|--------------|----------|------------|---|-------------------------|---|--------------|
|                  |                           |                                     |                                | currently usable area (m2)                      | Paved<br>yes / no | Material of pavement            | Current technical condition | Branching-off turnout(s) |  |                              |                   |                   |                    | Availability of catenary             |          | Derailer (pcs)          | Scotch block (pcs) | Axle load (t) | Current technical state |              |          |            |   |                         |   |              |
|                  |                           |                                     |                                |   |                   |                                 |                             | Number                   |  |                              |                   |                   |                    | Switch operation mode                | yes / no |                         |                    |               |                         | Length (m)   | yes / no | Length (m) |   |                         |   |              |
| Almásfüzitő      | 01172                     |                                     | 14x38                          | 532   | yes               | stone                           | good                        | lighted                  | side loading                                     | I. vágány                    | 363               | 38                | 49                 | central                              | yes      | 363                     | 0                  | 0             | 20                      | good         | 5        | D          | Can be served only from the end point, during loading the catenary must be earthed. |                         |   |              |
| Ács              | 01230                     | 1131-1132                           | 20x100                         | 2000  | yes               | concrete                        | good                        | lighted                  | none   | I. vágány                    | 710               | 100               | 20,25              | central                              | yes      | 710                     | 1                  | 0             | 21                      | good         | 25       | D          |   |                         |   |              |
| Ács              | 01230                     | 1131-1132                           | 12x47                          | 564   | yes               | concrete                        | good                        | lighted                  | side loading, live stock loading (unserviceable) | I.(O) vágány                 | 710               | 47                | 20,25              | central                              | yes      | 710                     | 1                  | 0             | 21                      | good         | 25       | D          |   |                         |   |              |
| Acsa-Erdőkürt    | 10884                     | 232+00-235+20                       | 6x50                           | 300   | yes               | stone                           | good                        | lighted                  | side loading                                     | I.(O) vágány                 | 580               | 50                | 5, 6               | manual                               | no       | 0                       | 1                  | 0             | 20                      | adequate     | 10       | D          |   |                         |   |              |
| Acsa-Erdőkürt    | 10884                     | 232+00-235+20                       | 100 x 10                       | 1000  | yes               | stone                           | good                        | lighted                  | none   | I.(A) vágány                 | 580               | 100               | 5, 6               | manual                               | no       | 0                       | 1                  | 0             | 20                      | adequate     | 10       | D          |   |                         |   |              |
| Acsa-Erdőkürt    | 10884                     | 236+50-237+00                       | 20 x 40                        | 800   | no                | bad                             | lighted                     | none                     | I.(B) vágány                                     | 580                          | 40                | 5, 6              | manual             | no                                   | 0        | 1                       | 0                  | 20            | bad                     | 10           | S        |            |   |                         |   |              |
| Adony            | 06452                     | 85+00                               | 7,875 x 80                     | 630   | yes               | stone                           | bad                         | lighted                  | none   | I. vágány                    | 500               | 80                | 11,6               | central                              | partly   | 50-50                   | 2                  | 0             | 21                      | satisfactory | 5        | D          |   |                         |   |              |
| Albertirsa       | 13698                     | 551+80-553+80                       | 18x200                         | 3600  | yes               | concrete                        | good                        | lighted                  | none   | IX. csomka vágány            | 237               | 200               | 23                 | electric                             | no       | 263                     | 0                  | 0             | 21                      | good         | 20       | S          |   |                         |   |              |
| Angyalföld       | 10124                     | 0+80-2+50                           | 18,7 x 170                     | 3179  | yes               | cobblestone                     | good                        | lighted                  | none   | XVIII. vágány                | 165               | 165               | 41                 | manual                               | no       | 0                       | 0                  | 0             | 20                      | adequate     | 10       | S          |   |                         |   |              |
| Angyalföld       | 10124                     | 0+80-2+80                           | 22 x 200                       | 4400  | yes               | concrete                        | good                        | lighted                  | none   | XV. vágány                   | 386               | 200               | 19                 | manual                               | no       | 0                       | 0                  | 0             | 20                      | adequate     | 10       | S          |   |                         |   |              |
| Aszód            | 11163                     |                                     | 10 x 89                        | 890   | yes               | cobblestone                     | good                        | lighted                  | side loading                                     | I. vágány                    | 330               | 89                | 27, 32             | local, central                       | yes      | 380                     | 0                  | 0             | 16                      | adequate     | 5        | D          |   |                         |   |              |
| Aszód            | 11163                     |                                     | 12 x 250, 15x110               | 3450  | yes               | asphalt                         | good                        | lighted                  | none   | XV. Vágány (kert)            | 408               | 360               | 25                 | central                              | yes      | 250                     | 0                  | 0             | 16                      | adequate     | 5        | S          |   |                         |   |              |
| Balassagyarmat   | 10967                     | 601-602                             | 10 x 100                       | 1000  | yes               | concrete                        | good                        | lighted                  | none   | I.(A) vágány                 | 321               | 100               | 20                 | manual                               | no       | 0                       | 0                  | 0             | 16/18,5                 | good         | 5        | D          |   |                         |   |              |
| Balassagyarmat   | 10967                     | 602-603                             | 15 x 30                        | 450   | yes               | concrete                        | good                        | lighted                  | side loading                                     | I.(O) vágány                 | 321               | 30                | 20                 | manual                               | no       | 0                       | 0                  | 0             | 16/18,5                 | good         | 5        | D          |   |                         |   |              |
| Balassagyarmat   | 10967                     | 603-603+25                          | 10 x 25                        | 250   | yes               | concrete                        | good                        | lighted                  | none   | I. (B) vágány                | 321               | 25                | 20                 | manual                               | no       | 0                       | 0                  | 0             | 16/18,5                 | good         | 5        | D          |   |                         |   |              |
| Balassagyarmat   | 10967                     | 603-605                             | 15 x 200                       | 3000  | yes               | concrete                        | good                        | lighted                  | none   | IX. vágány                   | 210               | 200               | 22                 | manual                               | no       | 0                       | 0                  | 0             | 16/18,5                 | good         | 5        | S          |   |                         |   |              |
| Blatnabány       | 01057                     | 296-298                             | 10x200                         | 2000  | yes               | concrete                        | good                        | lighted                  | none   | I.(A) vágány                 | 710               | 200               | 14,15              | central                              | yes      | 100                     | 2                  | 0             | 21                      | bad          | 5        | D          |   |                         |   |              |
| Blatnabány       | 01057                     | 300-303                             | 17x300                         | 5100  | yes               | concrete                        | good                        | lighted                  | none   | I. (B) vágány                | 710               | 300               | 14,15              | central                              | yes      | 100                     | 2                  | 0             | 21                      | bad          | 5        | D          |   |                         |   |              |
| Bicske           | 01081                     | 474+42-477+35                       | 15x160                         | 900   | yes               | concrete                        | good                        | lighted                  | none   | XII. vágány                  | 250               | 160               | 63                 | manual                               | no       | 0                       | 0                  | 0             | 21                      | bad          | 5        | S          |   |                         |   |              |
| Bicske           | 0108                      | 474+50-475+70                       | 120x14                         | 1680  | yes               | concrete, ferroconcrete seating | good                        | lighted                  | side loading                                     | I. vágány                    | 120               | 120               | 18,61              | mechanical, manual                   | no       | 0                       | 1                  | 1             | 21                      | average      | 10       | D          |   |                         |   |              |
| Bodajk           | 03707                     |                                     | 5X190                          | 950   | yes               | asphalt                         | average                     | lighted                  | end loading                                      | I. csomka                    | 194               | 190               | 18                 | central                              | no       | 0                       | 0                  | 0             | 20                      |              | 10       | S          |   |                         |   |              |
| Bodajk           | 03707                     |                                     | 15x20                          | 300   | yes               | cobblestone                     | average                     | lighted                  | side loading                                     | I. rakató                    | 480               | 20                | 18, 21             | central                              | no       | 0                       | 0                  | 0             | 20                      |              | 10       | S          |   |                         |   |              |
| Börzöng          | 04101                     | 68+00 - 70+50                       | 4X36                           | 144   | yes               | cobblestone                     | good                        | lighted                  | side loading                                     | I. rakodó                    | 150               | 36                | 18, 13             | central                              | no       | 0                       | 0                  | 0             | 20                      |              | 10       | D          |   |                         |   |              |
| Hárs             | 05785                     | 183                                 | 40x250                         | 10000   | yes               | cobblestone                     | adequate                    | lighted                  | none   | I. vágány                    | 670               | 250               | 34,31              | manual                               | no       | 0                       | 0                  | 0             | 21                      | adequate     | 10       | D          | Locomotive is not allowed to run next to the side loading platform.                 |                         |   |              |
| Budaörs          | 01032                     | 63+50 - 65+90                       | 6X35                           | 210   | yes               | concrete                        | good                        | lighted                  | none   | I. vágány                    | 700               | 35                | 23,34              | central                              | no       | 0                       | 0                  | 1             | 21                      | bad          | 5        | D          |   |                         |   |              |
| Ferencváros      | 10025                     | 17+20-20+80                         | 4x160                          | 640   | yes               | cobblestone                     | average                     | lighted                  | side or end loading                              | I. rakodóvágány              | 411               | 160               | 114                | central                              | yes      | 480                     | 0                  | 0             | 21                      | adequate     | 10       | S          |   |                         |   |              |
| Budapest-Nyugati | 10033                     | 17+20-20+80                         | 12 x 360                       | 4320  | yes               | cobblestone                     | average                     | lighted                  | none   | körház 3. vágány             | 402               | 360               | 204                | 36manual                             | no       | 0                       | 0                  | 0             | 20                      | bad          | 20       | D          |   |                         |   |              |
| Budapest-Nyugati | 10033                     | 719+65-722+45                       | 11,5 x 360                     | 4140  | yes               | cobblestone                     | average                     | lighted                  | none   | körház 1. vágány             | 345               | 327               | 203/a              | manual                               | no       | 0                       | 0                  | 0             | 20                      | bad          | 10       | D          |   |                         |   |              |
| Cegléd           | 13722                     | 722+65-723+61                       | 16x280                         | 4480  | yes               | concrete sleeper                | good                        | lighted                  | scales   | XII. vágány                  | 733               | 280               | 33                 | central                              | yes      | From starting point 200 | 2                  | 0             | 21                      | good         | 20       | D          |   |                         |   |              |
| Cegléd           | 13722                     | 9+85-11+31                          | 11,13x96,5                     | 1071  | yes               | concrete sleeper                | good                        | lighted                  | none   | XIV.vágány                   | 337               | 96,5              | 23/2               | local                                | no       | 0                       | 0                  | 0             | 21                      | good         | 5        | S          |   |                         |   |              |
| Cegléd           | 13722                     | 425+10-425+90                       | 10x146                         | 1460  | yes               | concrete                        | good                        | lighted                  | end loading                                      | XVI. csomka vágány           | 283               | 146               | 35/9               | local                                | no       | 0                       | 0                  | 0             | 21                      | good         | 5        | S          |   |                         |   |              |
| Dabas            | 16840                     | 266+12-268+80                       | 10x100                         | 1000  | no                | -                               | average                     | lighted                  | none   | I. vágány                    | 595               | 100               | 5, 10              | local                                | no       | 0                       | 0                  | 2             | 21                      | adequate     | 40       | S          |   |                         |   |              |
| Delegyháza       | 16162                     | 282+05-283+00                       | 268 x 10                       | 2680  | no                | -                               | poor                        | lighted                  | none   | V. rakodó vágány             | 268               | 268               | 19                 | central                              | yes      | 135                     | 1                  | 1             | 21                      | average      | 10       | S          |   |                         |   |              |
| Diósjenő         | 10645                     | 282+05-283+00                       | 5X10                           | 50  | yes               | stone                           | average                     | lighted                  | side loading                                     | I. (O) vágány                | 171               | 10                | 6, 9               | manual                               | no       | 0                       | 0                  | 0             | 12                      | adequate     | 5        | D          |   |                         |   |              |
| Diósjenő         | 10645                     | 436+90-438+00                       | 15x100                         | 1200  | yes               | stone                           | average                     | lighted                  | none   | I. vágány                    | 171               | 100               | 6, 9               | manual                               | no       | 0                       | 0                  | 0             | 12                      | adequate     | 5        | D          |   |                         |   |              |
| Dömsöd           | 16196                     | 388+80-388+90                       | 4x500                          | 2000  | no                | -                               | poor                        | lighted                  | none   | I. rakodó vágány             | 540               | 500               | 6, 5               | central                              | yes      | 618                     | 2                  | 0             | 21                      | poor         | 10       | D          | Can be served only from the end point.  |                         |   |              |
| Drégelypalánk    | 10694                     | 387+40-388+80                       | 10 x 10                        | 100   | yes               | stone                           | good                        | lighted                  | side loading                                     | I. (O) vágány                | 149               | 10                | 11                 | manual                               | no       | 0                       | 0                  | 0             | 12                      | adequate     | 5        | S          |   |                         |   |              |
| Drégelypalánk    | 10694                     | 544-552                             | 20x100                         | 2000  | yes               | stone                           | average                     | lighted                  | none   | I. vágány                    | 149               | 100               | 11                 | manual                               | no       | 0                       | 0                  | 0             | 12                      | adequate     | 5        | S          |   |                         |   |              |
| Dunaföldvár      | 06569                     | 544-552                             | 36x50, 36x100                  | 5400  | yes               | stone                           | good                        | lighted                  | none   | I. (A) vágány                | 712               | 150               | 4,11               | local                                | no       | 0                       | 0                  | 0             | 21                      | satisfactory | 5        | D          | K group   |                         |   |              |
| Dunaföldvár      | 06569                     | 544-552                             | 10x20                          | 200   | yes               | stone                           | good                        | lighted                  | side loading                                     | I. (O) vágány                | 712               | 20                | 4,11               | local                                | no       | 0                       | 0                  | 0             | 21                      | satisfactory | 5        | D          | K group   |                         |   |              |
| Dunaföldvár      | 06569                     | 152+00-152+80                       | 36x100                         | 3600  | yes               | stone                           | good                        | lighted                  | none   | I. (B) vágány                | 712               | 100               | 4,11               | local                                | no       | 0                       | 0                  | 0             | 21                      | satisfactory | 5        | D          | K group   |                         |   |              |
| Dunaharaszti     | 16121                     | 152+00-152+80                       | 20x30                          | 600   | yes               | cobblestone                     | adequate                    | unlighted                | none   | IV. (A) rakodó vágány        | 385               | 30                | 5, 7               | central                              | no       | 0                       | 2                  | 0             | 20                      | poor         | 20       | D          |   |                         |   |              |
| Dunaharaszti     | 16121                     | 152+00-152+80                       | 10x12                          | 120   | yes               | cobblestone                     | adequate                    | unlighted                | side loading                                     | IV. (D) rakodó vágány        | 385               | 12                | 5, 7               | central                              | no       | 0                       | 2                  | 0             | 20                      | poor         | 20       | D          |   |                         |   |              |
| Dunaharaszti     | 16121                     | 142+18-145+00                       | 20x110                         | 2200  | yes               | cobblestone                     | adequate                    | unlighted                | none   | IV. (B) rakodó vágány        | 385               | 110               | 5, 7               | central                              | no       | 0                       | 2                  | 0             | 20                      | poor         | 20       | D          |   |                         |   |              |
| Dunaújváros      | 10371                     | 262+00-266+94                       | 10,4 x 282                     | 2033  | yes               | concrete                        | adequate                    | lighted                  | side loading                                     | I. vágány                    | 882               | 282               | 24, 15             | electric                             | no       | 0                       | 1                  | 0             | 20                      | adequate     | 5        | D          |   |                         |   |              |
| Dunaújváros      | 06502                     | 263+93-267+10                       | 10x420                         | 4200  | yes               | asphalt                         | adequate                    | lighted                  | none   | Kerti vágány                 | 420               | 420               | 8                  | local                                | no       | 0                       | 1                  | 0             | 21                      | good         | 15       | S          |   |                         |   |              |
| Dunaújváros      | 06502                     | 329-331                             | 10x210                         | 2100  | yes               | asphalt                         | adequate                    | lighted                  | scales, end loading                              | Méreg vágány                 | 210               | 210               | 42                 | local                                | no       | 0                       | 0                  | 0             | 21                      | good         | 15       | S          |   |                         |   |              |
| Ercsi            | 05850                     | 331-332                             | 30 x 100                       | 3000  | no                | -                               | adequate                    | lighted                  | none   | XIV. vágány                  | 280               | 100               | 24                 | central                              | no       | 0                       | 0                  | 0             | 21                      | adequate     | 10       | S          |   |                         |   |              |
| Ercsi            | 05850                     | 185+20-185+65                       | 12 x 60                        | 720   | partly            | natural stone                   | average                     | lighted                  | none   | XV. vágány                   | 150               | 60                | 30,24              | local, central                       | yes      | 150                     | 0                  | 0             | 21                      | adequate     | 10       | D          |   |                         |   |              |
| Érd              | 05827                     | 185+65-186+02                       | 10x40                          | 400   | no                | -                               | adequate                    | lighted                  | side loading                                     | I. (O) vágány                | 945               | 40                | 17,18              | local                                | no       | 0                       | 0                  | 0             | 22                      | adequate     | 5        | S          |   |                         |   |              |
| Érd              | 05827                     | 216+25-217+27                       | 20X35, 10X37                   | 1070  | no                | -                               | adequate                    | lighted                  | none   | I. vágány                    | 945               | 72                | 17,18              | local                                | no       | 0                       | 0                  | 0             | 22                      | adequate     | 5        | S          |   |                         |   |              |
| Göd              | 10413                     | 355+00 - 357+00                     | 10 x 102                       | 1020  | yes               | concrete                        | adequate                    | lighted                  | none   | VI. vágány                   | 344               | 102               | 18, 10             | electric                             | no       | 0                       | 0                  | 2             | 20                      | adequate     | 5        | D          |   |                         |   |              |
| Gödöllő          | 11130                     | 1405-1408                           | 15 x 200                       | 3000  | yes               | cobblestone                     | adequate                    | unlighted                | none   | IK. vágány                   | 380               | 200               | 22                 | central                              | no       | 0                       | 1                  | 0             | 16                      | adequate     | 5        | S          |   |                         |   |              |
| Győr             | 01289                     | 1403+16-1404+16                     | 150x9,20x7,5                   | 1500  | yes               | cobblestone                     | good                        | unlighted                | none   | Temető II. vágány            | 191               | 150               | 456                | manual                               | no       | 0                       | 0                  | 0             | 21                      | adequate     | 5        | S          |   |                         |   |              |
| Győr             | 01289                     | 1403+72-1405+40                     | 19x94                          | 1786  | yes               | cobblestone                     | adequate                    | lighted                  | end loading                                      | Csárda csomka                | 60                | 19                | 424                | manual                               | no       | 0                       | 0                  | 0             | 21                      | adequate     | 5        | S          |   |                         |   |              |
| Győr             | 01289                     | 1404+00-1405+63                     | 75x19, 70x6,5, 70x6            | 2300  | yes               | cobblestone                     | adequate                    | lighted                  | none   | Csárda III                   | 64                | 64                | 428                | manual                               | no       | 0                       | 0                  | 0             | 21                      | adequate     | 5        | S          |   |                         |   |              |
| Győr             | 01289                     | 1404+16-1406+03                     | 132x6                          | 792   | yes               | cobblestone                     | adequate                    | lighted                  | none   | Csárda IV                    | 156               | 132               | 428                | manual                               | no       | 0                       | 0                  | 0             | 21                      | adequate     | 5        | S          |   |                         |   |              |
| Győr             | 01289                     | 37+50-37+71                         |                                |   |                   |                                 |                             |                          |  |                              |                   |                   |                    |                                      |          |                         |                    |               |                         |              |          |            |   |                         |   |              |

| Service place            | Code of the service place | Open access loading place registered by MÁV Zrt |                                |                            |                   |                      |                             |                      |                                  |                        |                   | Loading track next to loading places |                          |                           |                          |            |                |                    |               |                         |    |   | Applicable speed (km/h)   | Possibility of serving (S-straight, D-diverging position) | Restrictions |
|--------------------------|---------------------------|---|--------------------------------|----------------------------|-------------------|----------------------|-----------------------------|----------------------|----------------------------------|------------------------|-------------------|--------------------------------------|--------------------------|---------------------------|--------------------------|------------|----------------|--------------------|---------------|-------------------------|----|---|---|---|--------------|
|                          |                           | Position<br>From section to section             | Size<br>Width (m) x length (m) | currently usable area (m2) | Paved<br>yes / no | Material of pavement | Current technical condition | Lighting             | Loading and other equipments     | Name of the track      | Usable length (m) | Loading length (m)                   | Branching-off turnout(s) |                           | Availability of catenary |            | Derailer (pcs) | Scotch block (pcs) | Axle load (t) | Current technical state |    |   |   |   |              |
|                          |                           |   |                                |                            |                   |                      |                             |                      |                                  |                        |                   |                                      | Number                   | Switch operation mode     | yes / no                 | Length (m) |                |                    |               |                         |    |   |   |   |              |
| Győrszentiván            | 01255                     | 664+80-666+40                                   | 135x7, 152x35, 10x35, 33x23    | 7374                       | yes               | concrete             | good                        | lighting is possible | end and side loading             | I. vágány              | 946               | 330                                  | 14                       | central                   | yes                      | 946        | 1              | 0                  | 21            | adequate                | 25 | D | Due to track possession the loading place cannot be used till 01 April, 2015. |   |              |
| Hatvan személyu.         | 11205                     |   | 16 x 160                       | 2560                       | yes               | cobblestone          | adequate                    | unlighted            | none                             | Újcsönka               | 240               | 160                                  | 31                       | local                     | no                       | 0          | 0              | 0                  | 21            | adequate                | 5  | S |   |   |              |
| Hatvan                   | 11205                     | 3+00 - 3+85                                     | 8 x85                          | 680                        | yes               | stone                | bad                         | unlighted            | none                             | Répa IV.               | 709               | 85                                   | 10/1                     | local                     | yes                      | 50         | 0              | 0                  | 21            | average                 | 5  | S |   |   |              |
| Isaszeg                  | 11122                     | 1+80-2+77                                       | 10 x 100                       | 1000                       | no                | -                    | adequate                    | unlighted            | none                             | I vágány               | 549               | 140                                  | 13, 16                   | central                   | yes                      | 809        | 0              | 0                  | 21            | adequate                | 5  | D |   | Can be served only from the end point                     |              |
| Hegyeshalom              | 01362                     | 1+80-2+77                                       | 3,5 x 97                       | 340                        | yes               | concrete             | good                        | unlighted            | side loading                     | Raktár I. vágány       | 115               | 97                                   | 404                      | manual                    | no                       | 0          | 0              | 0                  | 21            | adequate                | 5  | S | K group<br>D group  |   |              |
| Hegyeshalom              | 01362                     | 373+77-381+54                                   | 3,5 x 97                       | 340                        | yes               | concrete             | good                        | unlighted            | none                             | Raktár II. vágány      | 170               | 97                                   | 205                      | manual                    | no                       | 0          | 0              | 0                  | 21            | adequate                | 5  | S |   |   |              |
| Herceghalom              | 01065                     | 373+77-381+54                                   | 13x175                         | 2275                       | yes               | concrete             | good                        | lighted              | none                             | I vágány               | 726               | 175                                  | 14, 16                   | central, manual           | no                       | 0          | 2              | 0                  | 21            | good                    | 25 | D |   |   |              |
| Herceghalom              | 01065                     | 423+424   | 100x20                         | 200                        | yes               | concrete             | good                        | lighted              | side loading                     | I(O) vágány            | 726               | 20                                   | 14, 16                   | central, manual           | no                       | 0          | 2              | 0                  | 21            | good                    | 25 | S |   |   |              |
| Jászberény               | 11957                     | 248+70-250+60                                   | 4,5x80                         | 360                        | yes               | concrete             | average                     | lighted              | end and side loading             | VIII. vágány           | 340               | 80                                   | 18                       | manual                    | no                       | 0          | 0              | 0                  | 21            | adequate                | 5  | S |   |   |              |
| Jászberény               | 11957                     | 248+85-250+60                                   | 4,5x190                        | 855                        | yes               | concrete             | average                     | lighted              | none                             | VII. vágány            | 210               | 190                                  | 18                       | manual                    | no                       | 0          | 0              | 0                  | 21            | adequate                | 5  | S |   |   |              |
| Jászberény               | 11957                     | 414+60-415+90                                   | 5x175                          | 875                        | yes               | concrete             | average                     | lighted              | none                             | VI. vágány             | 388               | 175                                  | 15, 16                   | central                   | no                       | 0          | 0              | 1                  | 21            | adequate                | 5  | D | Can be served only from the start point.                                      |   |              |
| Jászboldogháza-Jánoshida | 11981                     | 100+94-104+09                                   | 4,5x130                        | 585                        | yes               | concrete             | average                     | lighted              | live stock loading, side loading | I. vágány              | 559               | 130                                  | 3, 6                     | central                   | no                       | 0          | 0              | 1                  | 21            | adequate                | 5  | D | Bypass wire next to the track, therefore loading permit is required!          |   |              |
| Jászfényszaru            | 11932                     | 1691+86-1693+90                                 | 4,5x315                        | 1418                       | yes               | cobblestone          | average                     | lighted              | none                             | I. vágány              | 553               | 315                                  | 2, 3                     | central                   | no                       | 0          | 2              | 2                  | 21            | bad                     | 10 | D |   |   |              |
| Jászfényszaru            | 11932                     | 1691+86-1693+90                                 | 15x119                         | 285                        | yes               | cobblestone          | average                     | lighted              | side loading                     | I. (O)vágány           | 553               | 19                                   | 2, 3                     | central                   | no                       | 0          | 2              | 2                  | 21            | bad                     | 10 | D |   |   |              |
| Kimle                    | 01339                     | 30X240  |                                | 7200                       | yes               | concrete             | good                        | unlighted            | none                             | VIII. vágány           | 255               | 240                                  | 7                        | central                   | yes                      | 250        | 1              | 0                  | 21            | adequate                | 5  | D |   |   |              |
| Kisbér                   | 03764                     | 140x4   |                                | 560                        | yes               | concrete             | good                        | lighted              | none                             | VI. rakodó             | 480               | 140                                  | 17, 22                   | central                   | no                       | 0          | 0              | 0                  | 20            |                         | 10 | D |   |   |              |
| Kisbér                   | 03764                     | 80x6  |                                | 480                        | yes               | concrete             | good                        | lighted              | side loading                     | VI. (O)rakodó          | 480               | 80                                   | 17, 22                   | central                   | no                       | 0          | 0              | 0                  | 20            |                         | 10 | D |   |   |              |
| Kisbér                   | 03764                     | 160x9   |                                | 1440                       | yes               | concrete             | good                        | lighted              | side and end loading             | VII. csönka            | 174               | 160                                  | 22                       | central                   | no                       | 0          | 0              | 0                  | 20            |                         | 10 | S |   |   |              |
| Kisbér                   | 03764                     | 82-05-82+10                                     | 140x4                          | 560                        | yes               | concrete             | good                        | lighted              | none                             | VIII. csönka           | 130               | 115                                  | 17                       | central                   | no                       | 0          | 0              | 1                  | 20            |                         | 10 | S |   |   |              |
| Kispest                  | 10119                     | 82+07-83+27                                     | 5 x 4                          | 20                         | yes               | concrete             | average                     | unlighted            | end loading                      | IV. vágány             | 86                | 86                                   | 13                       | local                     | no                       | 0          | 0              | 0                  | 21            | poor                    | 10 | D |   |   |              |
| Kispest                  | 10119                     | 82+07-83+27                                     | 5 x 4                          | 20                         | yes               | concrete             | average                     | unlighted            | end loading                      | V. vágány              | 86                | 86                                   | 15                       | local                     | no                       | 0          | 0              | 0                  | 21            | poor                    | 10 | D |   |   |              |
| Kispest                  | 10119                     | 82+07-83+27                                     | 5 x 4                          | 20                         | yes               | concrete             | average                     | unlighted            | end loading                      | VI. vágány             | 177               | 177                                  | 21                       | local                     | no                       | 0          | 0              | 0                  | 21            | poor                    | 10 | D |   |   |              |
| Kispest                  | 10119                     | 81+00-82+00                                     | 120x5                          | 600                        | no                | none                 | average                     | unlighted            | none                             | VII. vágány            | 160               | 120                                  | 19                       | local                     | no                       | 0          | 0              | 0                  | 21            | poor                    | 10 | D |   |   |              |
| Kispest                  | 10119                     | 1242+65-1243+60                                 | 60 x 2                         | 120                        | yes               | concrete             | average                     | unlighted            | side loading                     | I.vágány               | 672               | 60                                   | 11                       | local                     | no                       | 0          | 0              | 0                  | 21            | poor                    | 10 | D |   |   |              |
| Kisrénnye                | 11858                     | 339+80-342+30                                   | 20 x 100                       | 2000                       | yes               | concrete             | adequate                    | lighted              | none                             | X. raktári vágány      | 100               | 100                                  | 15                       | central (point wire)      | no                       | 0          | 0              | 0                  | 21            | adequate                | 5  | S |   |   |              |
| Kiskunlacháza            | 16188                     | 336+90-339+60                                   | 6x20                           | 180                        | yes               | concrete             | average                     | unlighted            | side loading                     | I.(O) vágány           | 741               | 20                                   | 12, 9                    | local central             | yes                      | 0          | 0              | 0                  | 21            | poor                    | 10 | S |   |   |              |
| Kiskunlacháza            | 16188                     | 336+90-339+60                                   | 480x10                         | 4800                       | yes               | concrete             | average                     | unlighted            | none                             | I. vágány              | 741               | 480                                  | 12,9 12                  | local central             | no                       | 0          | 0              | 0                  | 21            | poor                    | 5  | S |   |   |              |
| Kiskunlacháza            | 16188                     | 1045-1047                                       | 480x10                         | 4800                       | yes               | concrete             | average                     | unlighted            | none                             | R1 Kerti vágány        | 330               | 293                                  | 12,9 12                  | local central             | no                       | 0          | 0              | 0                  | 21            | poor                    | 5  | D |   |   |              |
| Komárom                  | 01222                     | 1029-1035                                       | 12x90                          | 1080                       | no                | none                 | good                        | lighted              | side loading                     | Nagyrapa vágány        | 170               | 50                                   | 21                       | central                   | no                       | 0          | 1              | 0                  | 21,5          | good                    | 5  | S |   |   |              |
| Komárom                  | 01222                     | 1047-1048                                       | 5x360                          | 1800                       | nem               | -                    | bad                         | unlighted            | none                             | Felső-Duna vágány      | 580               | 360                                  | 30                       | electric                  | no                       | 0          | 1              | 0                  | 21,5          | good                    | 5  | S |   |   |              |
| Komárom                  | 01222                     | 73+70-75+20                                     | 15x30                          | 450                        | no                | -                    | adequate                    | lighted              | side and end loading             | Doroz-rakodó vágány    | 161               | 30                                   | 3                        | manual                    | no                       | 0          | 0              | 0                  | 21,5          | bad                     | 5  | S |   |   |              |
| Kőbánya teher            | 10108                     | 76+91-79+71                                     | 150 x 8,17 10x5,5 7x11         | 1357,5                     | yes               | cobblestone          | average                     | unlighted            | side and end loading             | XVI.(sór) vágány       | 186               | 167                                  | 417                      | manual                    | no                       | 0          | 0              | 0                  | 20            | average                 | 10 | D | K sign track  |   |              |
| Környe                   | 01743                     | 201-203-205                                     | 9x260                          | 2340                       | yes               | concrete             | adequate                    | unlighted            | none                             | VI. vágány             | 623               | 260                                  | 11/10                    | central                   | yes                      | 623        | 0              | 0                  | 21            | adequate                | 25 | D |   |   |              |
| Lábatlan                 | 01458                     | 204   | 30x200, 70x10                  | 6700                       | yes, no           | concrete             | adequate                    | lighted              | none                             | I. raktári vágány      | 637               | 270                                  | 13, 14                   | manual with electric lock | no                       |            | 0              | 2                  | 21            | adequate                | 5  | D |   |   |              |
| Lábatlan                 | 01578                     | 1602-1606-30                                    | 5x40                           | 200                        | no                | gravel               | adequate                    | lighted              | side loading                     | I. (O)váratlani vágány | 637               | 40                                   | 13, 14                   | no                        | no                       | 0          | 2              | 21                 | adequate      | 5                       | D  |   |   |   |              |
| Lébény-Mosonszentmiklós  | 01321                     |   | 28,9 x 297                     | 8583                       | yes               | concrete             | good                        | unlighted            | side loading                     | I. vágány              | 741               | 297                                  | 18,15                    | central                   | yes                      | 741        | 1              | 0                  | 21            | adequate                | 5  | S | F group   |   |              |
| Lovászberény             | 01685                     | 446-447-50                                      | 33x3,5                         | 122                        | yes               | cobblestone          | good                        | unlighted            | side loading                     | I. rakodó vágány       | 212               | 35                                   | 5,6                      | local                     | no                       | 0          | 1              | 0                  | 20            |                         | 10 | D |   |   |              |
| Magyarnándor             | 10934                     | 223+65-224+18                                   | 20 x 107,5                     | 2150                       | yes               | barren               | good                        | lighted              | none                             | I. vágány              | 246               | 107,5                                | 4, 3                     | manual                    | no                       | 0          | 0              | 2                  | 16/18,5       | good                    | 10 | D |   |   |              |
| Mende                    | 11585                     | 226+62-226+96                                   | 5 x 73                         | 365                        | yes               | cobblestone          | average                     | lighted              | none                             | I. (A) vágány          | 896               | 73                                   | 14,15                    | electric                  | yes                      | 940        | 0              | 0                  | 20            | bad                     | 20 | D | K sign track  |   |              |
| Mende                    | 11585                     | 227+12-227+92                                   | 5 x 34                         | 170                        | yes               | beton                | average                     | lighted              | none                             | I. (B) vágány          | 896               | 34                                   | 14,15                    | electric                  | yes                      | 940        | 0              | 0                  | 20            | bad                     | 20 | D | K sign track  |   |              |
| Mende                    | 11585                     | 380-382   | 5 x 80                         | 400                        | yes               | beton                | average                     | lighted              | side loading                     | I. (C) vágány          | 896               | 80                                   | 14,15                    | electric                  | yes                      | 940        | 0              | 0                  | 20            | bad                     | 20 | D | K sign track  |   |              |
| Mezőfalva                | 06536                     | 384-385   | 9 X 200                        | 1800                       | yes               | concrete             | good                        | lighted              | side loading                     | I. vágány              | 691               | 200                                  | 4,7                      | local                     | no                       | 0          | 1              | 0                  | 21            | good                    | 5  | S | K sign track  |   |              |
| Mezőfalva                | 06536                     | 99+42-103+90                                    | 16 X 50                        | 800                        | no                | -                    | good                        | lighted              | end loading                      | Csönka vágány          | 141               | 50                                   | 7                        | local                     | no                       | 0          | 0              | 1                  | 21            | good                    | 5  | D | K sign track  |   |              |
| Ménfőcsanak mrt.         | 02048                     |   | 300x10                         | 3000                       | yes               | concrete             | adequate                    | lighting is possible | none                             | Rakodó vágány          | 385               | 300                                  | 1,2                      | central (Győrszemere)     | no                       | 0          | 2              | 0                  | 21            | adequate                | 5  | D |   |   |              |
| Moha                     | 03673                     | 369+60-371+25                                   | 210x5                          | 1050                       | yes               | concrete             | good                        | lighted              | none                             | I. rakodó vágány       | 560               | 210                                  | 5,8                      | central                   | no                       | 0          | 0              | 1                  | 20            |                         | 5  | S | Can be served only from the end point.  |   |              |
| Monor                    | 13664                     | 1764-1765                                       | 10x165                         | 1650                       | yes               | concrete             | good                        | lighted              | none                             | VI. vágány             | 239               | 165                                  | 13                       | electric                  | partly                   | 120        | 1              | 0                  | 22            | good                    | 20 | S |   |   |              |
| Mosonmagyaróvár          | 01347                     | 1760+60-1762                                    | 15 x 100                       | 1500                       | yes               | cobblestone          | good                        | unlighted            | none                             | I/c. vágány            | 160               | 100                                  | 24                       | local                     | yes                      | 160        | 0              | 0                  | 21            | adequate                | 5  | S | K group   |   |              |
| Mosonmagyaróvár          | 01347                     | 1759+60-1762+30                                 | 10 x 140                       | 1400                       | yes               | concrete             | good                        | unlighted            | none                             | XII. vágány            | 210               | 110                                  | 28/1                     | local                     | yes                      | 0          | 1              | 1                  | 21            | adequate                | 5  | D | E group   |   |              |
| Mosonmagyaróvár          | 01347                     |   | 17 x 270                       | 4590                       | yes               | concrete             | good                        | unlighted            | none                             | VIII. vágány           | 615               | 270                                  | 34,21                    | central                   | yes                      | 615        | 2              | 0                  | 21            | adequate                | 5  | S | E group   |   |              |
| Mór                      | 03731                     |   | 120x5                          | 600                        | yes               | concrete             | good                        | lighted              | none                             | I. rakodó vágány       | 679               | 120                                  | 7, 16                    | central                   | no                       | 0          | 0              | 0                  | 20            |                         | 10 | D |   |   |              |
| Mór                      | 03731                     |   | 150x5                          | 750                        | yes               | concrete             | good                        | lighted              | end loading                      | I. csönka vágány       | 154               | 150                                  | 16                       | central                   | no                       | 0          | 0              | 0                  | 20            |                         | 10 | D |   |   |              |
| Mór                      | 03731                     |   | 300x20                         | 6000                       | no                | soil                 | good                        | lighted              | none                             | VI. rakodó vágány      | 400               | 300                                  | 9, 20                    | central                   | no                       | 0          | 0              | 0                  | 20            |                         | 10 | D |   |   |              |
| Mór                      | 03731                     | 626+76-628+26                                   | 40x14                          | 560                        | yes               | concrete             | good                        | lighted              | side loading                     | I.(O) rakodó vágány    | 679               | 40                                   | 7, 16                    | central                   | no                       | 0          | 0              | 0                  | 20            |                         | 10 | S |   |   |              |
| Nagyimánd-Bábolna        | 03798                     | 626+76-628+26                                   | 15x160                         | 2400                       | yes               | concrete             | adequate                    | lighted              | none                             | IV. vágány             | 647               | 160                                  | 8,7                      | local, central            | no                       | 0          | 0              | 0                  | 21            | adequate                | 10 | D |   |   |              |
| Nagyimánd-Bábolna        | 03798                     | 626+76-628+26                                   | 12x44                          | 528                        | yes               | concrete             | adequate                    | lighted              | side loading                     | IV. (O)vágány          | 647               | 44                                   | 8,7                      | local, central            | no                       | 0          | 0              | 0                  | 21            | adequate                | 10 | D |   |   |              |
| Nagyimánd-Bábolna        | 03798                     | 469+67-470+89                                   | 12x44                          | 528                        | yes               | concrete             | adequate                    | lighted              | end loading                      | V. vágány              | 125               | 125                                  | 8,7                      | local, central            | no                       | 0</        |                |                    |               |                         |    |   |   |   |              |

| Service place      | Code of the service place | Open access loading place registered by MÁV Zrt |            |                            |       |                      |                             |           |                              |                             |                   | Loading track next to loading places |                          |                        |                          |        |                |                    |               |                         |                       | Applicable speed (km/h) | Possibility of serving (S-straight, D-diverging position)            | Restrictions |
|--------------------|---------------------------|---|------------|----------------------------|-------|----------------------|-----------------------------|-----------|------------------------------|-----------------------------|-------------------|--------------------------------------|--------------------------|------------------------|--------------------------|--------|----------------|--------------------|---------------|-------------------------|-----------------------|-------------------------|--|--------------|
|                    |                           | Position  | Size       | currently usable area (m2) | Paved | Material of pavement | Current technical condition | Lighting  | Loading and other equipments | Name of the track           | Usable length (m) | Loading length (m)                   | Branching-off turnout(s) |                        | Availability of catenary |        | Derailer (pcs) | Scotch block (pcs) | Axle load (t) | Current technical state |                       |                         |  |              |
|                    |                           |   |            |                            |       |                      |                             |           |                              |                             |                   |                                      | From section to section  | Width (m x length (m)) | yes / no                 | Number |                |                    |               |                         | Switch operation mode |                         |  |              |
| Grosztlány         | 01768                     | 1539+50-1541+30                                 | 13x104     | 1352                       | no    | concrete             | adequate                    | unlighted | none                         | I. vágány                   | 250               | 104                                  | 13,16                    | local                  | no                       | 0      | 1              | 0                  | 21            | adequate                | 25                    | D                       |  |              |
| Ottevény           | 01313                     | 1540-1543+10                                    | 5 x 36     | 180                        | no    | -                    | average                     | unlighted | none                         | VI. vágány                  | 517               | 36                                   | 10                       | central                | yes                      | 80     | 1              | 0                  | 21            | adequate                | 5                     | D                       |  |              |
| Ottevény           | 01313                     | 1540-1543+10                                    | 8 x 30     | 240                        | yes   | concrete             | good                        | unlighted | side loading                 | V. (O)vágány                | 406               | 30                                   | 16,15                    | central                | yes                      | 50     | 2              | 0                  | 21            | adequate                | 5                     | D                       | K group  |              |
| Ottevény           | 01313                     | 790-792+60                                      | 10 X 248   | 2480                       | yes   | concrete             | good                        | unlighted | none                         | V. vágány                   | 406               | 248                                  | 16,15                    | central                | yes                      | 50     | 2              | 0                  | 21            | adequate                | 5                     | S                       | K group  |              |
| Paks               | 06593                     | 790-792+60                                      | 25,2 X 200 | 5040                       | yes   | concrete             | good                        | lighted   | none                         | V. vágány                   | 265               | 200                                  | 11                       | local                  | no                       | 0      | 0              | 0                  | 21            | satisfactory            | 5                     | S                       | K group  |              |
| Paks               | 06593                     | 790+10-793+30                                   | 20 X 50    | 100                        | yes   | concrete             | good                        | lighted   | side loading                 | V. (O)vágány                | 265               | 50                                   | 11                       | local                  | no                       | 0      | 0              | 0                  | 21            | satisfactory            | 5                     | S                       | K group  |              |
| Paks               | 06593                     | 976+70 - 977+30                                 | 25,2 X 200 | 5040                       | yes   | concrete             | good                        | lighted   | side loading                 | VI. vágány                  | 262               | 200                                  | 3                        | local                  | no                       | 0      | 0              | 0                  | 21            | satisfactory            | 5                     | S                       | K group  |              |
| Pásztó             | 11809                     | 977+60 - 978+20                                 | 13 x 60    | 780                        | yes   | stone                | bad                         | unlighted | none                         | I. (A)vágány                | 650               | 60                                   | 12, 13                   | 12 central, 13 manual  | no                       | 0      | 0              | 0                  | 21            | bad                     | 5                     | D                       |  |              |
| Pásztó             | 11809                     | 980+20 - 982+00                                 | 13 x 60    | 780                        | yes   | stone                | bad                         | unlighted | none                         | I. (B) vágány               | 650               | 60                                   | 12, 13                   | 13 central, 13 manual  | no                       | 0      | 0              | 0                  | 21            | bad                     | 5                     | D                       |  |              |
| Pásztó             | 11809                     | 130+71-133+70                                   | 17 x 180   | 3060                       | yes   | concrete             | average                     | unlighted | none                         | I.(C) vágány                | 650 + 140         | 180                                  | 12, 13                   | 14 central, 13 manual  | no                       | 0      | 0              | 0                  | 21            | bad                     | 5                     | D                       |  |              |
| Pestszentlőrinc    | 10181                     | 475+65-477+15                                   | 15,8x309   | 4882,2                     | yes   | stone                | bad                         | lighted   | none                         | Nagycsonka vágány           | 263               | 173                                  | 28                       | manual                 | no                       | 0      | 0              | 0                  | 22,5          | bad                     | 20                    | D                       | Consignments of types 22,33,44,55,66,77 are not allowed to run       |              |
| Pilis              | 13680                     |   | 150x10     | 1500                       | yes   | concrete             | good                        | lighted   | none                         | VI.vágány                   | 242               | 150                                  | 16                       | local                  | no                       | 0      | 0              | 0                  | 22            | good                    | 20                    | S                       |  |              |
| Pusztamonostor     | 11940                     | 144+20-144+56                                   | 4,5 x 120  | 540                        | yes   | concrete             | average                     | lighted   | none                         | I. vágány                   | 507               | 120                                  | 1, 8                     | central                | no                       | 0      | 0              | 1                  | 21            | adequate                | 10                    | D                       | Bypass wire next to the track, therefore loading permit is required! |              |
| Pusztamonostor     | 11940                     | 478-481   | 10 x 36    | 360                        | yes   | concrete             | average                     | lighted   | side loading                 | I. (O)vágány                | 507               | 36                                   | 1, 8                     | central                | no                       | 0      | 0              | 1                  | 21            | adequate                | 10                    | D                       | Bypass wire next to the track, therefore loading permit is required! |              |
| Pusztaszabolcs     | 05876                     | 80-86   | 30X340     | 10200                      | yes   | concrete             | adequate                    | lighted   | none                         | I. vágány                   | 786               | 340                                  | 25, 32                   | central                | yes                      | 50     | 0              | 0                  | 21            | adequate                | 10                    | D                       |  |              |
| Rákos              | 10074                     | 57+30-60+40                                     | 450x5      | 2250                       | no    | -                    | good                        | lighted   | none                         | XXIX. vágány                | 450               | 450                                  | 435, 438                 | local                  | no                       | 0      | 0              | 0                  | 21            | good                    | 40                    |                         | Can be served only from the end point.                               |              |
| Rákoshegy          | 11528                     | 61+93-63+51                                     | 53 x 310   | 16430                      | yes   | concrete             | average                     | lighted   | none                         | I. (A) vágány               | 477               | 310                                  | 16, 13                   | electric               | yes                      | 628    | 1              | 0                  | 20            | average                 | 20                    | D                       | K group  |              |
| Rákoshegy          | 11528                     | 79+90-80+70                                     | 5 x 158    | 790                        | yes   | concrete             | good                        | lighted   | none                         | I. (B) vágány               | 477 + 97          | 158                                  | 16, 13                   | electric               | yes                      | 628    | 1              | 0                  | 20            | average                 | 20                    | D                       | K group  |              |
| Rákospalota Újpest | 11140                     | 42/43   | 30,8 x 80  | 2464                       | yes   | stone                | average                     | lighted   | nincsenek                    | 31. csonkavágány            | 300               | 80                                   | 31                       | manual                 | no                       | 0      | 0              | 0                  | 20            | adequate                | 5                     | S                       |  |              |
| Rákosszentmihály   | 10272                     | 169+50-170+20                                   | 130 x 30   | 3900                       | yes   | concrete             | good                        | lighted   | nincsenek                    | I. vágány                   | 350               | 130                                  | 14, 11                   | central                | yes                      | 655    | 0              | 0                  | 21            | good                    | 5                     | D                       | Can be served only from the end point.                               |              |
| Romhány            | 10785                     | 169+50-170+20                                   | 5 X 10     | 50                         | no    | -                    | bad                         | lighted   | side loading                 | I.(O) vágány                | 181               | 10                                   | 3, 5                     | manual                 | no                       | 0      | 0              | 0                  | 12            | bad                     | 5                     | D                       |  |              |
| Romhány            | 10785                     | 1244+15 - 1244+45                               | 70 x 15    | 1050                       | no    | -                    | bad                         | lighted   | none                         | I. vágány                   | 181               | 70                                   | 3, 5                     | manual                 | no                       | 0      | 0              | 0                  | 12            | bad                     | 5                     | D                       |  |              |
| Salgótarján-külső  | 11874                     | oldalrakodó, nem rakterület!1244+45-1244-85     | 30 x 30    | 900                        | yes   | stone                | average                     | unlighted | none                         | Raktári csomka (A) vágány   | 120               | 30                                   | 14                       | manual                 | no                       | 0      | 0              | 1                  | 21            | adequate                | 5                     | S                       |  |              |
| Salgótarján-külső  | 11874                     | oldalrakodó, nem rakterület!1244+45-1244-85     | 1,5 x 40   | 60                         | yes   | stone                | average                     | unlighted | side loading                 | Raktári csomka (O)vágány    | 120               | 40                                   | 14                       | manual                 | no                       | 0      | 0              | 1                  | 21            | adequate                | 5                     | S                       |  |              |
| Salgótarján-külső  | 11874                     | 793+20 - 794+60                                 | 20 x 20    | 400                        | yes   | stone                | average                     | unlighted | none                         | Raktári csomka (B) vágány   | 120               | 20                                   | 14                       | manual                 | no                       | 0      | 0              | 1                  | 21            | adequate                | 5                     | S                       |  |              |
| Selyp              | 11759                     | 1328+70 - 1329+95                               | 20 x 140   | 2800                       | yes   | stone                | average                     | unlighted | none                         | Közforg. Rak. csomka vágány | 110               | 110                                  | 23                       | central                | no                       | 0      | 0              | 0                  | 21            | adequate                | 5                     | S                       |  |              |
| Somoskőújfalu      | 11924                     | 1328+70 - 1329+95                               | 16x87      | 1392                       | yes   | asphalt              | good                        | unlighted | none                         | I. vágány                   | 319               | 87                                   | 18, 15                   | electric, local        | no                       | 0      | 0              | 0                  | 21            | adequate                | 5                     | D                       |  |              |
| Somoskőújfalu      | 11924                     | 90+70-91+30                                     | 10,5 x 38  | 399                        | yes   | stone                | good                        | unlighted | side loading                 | I. (O) vágány               | 319               | 38                                   | 18, 15                   | electric, local        | no                       | 0      | 0              | 0                  | 21            | adequate                | 5                     | D                       |  |              |
| Soroksár           | 10332                     |   | 43x24      | 1032                       | no    | -                    | average                     | unlighted | side loading                 | I. (A)vágány                | 766               | 43                                   | 20, 9                    | central                | no                       | 0      | 1              | 0                  | 20            | poor                    | 10                    | D                       |  |              |
| Soroksár           | 10332                     |   | 10x10      | 100                        | no    | -                    | average                     | unlighted | side loading                 | I. (O)vágány                | 766               | 10                                   | 20, 9                    | central                | no                       | 0      | 1              | 0                  | 20            | poor                    | 10                    | D                       |  |              |
| Soroksár           | 10332                     |   | 75x10      | 750                        | no    | -                    | average                     | unlighted | side loading                 | I.(B) vágány                | 766               | 75                                   | 20, 9                    | central                | no                       | 0      | 1              | 0                  | 20            | poor                    | 10                    | D                       |  |              |
| Soroksár           | 10332                     |   | 80x5       | 400                        | yes   | concrete             | adequate                    | lighted   | none                         | Héví csomka vágány          | 162               | 80                                   | 24                       | local                  | no                       | 0      | 1              | 0                  | 20            | adequate                | 5                     | S                       |  |              |
| Soroksári út rpu.  | 40196                     |   | 140x25     | 3500                       | yes   | macadam              | average                     | unlighted | side loading                 | XXII. vágány                | 580               | 140                                  | 449                      | local                  | no                       | 0      | 0              | 0                  | 20            | adequate                | 10                    | D                       |  |              |
| Soroksári út rpu.  | 40196                     | 298+42-300+96                                   | 300x25     | 7500                       | yes   | macadam              | average                     | lighted   | none                         | Zsiros vágány               | 300               | 300                                  | 446                      | local                  | no                       | 0      | 0              | 0                  | 20            | adequate                | 10                    | D                       |  |              |
| Sülysáp            | 11601                     |   | 5x 254     | 1270                       | yes   | beton                | good                        | lighted   | none                         | I. vágány                   | 298               | 254                                  | 13                       | electric               | yes                      | 324    | 1              | 0                  | 21            | good                    | 5                     | S                       |  |              |
| Szabadbattyán      | 03285                     |   | 20X185     | 3700                       | yes   | asphalt              | good                        | lighted   | none                         | VIII. (A) rakodó            | 418               | 185                                  | 19, 30                   | central                | yes                      | 418    | 0              | 0                  | 21            |                         | 5                     | D                       |  |              |
| Szabadbattyán      | 03285                     |   | 10X35      | 350                        | yes   | asphalt              | good                        | lighted   | side loading                 | VIII. (O) rakodó            | 418               | 35                                   | 19, 30                   | central                | yes                      | 418    | 0              | 0                  | 21            |                         | 5                     | D                       |  |              |
| Szabadbattyán      | 03285                     |   | 20x85      | 1700                       | yes   | asphalt              | good                        | lighted   | none                         | VIII.(B) rakodó             | 418               | 85                                   | 19, 30                   | central                | yes                      | 418    | 0              | 0                  | 21            |                         | 5                     | D                       |  |              |
| Székesfehérvár     | 03269                     |   | 218x12     | 2616                       | yes   | asphalt              | good                        | lighted   | none                         | Kerti II. vág.              | 270               | 218                                  | 117                      | central                | no                       | 0      | 1              | 0                  | 20            |                         | 5                     | D                       | Can be served only from the start point.                             |              |

| Service place  | Code of the service place | Position<br>From section to section | Size<br>Width (m) x length (m) | currently<br>usable area<br>(m2) | Paved<br>yes / no | Material of<br>pavement | Current<br>technical<br>condition | Lighting  | Loading and other<br>equipments | Name of the track  | Usable length<br>(m) | Loading length<br>(m) | Loading track next to loading places |                          |                             |            |                   |                       | Applicable speed<br>(km/h) | Possibility of<br>serving<br>(S-straight,<br>D-diverging<br>position) | Restrictions |                  |  |
|----------------|---------------------------|-------------------------------------|--------------------------------|----------------------------------|-------------------|-------------------------|-----------------------------------|-----------|---------------------------------|--------------------|----------------------|-----------------------|--------------------------------------|--------------------------|-----------------------------|------------|-------------------|-----------------------|----------------------------|---|--------------|------------------|--|
|                |                           |                                     |                                |                                  |                   |                         |                                   |           |                                 |                    |                      |                       | Branching-off turnout(s)             |                          | Availability of<br>catenary |            | Derailer<br>(pcs) | Scotch block<br>(pcs) |                            |   |              | Axle load<br>(t) | Current<br>technical<br>state          |
|                |                           |                                     |                                |                                  |                   |                         |                                   |           |                                 |                    |                      |                       | Number                               | Switch operation<br>mode | yes / no                    | Length (m) |                   |                       |                            |   |              |                  |  |
| Székesfehérvár | 03269                     | 2+80-3+20                           | 185x6                          | 1110                             | yes               | cobblestone             | good                              | lighted   | side loading                    | XXVI. vg.          | 340                  | 185                   | 132; 414                             | local                    | yes                         | 340        | 0                 | 0                     | 20                         |   | 10           | D                |  |
| Szolnok Rpu.   | 40485                     | 2+80-3+20                           | 30 x 200                       | 6000                             | yes               | concrete                | good                              | lighted   | none                            | C1. vágány         | 280                  | 200                   | 432; 434                             | local                    | no                          | 0          | 0                 | 0                     | 21                         | good  | 5            | D                | Can be served only from the end point. |
| Szolnok Rpu.   | 40485                     | 1101+20-1103+20                     | 6 x 200                        | 1200                             | yes               | concrete                | good                              | lighted   | none                            | C3. vágány         | 290                  | 200                   | 433; 435                             | local                    | no                          | 0          | 0                 | 0                     | 21                         | good  | 5            | D                | Can be served only from the end point. |
| Szajol         | 13771                     | 1104+00-1108+00                     | 200x13                         | 2600                             | yes               | cobblestone             | average                           | lighted   | side loading                    | X.vágány           | 768                  | 200                   | 45                                   | local                    | yes                         | 768        | 0                 | 0                     | 21                         | adequate  | 10           | D                |  |
| Szajol         | 13771                     | 1104+00-1108+00                     | 200x13                         | 2600                             | yes               | cobblestone             | average                           | lighted   | side loading                    | XII.vágány         | 107                  | 107                   | 30                                   | local                    | yes                         | 0          | 0                 | 0                     | 21                         | adequate  | 10           | D                |  |
| Szajol         | 13771                     | 1103+20-1106+00                     | 400x10                         | 4000                             | igen              | macadam                 | average                           | lighted   | none                            | XVI. Vágány        | 450                  | 400                   | 25                                   | local                    | no                          | 0          | 0                 | 0                     | 21                         | adequate  | 5            | S                |  |
| Szajol         | 13771                     | 772-775                             | 280x16                         | 4480                             | yes               | macadam                 | average                           | lighted   | end loading                     | XI. vágány         | 316                  | 280                   | 45                                   | local                    | no                          | 0          | 0                 | 0                     | 21                         | adequate  | 5            | S                |  |
| Szécsény       | 10991                     | 772-50-774                          | 10x5                           | 50                               | no                | -                       | good                              | lighted   | side loading                    | I. (D)vágány       | 299                  | 10                    | 4, 3                                 | manual                   | no                          | 0          | 0                 | 2                     | 16/18,5                    | good  | 5            | D                |  |
| Szécsény       | 10991                     | 772-775+50                          | 20x70                          | 1400                             | no                | -                       | good                              | lighted   | none                            | I. vágány          | 299                  | 70                    | 4, 3                                 | manual                   | no                          | 0          | 0                 | 0                     | 16/18,5                    | good  | 5            | D                |  |
| Taksony        | 10991                     | 189+00-187+36                       | 20x220                         | 4400                             | yes               | concrete                | good                              | lighted   | none                            | IV. vágány         | 237                  | 220                   | 5, 6                                 | manual                   | no                          | 0          | 0                 | 2                     | 16/18,5                    | good  | 20           | D                |  |
| Taksony        | 19147                     | 189+00-187+36                       | 84x17                          | 1428                             | nó                | -                       | average                           | lighted   | none                            | I. (B) vágány      | 725                  | 84                    | 10, 13                               | central                  | no                          | 0          | 1                 | 0                     | 20                         | poor  | 20           | D                |  |
| Taksony        | 16147                     | 189+00-187+36                       | 30x10                          | 300                              | no                | -                       | average                           | lighted   | side loading                    | I. (D) vágány      | 725                  | 30                    | 10, 13                               | central                  | no                          | 0          | 1                 | 0                     | 20                         | poor  | 20           | D                |  |
| Taksony        | 16147                     | 191+00-191+50                       | 50x17                          | 850                              | no                | -                       | average                           | lighted   | none                            | I. (C)vágány       | 725                  | 50                    | 10, 13                               | central                  | no                          | 0          | 1                 | 0                     | 20                         | poor  | 20           | D                |  |
| Taksony        | 16147                     | 653+26-659+13                       | 220x14                         | 3080                             | no                | -                       | average                           | unlighted | none                            | I. (A) vágány      | 725                  | 220                   | 10, 13                               | central                  | no                          | 0          | 1                 | 0                     | 20                         | poor  | 10           | D                |  |
| Tápiógyörgye   | 11684                     | 369+28-370+68                       | 387,5 x 8                      | 3100                             | yes               | concrete                | bad                               | lighted   | none                            | I. vágány          | 830                  | 387                   | 11, 12                               | electric                 | yes                         | 871        | 2                 | 0                     | 21                         | bad   | 5            | D                |  |
| Tápiószecső    | 11684                     | 588+42-595+92                       | 4,5 x 140                      | 630                              | yes               | concrete+soil           | bad                               | lighted   | none                            | I.vágány           | 393                  | 140                   | 11                                   | electric                 | no                          | 0          | 1                 | 1                     | 21                         | poor  | 5            | S                |  |
| Tápiószéle     | 11676                     | 812+40-815+03                       | 4,5 x 450                      | 2025                             | yes               | stone                   | bad                               | lighted   | none                            | I. vágány          | 710                  | 450                   | 18, 17b                              | electric                 | yes                         | 700        | 1                 | 0                     | 21                         | bad   | 5            | D                |  |
| Tata           | 01164                     | 812+26-815+28                       | 28x150                         | 4200                             | yes               | concrete                | good                              | lighted   | none                            | VIII. vágány       | 250                  | 150                   | 19                                   | manual                   | nem                         | 0          | 0                 | 0                     | 21                         | average   | 5            | S                |  |
| Tata           | 01164                     | 814+20-815+03                       | 12 x 55                        | 660                              | yes               | concrete                | good                              | lighted   | side loading                    | I. vágány          | 280                  | 55                    | 13                                   | manual                   | nem                         | 0          | 0                 | 0                     | 21                         | adequate  | 5            | S                |  |
| Tata           | 01164                     | 714+00-715+98                       | 12 x 55                        | 660                              | yes               | concrete                | good                              | lighted   | end loading                     | VII. vágány        | 80                   | 80                    | 15                                   | manual                   | nem                         | 0          | 0                 | 0                     | 21                         | adequate  | 5            | S                |  |
| Tatabánya      | 01131                     | 712+46-714+46                       | 12x190                         | 2280                             | yes               | concrete                | good                              | lighted   | none                            | rendező I. vágány  | 220                  | 190                   | 25/3                                 | manual                   | yes                         | 220        | 1                 | 0                     | 21                         | adequate  | 25           | S                |  |
| Tatabánya      | 01131                     | 108+80-110+50                       | 12x190                         | 2280                             | yes               | concrete                | good                              | lighted   | none                            | rendező II. vágány | 225                  | 190                   | 25/3                                 | manual                   | no                          | 0          | 0                 | 0                     | 21                         | adequate  | 5            | S                |  |
| Tószeg         | 17707                     | 522+85-524+85                       | 170x9                          | 1530                             | yes               | concrete                | good                              | lighted   | side loading at Track No. 1     | IV. vágány         | 196                  | 170                   | 6                                    | local                    | no                          | 0          | 0                 | 1                     | 18                         | good  | 5            | D                |  |
| Újszász        | 11692                     | 515+15-522+15                       | 21,5 x 200                     | 4300                             | yes               | concrete                | average                           | lighted   | side loading                    | I. vágány          | 380                  | 200                   | 25                                   | point wire from centre   | yes                         | 254        | 0                 | 0                     | 21                         | bad   | 20           | S                |  |
| Újszász        | 11692                     | 285+40-286+76                       | 5 x 700                        | 3500                             | no                | -                       | bad                               | lighted   | none                            | IX. vágány         | 753                  | 700                   | 30, 21                               | point wire from centre   | no                          | 0          | 0                 | 0                     | 21                         | bad   | 20           | D                |  |
| Üllő           | 13649                     | 280+25-282+25                       | 8 x 136                        | 1088                             | yes               | concrete                | good                              | lighted   | none                            | IV. csonka vágány  | 470                  | 136                   | 12                                   | electric                 | yes                         | 500        | 1                 | 0                     | 22                         | good  | 20           | S                |  |
| Üllő           | 13649                     | 329+57-331+17                       | 8 x 200                        | 1600                             | yes               | concrete                | good                              | lighted   | none                            | V. csonka vágány   | 200                  | 200                   | 14                                   | electric                 | yes                         | 224        | 1                 | 0                     | 22                         | good  | 20           | S                |  |
| Vecses         | 13623                     | 252+00-254+00                       | 8 x 200                        | 1600                             | yes               | concrete                | good                              | lighted   | none                            | V. csonkavágány    | 490                  | 200                   | 14                                   | electric                 | yes                         | 525        | 1                 | 0                     | 22                         | good  | 20           | S                |  |
| Veresegyház    | 10561                     | 432+25+433+58                       | 12 x 100                       | 1200                             | yes               | unpaved                 | adequate                          | lighted   | none                            | I. vágány          | 270                  | 100                   | 6, 3                                 | manual                   | yes                         | 485        | 0                 | 2                     | 20                         | good  | 5            | D                |  |
| Verőce         | 10454                     |                                     | 4,5x135                        | 608                              | yes               | concrete                | adequate                          | unlighted | none                            | rakodó vágány      | 135                  | 135                   | 13                                   | electric                 | yes                         | 135        | 0                 | 1                     | 20                         | adequate  | 5            | S                |  |

List of loading places on open access railway network - MÁV Zrt

Miskolc TK

| Open access loading place registered by MÁV Zrt. |                           |                         |                        |   |          |                      |                         |           |                              |                       | Loading track next to loading places |                    |                        |                       |                          |            |                |                    |               |                         |                            |   |                              | Restrictions |
|--|---------------------------|-------------------------|------------------------|---|----------|----------------------|-------------------------|-----------|------------------------------|-----------------------|--------------------------------------|--------------------|------------------------|-----------------------|--------------------------|------------|----------------|--------------------|---------------|-------------------------|----------------------------|---|------------------------------|--------------|
| Service place                                    | Code of the service place | Position                | Size                   | Currently usable area (m <sup>2</sup> ) | Paved    | Material of pavement | Current technical state | Lighting  | Loading and other equipments | Name of the track     | Usable length (m)                    | Loading length (m) | Branching-off turnouts |                       | Availability of catenary |            | Derailer (pcs) | Scotch block (pcs) | Axle load (t) | Current technical state | Applicable speed (km/h)    | Possibility of serving (S-straight, D-diverging position) |                              |              |
|  |                           | From section to section | Width (m) - length (m) |   | yes - no |                      |                         |           |                              |                       |                                      |                    | Number                 | Switch operation mode | yes - no                 | length (m) |                |                    |               |                         |                            |   |                              |              |
| Bánréve  | 11849                     | 452+00 - 453+40         | 20 × 140               | 2800                                    | no       | -                    | average                 | unlighted | scales                       | XV. csónka vágány     | 300                                  | 140                | 32                     | local                 | no                       | -          | 0              | 0                  | 21            | adequate                | 10km/h                     | D   |                              |              |
| Bánréve  | 11849                     | 453+80 - 454+10         | 13 × 24                | 312                                     | yes      | broken stone         | average                 | lighted   | side loading                 | XV. csónka (Ötvágány) | 300                                  | 24                 | 32                     | local                 | no                       | -          | 0              | 0                  | 21            | adequate                | 10km/h                     | D   |                              |              |
| Bodrogkeresztúr                                  | 13417                     | 111+51 - 113+37         | 7,5 × 186              | 1395                                    | yes      | macadam              | average                 | lighted   | none                         | I. vágány             | 421                                  | 186                | 16, 17                 | local                 | no                       | -          | 0              | 0                  | 21            | adequate                | 40km/h                     | D   |                              |              |
| Center   | 12864                     | 63+40 - 64+56           | 15 × 116               | 1740                                    | yes      | broken stone         | average                 | unlighted | none                         | I. vágány             | 235                                  | 116                | 5,14                   | local                 | no                       | -          | 0              | 1                  | 21            | adequate                | 10km/h                     | D   |                              |              |
| Center   | 12864                     | 64+56 - 65+75           | 15 × 119               | 1785                                    | yes      | broken stone         | average                 | lighted   | side loading                 | I. (O) vágány         | 235                                  | 119                | 5,14                   | local                 | no                       | -          | 0              | 1                  | 21            | adequate                | 10km/h                     | D   |                              |              |
| Édeleány   | 12948                     | 437+00 - 435+02         | 5,6 × 100              | 560                                     | no       | -                    | average                 | unlighted | none                         | I. csónka vágány      | 398                                  | 100                | 3, 8                   | central               | no                       | -          | 0              | 1                  | 21            | average                 | 10km/h                     | S   |                              |              |
| Édeleány   | 12948                     | 437+05 - 439+10         | 5,6 × 172              | 963                                     | yes      | macadam              | average                 | unlighted | none                         | V. csónka vágány      | 172                                  | 172                | 6                      | central               | no                       | -          | 0              | 1                  | 21            | average                 | 10km/h                     | S   |                              |              |
| Eger   | 12401                     | 161+25 - 162+75         | 8,32 × 50              | 416                                     | yes      | concrete             | good                    | lighted   | none                         | VIII. vágány          | 115                                  | 50                 | 12                     | local                 | no                       | -          | 0              | 0                  | 21            | good                    | 20km/h                     | S   |                              |              |
| Eger   | 12401                     | 162+25 - 162+75         | 21,7 × 50              | 1085                                    | yes      | asphalt              | good                    | lighted   | side loading                 | IX. vágány            | 210                                  | 50                 | 12                     | local                 | no                       | -          | 0              | 0                  | 21            | adequate                | 20km/h                     | S   |                              |              |
| Eger   | 12401                     | 165+90 - 167+20         | 9,38 × 130             | 1219                                    | yes      | stone                | bad                     | unlighted | none                         | X. vágány             | 140                                  | 130                | 13                     | local                 | no                       | -          | 0              | 0                  | 21            | bad                     | 20km/h                     | D   |                              |              |
| Felsőzsolca                                      | 11395                     | 1859+20 - 1864+20       | 460 × 13 keskenyedő    | 5980                                    | yes      | concrete             | adequate                | unlighted | none                         | I. vágány             | 580                                  | 460                | 14                     | central               | yes                      | 570        | 0              | 1                  | 21            | adequate                | 20km/h.                    | D   |                              |              |
| Füzesabony                                       | 11296                     | 1245+20 - 1246+00       | 8 × 80                 | 640                                     | yes      | stone                | adequate                | unlighted | side loading, scales         | XII. vágány           | 584                                  | 80                 | 52                     | local                 | yes                      | 580        | 0              | 0                  | 21            | average                 | 20km/h                     | D   |                              |              |
| Füzesabony                                       | 11296                     | 1245+20 - 1246+01       | 8 × 80                 | 640                                     | yes      | stone                | adequate                | unlighted | end loading                  | XX. vágány            | 135                                  | 8                  | 60                     | local                 | yes                      | 135        | 0              | 0                  | 21            | average                 | 20km/h                     | D   |                              |              |
| Füzesabony                                       | 11296                     | 1241+30 - 1244          | 39,56 × 270            | 10681                                   | yes      | stone                | good                    | unlighted | none                         | XX. Vágány            | 296                                  | 270                | 58                     | local                 | no                       | -          | 0              | 0                  | 21            | average                 | XVII. 20km/h<br>XX. 10km/h | S   |                              |              |
| Gyöngyös   | 12096                     | 125+40 - 127+44         | 14 × 204               | 2856                                    | yes      | cinder               | average                 | lighted   | none                         | I. vágány             | 280                                  | 204                | 18, 15                 | local                 | yes                      | 100        | 0              | 0                  | 21            | good                    | 15km/h                     | D   |                              |              |
| Gyöngyös   | 12096                     | 126+10 - 127+59         | 13,4 × 149             | 1997                                    | yes      | stone                | average                 | lighted   | none                         | XIII, XVII. vágány    | 149                                  | 22, 13             | local                  | no                    | -                        | 1          | 0              | 21                 | good          | 5km/h                   | D                          |   |                              |              |
| Hidasnémeti                                      | 12343                     | 566+75 - 570+30         | 30 × 100               | 3000                                    | yes      | asphalt              | good                    | lighted   | side loading                 | XI. (O) vágány        | 352                                  | 100                | 27, 35                 | central               | yes                      | 352        | 0              | 2                  | 21            | good                    | 40km/h                     | S   |                              |              |
| Hidasnémeti                                      | 12343                     | 566+75 - 570+30         | 30 × 252               | 7560                                    | yes      | asphalt              | good                    | lighted   | none                         | XI. vágány            | 352                                  | 300                | 27, 35                 | central               | yes                      | 352        | 0              | 2                  | 21            | good                    | 40km/h                     | S   |                              |              |
| Hort-Csány                                       | 11221                     | 773+75 - 777+50         | 17,3 × 375             | 6488                                    | yes      | stone                | average                 | lighted   | none                         | I. vágány             | 650                                  | 375                | 14, 9                  | central               | yes                      | 790        | 1              | 2                  | 21            | good                    | 20km/h                     | D   |                              |              |
| Jászapáti  | 12039                     | 318+75 - 321+75         | 37,85 × 299            | 11317                                   | partly   | whinstone            | good                    | lighted   | none                         | V. vágány             | 299                                  | 299                | 12                     | central               | no                       | -          | 0              | 1                  | 21            | good                    | 20km/h                     | D   |                              |              |
| Jászapáti  | 12039                     | 317+89 - 319+24         | 8,6 × 135              | 1161                                    | yes      | concrete             | good                    | lighted   | none                         | I. vágány             | 388                                  | 135                | 201, 16                | local, central        | no                       | -          | 0              | 0                  | 21            | good                    | 20km/h                     | D   |                              |              |
| Jászárokszállás                                  | 12013                     | 533+11 - 535+20         | 12 × 209               | 2508                                    | yes      | concrete             | average                 | lighted   | none                         | I. vágány             | 305                                  | 209                | 3, 4                   | central               | no                       | -          | 0              | 2                  | 21            | good                    | 20km/h                     | D   |                              |              |
| Jászóvár   | 12047                     | 236+82 - 238+05         | 17,5 × 213             | 3727                                    | yes      | concrete             | good                    | lighted   | none                         | I. vágány             | 291                                  | 213                | 9, 4                   | central               | no                       | -          | 0              | 1                  | 21            | good                    | 20km/h                     | D   |                              |              |
| Jászladány                                       | 12062                     | 129+70 - 131+65         | 15,25 × 195            | 2974                                    | yes      | concrete             | average                 | lighted   | mincs                        | I. vágány             | 340                                  | 195                | 3,6                    | local                 | no                       | -          | 0              | 1                  | 21            | good                    | 20km/h                     | D   |                              |              |
| Kál-Kápolna                                      | 11288                     | 1128+08 - 1129+65       | 17 × 157               | 2669                                    | yes      | stone                | good                    | unlighted | none                         | XI. vágány            | 330                                  | 157                | 29, 40                 | central               | yes                      | 330        | 0              | 0                  | 21            | average                 | 10km/h                     | D   |                              |              |
| Kazincbarcika                                    | 12781                     | 244+70 - 245+47         | 19 × 65                | 1235                                    | yes      | asphalt              | adequate                | unlighted | none                         | I.vágány              | 372                                  | 65                 | 17                     | local                 | no                       | -          | 0              | 1                  | 21            | adequate                | 10km/h                     | S   |                              |              |
| Mezőkeresztes-Mezőnyárad                         | 11338                     | 1467 - 1467+50          | 2,46 × 50              | 123                                     | yes      | concrete             | good                    | lighted   | none                         | VII. vágány           | 62                                   | 50                 | 23                     | local                 | no                       | -          | 0              | 0                  | 21            | adequate                | 40km/h                     | D   |                              |              |
| Mezőkeresztes-Mezőnyárad                         | 11338                     | 1466 - 1466+50          | 3,74 × 50              | 187                                     | yes      | stone                | good                    | lighted   | none                         | VIII. vágány          | 59                                   | 50                 | 22                     | local                 | no                       | -          | 0              | 0                  | 21            | adequate                | 40km/h                     | D   |                              |              |
| Mezőkeresztes-Mezőnyárad                         | 11338                     | 1463 - 1463+50          | 3 × 50                 | 150                                     | yes      | stone                | good                    | lighted   | none                         | X. csónka vágány      | 96                                   | 50                 | 20                     | central               | yes                      | 50         | 0              | 0                  | 21            | adequate                | 40km/h                     | S   |                              |              |
| Mezőkeresztes-Mezőnyárad                         | 11338                     | 1461+50 1463+00         | 17,4 × 150             | 2610                                    | yes      | concrete             | good                    | lighted   | none                         | IX. csónka vágány     | 447                                  | 150                | 20                     | central               | yes                      | 90         | 0              | 0                  | 21            | adequate                | 40km/h                     | S   |                              |              |
| Mezőkövesd                                       | 11312                     | 1370 - 1371             | 13,2 × 116             | 1531                                    | yes      | asphalt              | good                    | lighted   | end loading                  | VII. vágány           | 62                                   | 13,2               | 24                     | local                 | no                       | -          | 0              | 0                  | 21            | adequate                | 40km/h                     | D   |                              |              |
| Mezőkövesd                                       | 11312                     | 1372 - 1373             | 13,2 × 116             | 1531                                    | yes      | asphalt              | good                    | lighted   | end loading                  | VI. vágány            | 65                                   | 13,2               | 21                     | local                 | no                       | -          | 0              | 1                  | 21            | adequate                | 40km/h                     | D   |                              |              |
| Mezőkövesd                                       | 11312                     | 1368 - 1373+20          | 34,91 × 220            | 7680                                    | yes      | concrete             | bad                     | lighted   | none                         | V. vágány             | 463                                  | 220                | 20                     | local                 | yes                      | 225        | 0              | 1                  | 21            | bad                     | 40km/h                     | D   |                              |              |
| Miskolc-Gömöri                                   | 12674                     | 22+00 - 23+20           | 54,8 × 120             | 6576                                    | yes      | concrete             | average                 | lighted   | none                         | Halicka IV.           | 311                                  | 120                | 123                    | local                 | no                       | -          | 0              | 0                  | 21            | average                 | 10km/h                     | D   |                              |              |
| Miskolc-Gömöri                                   | 12674                     | 22+00 - 23+21           | 54,8 × 120             | 6576                                    | yes      | concrete             | average                 | lighted   | none                         | Halicka V.            | 143                                  | 120                | 57                     | local                 | no                       | -          | 0              | 0                  | 21            | average                 | 10km/h                     | D   |                              |              |
| Miskolc-Gömöri                                   | 12674                     | 22+00 - 23+00           | 60 × 100               | 6000                                    | yes      | concrete             | average                 | lighted   | mincs                        | Halicka II. vágány    | 346                                  | 100                | 17                     | local                 | no                       | -          | 0              | 0                  | 21            | average                 | 10km/h                     | S   |                              |              |
| Miskolc-Gömöri                                   | 12674                     | 22+00 - 23+01           | 60 × 100               | 6000                                    | yes      | concrete             | average                 | lighted   | none                         | Halicka III. vágány   | 311                                  | 100                | 121                    | local                 | no                       | -          | 0              | 0                  | 21            | average                 | 10km/h                     | S   |                              |              |
| Miskolc-Gömöri                                   | 12674                     | 22+80 - 24+80           | 13 × 200               | 2600                                    | yes      | stone                | average                 | lighted   | mincs                        | Halicka I. vágány     | 200                                  | 200                | 7                      | local                 | no                       | -          | 0              | 0                  | 21            | average                 | 10km/h                     | S   |                              |              |
| Miskolc-Gömöri                                   | 12674                     | 21+40-23+50             | 12 × 210               | 2520                                    | yes      | stone                | average                 | lighted   | side loading                 | Rámpa I. vágány       | 210                                  | 210                | 7                      | local                 | no                       | -          | 0              | 0                  | 21            | average                 | 10km/h                     | S   |                              |              |
| Miskolc-Tiszai                                   | 11387                     | 1819+80 - 1820+60       | 80 × 5 keskenyedő      | 400                                     | yes      | asphalt              | adequate                | lighted   | side loading                 | XIII. csónka vágány   | 37                                   | 37                 | 95                     | electric              | no                       | -          | 0              | 0                  | 21            | adequate                | 10km/h                     | S   | Fly shunting is not allowed. |              |
| Nyékáldháza                                      | 11361                     | 1686+80 - 1687+80       | 5,3 × 106              | 562                                     | yes      | concrete             | good                    | lighted   | side loading                 | I. vágány             | 555                                  | 106                | 24, 39                 | central               | yes                      | 616        | 0              | 2                  | 21            | good                    | 20km/h                     | S   |                              |              |
| Nyékáldháza                                      | 11361                     | 1686+90 - 1691+30       | 4,1 × 440              | 1804                                    | yes      | asphalt              | good                    | unlighted | none                         | XI vágány             | 653                                  | 440                | 30, 37                 | central               | yes                      | 695        | 0              | 0                  | 21            | adequate                | 5km/h                      | D   |                              |              |
| Olaszlízka-Tolcsva                               | 13441                     | 229+30 - 233+30         | 5 × 531 keskenyedő     | 2655                                    | yes      | macadam              | adequate                | unlighted | none                         | I. vágány             | 793                                  | 531                | 12, 13                 | local                 | no                       | -          | 0              | 0                  | 21            | adequate                | 40km/h                     | D   |                              |              |
| Ózd  | 12880                     | 113+82 - 116+52         | 15 × 270               | 4050                                    | yes      | asphalt              | good                    | lighted   | none                         | I. vágány             | 340                                  | 270                | 6,3                    | local                 | no                       | -          | 0              | 0                  | 21            | adequate                | 10km/h                     | D   |                              |              |
| Ózd  | 12880                     | 116+52 - 116+63         | 15 × 11                | 165                                     | yes      | asphalt              | good                    | lighted   | side loading                 | I.(O) vágány          | 340                                  | 15                 | 3, 2                   | local                 | no                       | -          | 0              | 0                  | 21            | adequate                | 10km/h                     | D   |                              |              |
| Reck-Parádfürdő                                  | 12153                     | 258+50 - 259+50         | 16 × 100               | 1600                                    | yes      | stone                | average                 | unlighted | none                         | I. vágány             | 110                                  | 100                | 6                      | local                 | no                       | -          | 1              | 0                  | 21            | good                    | 10km/h                     | S   |                              |              |
| Sajócség   | 12716                     | 103+92 - 106+00         | 12 × 175               | 2100                                    | yes      | concrete             | average                 | unlighted | none                         | I.vágány              | 550                                  | 175                | 30, 9                  | central               | no                       | -          | 2              | 0                  | 21            | average                 | 10km/h                     | D   |                              |              |
| Sajószentpéter                                   | 12740                     | 170+27 - 171+17         | 17 × 90                | 1530                                    | yes      | asphalt              | adequate                | unlighted | none                         | IX. vágány            | 90                                   | 90                 | 37                     | local                 | no                       | -          | 0              | 0                  | 21            | adequate                | 10km/h                     | D   |                              |              |
| Sajószentpéter                                   | 12740                     | 169+96 - 170+27         | 12,5 × 31              | 387                                     | yes      | stone                | adequate                | unlighted | end loading                  | IX.(H) vágány         | 90                                   | 12,5               | 37                     | local                 | no                       | -          | 0              | 0                  | 21            | adequate                | 10km/h                     | D   |                              |              |
| Sajószentpéter                                   | 12740                     | 169+96 - 170+27         | 12,5 × 31              | 387                                     | yes      | stone                | adequate                | unlighted | side loading                 | I.vágány              | 879                                  | 31                 | 37                     | local                 | no                       | -          | 0              | 1                  | 21            | adequate                | 10km/h                     | D   |                              |              |
| Sárospatak                                       | 13466                     | 357+44 - 359+20         | 51,5 × 176             | 9064                                    | yes      | asphalt+concrete     | adequate                | lighted   | side loading                 | I. vágány             | 761                                  | 176                | 34, 17                 | local                 | no                       | -          | 1              | 1                  | 21            | adequate                | -                          | D   |                              |              |
| Sárospatak                                       | 13466                     | 357+44 - 359+20         | 51,5 × 176             | 9064                                    | yes      | asphalt+concrete     | adequate                | lighted   | end loading                  | Rakodó csónka         | 95                                   | 51,5               | 28                     | local                 | no                       | -          | 0              | 0                  | 21            | adequate                | -                          | D   |                              |              |
| Sátoraljaiújhely                                 | 13482                     | 450+45 - 453+86         | 80 x23                 | 1840                                    | yes      | asphalt              | good                    | unlighted | rakminta                     | Raktári               | 90                                   | 80                 | 14                     | local                 | no                       | -          | 0              | 0                  | 21            | adequate                |                            |   |                              |              |

List of loading places on open access railway network - MÁV Zrt

Debrecen TK

| Service place       | Code of the service place | Open access loading place registered by MÁV Zrt |           |   |       |                       |  |           |                              |                   |                   | Loading track next to loading places |                        |                            |                          |            |                |                    |               |                         |  | Applicable speed (km/h) | Possibility of serving (5-straight, D-diverging position) | Restrictions |
|---------------------|---------------------------|---|-----------|---|-------|-----------------------|--|-----------|------------------------------|-------------------|-------------------|--------------------------------------|------------------------|----------------------------|--------------------------|------------|----------------|--------------------|---------------|-------------------------|--|-------------------------|---|--------------|
|                     |                           | Position  | Size      | Currently usable area (m <sup>2</sup> ) | Paved | Material of pavement  | Current technical state                          | Lighting  | Loading and other equipments | Name of the track | Usable length (m) | Loading length (m)                   | Branching-off turnouts |                            | Availability of catenary |            | Derailer (pcs) | Scotch block (pcs) | Axle load (t) | Current technical state |  |                         |   |              |
|                     |                           |   |           |   |       |                       |  |           |                              |                   |                   |                                      | Number                 | Switch operation mode      | yes - no                 | length (m) |                |                    |               |                         |  |                         |   |              |
| Apagy               | 15669                     | 185+186   | 10 x 140  | 1466                                    | yes   | concrete              | adequate   | lighted   | none                         | I. vágány         | 300               | 140                                  | 4,3                    | manual                     | yes                      | 0          | 0              | 2                  | 18,5          | adequate                | 5  | D                       |   |              |
| Apagy               | 15669                     | 185+186   | 10x20     | 200                                     | yes   | concrete              | adequate   | unlighted | side loading                 | I.(O). vágány     | 300               | 20                                   | 4,3                    | manual                     | no                       | 0          | 0              | 2                  | 18,5          | adequate                | 5  | D                       |   |              |
| Aradványpuszta      | 15362                     | 186+06-186+56                                   | 6x50      | 300                                     | yes   | concrete              | adequate   | unlighted | none                         | II. vágány        | 682               | 50                                   | 1,2                    | local                      | no                       | 0          | 0              | 0                  | 21            | adequate                | 40   | D                       | "K" group   |              |
| Baktalórántháza     | 15701                     | 338+85- 341+48                                  | 10 x 300  | 2000                                    | yes   | concrete              | adequate   | lighted   | none                         | I. vágány         | 300               | 300                                  | 5,4                    | manual                     | no                       | 0          | 0              | 0                  | 18,5          | adequate                | 5  | D                       |   |              |
| Baktalórántháza     | 15701                     | 338+85- 341+48                                  | 10x20     | 200                                     | yes   | concrete              | adequate   | lighted   | side loading                 | I.(O)vágány       | 350               | 20                                   | 5,4                    | manual                     | no                       | 0          | 0              | 0                  | 18,5          | adequate                | 5  | D                       |   |              |
| Balmazújváros       | 14506                     | 220+10-224+25                                   | 20 x 415  | 2430                                    | yes   | concrete              | adequate   | lighted   | none                         | I. vágány         | 724               | 415                                  | 3,4                    | local                      | no                       | 0          | 0              | 0                  | 21            | adequate                | 5  | D                       | "K" group   |              |
| Balmazújváros       | 14506                     | 224+25-224+35                                   | 6x10      | 60                                      | yes   | concrete              | adequate   | lighted   | side loading                 | I.(O) vágány      | 724               | 10                                   | 3,4                    | local                      | no                       | 0          | 0              | 0                  | 21            | adequate                | 5  | D                       | "K" group   |              |
| Báránd              | 14407                     | 1148 - 1150                                     | 9,85 x 80 | 775                                     | yes   | macadam/broken stone  | adequate   | lighted   | none                         | I. vágány         | 912               | 80                                   | 2,1                    | central                    | no                       | 0          | 0              | 0                  | 21            | adequate                | 5  | D                       |   |              |
| Berettyóújfalú      | 14423                     | 1393 - 1393                                     | 18,5x212  | 3922                                    | yes   | asphalt               | good   | lighted   | none                         | I./a.vágány       | 242               | 212                                  | 4,13                   | central/manual             | no                       | 0          | 0              | 0                  | 21            | good                    | 5  | S                       |   |              |
| Berettyóújfalú      | 14423                     | 1393 - 1395                                     | 36 x 330  | 11880                                   | yes   | asphalt               | good   | lighted   | none                         | V. vágány         | 883               | 330                                  | 10,3                   | central                    | no                       | 0          | 0              | 0                  | 21            | good                    | 20   | D                       |   |              |
| Biharkeresztes      | 14449                     | 1565-1568                                       | 12x225    | 2950                                    | yes   | asphalt               | good   | lighted   | loading gauge                | XII. vágány       | 275               | 225                                  | 19,7                   | manual/central             | no                       | 0          | 0              | 0                  | 21            | good                    | 5  | D                       |   |              |
| Cenger              | 15578                     | 169-172   | 12 x 150  | 1860                                    | yes   | betonlap              | bad  | lighted   | none                         | I.(A) vágány      | 300               | 150                                  | 2                      | local                      | no                       | 0          | 0              | 0                  | 18,5          | bad                     | 5  | D                       | "K" group   |              |
| Cenger              | 15578                     | 169-172   | 10 x 12   | 120                                     | yes   | macadam               | adequate   | lighted   | none                         | I.(B) vágány      | 300               | 12                                   | 2                      | local                      | no                       | 0          | 0              | 0                  | 18,5          | bad                     | 5  | D                       | "K" group   |              |
| Cenger              | 15578                     | 169-172   | 7 x 16    | 112                                     | yes   | concrete              | bad  | lighted   | side loading                 | I.(O)vágány       | 300               | 16                                   | 2                      | local                      | no                       | 0          | 0              | 0                  | 18,5          | bad                     | 5  | D                       | "K" group   |              |
| Debrecen            | 13912                     | 2203 +50-2206+50                                | 10x300    | 3000                                    | no    | unpaved               | adequate   | unlighted | none                         | Répa vágány       | 352               | 300                                  | 603                    | local                      | no                       | 0          | 0              | 0                  | 22,5          | good                    | 5  | S                       |   |              |
| Debrecen            | 13912                     | 2210+70-2211+60                                 | 10x90     | 900                                     | yes   | concrete              | good   | lighted   | none                         | 83. vágány        | 104               | 90                                   | 2,16                   | local                      | no                       | 0          | 0              | 0                  | 22,5          | good                    | 5  | S                       |   |              |
| Debrecen            | 13912                     | 2212-40-2213+40                                 | 15x100    | 1500                                    | yes   | concrete              | good   | lighted   | end loading                  | 84. vágány        | 125               | 100                                  | 516                    | local                      | no                       | 0          | 0              | 0                  | 22,5          | good                    | 5  | S                       |   |              |
| Debrecen            | 13912                     | 2211-30-2213-30                                 | 15x200    | 3000                                    | yes   | concrete              | fragmented pavement, level crossing is dangerous | lighted   | none                         | 86. vágány        | 258               | 200                                  | 518                    | local                      | no                       | 0          | 0              | 0                  | 22,5          | good                    | 5  | S                       | "K" group   |              |
| Debrecen            | 13912                     | 2210-75 - 2215-35                               | 10x460    | 4600                                    | yes   | concrete              | fragmented pavement, level crossing is dangerous | lighted   | none                         | 87. vágány        | 487               | 460                                  | 514                    | local                      | no                       | 0          | 0              | 0                  | 22,5          | good                    | 5  | S                       |   |              |
| Debrecen            | 13912                     | 2212-30 - 2214-90                               | 10x260    | 2600                                    | yes   | concrete              | fragmented pavement, level crossing is dangerous | lighted   | none                         | 88. vágány        | 287               | 260                                  | 524                    | local                      | no                       | 0          | 0              | 0                  | 22,5          | good                    | 5  | S                       |   |              |
| Debrecen            | 13912                     | 2212-10 - 2214-90                               | 8x280     | 2240                                    | yes   | concrete              | fragmented pavement, level crossing is dangerous | lighted   | none                         | 89. vágány        | 300               | 280                                  | 524                    | local                      | no                       | 0          | 0              | 0                  | 22,5          | good                    | 5  | S                       |   |              |
| Demecser            | 14076                     | 269-00-271+00                                   | 10x200    | 1500                                    | yes   | asphalt               | adequate   | lighted   | none                         | I. vágány         | 809               | 200                                  | 13,19                  | central                    | yes                      | 200        | 0              | 2                  | 21            | adequate                | 25   | D                       |   |              |
| Demecser            | 14076                     | 263+50-265+20                                   | 6x170     | 1020                                    | no    | unpaved               | adequate   | unlighted | none                         | VIII. vágány      | 179               | 170                                  | 14                     | central                    | yes                      | 170        | 0              | 2                  | 21            | adequate                | 25   | S                       |   |              |
| Demecser            | 14076                     | 264-02-268-00                                   | 12x500    | 6000                                    | no    | unpaved               | adequate   | lighted   | none                         | VII. vágány       | 802               | 500                                  | 10,15                  | central                    | yes                      | 400        | 0              | 2                  | 21            | adequate                | 25   | D                       |   |              |
| Derecke             | 14051                     | 64+35- 65+00                                    | 21 x 165  | 1305                                    | yes   | concrete              | adequate   | lighted   | none                         | I.(A) vágány      | 351,8             | 65                                   | 1,2                    | local                      | no                       | 0          | 2              | 0                  | 18,5          | bad                     | 10   | D                       | "K" group   |              |
| Derecke             | 14051                     | 66+40-67+35                                     | 11x95     | 1045                                    | yes   | asphalt               | adequate   | lighted   | none                         | I.(B) vágány      | 351,8             | 95                                   | 1,2                    | local                      | no                       | 0          | 2              | 0                  | 18,5          | bad                     | 10   | D                       | "K" group   |              |
| Ebes                | 132896                    | 2094+2099                                       | 8,5 x 155 | 1317,5                                  | yes   | asphalt, cobblestone  | adequate/bad                                     | lighted   | none                         | I.vágány          | 450               | 155                                  | 15,16                  | central                    | yes                      | 450        | 0              | 2                  | 21            | adequate                | 5  | D                       |   |              |
| Ebes                | 13896                     | 2094+2096                                       | 8,5x50    | 423                                     | yes   | cobblestone           | bad  | lighted   | side loading                 | I.(O) vágány      | 450               | 50                                   | 15,16                  | central                    | yes                      | 450        | 0              | 2                  | 21            | adequate                | 5  | D                       |   |              |
| Egkek               | 14555                     | 585+95-588+30                                   | 6x235     | 1410                                    | yes   | macadam               | adequate   | lighted   | none                         | I.vágány          | 403               | 235                                  | 3,4                    | local                      | no                       | 0          | 0              | 0                  | 21            | adequate                | 5  | D                       | "K" group   |              |
| Egkek               | 14555                     | 588-30-588+47                                   | 8,5x17    | 144,5                                   | yes   | asphalt               | adequate   | lighted   | side loading                 | I.(O) vágány      | 403               | 17                                   | 3,4                    | local                      | no                       | 0          | 0              | 0                  | 21            | adequate                | 5  | D                       | "K" group   |              |
| Fegyvernek-Örményes | 13805                     | 1312 - 1314                                     | 10 x 110  | 1100                                    | yes   | cobblestone           | adequate   | unlighted | none                         | VI. vágány        | 212               | 110                                  | 30,24                  | manual/central             | no                       | 0          | 1              | 0                  | 24            | adequate                | 5  | D                       |   |              |
| Fegyvernek-Örményes | 13805                     | 1311 - 1315                                     | 10 x 229  | 2290                                    | yes   | stone                 | adequate   | lighted   | none                         | I. vágány         | 811               | 229                                  | 18,13                  | central                    | yes                      | 811        | 1              | 0                  | 22,5          | bad                     | 5  | D                       | "K" group   |              |
| Fehérgyarmat        | 15768                     | 391-395   | 14 x 215  | 3010                                    | yes   | unpaved               | adequate   | lighted   | none                         | I.(A) vágány      | 577               | 215                                  | 2                      | local                      | no                       | 0          | 0              | 0                  | 18,5          | bad                     | 5  | D                       | "K" group   |              |
| Fehérgyarmat        | 15768                     | 391-395   | 14 x 100  | 1400                                    | yes   | stone                 | adequate   | lighted   | none                         | I.(B) vágány      | 577               | 100                                  | 2                      | local                      | no                       | 0          | 0              | 0                  | 18,5          | bad                     | 5  | D                       | "K" group   |              |
| Fehérgyarmat        | 15768                     | 391-395   | 15 x 22   | 330                                     | yes   | stone                 | adequate   | lighted   | side loading                 | I.(O) vágány      | 577               | 22                                   | 2                      | local                      | no                       | 0          | 0              | 0                  | 18,5          | bad                     | 5  | D                       | "K" group   |              |
| Fényeslitke         | 14134                     | 496-00-498-90                                   | 8x290     | 2320                                    | no    | none                  | adequate   | lighted   | none                         | I.(A) vágány      | 780               | 290                                  | 13,16                  | Domino 55 electric central | yes                      | 780        | 0              | 0                  | 24,5          | adequate                | 40   | D                       |   |              |
| Fényeslitke         | 14134                     | 496-00-498-90                                   | 20x100    | 2000                                    | no    | none                  | adequate   | lighted   | none                         | I.(B) vágány      | 780               | 100                                  | 13,16                  | Domino 55 electric central | yes                      | 780        | 0              | 0                  | 24,5          | adequate                | 40   | D                       |   |              |
| Fényeslitke         | 14134                     | 496-00-498-90                                   | 5x10      | 50                                      | yes   | concrete              | adequate   | lighted   | side loading                 | I.(O) vágány      | 780               | 10                                   | 13,16                  | Domino 55 electric central | yes                      | 780        | 0              | 0                  | 24,5          | adequate                | 40   | D                       |   |              |
| Görgeaszállás       | 11494                     | 337+50-338+50                                   | 8x80      | 640                                     | no    | none                  | adequate   | lighted   | none                         | I.(A) vágány      | 800               | 80                                   | 5,16                   | manual                     | yes                      | 700        | 0              | 2                  | 21            | adequate                | 5  | D                       | "K" group   |              |
| Görgeaszállás       | 11494                     | 342+50-344+00                                   | 5x250     | 1250                                    | yes   | ferroconcrete seating | adequate   | lighted   | none                         | I.(B) vágány      | 800               | 250                                  | 5,16                   | manual                     | yes                      | 700        | 0              | 2                  | 21            | adequate                | 5  | D                       | "K" group   |              |
| Görgeaszállás       | 11494                     | 342+50-344+00                                   | 5x25      | 125                                     | yes   | ferroconcrete seating | adequate   | lighted   | side loading                 | I.(O) vágány      | 800               | 25                                   | 5,16                   | manual                     | yes                      | 700        | 0              | 2                  | 21            | adequate                | 5  | D                       | "K" group   |              |
| Hajdúhadházi        | 14670                     | 210+06-211+61                                   | 52x155    | 8060                                    | yes   | concrete              | adequate   | lighted   | none                         | V.(A) vágány      | 240               | 155                                  | 9                      | local                      | no                       | 0          | 0              | 0                  | 21            | adequate                | 5  | D                       | "K" group   |              |
| Hajdúhadházi        | 14670                     | 211+70-212+00                                   | 5x30      | 150                                     | yes   | concrete              | adequate   | lighted   | none                         | V.(B) vágány      | 240               | 30                                   | 9                      | local                      | no                       | 0          | 0              | 0                  | 21            | adequate                | 5  | D                       | "K" group   |              |
| Hajdúhadházi        | 14670                     | 213+10-213+40                                   | 10x30     | 300                                     | yes   | concrete              | adequate   | lighted   | side loading                 | I.(O)vágány       | 500               | 30                                   | 2,5                    | local                      | no                       | 0          | 1              | 2                  | 21            | adequate                | 5  | D                       | "K" group   |              |
| Hajdúhadházi        | 14670                     | 213+10-213+40                                   | 52x155    | 8060                                    | yes   | concrete              | adequate   | lighted   | none                         | I. vágány         | 500               | 155                                  | 2,5                    | local                      | no                       | 0          | 1              | 2                  | 21            | adequate                | 5  | D                       | "K" group   |              |
| Hajdúdorog          | 14696                     | 369+02-369+72                                   | 13x70     | 910                                     | yes   | asphalt               | adequate   | lighted   | none                         | I.(A) vágány      | 511               | 70                                   | 1,2                    | local                      | no                       | 0          | 0              | 2                  | 21            | adequate                | 40   | D                       | "K" group   |              |
| Hajdúdorog          | 14696                     | 370+39-370+69                                   | 13x10     | 390                                     | yes   | asphalt               | adequate   | lighted   | none                         | I.(B) vágány      | 511               | 30                                   | 1,2                    | local                      | no                       | 0          | 0              | 2                  | 21            | adequate                | 40   | D                       | "K" group   |              |
| Hajdúdorog          | 14696                     | 370+83-371+01                                   | 10x18     | 180                                     | yes   | cobblestone           | adequate   | lighted   | side loading                 | I.(O) vágány      | 511               | 18                                   | 1,2                    | local                      | no                       | 0          | 0              | 2                  | 21            | adequate                | 40   | D                       | "K" group   |              |
| Hajdúdorog          | 14696                     | 371+01-371+37                                   | 13x36     | 468                                     | yes   | cobblestone           | adequate   | lighted   | none                         | I.(C) vágány      | 511               | 36                                   | 1,2                    | local                      | no                       | 0          | 0              | 2                  | 21            | adequate                | 40   | D                       | "K" group   |              |
| Hajdúdorog          | 14696                     | 371+58-373+08                                   | 13x150    | 1950                                    | yes   | cobblestone           | adequate   | lighted   | none                         | I.(D) vágány      | 511               | 150                                  | 1,2                    | local                      | no                       | 0          | 0              | 2                  | 21            | adequate                | 40   | D                       | "K" group   |              |
| Hajdúhadházi        | 13953                     | 2407-96-2410-16                                 | 10x220    | 2200                                    | yes   | concrete              | adequate   | lighted   | none                         | I.(A) vágány      | 530               | 220                                  | 16, 26                 | central                    | yes                      | 600        | 2              | 0                  | 22,5          | adequate                | 40 at 21 t axle load, 20 at 22,5 t axle load | D                       | "K" group   |              |
| Hajdúhadházi        | 13953                     | 2410-16-2410+46                                 | 6x30      | 180                                     | yes   | concrete              | adequate   | lighted   | side loading                 | I.(O) vágány      | 530               | 30                                   | 16, 26                 | central                    | yes                      | 600        | 2              | 0                  | 22,5          | adequate                | 40 at 22 t axle load, 20 at 22,5 t axle load | D                       | "K" group   |              |
| Hajdúhadházi        | 13953                     | 2412-14-2412-74                                 | 15x60     | 900                                     | yes   | concrete              | adequate   | lighted   | none                         | I.(B) vágány      | 530               | 60                                   | 16, 26                 | central                    | yes                      | 600        | 2              | 0                  | 22,5</        |                         |  |                         |   |              |

| Service place | Open access loading place registered by MÁV Zrt |                         |                        |   |          |   |                         |           |                              |                    |                   | Loading track next to loading places |                        |                            |                          |            |                |                    |                  |                         |         |   |   |  |  | Applicable speed (km/h) | Possibility of serving (S-straight, D-diverging position) | Restrictions |
|---------------|---|-------------------------|------------------------|---|----------|---|-------------------------|-----------|------------------------------|--------------------|-------------------|--------------------------------------|------------------------|----------------------------|--------------------------|------------|----------------|--------------------|------------------|-------------------------|---------|---|---|--|--|-------------------------|---|--------------|
|               | Code of the service place                       | Position                | Size                   | Currently usable area (m <sup>2</sup> ) | Paved    | Material of pavement                        | Current technical state | Lighting  | Loading and other equipments | Name of the track  | Usable length (m) | Loading length (m)                   | Branching-off turnouts |                            | Availability of catenary |            | Derailer (pcs) | Scotch block (pcs) | Axle load (t)    | Current technical state |         |   |   |  |  |                         |   |              |
|               |   | From section to section | Width (m) - length (m) |   | yes - no |   |                         |           |                              |                    |                   |                                      | Number                 | Switch operation mode      | yes - no                 | length (m) |                |                    |                  |                         |         |   |   |  |  |                         |   |              |
|               |   |                         |                        |   |          |   |                         |           |                              |                    |                   |                                      |                        |                            |                          |            |                |                    |                  |                         |         |   |   |  |  |                         |   |              |
| Kenderes      | 12351   | 1215-1216               | 15x20                  | 300                                     | no       | unpaved                                     | average                 | lighted   | none                         | I. (B)vágyány      | 266               | 20                                   | 6,3                    | manual                     | no                       | 0          | 0              | 1                  | 20               | adequate                | 5       | 0 |   |  |  |                         |   |              |
| Kenderes      | 12351   | 1215-1216               | 15x15                  | 225                                     | yes      | concrete                                    | average                 | lighted   | side loading                 | I. (O) vágyány     | 266               | 15                                   | 6,3                    | manual                     | no                       | 0          | 0              | 1                  | 20               | adequate                | 5       | 0 |   |  |  |                         |   |              |
| Kenderes      | 12351   | 1215-1216               | 10x80                  | 800                                     | no       | unpaved                                     | average                 | lighted   | none                         | I.(C) vágyány      | 266               | 80                                   | 6,3                    | manual                     | no                       | 0          | 0              | 1                  | 20               | adequate                | 5       | 0 |   |  |  |                         |   |              |
| Kiskőke       | 12310   | 891- 893                | 10 x 150               | 840                                     | yes      | asphalt                                     | adequate                | lighted   | none                         | I.vágyány          | 251               | 150                                  | 4, 9                   | manual                     | no                       | 0          | 0              | 1                  | 22,5             | average                 | 5       | 0 |   |  |  |                         |   |              |
| Kiskőke       | 12310   | 888-892                 | 8x310                  | 2480                                    | yes      | macadam                                     | bad                     | lighted   | none                         | V. vágyány         | 312               | 310                                  | 8,3                    | manual                     | no                       | 0          | 0              | 2                  | 22,5             | bad                     | 5       | 0 |   |  |  |                         |   |              |
| Kisújszállás  | 13821   | 1470- 1476              | 12x80                  | 960                                     | yes      | asphalt                                     | adequate                | lighted   | side loading                 | XV-XII vágyány     | 424               | 80                                   | 27,23,17               | central                    | no                       | 0          | 0              | 0                  | 22,5             | adequate                | 5       | 0 |   |  |  |                         |   |              |
| Kisújszállás  | 13821   | 1470- 1476              | 11x362                 | 3982                                    | yes      | asphalt                                     | adequate                | lighted   | none                         | XV-XII vágyány     | 424               | 362                                  | 27,23,17               | central                    | no                       | 0          | 0              | 0                  | 22,5             | adequate                | 5       | 0 |   |  |  |                         |   |              |
| Kisújszállás  | 13821   | 1469-1470               | 10 x 65                | 650                                     | yes      | concrete                                    | adequate                | lighted   | none                         | XVIII vágyány      | 69                | 65                                   | 29                     | manual                     | no                       | 0          | 0              | 0                  | 22,5             | adequate                | 5       | 0 |   |  |  |                         |   |              |
| Kisújszállás  | 13821   | 1470-1474               | 11x120 9x205           | 4780                                    | yes      | broken stone/ferrocconcrete seating/asphalt | adequate                | lighted   | none                         | XVIII vágyány      | 620               | 440                                  | 33,21                  | central                    | no                       | 0          | 2              | 2                  | 22,5             | adequate                | 5       | 0 |   |  |  |                         |   |              |
| Kővárd        | 14118   | 410-46- 422-51          | 6,3x250                | 2125                                    | yes      | macadam                                     | adequate                | lighted   | none                         | Kerti csomák       | 349               | 250                                  | 26                     | manual                     | no                       | 0          | 0              | 1                  | 24,5             | adequate                | 40      | 5 |   |  |  |                         |   |              |
| Kővárd        | 14118   | 416-50- 420-00          | 11 x 400               | 660                                     | yes      | natural stone                               | adequate                | lighted   | end loading                  | Homlok csomák      | 81                | 60                                   | 36                     | manual                     | no                       | 0          | 0              | 0                  | 24,5             | adequate                | 40      | 5 |   |  |  |                         |   |              |
| Kővárd        | 14118   | 418-50-419-20           | 8x70                   | 560                                     | yes      | asphalt                                     | adequate                | lighted   | none                         | I. (A) vágyány     | 777               | 70                                   | 26                     | manual                     | yes                      | 777        | 0              | 1                  | 24,5             | adequate                | 40      | 0 |   |  |  |                         |   |              |
| Kővárd        | 14118   | 420-00-420-65           | 10 x 65                | 650                                     | yes      | cinder                                      | adequate                | lighted   | side loading                 | I. (O)vágyány      | 777               | 65                                   | 26,36                  | manual                     | yes                      | 777        | 0              | 1                  | 24,5             | adequate                | 40      | 0 |   |  |  |                         |   |              |
| Kővárd        | 14118   | 424-00-425-70           | 25x120                 | 3000                                    | yes      | concrete                                    | adequate                | lighted   | none                         | I. (B)vágyány      | 777               | 120                                  | 13,17,19               | central                    | yes                      | 777        | 0              | 1                  | 24,5             | adequate                | 40      | k |   |  |  |                         |   |              |
| Kővárd        | 14118   | 427-68-426-88           | 5x80                   | 400                                     | no       | none  | adequate                | unlighted | none                         | I. csomák vágyány  | 310               | 80                                   | 13                     | central                    | no                       | 0          | 0              | 0                  | 24,5             | adequate                | 40      | k |   |  |  |                         |   |              |
| Komór         | 14142   | 532-80-531-00           | 4x100                  | 400                                     | yes      | broken stone                                | adequate                | lighted   | none                         | VII. csomakvágyány | 120               | 100                                  | 22                     | Dominó 55 electric central | no                       | 0          | 0              | 1                  | 24,5             | adequate                | 40      | 5 |   |  |  |                         |   |              |
| Kunhegyes     | 12344   | 1073-1074               | 18x20                  | 360                                     | yes      | concrete                                    | adequate                | lighted   | none                         | I.(B)vágyány       | 432               | 20                                   | 2,5                    | manual                     | no                       | 0          | 0              | 2                  | 22,5             | bad                     | 5       | 0 |   |  |  |                         |   |              |
| Kunhegyes     | 12344   | 1073-1074               | 12x20                  | 240                                     | yes      | concrete                                    | adequate                | lighted   | side loading                 | I.(O)vágyány       | 432               | 20                                   | 2,5                    | manual                     | no                       | 0          | 0              | 2                  | 22,5             | bad                     | 5       | 0 |   |  |  |                         |   |              |
| Kunhegyes     | 12344   | 1073-1074               | 18x150                 | 2700                                    | yes      | concrete                                    | adequate                | lighted   | none                         | I.(C)vágyány       | 432               | 150                                  | 2,5                    | manual                     | no                       | 0          | 0              | 2                  | 22,5             | bad                     | 5       | 0 |   |  |  |                         |   |              |
| Kunhegyes     | 12344   | 1071-1072               | 20x92                  | 1840                                    | yes      | soil  | average                 | lighted   | none                         | I.(A)vágyány       | 432               | 92                                   | 2,5                    | manual                     | no                       | 0          | 0              | 2                  | 22,5             | bad                     | 5       | 0 |   |  |  |                         |   |              |
| Kunmadaras    | 14213   | 178-60- 180-50          | 27 x 102               | 2754                                    | yes      | asphalt                                     | good                    | lighted   | none                         | I.(A)Ivágyány      | 634               | 102                                  | 1                      | manual                     | no                       | 0          | 0              | 1                  | 22,5             | adequate                | 5       | 0 |   |  |  |                         |   |              |
| Kunmadaras    | 14213   | 181-10- 184-00          | 30 x 350               | 10378                                   | yes      | concrete                                    | adequate                | lighted   | none                         | I.(B)vágyány       | 634               | 350                                  | 1                      | manual                     | no                       | 0          | 0              | 0                  | 22,5             | adequate                | 5       | 0 |   |  |  |                         |   |              |
| Macs          | 14480   | 109-49-112-39           | 25x290                 | 7250                                    | yes      | ferrocconcrete seating                      | adequate                | unlighted | none                         | I.vágyány          | 626,5             | 290                                  | 3,4                    | local                      | no                       | 0          | 2              | 0                  | 21               | good                    | 10      | 0 |   |  |  |                         |   |              |
| Mándok        | 15875   | 783-791                 | 10x235                 | 2350                                    | yes      | soil  | adequate                | lighted   | none                         | I.(A) vágyány      | 812               | 235                                  | 1,4                    | point wire from centre     | no                       | 0          | 0              | 0                  | 21 t             | average                 | 10      | 0 |   |  |  |                         |   |              |
| Mándok        | 15875   | 783-791                 | 10x25                  | 250                                     | yes      | concrete                                    | adequate                | lighted   | side loading                 | I. (O)vágyány      | 812               | 25                                   | 1,4                    | point wire from centre     | no                       | 0          | 0              | 0                  | 21 t             | average                 | 10      | 0 |   |  |  |                         |   |              |
| Mándok        | 15875   | 783-791                 | 5x160                  | 1800                                    | yes      | asphalt                                     | adequate                | lighted   | none                         | I. (B) vágyány     | 812               | 160                                  | 1,4                    | point wire from centre     | no                       | 0          | 0              | 0                  | 21 t             | average                 | 10      | 0 |   |  |  |                         |   |              |
| Ménfőcsanak   | 15446   | 290-00- 291-00          | 10x70                  | 700                                     | yes      | concrete                                    | adequate                | lighted   | none                         | I. vágyány         | 142               | 70                                   | 2,3                    | manual                     | no                       | 0          | 1              | 0                  | 18,5             | bad                     | 5       | 0 |   |  |  |                         |   |              |
| Ménfőcsanak   | 15495   | 326-37-330-10           | 7 x 307                | 2100                                    | partly   | asphalt/soil                                | bad                     | lighted   | none                         | Kerti vágyány      | 307               | 307                                  | 1                      | manual                     | no                       | 0          | 0              | 0                  | váltózáras váltó | 21                      | average | 5 | 5 |  |  |                         |   |              |
| Ménfőcsanak   | 15495   | 326-41-327-48           | 8 x 120                | 960                                     | no       | unpaved                                     | bad                     | lighted   | none                         | Volán csomák       | 120               | 120                                  | 1                      | manual                     | no                       | 0          | 0              | 0                  | 21               | average                 | 5       | 5 |   |  |  |                         |   |              |
| Ménfőcsanak   | 15495   | 327-65-329-35           | 6 x 196                | 1176                                    | yes      | asphalt                                     | adequate                | lighted   | none                         | I./a.vágyány       | 196               | 196                                  | 2                      | local and D/S              | no                       | 0          | 1              | 2                  | 21               | adequate                | 10      | 5 |   |  |  |                         |   |              |
| Ménfőcsanak   | 15495   | 29-62-33-40             | 7 x 285                | 2000                                    | no       | concrete components                         | adequate                | lighted   | none                         | Cukorkáryi         | 285               | 285                                  | 0                      | 0                          | no                       | 0          | 0              | 0                  | 21               | adequate                | 10      | 5 |   |  |  |                         |   |              |
| Ménfőcsanak   | 14431   | 1478- 1481              | 9,1 x 360              | 3277                                    | yes      | asphalt                                     | good                    | lighted   | none                         | I.vágyány          | 810               | 360                                  | 4,1                    | central                    | no                       | 0          | 0              | 0                  | 21               | adequate                | 20      | 0 |   |  |  |                         |   |              |
| Ménfőcsanak   | 14605   | 924-73-924-93           | 12x20                  | 2400                                    | yes      | concrete                                    | adequate                | unlighted | side loading                 | I.(O)vágyány       | 299               | 20                                   | 3,4                    | local                      | no                       | 0          | 0              | 0                  | 21               | average                 | 5       | 0 |   |  |  |                         |   |              |
| Ménfőcsanak   | 14605   | 924-93-925-93           | 14x100                 | 1400                                    | yes      | unpaved                                     | adequate                | unlighted | none                         | I.vágyány          | 299               | 100                                  | 3,4                    | local                      | no                       | 0          | 0              | 0                  | 21               | average                 | 5       | 0 |   |  |  |                         |   |              |
| Nagyecser     | 15149   | 103-30-103-90           | 15,5x60                | 930                                     | yes      | asphalt                                     | adequate                | lighted   | side loading                 | I.(O)vágyány       | 924               | 60                                   | 3,6                    | local                      | no                       | 0          | 2              | 0                  | 21               | adequate                | 40      | 0 |   |  |  |                         |   |              |
| Nagyecser     | 15149   | 103-90-104-67           | 10x77                  | 770                                     | yes      | asphalt                                     | adequate                | lighted   | none                         | I.vágyány          | 924               | 77                                   | 3,6                    | local                      | no                       | 0          | 2              | 0                  | 21               | adequate                | 40      | 0 |   |  |  |                         |   |              |
| Nagyecser     | 15149   | 220-35-224-73           | 11 x 24                | 264                                     | yes      | stone and soil                              | adequate                | lighted   | side loading                 | I.(O)vágyány       | 524               | 24                                   | 2                      | manual                     | no                       | 0          | 1              | 1                  | 18,5             | bad                     | 5       | 0 |   |  |  |                         |   |              |
| Nagyecser     | 15149   | 220-35-224-73           | 10 x 200 8x200         | 3600                                    | yes, no  | stone and soil                              | adequate                | lighted   | none                         | I.vágyány          | 524               | 400                                  | 2                      | manual                     | no                       | 0          | 1              | 1                  | 18,5             | bad                     | 5       | 0 |   |  |  |                         |   |              |
| Nagyhalás     | 14498   | 142-50-142-70           | 12,5x20                | 250                                     | yes      | concrete                                    | adequate                | unlighted | none                         | I.vágyány          | 98,8              | 20                                   | 1,2                    | local                      | no                       | 0          | 2              | 0                  | 21               | adequate                | 10      | 0 |   |  |  |                         |   |              |
| Nagyhalás     | 15042   | 136-70-138-50           | 8,5x180                | 1530                                    | yes      | asphalt                                     | adequate                | unlighted | none                         | I.vágyány          | 329               | 180                                  | 3,4                    | manual                     | no                       | 0          | 0              | 2                  | 18,5             | bad                     | 5       | 0 |   |  |  |                         |   |              |
| Nagyhalás     | 15042   | 136-70-138-50           | 8x10                   | 80                                      | yes      | asphalt                                     | adequate                | lighted   | side loading                 | I. (O)vágyány      | 329               | 10                                   | 3,4                    | manual                     | no                       | 0          | 0              | 2                  | 18,5             | bad                     | 5       | 0 |   |  |  |                         |   |              |
| Nagysekere    | 15784   | 316-60- 318-70          | 8 x 10,                | 80                                      | yes      | unpaved                                     | adequate                | unlighted | side loading                 | I. (O)vágyány      | 210               | 10                                   | 2                      | manual                     | no                       | 0          | 0              | 2                  | 18,5             | average                 | 5       | 0 |   |  |  |                         |   |              |
| Nagysekere    | 15784   | 316-60- 318-70          | 10x120                 | 1200                                    | yes      | unpaved                                     | adequate                | unlighted | none                         | I.vágyány          | 210               | 120                                  | 2                      | manual                     | no                       | 0          | 0              | 2                  | 18,5             | average                 | 5       | 0 |   |  |  |                         |   |              |
| Nyírábrány    | 15180   | 291-30-294-00           | 8x70                   | 2160                                    | no       | unpaved                                     | adequate                | unlighted | none                         | I./a.vágyány       | 379               | 270                                  | 10, 12                 | local                      | no                       | 0          | 0              | 0                  | 21               | adequate                | 40      | 0 |   |  |  |                         |   |              |
| Nyírábrány    | 15180   | 297-75-299-00           | 15x18                  | 2700                                    | yes      | asphalt                                     | adequate                | lighted   | none                         | I.(A)vágyány       | 844               | 28                                   | 3                      | local                      | no                       | 0          | 0              | 0                  | 21               | adequate                | 40      | 0 |   |  |  |                         |   |              |
| Nyírábrány    | 15180   | 297-75-299-00           | 8x18                   | 144                                     | yes      | asphalt                                     | adequate                | lighted   | side loading                 | I.(O)vágyány       | 844               | 18                                   | 3                      | local                      | no                       | 0          | 0              | 0                  | 21               | adequate                | 40      | 0 |   |  |  |                         |   |              |
| Nyírábrány    | 15180   | 297-75-299-00           | 15x80                  | 1200                                    | yes      | asphalt                                     | adequate                | lighted   | none                         | I.(B)vágyány       | 844               | 80                                   | 3                      | local                      | no                       | 0          | 0              | 0                  | 21               | adequate                | 40      | 0 |   |  |  |                         |   |              |
| Nyírábrány    | 15370   | 246-25-247-10           | 20x85                  | 1700                                    | no       | unpaved                                     | adequate                | lighted   | none                         | I.(A)vágyány       | 260               | 85                                   | 2,9                    | central, local             | no                       | 0          | 0              | 1                  | 21               | adequate                | 40      | 0 |   |  |  |                         |   |              |
| Nyírábrány    | 15370   | 247-47-249-21           | 9x174                  | 1574                                    | yes      | unpaved                                     | adequate                | unlighted | none                         | I.vágyány          | 260               | 10                                   | 11,12                  | central, local             | no                       | 0          | 0              | 1                  | 21               | adequate                | 5       | 0 |   |  |  |                         |   |              |
| Nyírábrány    | 15370   | 247- 84-248-20          | 9x36                   | 324                                     | yes      | concrete                                    | adequate                | lighted   | side loading                 | I.(O) vágyány      | 260               | 36                                   | 2,9                    | central, local             | no                       | 0          | 0              | 1                  | 21               | adequate                | 40      | 0 |   |  |  |                         |   |              |
| Nyírábrány    | 15370   | 248-20-249-30           | 21x110                 | 2310                                    | yes      | ferrocconcrete seating                      | adequate                | lighted   | none                         | I.(B)vágyány       | 260               | 110                                  | 2,9                    | central, local             | no                       | 0          | 0              | 1                  | 21               | adequate                | 40      | 0 |   |  |  |                         |   |              |
| Nyírbátor     | 15453   | 379-60-381-20           | 15x140                 | 2100                                    | yes      | stone                                       | adequate                | lighted   | none                         | I. vágyány         | 373               | 140                                  | 11,12                  | central                    | no                       | 0          | 0              | 0                  | 21               | adequate                | 10 km/h | 0 |   |  |  |                         |   |              |
| Nyírbátor     | 15453   | 378-60-382-30           | 9x140                  | 1260                                    | yes      | stone                                       | adequate                | lighted   | none                         | VI. vágyány        | 423               | 140                                  | 20,13                  | manual/central             | no                       | 0          | 0              | 0                  | 21               | adequate                | 10 km/h | 0 |   |  |  |                         |   |              |
| Nyírbátor     | 15453   | 1-19- 2-59              | 10 x 140               | 1400                                    | yes      | stone, concrete                             | adequate                | lighted   | none                         | VII. vágyány       | 229               | 140                                  | 15                     | manual                     | no                       | 0          | 0              | 0                  | 21               | average                 | 10 km/h |   |   |  |  |                         |   |              |

| Service place    | Open access loading place registered by MÁV Zrt |                         |                        |   |          |                      |                         |           |                              |                   | Loading track next to loading places |                    |                        |                            |                          |            |                |                    |               |                         |  |   |  | Applicable speed (km/h) | Possibility of serving (S-straight, D-diverging position) | Restrictions |
|------------------|---|-------------------------|------------------------|---|----------|----------------------|-------------------------|-----------|------------------------------|-------------------|--------------------------------------|--------------------|------------------------|----------------------------|--------------------------|------------|----------------|--------------------|---------------|-------------------------|--|---|--|-------------------------|---|--------------|
|                  | Code of the service place                       | Position                | Size                   | Currently usable area (m <sup>2</sup> ) | Paved    | Material of pavement | Current technical state | Lighting  | Loading and other equipments | Name of the track | Usable length (m)                    | Loading length (m) | Branching-off turnouts |                            | Availability of catenary |            | Derailer (pcs) | Scotch block (pcs) | Axle load (t) | Current technical state |  |   |  |                         |   |              |
|                  |   | From section to section | Width (m) - length (m) |   | yes - no |                      |                         |           |                              |                   |                                      |                    | Number                 | Switch operation mode      | yes - no                 | length (m) |                |                    |               |                         |  |   |  |                         |   |              |
|                  |   |                         |                        |   |          |                      |                         |           |                              |                   |                                      |                    |                        |                            |                          |            |                |                    |               |                         |  |   |  |                         |   |              |
| Tűzafűrés        | 14563   | 687+90 - 689+00         | 11 x 110               | 1210                                    | yes      | concrete             | good                    | lighted   | none                         | I.(B)vágány       | 550                                  | 110                | 2, 7                   | local                      | no                       | 0          | 0              | 0                  | 21            | good                    | 5  |   |  | "K" group               |   |              |
| Tűzalók          | 14860   | 296+80-297+60           | 70x80                  | 5600                                    | yes      | cobblestone          | adequate                | lighted   | none                         | I.vágány          | 518,48                               | 80                 | 8, 11                  | local                      | no                       | 0          | 0              | 1                  | 18,5          | adequate                | 5  | D |  | "K" group               |   |              |
| Tűzalók          | 14860   | 297+60-298+30           | 10x70                  | 700                                     | yes      | cobblestone          | adequate                | lighted   | side loading                 | I.(D)vágány       | 518,48                               | 70                 | 8, 11                  | local                      | no                       | 0          | 0              | 1                  | 18,5          | adequate                | 5  | D |  | "K" group               |   |              |
| Tűzalók          | 14860   | 294+20-297+15           | 10x280                 | 2800                                    | yes      | concrete             | adequate                | lighted   | none                         | V.vágány          | 287,65                               | 280                | 6                      | local                      | no                       | 0          | 0              | 0                  | 18,5          | adequate                | 5  | S |  | "K" group               |   |              |
| Tűzavassári      | 14738   | 565+50-566+80           | 9x200                  | 1800                                    | yes      | concrete             | adequate                | lighted   | none                         | V.vágány          | 216                                  | 200                | 10, 16                 | local                      | no                       | 0          | 0              | 0                  | 21            | adequate                | 5  | D |  | "K" group               |   |              |
| Tűzavassári      | 14738   | 0+94+1+07               | 7x13                   | 91                                      | yes      | cobblestone          | adequate                | lighted   | side loading                 | I. (D)vágány      | 241                                  | 13                 | 3, 18                  | local                      | no                       | 0          | 1              | 0                  | 21            | adequate                | 5  | D |  | "K" group               |   |              |
| Tűzavassári      | 14738   | 1+00+2+20               | 24x13                  | 2712                                    | yes      | bitumen              | adequate                | lighted   | none                         | I.vágány          | 241                                  | 113                | 3, 18                  | local                      | no                       | 0          | 1              | 0                  | 21            | adequate                | 5  | D |  | "K" group               |   |              |
| Tűzavassári      | 14738   | 1+09+2+10               | 10x15                  | 150                                     | yes      | concrete             | bad                     | lighted   | side loading                 | AFOR csomka       | 120                                  | 15                 | 7                      | local                      | no                       | 0          | 0              | 1                  | 21            | adequate                | 5  | S |  | "K" group               |   |              |
| Tokaj            | 11478   | 170+40-172+80           | 5x300                  | 1500                                    | yes      | asphalt              | adequate                | lighted   | none                         | I. (A)vágány      | 730                                  | 300                | 10; 12;9;              | central                    | yes                      | 834        | 1              | 2                  | 21            | adequate                | 5  | k |  | "K" group               |   |              |
| Tokaj            | 11478   | 173+30-174+90           | 5x50                   | 250                                     | yes      | asphalt              | adequate                | lighted   | side loading                 | I. (D) vágány     | 730                                  | 50                 | 10; 12;9;              | central                    | yes                      | 834        | 1              | 2                  | 21            | adequate                | 5  | k |  | "K" group               |   |              |
| Tokaj            | 11478   | 174+90 - 175+40         | 15x90                  | 1350                                    | yes      | asphalt              | adequate                | lighted   | none                         | I.(D)vágány       | 730                                  | 90                 | 10,9                   | central                    | yes                      | 834        | 0              | 2                  | 21            | bad                     | 5  | D |  | "K" group               |   |              |
| Tokaj            | 11478   | 174+90 - 175+40         | 12x50                  | 600                                     | no       | unpaved              | adequate                | lighted   | none                         | I.(C)vágány       | 730                                  | 50                 | 10,9                   | central                    | yes                      | 834        | 0              | 2                  | 21            | bad                     | 5  | D |  | "K" group               |   |              |
| Tornyospálca     | 15883   | 712-720                 | 10x200 10x300          | 5000                                    | yes, no  | concrete, soil       | adequate                | lighted   | none                         | I. sz. vágány     | 825                                  | 500                | 2,3                    | Domino 55 electric central | no                       | 0          | 2              | 0                  | 21 t          | average                 | 10   | D |  | "K" group               |   |              |
| Törökcsentmiklós | 13789   | 1204-1205               | 15x200                 | 3000                                    | yes      | asphalt              | adequate                | lighted   | none                         | VI. vágány        | 626                                  | 200                | 14, 15                 | manual                     | yes                      | 160        | 0              | 0                  | 21            | adequate                | 5  | D |  |                         |   |              |
| Törökcsentmiklós | 13789   | 1203+1204               | 10x100                 | 1000                                    | yes      | concrete             | adequate                | lighted   | side loading                 | VII. (D) vágány   | 626                                  | 100                | 14, 15                 | central/manual             | no                       | 0          | 0              | 1                  | 24            | adequate                | 5  | D |  |                         |   |              |
| Tűnyomgatalcs    | 15743   | 37+25 - 35+65           | 5 x 150                | 750                                     | yes      | asphalt              | adequate                | lighted   | none                         | I.vágány          | 189                                  | 150                | 2                      | manual                     | yes                      | 0          | 0              | 2                  | 18,5          | average                 | 5  | D |  | "K" group               |   |              |
| Tuzsér           | 14159   | 579+00-578+50           | 15x120                 | 1800                                    | yes      | asphalt              | adequate                | lighted   | none                         | X. csomka         | 150                                  | 120                | 35                     | Domino 55 electric central | yes                      | 150        | 0              | 1                  | 24,5          | good                    | 40   | S |  | "K" group               |   |              |
| Tuzsér           | 14159   | 579+00-578+50           | 5x10                   | 50                                      | yes      | concrete             | adequate                | lighted   | side loading                 | X. (D)csomka      | 150                                  | 10                 | 35                     | Domino 55 electric central | yes                      | 150        | 0              | 1                  | 24,5          | good                    | 40   | S |  | "K" group               |   |              |
| Újfehértó        | 13987   | 2554+40 - 2555+15       | 7,5x75 7,5x90          | 1237,5                                  | no       | unpaved, concrete    | adequate                | lighted   | none                         | I/a (A)vágány     | 365                                  | 165                | 14, 16                 | central                    | yes                      | 420        | 2              | 0                  | 22,5          | adequate                | 40 at 21 t axle load, 20 at 22,5 t axle load | D |  | "K" group               |   |              |
| Újfehértó        | 13987   | 2556+32 - 2556+88       | 12x56                  | 672                                     | yes      | concrete             | adequate                | lighted   | none                         | I/a (B)vágány     | 365                                  | 56                 | 14, 16                 | central                    | yes                      | 420        | 2              | 0                  | 22,5          | adequate                | 40 at 23 t axle load, 20 at 22,5 t axle load | D |  | "K" group               |   |              |
| Újfehértó        | 13987   | 2557+33 - 2557+83       | 15x50                  | 750                                     | yes      | concrete             | adequate                | lighted   | none                         | I/a (C) vágány    | 365                                  | 50                 | 14, 16                 | central                    | yes                      | 420        | 2              | 0                  | 22,5          | adequate                | 40 at 24 t axle load, 20 at 22,5 t axle load | D |  | "K" group               |   |              |
| Vaja-Rohod       | 15719   | 406+10 - 406+60         | 12 x 336               | 4032                                    | partly   | asphalt              | good                    | lighted   | none                         | I. vágány         | 437                                  | 336                | 6,3                    | local                      | no                       | 0          | 0              | 1                  | 17,5          | good                    | 20   | D |  | "K" group               |   |              |
| Vaja-Rohod       | 15719   | 406+10 - 406+60         | 8 x 18                 | 144                                     | yes      | concrete             | good                    | lighted   | side loading                 | I. (D)vágány      | 437                                  | 18                 | 6,3                    | local                      | no                       | 0          | 0              | 1                  | 17,5          | good                    | 20   | D |  | "K" group               |   |              |
| Vámospercs       | 15164   | 204+65-505+05           | 10,2x40                | 408                                     | yes      | asphalt              | adequate                | lighted   | side loading                 | I.(D)vágány       | 470                                  | 40                 | 3/A, 6                 | local                      | no                       | 0          | 0              | 0                  | 21            | adequate                | 40   | D |  | "K" group               |   |              |
| Vámospercs       | 15164   | 205+05-206+25           | 15x120                 | 1800                                    | yes      | asphalt              | adequate                | lighted   | none                         | I.vágány          | 470                                  | 120                | 3/A, 6                 | local                      | no                       | 0          | 0              | 0                  | 21            | adequate                | 40   | D |  | "K" group               |   |              |
| Vásárosnamény    | 15933   | 533+70 - 535+10         | 25x150                 | 3750                                    | yes      | asphalt              | good                    | lighted   | none                         | I.vágány          | 650                                  | 150                | 2                      | central                    | no                       | 0          | 0              | 0                  | 22 t          | bad                     | 20   | D |  | "K" group               |   |              |
| Vásárosnamény    | 15933   | 532+90 - 533+00         | 15x60                  | 900                                     | yes      | concrete             | good                    | lighted   | side and end loading         | I.(D)vágány       | 650                                  | 60                 | 2                      | central                    | no                       | 0          | 0              | 0                  | 22 t          | bad                     | 20   | D |  | "K" group               |   |              |
| Vásárosnamény    | 15933   | 531+60 - 532+55         | 11x305                 | 3355                                    | yes      | concrete             | good                    | lighted   | none                         | V.vágány          | 751                                  | 305                | 2                      | central                    | no                       | 0          | 0              | 0                  | 22 t          | bad                     | 20   | S |  |                         |   |              |
| Vásárosnamény    | 15933   | 531+60 - 532+90         | 6 x 140                | 840                                     | yes      | cobblestone          | good                    | lighted   | end loading                  | IX. vágány        | 148                                  | 140                | 16                     | central                    | no                       | 0          | 0              | 0                  | 22 t          | good                    | 20   | S |  |                         |   |              |
| Záhony           | 14175   | 647+20-649+20           | 10x200                 | 2000                                    | no       | unpaved              | adequate                | unlighted | none                         | Raktár III.       | 570                                  | 200                | 4,36                   | local                      | yes                      | 30         | 2              | 0                  | 20,5 t        | adequate                | 5  | D |  |                         |   |              |
| Záhony           | 14175   | 647+20-649+20           | 10x200                 | 2000                                    | no       | unpaved              | adequate                | unlighted | none                         | Raktár III.       | 570                                  | 200                | 4,36                   | local                      | yes                      | 30         | 2              | 0                  | 20,5 t        | adequate                | 5  | D |  |                         |   |              |
| Záhony           | 14175   | 647+20-649+20           | 10x200                 | 2000                                    | no       | unpaved              | adequate                | unlighted | none                         | Raktár III.       | 570                                  | 200                | 4,36                   | local                      | yes                      | 30         | 2              | 0                  | 20,5 t        | adequate                | 5  | D |  |                         |   |              |



List of loading places on open access railway network - MÁV Zrt

Szeged TK

| Service place        | Code of the service place | Open access loading place registered by MÁV Zrt |                           |   |                   |                                   |                         |                      |                              |                   | Loading track next to loading places |                    |                        |                            |                          |            |                |                    |               |                         | Applicable speed (km/h)      | Possibility of serving (S-straight, D-diverging position) | Restrictions                                |
|----------------------|---------------------------|---|---------------------------|---|-------------------|-----------------------------------|-------------------------|----------------------|------------------------------|-------------------|--------------------------------------|--------------------|------------------------|----------------------------|--------------------------|------------|----------------|--------------------|---------------|-------------------------|------------------------------|---|---|
|                      |                           | Position  | Size                      | Currently usable area (m <sup>2</sup> ) | Paved<br>yes - no | Material of pavement              | Current technical state | Lighting             | Loading and other equipments | Name of the track | Usable length (m)                    | Loading length (m) | Branching-off turnouts |                            | Availability of catenary |            | Derailer (pcs) | Scotch block (pcs) | Axle load (t) | Current technical state |                              |   |   |
|                      |                           |   |                           |   |                   |                                   |                         |                      |                              |                   |                                      |                    | Number                 | Switch operation mode      | yes - no                 | length (m) |                |                    |               |                         |                              |   |   |
| Ágasegyháza          | 16493                     | 235 - 237                                       | 10×180                    | 1800                                    | yes               | stone                             | good                    | unlighted            |                              | I. vágány         | 267                                  | 180                | 3, 4                   | local                      | no                       | 0          | 0              | 2                  | 17            | good                    | 10<br>steadily locked switch | D   |   |
| Algyő                | 18549                     | 1688 - 1689+50                                  | 16 x 150                  | 2816                                    | yes               | soil                              | good                    | lighted              |                              | IV. vágány        | 150                                  | 150                | 1                      | central                    | no                       | 0          | 0              | 1                  | 21            | good                    | 40                           | S   |   |
| Apátfalva            | 19117                     | 783 - 786                                       | 2,26 x 40                 | 90                                      | yes               | stone                             | good                    | lighted              | side loading                 | I. (O)vágány      | 562                                  | 40                 | 3, 4                   | local                      | no                       | 0          | 0              | 2                  | 17            | adequate                | 40                           | D   |   |
| Apátfalva            | 19117                     | 783 - 786                                       | 2,26 x 150                | 339                                     | yes               | stone                             | good                    | lighted              |                              | I. (A)vágány      | 562                                  | 150                | 3, 4                   | local                      | no                       | 0          | 0              | 2                  | 17            | adequate                | 40                           | D   |   |
| Apátfalva            | 19117                     | 783 - 786                                       | 2,26 x 90                 | 203                                     | yes               | stone                             | good                    | lighted              |                              | I. (B)vágány      | 562                                  | 90                 | 3, 4                   | local                      | no                       | 0          | 0              | 2                  | 17            | adequate                | 40                           | D   |   |
| Bácsalmás            | 16642                     | 439 - 441                                       | 15 x 190                  | 2850                                    | yes               | concrete                          | good                    | unlighted            |                              | VIII. vágány      | 186                                  | 186                | 10                     | local                      | no                       | 0          | 0              | 1                  | 21            | good                    | 15                           | S   |   |
| Bácsalmás            | 16642                     | 439 - 441                                       | 15 x 190                  | 2850                                    | yes               | concrete                          | good                    | unlighted            | side and end loading         | IX. vágány        | 179                                  | 179                | 10                     | local                      | no                       | 0          | 0              | 1                  | 21            | good                    | 15                           | S   |   |
| Bácsbokod-Bácsborsod | 16675                     | 577 - 583                                       | 12 x 600                  | 7383                                    | yes               | concrete                          | good                    | lighted              | high loading                 | I. (B)vágány      | 679                                  | 538                | 5,8                    | local                      | no                       | 0          | 0              | 0                  | 21            | good                    | 40                           | D   |   |
| Bácsbokod-Bácsborsod | 16675                     | 583+20 - 584                                    | 8 x 80                    | 640                                     | yes               | stone                             | good                    | lighted              |                              | I. (A)vágány      | 679                                  | 80                 | 5,8                    | local                      | no                       | 0          | 0              | 0                  | 21            | good                    | 40                           | D   |   |
| Baja                 | 16709                     | 767 - 769                                       | 7 x 200                   | 1322                                    | yes               | macadam                           | good                    | lighted              | end loading                  | VII. vágány       | 224                                  | 200                | 26                     | local                      | no                       | 0          | 0              | 0                  | 21            | good                    | 15                           | S   |   |
| Baja                 | 16709                     | 761+42 - 771+15                                 | 11 x 573                  | 6303                                    | yes               | stone                             | good                    | lighted              |                              | XII. vágány       | 321                                  | 321                | 22                     | local                      | no                       | 0          | 0              | 0                  | 21            | good                    | 15                           | S   |   |
| Baja                 | 16709                     | 761+42 - 771+15                                 | 11 x 573                  | 6303                                    | yes               | stone                             | good                    | lighted              |                              | XII. vágány       | 321                                  | 321                | 18                     | local                      | no                       | 0          | 0              | 0                  | 21            | good                    | 15                           | S   |   |
| Baja (Külös)         | 16709                     | 23+80 - 26+50                                   | 40 x 270                  | 10800                                   | yes               | concrete                          | good                    | unlighted            |                              | I. vágány         | 300                                  | 270                | IV/2                   | local                      | no                       | 0          | 0              | 0                  | 21            | good                    | 15                           | S   |   |
| Baja (Külös)         | 16709                     | 23+80 - 26+50                                   | 40 x 270                  | 10800                                   | yes               | concrete                          | good                    | unlighted            |                              | II. vágány        | 300                                  | 270                | IV/2                   | local                      | no                       | 0          | 0              | 0                  | 21            | good                    | 15                           | S   |   |
| Bálastya             | 17178                     | 930 - 932                                       | 9 x 32                    | 288                                     | yes               | stone                             | good                    | lighted              | side loading                 | IV. vágány        | 125                                  | 33                 | 4,8                    | central                    | yes                      | 182        | 0              | 2                  | 21            | good                    | 40                           | D   |   |
| Balogaszállás        | 16329                     | 1368 - 1369                                     | 10 x 100                  | 1000                                    | no                | soil                              | bad                     | lighted              |                              | I. vágány         | 286                                  | 100                | 6, 5                   | central                    | no                       | 0          | 2              | 0                  | 21            | good                    | 15                           | D   |   |
| Battonya mrh.        | 19323                     | 333+87 - 334+33                                 | 6 x 17                    | 102                                     | yes               | stone                             | good                    | lighted              | side loading                 | I. (O)vágány      | 401                                  | 17                 | 10,3                   | local                      | no                       | 0          | 0              | 2                  | 17            | adequate                | 40                           | D   |   |
| Battonya mrh.        | 19323                     | 334+33 - 335                                    | 1,96 x 75                 | 147                                     | yes               | stone                             | good                    | lighted              |                              | I. vágány         | 401                                  | 75                 | 10,3                   | local                      | no                       | 0          | 0              | 2                  | 17            | adequate                | 40                           | D   |   |
| Békéscsaba           | 18036                     | 848+70 - 849+04                                 | 23,6 x 34; 3x110; 5x130   | 1782                                    | yes               | stone                             | bad                     | lighted              |                              | XXXIV. vágány     | 186                                  | 144                | 66                     | local                      | no                       | 0          | 0              | 0                  | 21            | average                 | 40                           | S   | loading restriction until 30 September 2015 |
| Békéscsaba           | 18036                     | 849+00 - 853+00                                 | 5 x 150; 3x140            | 1170                                    | yes               | asphalt                           | good                    | lighted              |                              | XXXIII. vágány    | 140                                  | 140                | 88,66                  | local                      | no                       | 0          | 0              | 0                  | 21            | good                    | 40                           | S   | loading restriction until 30 September 2015 |
| Békéscsaba           | 18036                     | 849+37 - 853+00                                 | 8 X 184                   | 1472                                    | no                | -                                 | good                    | lighted              |                              | XXXI. vágány      | 200                                  | 184                | 60                     | local                      | no                       | 0          | 0              | 0                  | 21            | good                    | 40                           | S   | loading restriction until 30 September 2015 |
| Békéscsaba           | 18036                     | 849+37 - 853+00                                 | 8 X 184                   | 1472                                    | no                | -                                 | good                    | lighted              |                              | XXXII/1. vágány   | 145                                  | 145                | 88                     | local                      | no                       | 0          | 0              | 0                  | 21            | good                    | 40                           | S   | loading restriction until 30 September 2015 |
| Békéscsaba           | 18036                     | 845+50 - 848+10                                 | 15x250                    | 3750                                    | yes               | concrete                          | good                    | lighted              | gantry crane, crane track    | T2.vágány         | 299                                  | 250                | 32/1                   | local                      | no                       | 0          | 0              | 0                  | 21            | good                    | 40                           | S   |   |
| Békéscsaba           | 18036                     | 845+50 - 848+10                                 | 21x250                    | 5250                                    | yes               | concrete                          | good                    | lighted              | gantry crane, crane track    | T3. vágány        | 255                                  | 250                | 32/3                   | local                      | no                       | 0          | 0              | 0                  | 21            | good                    | 40                           | S   |   |
| Békéscsaba           | 18036                     | 845+50 - 848+10                                 | 10x128                    | 1280                                    | yes               | concrete                          | good                    | lighted              |                              | T4. vágány        | 232                                  | 128                | 32/3                   | local                      | no                       | 0          | 0              | 0                  | 21            | good                    | 40                           | S   |   |
| Békéscsaba           | 18036                     | 845+50 - 848+10                                 | 5,5x85                    | 468                                     | yes               | concrete                          | good                    | lighted              | side and end loading         | T4. vágány        | 232                                  | 85                 | 32/3                   | local                      | no                       | 0          | 0              | 0                  | 21            | good                    | 40                           | S   |   |
| Békéscsaba           | 18036                     | 845+50 - 848+10                                 | 10,2 x 250                | 2550                                    | yes               | concrete                          | good                    | lighted              |                              | M3. vágány        | 309                                  | 250                | 32/5                   | local                      | no                       | 0          | 0              | 0                  | 21            | good                    | 40                           | S   |   |
| Biharnagybajom       | 14324                     | 227+45 - 228+40<br>226+40 - 228+20              | 30 x 8                    | 240                                     | yes               | stone                             | good                    | lighted              | side loading                 | I. (O)vágány      | 300                                  | 30                 | 3, 4                   | local                      | no                       | 0          | 0              | 2                  | 21            | good                    | 5                            | D   |   |
| Biharnagybajom       | 14324                     | 227+45 - 228+40<br>226+40 - 228+20              | 5,1 X 65<br>40,2 X 95     | 332<br>3820                             | yes               | stone<br>ferroconcrete<br>sealing | good                    | lighted              | live stock loading           | I. vágány         | 300                                  | 160                | 3, 4                   | local                      | no                       | 0          | 0              | 2                  | 21            | good                    | 5                            | D   |   |
| Böszörs              | 16212                     | 631 - 641                                       | 350 X 20                  | 590                                     | yes               | concrete                          | good                    | unlighted            |                              | I. vágány         | 649                                  | 350                | 6, 5                   | central                    | yes                      | 710        | 0              | 0                  | 21            | good                    | 40                           | D   |   |
| Csanádpalota mrh.    | 19158                     | 608 - 609<br>607 - 608                          | 17,03 x 100<br>6,51 x 100 | 1706<br>651                             | yes               | asphalt<br>stone                  | good                    | lighted              | live stock loading           | I. vágány         | 300                                  | 200                | 3, 4                   | local                      | no                       | 0          | 1              | 1                  | 17            | adequate                | 40                           | D   |   |
| Csengele             | 17152                     | 773 - 775                                       | 34 x 80                   | 2724                                    | yes               | concrete                          | good                    | lighted              | side loading                 | IV. vágány        | 252                                  | 80                 | 6, 8                   | central                    | yes                      | 50         | 0              | 2                  | 21            | good                    | 40                           | D   |   |
| Csengőd              | 16253                     | 899 - 900                                       | 38 x 23                   | 95                                      | yes               | concrete                          | average                 | unlighted            | side loading                 | I. vágány         | 679                                  | 38                 | 6, 5                   | central                    | no                       | 0          | 2              | 0                  | 21            | good                    | 40                           | D   |   |
| Csongrád             | 17434                     | 246+04 - 246+14                                 | 6 X 10                    | 60                                      | yes               | concrete                          | adequate                | lighted              | end loading                  | I. (H)vágány      | 356                                  | 356                | 10,3                   | local                      | no                       | 0          | 0              | 0                  | 16            | adequate                | 40                           | k   |   |
| Csongrád             | 17434                     | 246+42 - 246+56                                 | 14 X 12                   | 168                                     | yes               | stone                             | average                 | lighted              | live stock loading           | I. (É)vágány      | 356                                  | 12                 | 10,3                   | local                      | no                       | 0          | 0              | 0                  | 16            | adequate                | 40                           | D   |   |
| Csongrád             | 17434                     | 246+56 - 247+63                                 | 14 X 107                  | 1498                                    | yes               | asphalt                           | adequate                | lighted              |                              | I. (A)vágány      | 356                                  | 107                | 10,3                   | local                      | no                       | 0          | 0              | 0                  | 16            | adequate                | 40                           | D   |   |
| Csongrád             | 17434                     | 247+50 - 247+98                                 | 8 X 20                    | 160                                     | yes               | asphalt                           | adequate                | lighted              | side loading                 | I. (O)vágány      | 356                                  | 20                 | 10,3                   | local                      | no                       | 0          | 0              | 0                  | 16            | adequate                | 40                           | D   |   |
| Csongrád             | 17434                     | 247+98 - 248+58                                 | 14 x 60                   | 840                                     | yes               | asphalt                           | adequate                | lighted              |                              | I. (B)vágány      | 356                                  | 60                 | 10, 3                  | local                      | no                       | 0          | 0              | 0                  | 16            | adequate                | 40                           | D   |   |
| Csongrád             | 17434                     | 249+15 - 250+29                                 | 7 X 114                   | 532                                     | no                | asphalt                           | adequate                | lighted              |                              | I.(C) vágány      | 356                                  | 114                | 10, 3                  | local                      | no                       | 0          | 0              | 0                  | 16            | adequate                | 40                           | D   |   |
| Csongrád             | 17435                     | 246+90 - 248+90                                 | 7 X 100<br>7 X 100        | 1400                                    | no                | adequate                          | adequate                | lighted<br>unlighted |                              | IV. vágány        | 304                                  | 200                | 6                      | local                      | no                       | 0          | 0              | 2                  | 16            | adequate                | 40                           | D   |   |
| Csorvás              | 18630                     | 1084+70 - 1087+60                               | 8 x 290                   | 2320                                    | yes               | concrete                          | average                 | unlighted            |                              | IV. vágány        | 792                                  | 290                | 1, 4                   | local                      | no                       | 0          | 0              | 0                  | 21            | average                 | 40                           | D   |   |
| Csorvás              | 18630                     | 1088+60 - 1089+70                               | 12 x 110                  | 1320                                    | yes               | stone                             | bad                     | lighted              |                              | I. vágány         | 411                                  | 110                | 5, 6                   | local                      | no                       | 0          | 0              | 1                  | 21            | average                 | 40                           | D   |   |
| Déaványa             | 18424                     | 1-3   | 54 X 20                   | 1080                                    | yes               | stone                             | good                    | unlighted            |                              | I.(B) vágány      | 386                                  | 54                 | 9, 8                   | local                      | no                       | 0          | 0              | 0                  | 20            | good                    | 5                            | D   |   |
| Déaványa             | 18424                     | 1-3   | 16 X 8                    | 128                                     | yes               | stone                             | good                    | unlighted            | side loading                 | I. (O)vágány      | 386                                  | 16                 | 9, 8                   | local                      | no                       | 0          | 0              | 0                  | 20            | good                    | 5                            | D   |   |
| Déaványa             | 18424                     | 3-5   | 80 X 14,5                 | 1160                                    | yes               | stone                             | good                    | lighted              | live stock loading           | I. (A) vágány     | 386                                  | 70                 | 9, 8                   | local                      | no                       | 0          | 0              | 0                  | 20            | good                    | 5                            | D   |   |
| Dunaecse             | 16386                     | 154 - 159                                       | 19 x 183                  | 3471                                    | yes               | concrete                          | good                    | unlighted            |                              | I. vágány         | 431                                  | 183                | 4, 5                   | local                      | no                       | 0          | 0              | 2                  | 20            | good                    | 40                           | D   |   |
| Földes               | 19364                     | 170+10 - 172+70                                 | 30,5 x 260                | 7930                                    | yes               | concrete                          | good                    | unlighted            |                              | IV. vágány        | 319                                  | 260                | 3, 6                   | local                      | no                       | 0          | 0              | 2                  | 20            | good                    | 5                            | D   |   |
| Füzessyarmat         | 14365                     | 341 - 342                                       | 78 X 9                    | 702                                     | yes               | concrete                          | good                    | lighted              |                              | I. (A)vágány      | 249                                  | 78                 | 1,12                   | local                      | no                       | 0          | 0              | 2                  | 21            | good                    | 40                           | D   |   |
| Füzessyarmat         | 14365                     | 340 - 341                                       | 57 X 16                   | 912                                     | yes               | asphalt                           | good                    | lighted              | live stock loading           | I. (B)vágány      | 249                                  | 57                 | 1,12                   | local                      | no                       | 0          | 0              | 0                  | 21            | good                    | 40                           | D   |   |
| Füzessyarmat         | 14365                     | 344 - 347                                       | 16,9 x 187                | 3160                                    | yes               | concrete                          | good                    | lighted              |                              | új III. vágány    | 163                                  | 163                | 8, 4                   | local                      | no                       | 0          | 2              | 1                  | 21            | good                    | 5                            | D   |   |
| Gádoros              | 17475                     | 151+30 - 152+80                                 | 10 x 100                  | 1000                                    | yes               | stone                             | good                    | lighted              | side loading                 | I. vágány         | 250                                  | 100                | 2, 3                   | local                      | no                       | 0          | 0              | 2                  | 12            | good                    | 30                           |   |   |
| Gyoma                | 17863                     | 493+30 - 493+90                                 | 14,2 x 60                 | 852                                     | yes               | concrete                          | average                 | unlighted            |                              | VII. Vágány       | 198                                  | 60                 | 29                     | central                    | no                       | 0          | 1              | 0                  | 21            | adequate                | 40                           | S   |   |
| Gyoma                | 17863                     | 490+60 - 495+50                                 | 22,8 x 490                | 11172                                   | yes               | concrete                          | bad                     | lighted              |                              | IX. vágány        | 279                                  | 279                | 25                     | central                    | yes                      | 0          | 1              | 0                  | 21            | good                    | 40                           | S   |   |
| Gyoma                | 17863                     | 490+60 - 495+50                                 | 22,8 x 490                | 11172                                   | yes               | concrete                          | bad                     | lighted              |                              | X. vágány         | 333                                  | 333                | 25                     | central                    | yes                      | 0          | 1              | 0                  | 21            | good                    | 40                           | S   |   |
| Gyula                | 18697                     | 733-735   | 25 X 110                  | 2750                                    | yes               | asphalt                           | good                    | lighted              | live stock loading           | I. vágány         | 513                                  | 110                | 10-7                   | 7 - local,<br>10 - central | no                       | 0          | 0              | 2                  | 16            | good                    | 5                            | D   |   |
| Gyula                | 18697                     | 733-735   | 20 X 7                    | 140                                     | yes               | asphalt                           | good                    | lighted              | side loading                 | I. (O) vágány     | 513                                  | 20                 | 10-7                   | 8 - local,<br>10 - central | no                       | 0          |                |                    |               |                         |                              |   |   |

| Service place    | Code of the service place | Open access loading place registered by MÁV Zrt |                        |   |          |                      |                         |                  |                              | Loading track next to loading places |                   |                    |                        |                       |                          |                 |                |                    |               |                         |                        | Applicable speed (km/h) | Possibility of serving (S-straight, D-diverging position)  | Restrictions |
|------------------|---------------------------|---|------------------------|---|----------|----------------------|-------------------------|------------------|------------------------------|--------------------------------------|-------------------|--------------------|------------------------|-----------------------|--------------------------|-----------------|----------------|--------------------|---------------|-------------------------|------------------------|-------------------------|--|--------------|
|                  |                           | Position  | Size                   | Currently usable area (m <sup>2</sup> ) | Paved    | Material of pavement | Current technical state | Lighting         | Loading and other equipments | Name of the track                    | Usable length (m) | Loading length (m) | Branching-off turnouts |                       | Availability of catenary |                 | Derailer (pcs) | Scotch block (pcs) | Axle load (t) | Current technical state |                        |                         |  |              |
|                  |                           | From section to section                         | Width (m) - length (m) |   | yes - no |                      |                         |                  |                              |                                      |                   |                    | Number                 | Switch operation mode | yes - no                 | length (m)      |                |                    |               |                         |                        |                         |  |              |
| Gyula            | 18697                     | 738-741   | 220 X 8                | 1780                                    | no       | soil                 | good                    | nem kivilágított |                              | IX. vágány                           | 334               | 220                | 6                      | central               | no                       | 0               | 1              | 0                  | 16            | good                    | 40                     | S                       |  |              |
| Gyula            | 18697                     | 734-735   | 25 X 25                | 625                                     | no       | soil                 | good                    | nem kivilágított |                              | VI. vágány                           | 347               | 25                 | 18-11                  | central               | no                       | 0               | 1              | 0                  | 16            | good                    | 40                     | D                       |  |              |
| Helvécia         | 16527                     | 109+62 - 106+22                                 | 15 x 200               | 3000                                    | yes      | macadam              | good                    | unlighted        | side loading                 | I. vágány                            | 336               | 200                | 4, 3,                  | local                 | no                       | 0               | 0              | 2                  | 17            | adequate                | steadily locked switch | D                       |  |              |
| Hétényegyháza    | 16956                     | 88  | 10 ×40                 | 400                                     | yes      | concrete             | good                    | lighted          | side loading                 | I. vágány                            | 213               | 40                 | 4, 5                   | local                 | no                       | 0               | 0              | 2                  | 18,5          | adequate                | 5                      | D                       |  |              |
| Hódmezővásárhely | 18572                     | 1532 - 1539                                     | 15x22                  | 330                                     | yes      | stone                | good                    | lighted          | live stock loading           | I. (Evágány                          | 250               | 22                 | 4, 9                   | local                 | no                       | 0               | 0              | 0                  | 21            | good                    | 40                     | D                       |  |              |
| Hódmezővásárhely | 18572                     | 1532 - 1539                                     | 16 x242                | 3872                                    | yes      | stone                | good                    | lighted          |                              | I. (A) vágány                        | 250               | 242                | 4, 9                   | local                 | no                       | 0               | 0              | 0                  | 21            | good                    | 40                     | D                       |  |              |
| Hódmezővásárhely | 18572                     | 1532 - 1539                                     | 16x100                 | 1600                                    | yes      | stone                | good                    | lighted          | side loading                 | I. (O)vágány                         | 250               | 100                | 4, 9                   | local                 | no                       | 0               | 0              | 0                  | 21            | good                    | 40                     | D                       |  |              |
| Hódmezővásárhely | 18572                     | 1532 - 1539                                     | 7,5 x 54               | 405                                     | yes      | stone                | good                    | lighted          |                              | I. (B)vágány                         | 250               | 54                 | 4, 9                   | local                 | no                       | 0               | 0              | 0                  | 21            | good                    | 40                     | D                       |  |              |
| Hódmezővásárhely | 18572                     | 1532 - 1539                                     | 7,5 x 54               | 405                                     | yes      | stone                | good                    | lighted          |                              | X. vágány                            | 331               | 54                 | 4, 9                   | local                 | no                       | 0               | 0              | 0                  | 21            | good                    | 40                     | D                       |  |              |
| Hódmezővásárhely | 18572                     | 1532 - 1539                                     | 15 x 35                | 525                                     | yes      | stone                | good                    | lighted          | end loading                  | XII. (H)vágány                       | 30                | 30                 | 30                     | local                 | no                       | 0               | 0              | 0                  | 21            | good                    | 40                     | S                       |  |              |
| Hódmezővásárhely | 18572                     | 1532 - 1539                                     | 13 x 244               | 3172                                    | yes      | stone                | good                    | lighted          |                              | XI. vágány                           | 571               | 244                | 3                      | local                 | no                       | 0               | 0              | 0                  | 21            | good                    | 40                     | S                       |  |              |
| Izsák            | 16485                     | 334   | 20 x 250               | 5000                                    | yes      | asphalt              | good                    | unlighted        | side loading                 | I. vágány                            | 312               | 250                | 3, 8                   | local                 | no                       | 0               | 0              | 2                  | 17            | good                    | steadily locked switch | S                       |  |              |
| Jánoshalma       | 16618                     | 207+75 - 209+90                                 | 10 x 75                | 750                                     | yes      | concrete             | good                    | lighted          | side loading                 | I. (O)vágány                         | 540               | 75                 | 4, 7                   | local                 | no                       | 0               | 0              | 0                  | 21            | good                    | 40                     | D                       |  |              |
| Jánoshalma       | 16618                     | 207+75 - 209+90                                 | 12 x 215               | 7042                                    | yes      | concrete             | good                    | lighted          | live stock loading           | I. vágány                            | 540               | 215                | 4, 7                   | local                 | no                       | 0               | 0              | 0                  | 21            | good                    | 40                     | D                       |  |              |
| Jánoshalma       | 16618                     | 211+57 - 212+90                                 | 7 x 133                | 864                                     | yes      | concrete             | good                    | lighted          | end loading                  | V. vágány                            | 275               | 133                | 8                      | local                 | no                       | 0               | 0              | 0                  | 21            | good                    | 15                     | S                       |  |              |
| Kalocsa          | 16568                     | 300 - 302                                       | 90 x 60                | 5400                                    | yes      | stone                | average                 | unlighted        | side loading                 | I. vágány                            | 445               | 90                 | 3, 10                  | local                 | no                       | 0               | 0              | 0                  | 18,5          | good                    | 10                     | D                       |  |              |
| Kalocsa          | 16568                     | 300 - 302                                       | 38 x 20                | 760                                     | yes      | stone                | average                 | unlighted        | side and end loading         | V. vágány                            | 107               | 38                 | 10                     | local                 | no                       | 0               | 0              | 0                  | 18,5          | good                    | 10                     | D                       |  |              |
| Kalocsa          | 16568                     | 297+90 - 300+00                                 | 210 x 8                | 1440                                    | yes      | stone                | average                 | unlighted        | side and end loading         | VI. vágány                           | 310               | 210                | 2                      | local                 | no                       | 0               | 0              | 0                  | 18,5          | good                    | 5                      | S                       |  |              |
| Kardoskút        | 18358                     | 513 - 514                                       | 29 x 50                | 375                                     | yes      | concrete             | average                 | lighted          |                              | I. vágány                            | 324               | 50                 | 5, 6                   | local                 | no                       | 0               | 0              | 2                  | 17            | bad                     | 5                      | D                       |  |              |
| Katonatelep      | 17103                     | 263+10 - 265+55                                 | 6 x 240                | 960                                     | no       | none                 | average                 | lighted          |                              | IV. vágány                           | 240               | 240                | 4, 8                   | central               | no                       | 240             | 0              | 2                  | 21            | satisfactory            | 10                     | D                       | Culvert can be found next to the track between profiles 261+10 - 263+72<br>Overhead wire posts: 236+60, 264+14, 264+71, 265+31 |              |
| Kecel            | 16543                     | 93 - 95   | 5 x 50                 | 250                                     | yes      | stone                | average                 | unlighted        | side loading                 | I. vágány                            | 388               | 50                 | 6, 5                   | local                 | no                       | 0               | 0              | 0                  | 18,5          | good                    | 10                     | D                       |  |              |
| Kecel            | 16543                     | 93 - 95   | 20 x 10                | 200                                     | yes      | stone                | average                 | unlighted        | side loading                 | I. (O) vágány                        | 388               | 20                 | 6, 5                   | local                 | no                       | 0               | 0              | 0                  | 18,5          | good                    | 10                     | D                       |  |              |
| Kecel            | 16543                     | 93 - 95   | 20 x 10                | 200                                     | yes      | stone                | average                 | unlighted        | end loading                  | IV. vágány                           | 140               | 20                 | 6, 5                   | local                 | no                       | 0               | 0              | 0                  | 18,5          | good                    | 10                     | D                       |  |              |
| Kecskemét        | 17111                     | 330 - 332                                       | 9 x 59                 | 531                                     | yes      | concrete             | good                    | lighted          | side and end loading         | XXV. Vágány                          | 45                | 45                 | 51                     | local                 | no                       | 0               | 0              | 0                  | 21            | good                    | 40                     | S                       |  |              |
| Kecskemét        | 17111                     | 326 - 328                                       | 5 x 191                | 955                                     | yes      | macadam              | good                    | lighted          |                              | XVII. (A)Vágány                      | 246               | 191                | 55, 38                 | local                 | no                       | 2: feeder cable | 0              | 0                  | 21            | good                    | 10                     | D                       |  |              |
| Kecskemét        | 17111                     | 326 - 328                                       | 5 x 19                 | 95                                      | yes      | macadam              | good                    | lighted          |                              | XVII. (B)Vágány                      | 246               | 19                 | 55, 38                 | local                 | no                       | 2: feeder cable | 0              | 0                  | 21            | good                    | 10                     | D                       |  |              |
| Kecskemét        | 17111                     | 326 - 328                                       | 5 x 191                | 955                                     | yes      | macadam              | good                    | lighted          |                              | XVIII Vágány                         | 231               | 191                | 38, 57                 | local                 | no                       | 2: feeder cable | 0              | 0                  | 21            | good                    | 10                     | D                       |  |              |
| Kecskemét        | 17111                     | 330 - 332                                       | 6 x 120                | 720                                     | yes      | concrete             | good                    | lighted          |                              | XIX. Vágány                          | 178               | 120                | 53, 45                 | local                 | no                       | 0               | 0              | 0                  | 21            | good                    | 10                     | D                       |  |              |
| Kecskemét        | 17111                     | 330 - 332                                       | 6 x 120                | 720                                     | yes      | concrete             | good                    | lighted          |                              | XX. (B) Vágány                       | 200               | 120                | 55, 45                 | local                 | no                       | 0               | 0              | 0                  | 21            | good                    | 10                     | D                       |  |              |
| Kecskemét        | 17111                     | 330 - 332                                       | 6 x 61                 | 366                                     | yes      | concrete             | good                    | lighted          |                              | XX. (A)Vágány                        | 200               | 61                 | 55, 45                 | local                 | no                       | 0               | 0              | 0                  | 21            | good                    | 10                     | D                       |  |              |
| Kecskemét        | 17111                     | 330 - 332                                       | 5 x 180                | 900                                     | yes      | concrete             | good                    | lighted          |                              | XII. (B)Vágány                       | 250               | 180                | 57, 39                 | local                 | no                       | 0               | 0              | 0                  | 21            | good                    | 10                     | k                       |  |              |
| Kecskemét        | 17111                     | 330 - 332                                       | 5 x 49                 | 245                                     | yes      | concrete             | good                    | lighted          |                              | XXI. (A)Vágány                       | 250               | 49                 | 57, 39                 | local                 | no                       | 0               | 0              | 0                  | 21            | good                    | 10                     | k                       |  |              |
| Kecskemét- alsó  | 16535                     | 34 - 37   | 12,5 x 225             | 2813                                    | yes      | concrete             | good                    | lighted          |                              | I. vágány                            | 275               | 225                | 20, 21                 | local                 | no                       | 0               | 0              | 0                  | 21            | good                    | 40                     | D                       |  |              |
| Kecskemét- alsó  | 16535                     | 34 - 37   | 12,5 x 225             | 2813                                    | yes      | concrete             | good                    | lighted          |                              | VIII. vágány                         | 370               | 225                | 12                     | local                 | no                       | 0               | 0              | 0                  | 21            | good                    | 40                     | D                       |  |              |
| Kecskemét- alsó  | 16535                     | 29 - 32   | 15 x 275               | 4125                                    | yes      | concrete             | good                    | unlighted        |                              | IX. vágány                           | 286               | 275                | 11                     | local                 | no                       | 0               | 1              | 0                  | 21            | good                    | 40                     | S                       |  |              |
| Kelebia          | 16352                     | 1564+40 - 1565+80                               | 9 x 140                | 1260                                    | yes      | concrete             | good                    | unlighted        | side and live stock loading  | XI. vágány                           | 306               | 140                | 1                      | central               | yes                      | 30              | 0              | 1                  | 21            | average                 | 40                     | S                       |  |              |
| Kétegyháza       | 18051                     | 1015+10 - 1018+00                               | 290 x 13,9             | 4031                                    | no       | -                    | bad                     | lighted          |                              | XI. vágány                           | 254               | 254                | 12                     | central               | no                       | 0               | 0              | 0                  | 21            | good                    | 40                     | S                       |  |              |
| Kétegyháza       | 18051                     | 1018+70 - 1019+50                               | 81,5 x 19              | 1548                                    | yes      | macadam              | bad                     | lighted          | live stock loading           | X. vágány                            | 519               | 81                 | 8, 25                  | central/local         | no                       | 0               | 0              | 0                  | 21            | good                    | 40                     | D                       |  |              |
| Kiskörös         | 16261                     | 1003+70 1006+00                                 | 20x230                 | 500                                     | yes      | concrete             | average                 | unlighted        | side loading                 | XV. vágány                           | 324               | 230                | 21                     | local                 | no                       | 0               | 0              | 0                  | 21            | good                    | 15                     | S                       |  |              |
| Kiskunfélegyháza | 17137                     | 570 - 576                                       | 20 x 690               | 13800                                   | yes      | concrete             | good                    | lighted          | end loading                  | XVII. vágány                         | 202               | 202                | 38                     | local                 | no                       | 0               | 0              | 0                  | 21            | good                    | 40                     | S                       |  |              |
| Kiskunfélegyháza | 17137                     | 570 - 576                                       | 20 x 690               | 13800                                   | yes      | concrete             | good                    | lighted          |                              | XVIII. vágány                        | 430               | 430                | 42                     | local                 | no                       | 0               | 0              | 0                  | 21            | good                    | 40                     | S                       |  |              |
| Kiskunfélegyháza | 17137                     | 570 - 576                                       | 20 x 690               | 13800                                   | yes      | concrete             | good                    | lighted          |                              | XIX. vágány                          | 180               | 180                | 42                     | local                 | no                       | 0               | 0              | 0                  | 21            | good                    | 40                     | S                       |  |              |
| Kiskunhalas      | 16311                     | 1264 - 1272                                     | 18 x 100               | 1759                                    | yes      | concrete             | good                    | lighted          | side loading                 | I. vágány                            | 821               | 100                | 20                     | central               | yes                      | 100             | 0              | 0                  | 21            | good                    | 40                     | D                       |  |              |
| Kiskunhalas      | 16311                     | 1275 - 1277                                     | 3 x 160                | 399                                     | yes      | concrete             | good                    | lighted          |                              | XXII. Vágány                         | 183               | 160                | 13                     | central               | no                       | 0               | 0              | 0                  | 21            | good                    | 15                     | S                       |  |              |
| Kiskunhalas      | 16311                     | 1268+86 - 1270+80                               | 9 x 194                | 1587                                    | yes      | stone                | good                    | lighted          |                              | XIII. vágány                         | 246               | 194                | 26                     | local                 | no                       | 0               | 0              | 0                  | 21            | good                    | 15                     | S                       |  |              |
| Kiskunhalas      | 16311                     | 1268+86 - 1270+80                               | 7 x 194                | 1280                                    | yes      | macadam              | good                    | lighted          | end loading                  | XII. vágány                          | 120               | 120                | 26                     | local                 | no                       | 0               | 0              | 0                  | 21            | good                    | 15                     | S                       |  |              |
| Kiskunmajsa      | 16758                     | 243 - 245                                       | 13 x 220               | 1500                                    | yes      | stone                | bad                     | unlighted        |                              | V. vágány                            | 220               | 220                | 9                      | central               | no                       | 0               | 1              | 0                  | 21            | good                    | 15                     | S                       |  |              |
| Kiskunmajsa      | 16758                     | 245 - 248                                       | 3 x 300                | 900                                     | yes      | asphalt              | good                    | unlighted        |                              | I. (O)vágány                         | 800               | 300                | 8, 7                   | central               | yes                      | 300             | 2              | 0                  | 21            | good                    | 40                     | D                       |  |              |
| Kiskunmajsa      | 16758                     | 245 - 248                                       | 3 x 65                 | 195                                     | yes      | asphalt              | good                    | unlighted        | side loading                 | I. vágány                            | 800               | 65                 | 8, 7                   | central               | yes                      | 300             | 2              | 0                  | 21            | good                    | 40                     | D                       |  |              |
| Kisszállás       | 16337                     | 1449 - 1452                                     | 15 x 125               | 3336                                    | yes      | concrete             | bad                     | lighted          |                              | I. vágány                            | 410               | 125                | 4, 15                  | central               | no                       | 0               | 1              | 0                  | 21            | good                    | 40                     | D                       |  |              |
| Kistelek         | 17160                     | 864 - 867                                       | 8 x 150                | 1200                                    | yes      | asphalt              | good                    | lighted          | side and live stock loading  | I. (O)vágány                         | 848               | 150                | 6, 9                   | central               | yes                      | 400             | 0              | 1                  | 21            | good                    | 40                     | D                       |  |              |
| Kistelek         | 17160                     | 861 - 864                                       | 8 x 200                | 1725                                    | yes      | concrete             | good                    | lighted          |                              | I. vágány                            | 848               | 200                | 6, 9                   | central               | yes                      | 400             | 0              | 1                  | 21            | good                    | 40                     | D                       |  |              |
| Kiszombor mrrh.  | 18986                     | 931 - 933                                       | 11,85 x 80             | 948                                     | yes      | stone                | good                    | lighted          | side loading                 | I. vágány                            | 228               | 80                 | 5, 6                   | local                 | no                       | 0               | 0              | 1                  | 16            | adequate                | 40                     | S                       |  |              |
| Komádi           | 18507                     | 344 - 345                                       | 15 X 89                | 1335                                    | yes      | asphalt              | good                    | unlighted        |                              | IV. vágány                           | 89                | 89                 | 3, 8                   | local                 | no                       | 0               | 0              | 1                  | 17,5          | good                    | 5                      | S                       |  |              |
| Komádi           | 18507                     | 343 - 347                                       | 15 X 60                | 900                                     | yes      | stone                | good                    | unlighted        | live stock loading           | I. (Evágány                          | 218               | 60                 | 3, 8                   | local                 | no                       | 0               | 0              | 1                  | 17,5          | good                    | 5                      |                         |  |              |

| Service place       | Code of the service place | Open access loading place registered by MÁV Zrt |                                |   |       |                       |                         |           |                                  | Loading track next to loading places |                   |                    |                         |                        |                          |                 |                |                    |               |                         | Applicable speed (km/h) | Possibility of serving (S-straight, D-diverging position) | Restrictions |
|---------------------|---------------------------|---|--------------------------------|---|-------|-----------------------|-------------------------|-----------|----------------------------------|--------------------------------------|-------------------|--------------------|-------------------------|------------------------|--------------------------|-----------------|----------------|--------------------|---------------|-------------------------|-------------------------|---|--------------|
|                     |                           | Position  | Size                           | Currently usable area (m <sup>2</sup> ) | Paved | Material of pavement  | Current technical state | Lighting  | Loading and other equipments     | Name of the track                    | Usable length (m) | Loading length (m) | Branching-off turnouts  |                        | Availability of catenary |                 | Derailer (pcs) | Scotch block (pcs) | Axle load (t) | Current technical state |                         |   |              |
|                     |                           |   |                                |   |       |                       |                         |           |                                  |                                      |                   |                    | From section to section | Width (m) - length (m) | yes - no                 | Number          |                |                    |               |                         |                         |   |              |
| Kondoros            | 18283                     | 53 - 56   | 13 x 145                       | 1885                                    | yes   | asphalt               | good                    | unlighted |                                  | I. (A)vágány                         | 374               | 145                | 2, 3                    | local                  | no                       | 0               | 1              | 1                  | 20            | bad                     | 5                       | D   |              |
| Körösladány         | 18440                     | 135-136   | 49 X 6<br>10 x 10<br>43 x 18   | 1168                                    | yes   | stone asphalt         | good                    | lighted   | live stock loading               | I. (A) vágány                        | 259               | 102                | 3-4                     | local                  | no                       | 0               | 0              | 2                  | 20            | good                    | 40                      | D   |              |
| Körösladány         | 18440                     | 137-138   | 20 X 7                         | 140                                     | yes   | asphalt               | good                    | lighted   | side loading                     | I. (O)vágány                         | 259               | 20                 | 3-4                     | local                  | no                       | 0               | 0              | 2                  | 20            | good                    | 40                      | D   |              |
| Körösladány         | 18440                     | 138-139   | 15 X 13                        | 195                                     | yes   | asphalt               | good                    | lighted   |                                  | I. (B)vágány                         | 259               | 15                 | 3-4                     | local                  | no                       | 0               | 0              | 2                  | 20            | good                    | 40                      | D   |              |
| Körösladány         | 18440                     | 136-138   | 18 x 20                        | 360                                     | yes   | concrete              | good                    | unlighted |                                  | III. vágány                          | 325               | 20                 | 1-2                     | local                  | no                       | 0               | 0              | 0                  | 20            | good                    | 40                      | D   |              |
| Körösszakál         | 18515                     | 242-244   | 123 X 17                       | 2091                                    | yes   | stone                 | good                    | unlighted |                                  | I. (A)vágány                         | 318               | 123                | 3                       | local                  | no                       | 0               | 0              | 1                  | 12            | good                    | 40                      | S   |              |
| Körösszakál         | 18515                     | 244-245   | 10 x 100                       | 100                                     | yes   | stone                 | good                    | unlighted | side loading                     | I. (O)vágány                         | 318               | 10                 | 3                       | local                  | no                       | 0               | 0              | 1                  | 12            | good                    | 40                      | S   |              |
| Körösszakál         | 18515                     | 244-245   | 55 X 10                        | 550                                     | yes   | stone                 | good                    | unlighted | live stock loading               | I. (C)vágány                         | 318               | 55                 | 3                       | local                  | no                       | 0               | 0              | 1                  | 12            | good                    | 40                      | S   |              |
| Körösszakál         | 18515                     | 244-245   | 25 X 16                        | 400                                     | yes   | stone                 | good                    | unlighted |                                  | I. (B) vágány                        | 318               | 25                 | 3                       | local                  | no                       | 0               | 0              | 1                  | 12            | good                    | 40                      | S   |              |
| Kunfehértó          | 16584                     | 3+50 - 5+30                                     | 10 X 180                       | 1500                                    | no    | 0                     | good                    | unlighted |                                  | IV. vágány                           | 337               | 180                | 6,11                    | local                  | no                       | 0               | 0              | 0                  | 21            | good                    | 15                      | S   |              |
| Kunszentmárton      | 18135                     | 345—348   | 9 x 40                         | 360                                     | yes   | asphalt               | good                    | lighted   |                                  | I. (B)vágány                         | 308               | 40                 | 4,9                     | local                  | no                       | 0               | 0              | 0                  | 18,5          | good                    | 40                      | D   |              |
| Kunszentmárton      | 18135                     | 346+00 - 346+55                                 | 9 x 55                         | 495                                     | yes   | asphalt               | good                    | lighted   |                                  | I. (A)vágány                         | 308               | 55                 | 4,9                     | local                  | no                       | 0               | 0              | 0                  | 18,5          | good                    | 10                      | D   |              |
| Kunszentmárton      | 18135                     | 344+69 - 345+04                                 | 10 x 35                        | 350                                     | yes   | asphalt               | good                    | lighted   | side loading                     | I. (O)vágány                         | 308               | 35                 | 4,9                     | local                  | no                       | 0               | 0              | 0                  | 18,5          | good                    | 10                      | D   |              |
| Kunszentmárton      | 18135                     | 345 - 348                                       | 12 x 230                       | 2760                                    | yes   | asphalt               | good                    | lighted   |                                  | V. vágány                            | 378               | 230                | 4, 9<br>8, 3            | local                  | no                       | 0               | 0              | 0                  | 17            | good                    | 10                      | D   |              |
| Kunszentmiklós-Tass | 16204                     | 537 - 538                                       | 33 X 106                       | 1500                                    | yes   | asphalt               | adequate                | unlighted |                                  | XV. vágány                           | 249               | 106                | 27                      | local                  | no                       | 0               | 0              | 0                  | 21            | adequate                | 40                      | S   |              |
| Kunszentmiklós-Tass | 06204                     | 537 - 538                                       | 70 x 10                        | 700                                     | yes   | asphalt               | good                    | unlighted | side loading                     | I. vágány                            | 814               | 70                 | 14,21                   | central                | no                       | 0               | 0              | 0                  | 21            | good                    | 40                      | D   |              |
| Kútvolgy            | 18580                     | 1443 - 1445                                     | 14,6 x 107                     | 1560                                    | yes   | concrete              | good                    | unlighted |                                  | I. (A)vágány                         | 927               | 107                | 1,2                     | central                | no                       | 0               | 0              | 0                  | 21            | good                    | 40                      | D   |              |
| Kútvolgy            | 18580                     | 1443 - 1445                                     | 14,6 x 90,7                    | 1321                                    | yes   | asphalt               | good                    | unlighted |                                  | I. (B)vágány                         | 927               | 90,7               | 1,2                     | central                | no                       | 0               | 0              | 0                  | 21            | good                    | 40                      | D   |              |
| Lajosmizse          | 16915                     | 679 - 680                                       | 7 x 298                        | 2086                                    | no    | stone                 | good                    | lighted   |                                  | I. vágány                            | 542               | 298                | 2, 5                    | local                  | no                       | 0               | 0              | 0                  | 21            | good                    | 40                      | D   |              |
| Lajosmizse          | 16915                     | 679 - 680                                       | 12 x 8                         | 96                                      | no    | stone                 | good                    | lighted   | side loading                     | I. (O) vágány                        | 542               | 12                 | 2, 5                    | local                  | no                       | 0               | 0              | 0                  | 21            | good                    | 40                      | D   |              |
| Lakitelek           | 17285                     | 264+86 - 265+97                                 | 9 x 155                        | 1395                                    | yes   | stone                 | adequate                | lighted   |                                  | I. vágány                            | 200               | 155                | 7, 18                   | local                  | no                       | 0               | 0              | 0                  | 17            | adequate                | 40                      | D   |              |
| Lakitelek           | 17285                     | 264+86 - 265+97                                 | 9 x 25                         | 225                                     | yes   | stone                 | adequate                | lighted   | side loading                     | I. (O)vágány                         | 200               | 25                 | 7, 18                   | local                  | no                       | 0               | 0              | 0                  | 17            | adequate                | 40                      | D   |              |
| Lökösháza           | 18069                     | 1139+50-1140+65                                 | 11,2 x 115                     | 1288                                    | yes   | asphalt               | good                    | lighted   | side, end and live stock loading | IX. vágány                           | 456               | 115                | 14,13                   | central                | no                       | 0               | 0              | 2                  | 21            | average                 | 5                       | D   |              |
| Lökösháza           | 18069                     | 1133+10 - 1135+70                               | 15 X 260                       | 6453                                    | yes   | concrete              | average                 | unlighted |                                  | XI. vágány                           | 465               | 260                | 6                       | central                | no                       | 0               | 0              | 1                  | 21            | average                 | 5                       | S   |              |
| Magyarbánhegyes     | 19273                     | 189 - 191                                       | 9,22 x 300                     | 1300                                    | yes   | asphalt               | good                    | lighted   |                                  | I. vágány                            | 703               | 300                | 3,4                     | local                  | no                       | 0               | 0              | 2                  | 17            | adequate                | 40                      | D   |              |
| Magyarbánhegyes     | 19273                     | 189 - 191                                       | 5 x 50                         | 250                                     | yes   | asphalt               | good                    | lighted   | side loading                     | I. (O)vágány                         | 703               | 50                 | 3,4                     | local                  | no                       | 0               | 0              | 2                  | 17            | adequate                | 40                      | D   |              |
| Makó                | 19109                     | 874 - 876                                       | 13,43 X 150                    | 2015                                    | yes   | stone                 | good                    | lighted   |                                  | X. vágány                            | 240               | 150                | 33,18                   | local                  | no                       | 0               | 0              | 1                  | 18,5          | adequate                | 10                      | D   |              |
| Makó                | 19019                     | 877 - 883                                       | 13,63 x 300                    | 4089                                    | yes   | concrete              | good                    | unlighted |                                  | XII. vágány                          | 420               | 300                | 29,3                    | local                  | no                       | 0               | 0              | 0                  | 18,5          | adequate                | 10                      | D   |              |
| Makó-Ujváros        | 19372                     | 266+43 - 267+03                                 | 7 x 60                         | 420                                     | yes   | macadam               | good                    | lighted   |                                  | I (A). vágány                        | 418               | 60                 | 4,7                     | local                  | no                       | 0               | 0              | 2                  | 20            | adequate                | 5                       | D   |              |
| Makó-Ujváros        | 19372                     | 267+78 - 268+55                                 | 7 x 77                         | 539                                     | yes   | asphalt               | good                    | lighted   |                                  | I (B). vágány                        | 418               | 77                 | 4,7                     | local                  | no                       | 0               | 0              | 2                  | 20            | adequate                | 5                       | D   |              |
| Makó-Ujváros        | 19372                     | 268+65 - 268+97                                 | 7 x 32                         | 224                                     | yes   | asphalt               | good                    | lighted   |                                  | I (C). vágány                        | 418               | 32                 | 4,7                     | local                  | no                       | 0               | 0              | 2                  | 20            | adequate                | 5                       | D   |              |
| Makó-Ujváros        | 19372                     | 269+21 - 270+50                                 | 7 x 129                        | 903                                     | yes   | asphalt               | good                    | lighted   |                                  | I (D). vágány                        | 418               | 129                | 4,7                     | local                  | no                       | 0               | 0              | 2                  | 20            | adequate                | 5                       | D   |              |
| Martfű              | 18093                     | 143+10 - 144+75                                 | 8 x 114                        | 992                                     | yes   | concrete              | good                    | lighted   |                                  | I. vágány                            | 482               | 114                | 14,7                    | local                  | no                       | 0               | 0              | 2                  | 21            | good                    | 40                      | D   |              |
| Martfű              | 18093                     | 143+10 - 144+75                                 | 10 x 15                        | 150                                     | yes   | concrete              | good                    | lighted   | side loading                     | I. (O)vágány                         | 482               | 10                 | 14,7                    | local                  | no                       | 0               | 0              | 2                  | 21            | good                    | 40                      | D   |              |
| Medgyesegyháza      | 19281                     | 258 - 260                                       | 4,17 x 300                     | 1250                                    | yes   | concrete              | good                    | lighted   |                                  | I. (B)vágány                         | 719               | 300                | 5,2                     | local                  | no                       | 0               | 0              | 2                  | 17            | adequate                | 40                      | D   |              |
| Medgyesegyháza      | 19281                     | 260 - 261                                       | 20 X 50                        | 1000                                    | yes   | stone                 | good                    | lighted   |                                  | I. (A)vágány                         | 719               | 50                 | 5,2                     | local                  | no                       | 0               | 0              | 2                  | 17            | adequate                | 40                      | D   |              |
| Medgyesegyháza      | 19281                     | 260 - 261                                       | 27 x 10                        | 270                                     | yes   | stone                 | good                    | lighted   | side loading                     | I. (O)vágány                         | 719               | 27                 | 5,2                     | local                  | no                       | 0               | 0              | 2                  | 17            | adequate                | 40                      | D   |              |
| Mezőhegyes          | 19166                     | 505 - 506                                       | 15 X 70                        | 294                                     | yes   | stone                 | good                    | lighted   |                                  | XII. (A)Vágány                       | 240               | 70                 | 2,4                     | local                  | no                       | 0               | 1              | 2                  | 17            | adequate                | 40                      | S   |              |
| Mezőhegyes          | 19166                     | 505 - 507                                       | 15 X 200                       | 3484                                    | yes   | concrete              | good                    | lighted   |                                  | XII. (B) Vágány                      | 240               | 200                | 2,4                     | local                  | no                       | 0               | 1              | 2                  | 17            | adequate                | 40                      | S   |              |
| Mezőhegyes          | 19166                     | 496 - 499                                       | 70 X 10                        | 700                                     | yes   | asphalt               | good                    | lighted   | side loading                     | XIII. (O)Vágány                      | 267               | 70                 | 34                      | local                  | no                       | 0               | 0              | 0                  | 17            | adequate                | 40                      | S   |              |
| Mezőhegyes          | 19166                     | 496 - 499                                       | 30 x 9,8<br>100 x 7<br>100 x 7 | 1694                                    | yes   | stone asphalt macadam | good                    | lighted   |                                  | XIII. Vágány                         | 267               | 180                | 34                      | local                  | no                       | 0               | 0              | 0                  | 17            | adequate                | 40                      | S   |              |
| Mezőkovácsháza      | 19182                     | 119 - 121                                       | 20 X 76                        | 2159                                    | yes   | concrete              | good                    | lighted   |                                  | I. (B)vágány                         | 685               | 76                 | 5,8                     | local                  | no                       | 0               | 0              | 2                  | 17            | adequate                | 40                      | D   |              |
| Mezőkovácsháza      | 19182                     | 121 - 124                                       | 7,32 x 224                     | 1640                                    | yes   | stone                 | good                    | lighted   |                                  | I. (A)vágány                         | 685               | 224                | 5,8                     | local                  | no                       | 0               | 0              | 2                  | 17            | adequate                | 40                      | D   |              |
| Mezőkovácsháza      | 19182                     | 121 - 124                                       | 5 X56                          | 280                                     | yes   | stone                 | good                    | lighted   | side loading                     | I. (O) vágány                        | 685               | 56                 | 5,8                     | local                  | no                       | 0               | 0              | 2                  | 17            | adequate                | 40                      | D   |              |
| Mezőtúr             | 17848                     | 299+20 - 299+88                                 | 8 x 38                         | 172                                     | yes   | brokkn stone          | adequate                | lighted   |                                  | XII. vágány                          | 68                | 38                 | 28                      | central                | no                       | 0               | 1              | 0                  | 22,5          | adequate                | 5                       | S   |              |
| Mezőtúr             | 17848                     | 299+21 - 301+67                                 | 12,7 x 39                      | 495                                     | yes   | asphalt               | adequate                | lighted   | side loading                     | XIII. vágány                         | 257               | 39                 | 28,36                   | central                | no                       | 0               | 2              | 0                  | 22,5          | adequate                | 5                       | D   |              |
| Mezőtúr             | 17848                     | 6+82 - 3+33                                     | 23,8 x 300                     | 7141                                    | yes   | concrete              | adequate                | lighted   | end loading                      | R2 vágány                            | 288               | 288                | 104                     | local                  | no                       | 0               | 0              | 0                  | 22,5          | adequate                | 5                       | S   |              |
| Mezőtúr             | 17848                     | 6+82 - 3+33                                     | 23,8 x 300                     | 7141                                    | yes   | concrete              | adequate                | lighted   |                                  | R1 vágány                            | 295               | 295                | 106                     | local                  | no                       | 0               | 0              | 0                  | 22,5          | adequate                | 5                       | S   |              |
| Mélykút             | 16626                     | 309+40 - 311+40                                 | 20 x 200                       | 4000                                    | yes   | concrete              | adequate                | lighted   |                                  | I. vágány                            | 562               | 200                | 4,3                     | local                  | no                       | 0               | 1              | 1                  | 21            | adequate                | 15                      | D   |              |
| Mindszent           | 18218                     | 169 - 170                                       | 18 x 259                       | 4662                                    | yes   | stone                 | good                    | lighted   | live stock loading               | I. vágány                            | 440               | 259                | 4-5                     | local                  | no                       | 0               | 0              | 2                  | 21            | good                    | 40                      | D   |              |
| Mindszent           | 18218                     | 169 - 170                                       | 16 x 22                        | 352                                     | yes   | stone                 | good                    | lighted   | side loading                     | I. (O)vágány                         | 440               | 16                 | 4-5                     | local                  | no                       | 0               | 0              | 2                  | 21            | good                    | 40                      | D   |              |
| Nagykörös           | 17095                     | 171 - 177                                       | 11 x 441                       | 4851                                    | yes   | concrete              | good                    | lighted   |                                  | IX. vágány                           | 504               | 441                | 22                      | local                  | no                       | 2: feeder cable | 0              | 1                  | 21            | good                    | 40                      | D   |              |
| Nagykörös           | 17095                     | 171 - 177                                       | 10 X 40                        | 400                                     | yes   | concrete              | good                    | lighted   | side loading                     | IX.(O)vágány                         | 504               | 40                 | 22                      | local                  | no                       | 2: feeder cable | 0              | 1                  | 21            | good                    | 40                      | D   |              |
| Nagykörös           | 17095                     | 171 - 178                                       | 10 x 481                       |   |       |                       |                         |           |                                  |                                      |                   |                    |                         |                        |                          |                 |                |                    |               |                         |                         |   |              |

| Service place         | Code of the service place | Open access loading place registered by MÁV Zrt |                     |   |       |                      |                         |           |                              | Loading track next to loading places |                   |                    |                         |                        |                          |        |                |                    |               |                         |                       | Applicable speed (km/h) | Possibility of serving (S-straight, D-diverging position) | Restrictions |
|-----------------------|---------------------------|---|---------------------|---|-------|----------------------|-------------------------|-----------|------------------------------|--------------------------------------|-------------------|--------------------|-------------------------|------------------------|--------------------------|--------|----------------|--------------------|---------------|-------------------------|-----------------------|-------------------------|---|--------------|
|                       |                           | Position  | Size                | Currently usable area (m <sup>2</sup> ) | Paved | Material of pavement | Current technical state | Lighting  | Loading and other equipments | Name of the track                    | Usable length (m) | Loading length (m) | Branching-off turnouts  |                        | Availability of catenary |        | Derailer (pcs) | Scotch block (pcs) | Axle load (t) | Current technical state |                       |                         |   |              |
|                       |                           |   |                     |   |       |                      |                         |           |                              |                                      |                   |                    | From section to section | Width (m) - length (m) | yes - no                 | Number |                |                    |               |                         | Switch operation mode |                         |   |              |
| Oroszháza             | 18614                     | 1236 - 1244                                     | 14 x 170            | 2380                                    | yes   | asphalt              | bad                     | lighted   |                              | XVI. vágány                          | 104               | 83                 | 22                      | local                  | no                       | 0      | 1              | 2                  | 21            | average                 | 5                     |                         |   |              |
| Oroszháza             | 18614                     | 1236+28 - 1239+02                               | 8 X 274             | 2192                                    | yes   | stone                | bad                     | lighted   |                              | XII. vágány                          | 371               | 274                | 23                      | local                  | no                       | 0      | 0              | 0                  | 21            | average                 | 40                    |                         | S   |              |
| Órkeny                | 16873                     | 538 - 539                                       | 15 x 158            | 2370                                    | yes   | burkolt              | good                    | lighted   |                              | I., I/A vágány                       | 163, 86           | 158                | 4, 7<br>8               | local                  | no                       | 0      | 1              | 0                  | 21            | good                    | 40                    |                         | S   |              |
| Röszke                | 17673                     | 93 - 95   | 12 x 120            | 1430                                    | yes   | stone                | good                    | unlighted | side loading                 | I. vágány                            | 413               | 120                | 3,6                     | local                  | no                       | 0      | 0              | 0                  | 21            | good                    | 40                    |                         | D   |              |
| Sarkad                | 18739                     | 596-597   | 7 X 20              | 140                                     | yes   | stone                | good                    | lighted   | side loading                 | I. (O)vágány                         | 870               | 20                 | 10-13                   | central                | no                       | 0      | 0              | 0                  | 16            | good                    | 40                    |                         | D   |              |
| Sarkad                | 18739                     | 597-598   | 128 x 5<br>20 X 57  | 1780                                    | yes   | stone                | good                    | lighted   | live stock loading           | I.(A) vágány                         | 870               | 195                | 10-13                   | central                | no                       | 0      | 0              | 0                  | 16            | good                    | 40                    |                         | D   |              |
| Sarkad                | 18739                     | 598-599   | 18 X 130            | 2340                                    | yes   | asphalt              | good                    | lighted   |                              | I. (B)vágány                         | 870               | 130                | 10-13                   | central                | no                       | 0      | 0              | 0                  | 16            | good                    | 40                    |                         | D   |              |
| Solt                  | 16410                     | 294+10 - 300+10                                 | 11,4 x 103          | 1175                                    | no    | concrete             | good                    | unlighted |                              | V. vágány                            | 700               | 103                | 3,6                     | local                  | no                       | 0      | 1              | 2                  | 20            | good                    | 40                    |                         | D   |              |
| Soltvadkert           | 16287                     | 1100 - 1103                                     | 13 x 114            | 2012                                    | yes   | asphalt              | average                 | unlighted | end loading                  | V. vágány                            | 127               | 114                | 4,3                     | central                | yes                      | 664    | 2              | 0                  | 21            | good                    | 40                    |                         | S   |              |
| Soltvadkert           | 16287                     | 1100 - 1103                                     | 65 x 10             | 650                                     | yes   | asphalt              | average                 | unlighted | side loading                 | I.(O) vágány                         | 670               | 65                 | 9                       | local                  | no                       | 0      | 1              | 0                  | 21            | good                    | 15                    |                         | D   |              |
| Soltvadkert           | 16287                     | 1103-06 - 1104+32                               | 13 x 30             | 390                                     | yes   | stone                | average                 | unlighted |                              | I. vágány                            | 670               | 30                 | 9                       | local                  | no                       | 0      | 1              | 0                  | 21            | good                    | 15                    |                         | D   |              |
| Szabadkigyós          | 18044                     | 930-80 - 932+60                                 | 180 x 63            | 11000                                   | yes   | concrete             | good                    | lighted   |                              | I. vágány                            | 450               | 180                | 8, 5                    | local                  | no                       | 0      | 0              | 2                  | 21            | average                 | 40                    |                         | D   |              |
| Szabadszállás         | 16220                     | 716 - 718                                       | 12 x 122            | 1461                                    | yes   | stone                | good                    | unlighted |                              | I. vágány                            | 573               | 122                | 8,10                    | central                | yes                      | 653    | 0              | 1                  | 21            | good                    | 40                    |                         | D   |              |
| Szabadszállás         | 16220                     | 716 - 718                                       | 29 x 10             | 290                                     | yes   | stone                | good                    | unlighted | side and end loading         | V. vágány                            | 93                | 93                 | 8,10                    | central                | yes                      | 653    | 0              | 1                  | 21            | good                    | 40                    |                         | D   |              |
| Szalkszentmárton mrt. | 16378                     | 83 - 85<br>85 - 86                              | 13 x 152<br>17 x 34 | 1982<br>560                             | yes   | asphalt<br>stone     | good                    | unlighted |                              | I. vágány                            | 630               | 186                | 4,7                     | local                  | no                       | 0      | 0              | 2                  | 20            | good                    | 40                    |                         | D   |              |
| Szarvas               | 18259                     | 198 - 199+10                                    | 15 x 110            | 1650                                    | yes   | asphalt              | good                    | lighted   | side and end loading         | I. vágány                            | 427               | 110                | 6,11                    | local                  | no                       | 0      | 0              | 1                  | 21            | good                    | 5                     |                         | D   |              |
| Szarvas               | 18259                     | 200+43 - 202+83                                 | 9,8 X 240           | 2352                                    | yes   | asphalt              | good                    | lighted   |                              | V. vágány                            | 365               | 240                | 12                      | local                  | no                       | 0      | 0              | 2                  | 21            | good                    | 5                     |                         | D   |              |
| Szatymaz              | 17186                     | 1013 - 1015                                     | 10 X 50             | 500                                     | yes   | asphalt              | good                    | lighted   | side loading                 | I. (O)vágány                         | 158               | 50                 | 9,12                    | central                | yes                      | 203    | 0              | 2                  | 21            | good                    | 40                    |                         | D   |              |
| Szatymaz              | 17186                     | 1013 - 1015                                     | 16 x 30             | 480                                     | yes   | asphalt              | good                    | lighted   |                              | I. vágány                            | 158               | 30                 | 9,12                    | central                | yes                      | 203    | 0              | 2                  | 21            | good                    | 40                    |                         | D   |              |
| Szatymaz              | 17186                     | 1008 - 1010                                     | 7 x 192             | 1044                                    | yes   | concrete             | good                    | unlighted |                              | VII. vágány                          | 347               | 192                | 10                      | central                | yes                      | 348    | 0              | 1                  | 21            | good                    | 40                    |                         | S   |              |
| Szeged - Rökös        | 18531                     | 1779 - 1782                                     | 7 x 380             | 2660                                    | yes   | stone                | good                    | unlighted |                              | XIX. Vágány                          | 897               | 380                | 26,5                    | local                  | no                       | 0      | 0              | 0                  | 21            | good                    | 40                    |                         | D   |              |
| Szeged - Rökös        | 18531                     | 1779 - 1782                                     | 5 X 62              | 310                                     | yes   | stone                | good                    | unlighted | side loading                 | XVI. (O2)Vágány                      | 311               | 62                 | 33,26                   | local                  | no                       | 0      | 0              | 0                  | 21            | good                    | 40                    |                         | D   |              |
| Szeged - Rökös        | 18531                     | 1779 - 1782                                     | 5 X 29              | 145                                     | yes   | stone                | good                    | unlighted | side loading                 | XVI. (O1)Vágány                      | 311               | 29                 | 33,26                   | local                  | no                       | 0      | 0              | 0                  | 21            | good                    | 40                    |                         | D   |              |
| Szeged - Rökös        | 18531                     | 1779 - 1782                                     | 10 X 300            | 3000                                    | yes   | stone                | good                    | unlighted |                              | XVII. Vágány                         | 311               | 300                | 33,26                   | local                  | no                       | 0      | 0              | 0                  | 21            | good                    | 40                    |                         | D   |              |
| Szeged - Rökös        | 18531                     | 1779 - 1782                                     | 5 x 90              | 450                                     | yes   | stone                | good                    | unlighted | side loading                 | XVIII. (O)Vágány                     | 380               | 90                 | 5,33                    | local                  | no                       | 0      | 0              | 0                  | 21            | good                    | 40                    |                         | S   |              |
| Szeged - Rökös        | 18531                     | 1779 - 1782                                     | 13 x 50             | 650                                     | yes   | stone                | good                    | unlighted | end loading                  | X. (H)Vágány                         | 65                | 50                 | 33                      | local                  | no                       | 0      | 0              | 0                  | 21            | good                    | 40                    |                         | S   |              |
| Szeged-Rendező        | 17210                     | 6+50 - 12+50                                    | 12,3 x 320          | 3936                                    | yes   | concrete             | good                    | lighted   | gantry crane, crane track    | XIII. vágány                         | 320               | 320                | 23                      | local                  | no                       | 0      | 0              | 0                  | 20            | good                    | 40                    |                         | S   |              |
| Szeged-Rendező        | 17210                     | 6+50 - 12+50                                    | 12,3 x 320          | 3936                                    | yes   | concrete             | good                    | lighted   | gantry crane, crane track    | XIV. vágány                          | 378               | 320                | 23                      | local                  | no                       | 0      | 0              | 0                  | 20            | good                    | 40                    |                         | S   |              |
| Szeghalom             | 18457                     | 207-209   | 6 X 20              | 120                                     | yes   | stone                | good                    | lighted   | side loading                 | I. (O)vágány                         | 207               | 20                 | 6-5                     | local                  | no                       | 0      | 0              | 0                  | 21            | good                    | 5                     |                         | S   |              |
| Szeghalom             | 18457                     | 207-209   | 6 X 20              | 120                                     | yes   | stone                | good                    | lighted   | live stock loading           | I. (É)vágány                         | 207               | 20                 | 6-5                     | local                  | no                       | 0      | 0              | 0                  | 21            | good                    | 5                     |                         | S   |              |
| Szeghalom             | 18457                     | 207-209   | 191 X 10            | 1910                                    | yes   | stone                | good                    | lighted   |                              | I. vágány                            | 207               | 191                | 6-5                     | local                  | no                       | 0      | 0              | 0                  | 21            | good                    | 5                     |                         | S   |              |
| Szeghalom             | 18457                     | 207-209   | 231 X 10            | 2310                                    | yes   | stone                | good                    | lighted   |                              | VIII. csonka                         | 270               | 231                | 6-5                     | local                  | no                       | 0      | 0              | 0                  | 21            | good                    | 5                     |                         | S   |              |
| Szegvár               | 18200                     | 80+50 - 83                                      | 20 x 250            | 5000                                    | yes   | stone                | good                    | lighted   |                              | I. (A)vágány                         | 638               | 250                | 4, 3                    | local                  | no                       | 0      | 0              | 0                  | 21            | good                    | 40                    |                         | D   |              |
| Szegvár               | 18200                     | 80+50 - 83                                      | 20 x 60             | 1200                                    | yes   | stone                | good                    | lighted   |                              | I. (B)vágány                         | 638               | 60                 | 4, 3                    | local                  | no                       | 0      | 0              | 0                  | 21            | good                    | 40                    |                         | D   |              |
| Szegvár               | 18200                     | 80+50 - 83                                      | 15 x 8              | 120                                     | yes   | concrete             | good                    | lighted   | side loading                 | I. (O)vágány                         | 638               | 15                 | 4, 3                    | local                  | no                       | 0      | 0              | 0                  | 21            | good                    | 40                    |                         | D   |              |
| Székkutas             | 18598                     | 1354+15 - 1355+70                               | 7,8 x 155           | 1209                                    | yes   | stone                | good                    | unlighted | side loading                 | I. vágány                            | 798               | 150                | 3,4                     | local                  | no                       | 0      | 0              | 2                  | 21            | good                    | 40                    |                         | D   |              |
| Szentes               | 18184                     | 216+91 - 221+43                                 | 25 x 450            | 11250                                   | yes   | asphalt              | good                    | lighted   |                              | I. vágány                            | 534               | 421                | 22                      | local                  | no                       | 0      | 0              | 0                  | 21            | good                    | 40                    |                         | D   |              |
| Szentes               | 18184                     | 216+91 - 221+43                                 | 29 x 16             | 464                                     | yes   | asphalt              | good                    | lighted   | side loading                 | I. (O)vágány                         | 534               | 29                 | 22                      | local                  | no                       | 0      | 0              | 0                  | 21            | good                    | 40                    |                         | D   |              |
| Szentes               | 18184                     | 216+91 - 221+43                                 | 25 x 450            | 11250                                   | yes   | asphalt              | good                    | lighted   | end loading                  | XII. vágány                          | 470               | 450                | 22                      | local                  | no                       | 0      | 0              | 0                  | 21            | good                    | 40                    |                         | D   |              |
| Táborfalva            | 16881                     | 587 - 589                                       | 10 x 140            | 1400                                    | no    | -                    | good                    | lighted   |                              | I. vágány                            | 357               | 140                | 3, 6                    | local                  | no                       | 0      | 0              | 0                  | 21            | good                    | 40                    |                         | D   |              |
| Táborfalva            | 16881                     | 585 - 587                                       | 10 x 14             | 140                                     | yes   | paved                | good                    | lighted   | side loading                 | I. (O)vágány                         | 357               | 14                 | 11                      | local                  | no                       | 0      | 0              | 0                  | 21            | good                    | 40                    |                         | S   |              |
| Táborfalva            | 16881                     | 589 - 590                                       | 10 x 140            | 1400                                    | yes   | paved                | good                    | lighted   | end loading                  | V. vágány                            | 255               | 140                | 7                       | local                  | no                       | 0      | 0              | 0                  | 21            | good                    | 40                    |                         | S   |              |
| Telekgerendás         | 18655                     | 989+90 - 992+90                                 | 15 x 300            | 4500                                    | no    | -                    | bad                     | lighted   |                              | IV. vágány                           | 309               | 300                | 4, 8                    | local                  | no                       | 0      | 0              | 0                  | 21            | good                    | 40                    |                         | D   |              |
| Tiszaöldvár           | 18101                     | 192-63 - 195+10<br>195+10 - 195+53              | 16 x 257<br>12 x 43 | 4112<br>516                             | yes   | concrete<br>stone    | good                    | lighted   |                              | I. vágány                            | 668               | 300                | 4, 3                    | local                  | no                       | 0      | 0              | 2                  | 21            | good                    | 40                    |                         | D   |              |
| Tótkomlós             | 18374                     | 616 - 617                                       | 10x40               | 400                                     | yes   | asphalt              | bad                     | lighted   | side loading                 | I. (O)vágány                         | 330               | 40                 | 2, 3                    | local                  | no                       | 0      | 0              | 2                  | 17            | bad                     | 40                    |                         | D   |              |
| Tótkomlós             | 18374                     | 616 - 617                                       | 20 X 64             | 2400                                    | yes   | asphalt              | bad                     | lighted   |                              | I. (B)vágány                         | 330               | 64                 | 2, 3                    | local                  | no                       | 0      | 0              | 2                  | 17            | bad                     | 40                    |                         | D   |              |
| Tótkomlós             | 18374                     | 614 - 616                                       | 10 x 190            | 1881                                    | yes   | stone                | bad                     | lighted   | live stock loading           | I. (A)vágány                         | 330               | 190                | 2, 3                    | local                  | no                       | 0      | 0              | 2                  | 17            | bad                     | 40                    |                         | D   |              |
| Városföld             | 17129                     | 442 - 445                                       | 8 x 130             | 1042                                    | yes   | concrete             | good                    | lighted   | side loading                 | XI. vágány                           | 291               | 130                | 19                      | central                | yes                      | 0      | 0              | 1                  | 21            | good                    | 40                    |                         | S   |              |
| Vésztő                | 18465                     | 338   | 20 X 7              | 140                                     | yes   | concrete             | good                    | lighted   | side loading                 | I. (O)vágány                         | 456               | 20                 | 9,16                    | local                  | no                       | 0      | 0              | 1                  | 17,5          | good                    | 5                     |                         | D   |              |
| Vésztő                | 18465                     | 338   | 14 X 7              | 98                                      | yes   | asphalt              | good                    | lighted   |                              | I. (A)vágány                         | 456               | 14                 | 9,16                    | local                  | no                       | 0      | 0              | 1                  | 17,5          | good                    | 5                     |                         | D   |              |
| Vésztő                | 18465                     | 338 - 340                                       | 40 X 10             | 400                                     | yes   | asphalt              | good                    | lighted   |                              | I. (B) vágány                        | 456               | 40                 | 9,16                    | local                  | no                       | 0      | 0              | 1                  | 17,5          | good                    | 5                     |                         | D   |              |
| Vésztő                | 18465                     | 338 - 340                                       | 91 X 10             | 910                                     | yes   | asphalt              | good                    | lighted   | live stock loading           | I.(C) vágány                         | 456               | 91                 | 9,16                    | local                  | no                       | 0      | 0              | 1                  | 17,5          | good                    | 5                     |                         | D   |              |

List of loading places on open access railway network - MÁV Zrt

Pécs TK

| Service place      | Open access loading place registered by MÁV Zrt |                         |                                |   |          |                        |                         |           |                              |                    | Loading track next to loading places |                    |                        |                             |                          |            |                |                    |               |                         |                         |   | Restrictions                                |
|--------------------|---|-------------------------|--------------------------------|---|----------|------------------------|-------------------------|-----------|------------------------------|--------------------|--------------------------------------|--------------------|------------------------|-----------------------------|--------------------------|------------|----------------|--------------------|---------------|-------------------------|-------------------------|---|---|
|                    | Code of the service place                       | Position                | Size                           | Currently usable area (m <sup>2</sup> ) | Paved    | Material of pavement   | Current technical state | Lighting  | Loading and other equipments | Name of the track  | Usable length (m)                    | Loading length (m) | Branching-off turnouts |                             | Availability of catenary |            | Derailer (pcs) | Scotch block (pcs) | Axle load (t) | Current technical state | Applicable speed (km/h) | Possibility of serving (S-straight, D-diverging position) |   |
|                    |   | From section to section | Width (m) - length (m)         |   | yes - no |                        |                         |           |                              |                    |                                      |                    | Number                 | Switch operation mode       | yes - no                 | length (m) |                |                    |               |                         |                         |   |   |
|                    |   |                         |                                |   |          |                        |                         |           |                              |                    |                                      |                    |                        |                             |                          |            |                |                    |               |                         |                         |   |   |
| Abaliget           | 07229   | 1865+60-1867+87         | 15 x 227                       | 3 405                                   | yes      | broken stone/ concrete | good                    | lighted   | none                         | IV. vágány         | 183                                  | 183                | 5, 7                   | central                     | yes                      | 202        | 2              | 0                  | 21            | adequate                | 40                      |   | Fly shunting is not allowed, "K" sign track |
| Aba-Sárkeresztúr   | 04135   | 146+00-148+00           | 8 x 200                        | 1 600                                   | yes      | asphalt                | good                    | lighted   | none                         | II. vágány         | 732                                  | 200                | 4, 2                   | local                       | no                       | 0          | 0              | 21                 | average       | 40                      | D                       |   |   |
| Aba-Sárkeresztúr   | 04135   | 144+85-146+00           | 25 x 115                       | 2 875                                   | yes      | asphalt                | good                    | lighted   | side loading                 | I.vágány           | 431                                  | 115                | 4,5                    | local                       | no                       | 0          | 0              | 2                  | 21            | average                 | 10                      | D   |   |
| Babócsa            | 05637   |                         | 25 x 100                       | 2 500                                   | yes      | concrete               | average                 | unlighted | none                         | I. vágány          | 300                                  | 100                | 3, 6                   | local                       | no                       | 0          | 0              | 1                  | 21            | adequate                | 5                       | D   |   |
| Babócsa            | 05637   |                         | 65X12                          | 780                                     | yes      | concrete               | average                 | unlighted | side loading                 | I.(O) vágány       | 300                                  | 65                 | 3, 6                   | local                       | no                       | 0          | 0              | 1                  | 21            | adequate                | 5                       | D   |   |
| Balatonszeresztúr  | 08615   |                         | 20 x 60                        | 1 200                                   | yes      | gravel                 | average                 | lighted   | none                         | I. vágány          | 179                                  | 60                 | 3, 7                   | local                       | no                       | 0          | 0              | 2                  | 18,5          | adequate                | 10                      | D   |   |
| Balatonszemes      | 03434   | 1385+61-1386+77         | 8 x 116,5                      | 932                                     | yes      | gravel                 | average                 | lighted   | none                         | V. vágány          | 120                                  | 116,5              | 3, 9                   | local, with central locking | yes                      | 80         | 0              | 2                  | 21            | to be repaired          | 40                      | D   |   |
| Balatonszentgyörgy | 03566   | 1800+00-1801+18         | 10 x 118                       | 1 180                                   | yes      | concrete               | good                    | lighted   | end loading                  | IX. vágány         | 282                                  | 118                | 24/1                   | local                       | yes                      | 0          | 1              | 0                  | 21            | to be repaired          | 20                      | S   |   |
| Balatonszentgyörgy | 03566   | 1801+18-1801+45         | 12 x 27                        | 321                                     | yes      | macadam                | good                    | lighted   | none                         | VIII. vágány       | 180                                  | 27                 | 24                     | electric                    | yes                      | 305        | 1              | 0                  | 21            | good                    | 40                      | D   |   |
| Barcs              | 05660   |                         | 8 x 180                        | 1 440                                   | yes      | concrete               | good                    | unlighted | none                         | XIII. vágány       | 146                                  | 146                | 8/1                    | local                       | no                       | 0          | 0              | 0                  | 18,5          | adequate                | 5                       | S   |   |
| Barcs              | 05660   |                         | 8 x 35                         | 280                                     | yes      | concrete               | good                    | lighted   | side loading                 | XIV.(O) vágány     | 230                                  | 35                 | 6, 16                  | central/ local              | no                       | 0          | 0              | 0                  | 18,5          | to be repaired          | 5                       | S   |   |
| Barcs              | 05660   | 701+50-702+50           | 17,5 x 100                     | 1 755                                   | yes      | concrete               | good                    | lighted   | none                         | XIV. vágány        | 230                                  | 100                | 6, 16                  | central/ local              | no                       | 0          | 0              | 0                  | 18,5          | to be repaired          | 5                       | S   |   |
| Báté               | 06247   |                         | 50 x 12                        | 600                                     | yes      | concrete               | average                 | lighted   | side loading                 | I.(O)vágány        | 640                                  | 50                 | 5, 6                   | ID                          | yes                      | 50         | 2              | 0                  | 21            | adequate                | 10                      | D   |   |
| Báté               | 06247   |                         | 20 x 100                       | 2 000                                   | yes      | concrete               | average                 | lighted   | none                         | I. vágány          | 640                                  | 100                | 5, 6                   | ID                          | yes                      | 50         | 2              | 0                  | 21            | adequate                | 10                      | D   |   |
| Báté               | 06247   | 164+30-164+80           | 12 x 50                        | 600                                     | yes      | beton+föld             | bad                     | unlighted | loading gauge, end loading   | V. vágány          | 70                                   | 50                 | 6                      | ID                          | no                       | 0          | 1              | 0                  | 21            | out of date             | 10                      | S   |   |
| Bátaszék           | 07146   |                         | 10 x 92                        | 920                                     | yes      | concrete               | average                 | lighted   | side loading                 | I. vágány          | 432                                  | 92                 | 17, 26                 | central                     | no                       | 0          | 0              | 21                 | adequate      |                         | S                       |   |   |
| Bátaszék           | 07146   | 604+50-606+90           | 18 x 240                       | 4 364                                   | yes      | concrete               | average                 | lighted   | scales, end loading          | XI. vágány         | 150                                  | 130                | 19                     | manual                      | no                       | 0          | 0              | 0                  | 21            | adequate                | 5                       | S   |   |
| Bátaszék           | 07146   | 604+80-606+40           | 23 x 160<br>11 x 75<br>4 x 125 | 5 125                                   | yes      | concrete               | average                 | lighted   | none                         | X. vágány          | 262                                  | 262                | 201, 21                | manual                      | no                       | 0          | 0              | 0                  | 21            | to be renewed           | 5                       | D   |   |
| Berzence           | 05595   | 323-324+50              | 25 x 133                       | 3 335                                   | yes      | concrete               | good                    | lighted   | none                         | I. vágány          | 384                                  | 133                | 4, 3                   | local                       | no                       | 0          | 0              | 0                  | 21            | average                 | 40                      | D   | 5 km/h                                      |
| Boly               | 07765   | 139+24-139+84           | 12 x 60                        | 720                                     | yes      | stone                  | average                 | unlighted | side loading                 | IV. (B)vágány      | 240                                  | 60                 | 8, 10                  | local                       | no                       | 0          | 0              | 0                  | 21            | adequate                | 5                       | D   |   |
| Boly               | 07765   |                         | 12 x 75                        | 900                                     | yes      | concrete               | average                 | unlighted | side loading                 | IV.(O) vágány      | 240                                  | 75                 | 8, 10                  | local                       | no                       | 0          | 0              | 0                  | 21            | adequate                | 5                       | D   |   |
| Boly               | 07765   | 140+59-141+35           | 12 x 75                        | 900                                     | yes      | stone                  | average                 | unlighted | side loading                 | IV. (A)vágány      | 240                                  | 75                 | 8, 10                  | local                       | no                       | 0          | 0              | 0                  | 21            | adequate                | 5                       | D   |   |
| Bóihánye           | 08565   |                         | 20 x 40                        | 800                                     | yes      | concrete               | average                 | lighted   | side loading                 | I. vágány          | 275                                  | 40                 | 6, 5                   | local                       | no                       | 0          | 1              | 0                  | 18,5          | good                    | 20                      | D   |   |
| Bóihánye           | 08565   | 416+20-416+60           | 9 x 70                         | 630                                     | no       | -                      | bad                     | unlighted | none                         | V. vágány          | 145                                  | 70                 | 5                      | local                       | no                       | 0          | 1              | 1                  | 18,5          | good                    | 5                       | S   |   |
| Bóihánye           | 08565   | 412+13-413+13           | 15 x 100                       | 1 500                                   | yes      | concrete               | good                    | lighted   | none                         | III. vágány        | 301                                  | 100                | 2, 3                   | local                       | no                       | 0          | 2              | 0                  | 18,5          | good                    | 20                      | D   | 10 km/h                                     |
| Cece               | 06650   |                         | 10 x 35                        | 350                                     | yes      | concrete               | good                    | lighted   | side loading                 | I. (O)vágány       | 336                                  | 35                 | 3, 4                   | central                     | no                       | 0          | 2              | 0                  | 21            | useable                 | 10                      | D   |   |
| Cece               | 06650   | 50+34-51+42             | 12 x 108                       | 266                                     | yes      | ferroconcrete seating  | good                    | lighted   | none                         | I. vágány          | 336                                  | 50                 | 3, 4                   | central                     | no                       | 0          | 2              | 0                  | 21            | useable                 | 10                      | D   |   |
| Csurgó             | 06411   |                         | 2 x 95                         | 190                                     | yes      | concrete               | bad                     | lighted   | side loading                 | I. (O)vágány       | 708                                  | 95                 | 1, 4                   | central                     | no                       | 0          | 1              | 0                  | 22,5          | useable                 |                         | D   |   |
| Csurgó             | 06411   |                         | 5 x 45                         | 225                                     | yes      | broken stone           | bad                     | lighted   | none                         | I. vágány          | 708                                  | 45                 | 1, 4                   | central                     | no                       | 0          | 1              | 0                  | 22,5          | useable                 |                         | D   |   |
| Csurgó             | 06411   | 890+00-890+75           | 15 x 74                        | 1 108                                   | yes      | concrete               | average                 | lighted   | none                         | VI. vágány         | 138                                  | 74                 | 10, 12                 | local                       | no                       | 0          | 0              | 0                  | 22,5          | useable                 | 40                      | D   |   |
| Csurgó             | 06411   | 890+22-890+82           | 10 x 60                        | 600                                     | yes      | stone                  | average                 | lighted   | end loading                  | V. vágány          | 89                                   | 60                 | 10, 12                 | local                       | no                       | 0          | 0              | 0                  | 22,5          | good                    | 40                      | S   |   |
| Darány             | 05694   |                         | 20 x 6                         | 120                                     | yes      | concrete               | good                    | lighted   | side loading                 | I. (O)vágány       | 300                                  | 20                 | 4                      | local                       | no                       | 0          | 1              | 0                  | 21            | good                    | 40                      | S   | 5 km/h                                      |
| Darány             | 05694   | 553-553+47              | 13 x 47                        | 590                                     | yes      | concrete               | good                    | lighted   | none                         | I. vágány          | 300                                  | 47                 | 4                      | local                       | no                       | 0          | 1              | 0                  | 21            | good                    | 40                      | S   | 5 km/h                                      |
| Gelse              | 05454   |                         | 20 x 40                        | 800                                     | yes      | concrete               | good                    | lighted   | none                         | IV.(A) vágány      | 700                                  | 40                 | 5, 6                   | central                     | no                       | 0          | 0              | 0                  | 21            |                         | 15                      | D   |   |
| Gelse              | 05454   |                         | 21 x 40                        | 800                                     | yes      | concrete               | average                 | lighted   | side loading                 | IV. (O)vágány      | 700                                  | 40                 | 5, 6                   | central                     | no                       | 0          | 0              | 0                  | 21            |                         | 15                      | D   |   |
| Gelse              | 05454   |                         | 26 x 79                        | 2 054                                   | no       | -                      | average                 | unlighted | none                         | IV. (B)vágány      | 700                                  | 79                 | 5, 6                   | central                     | no                       | 0          | 0              | 0                  | 21            |                         | 15                      | D   |   |
| Godisa             | 07211   | 1763+00-1764+04         | 25 x 104                       | 2 600                                   | no       | -                      | average                 | lighted   | none                         | I. vágány          | 600                                  | 104                | 4, 17                  | central                     | yes                      | 635        | 1              | 0                  | 21            | adequate                | 40                      | D   | 10 km/h                                     |
| Gyékényes          | 06437   |                         | 7 x 98                         | 686                                     | yes      | stone                  | average                 | lighted   | none                         | XXI. vágány        | 98                                   | 98                 | 35/1                   | local                       | no                       | 0          | 0              | 0                  | 21            |                         |                         | S   |   |
| Gyékényes          | 06437   |                         | 20 x 44<br>2 x 85              | 1 050                                   | yes      | concrete               | average                 | lighted   | scales, side loading         | I. vágány          | 545                                  | 129                | 40                     | central                     | no                       | 0          | 0              | 0                  | 21            |                         | 20                      | S   |   |
| Harkány            | 08144   | 372+00-373+30           | 20 x 130                       | 2 600                                   | yes      | asphalt                | average                 | unlighted | live stock loading           | I. vágány          | 400                                  | 130                | 5, 8                   | local                       | no                       | 0          | 0              | 1                  | 21            | useable                 | 40                      | D   | 5 km/h                                      |
| Harkány            | 08144   | 377+00-379+50           | 10 x 250                       | 2 324                                   | yes      | asphalt                | average                 | unlighted | none                         | V. vágány          | 270                                  | 250                | 4                      | local                       | no                       | 0          | 1              | 0                  | 12,5          | average                 | 40                      | S   |   |
| Harkány            | 08144   | 372+00-372+69           | 7 x 69                         | 482                                     | yes      | concrete               | average                 | unlighted | none                         | IV. vágány         | 630                                  | 69                 | 1, 2                   | local                       | no                       | 0          | 0              | 0                  | 21            | average                 | 40                      | D   | 5 km/h                                      |
| Hidas-Bonyhád      | 07088   | 414+70-414+80           | 10 x 10                        | 100                                     | no       | -                      | average                 | unlighted | none                         | IV/a. vágány       | 112                                  | 10                 | 10                     | local                       | no                       | 0          | 0              | 1                  | 21            | good                    | 5                       | S   |   |
| Kaposvár           | 06288   |                         | 5 x 100                        | 500                                     | no       | -                      | average                 | lighted   | none                         | Tároló III. vágány | 127                                  | 100                | 16/3                   | local                       | no                       | 0          | 0              | 0                  | 21            |                         |                         | S   |   |
| Kaposvár           | 06288   |                         | 7 x 130                        | 910                                     | yes      | gravel                 | average                 | lighted   | none                         | Hosszú I. vágány   | 366                                  | 130                | 11, 47                 | central                     | yes                      | 366        | 0              | 1                  | 21            | average                 |                         | D   |   |
| Kaposvári elágazás | 43588   |                         | 10 x 220                       | 2 200                                   | yes      | concrete               | good                    | lighted   | none                         | X. vágány          | 414                                  | 220                | 2/2                    | local                       | no                       | 0          | 0              | 0                  | 20            |                         |                         | S   |   |
| Kaposvári elágazás | 43588   |                         | 10 x 220                       | 2 200                                   | yes      | concrete               | good                    | lighted   | none                         | XI. vágány         | 337                                  | 220                | 2/2                    | local                       | no                       | 0          | 0              | 0                  | 20            |                         |                         | S   |   |
| Kaposvári elágazás | 43588   |                         | 10 x 165                       | 1 650                                   | yes      | concrete               | good                    | lighted   | none                         | XII. vágány        | 190                                  | 165                | 2/3                    | local                       | no                       | 0          | 0              | 0                  | 20            |                         |                         | S   |   |
| Kaposvári elágazás | 43588   |                         | 10 x 250                       | 2 500                                   | yes      | concrete               | good                    | lighted   | none                         | XIII. vágány       | 304                                  | 250                | 2/3                    | local                       | yes                      | 304        | 0              | 0                  | 20            |                         |                         | S   |   |
| Karad              | 08318   |                         | 13 x 32                        | 416                                     | yes      | concrete               | bad                     | lighted   | side loading                 | I. (O)vágány       | 180                                  | 32                 | 1, 4                   | local                       | no                       | 0          | 0              | 2                  | 19            | bad                     |                         | D   |   |
| Karad              | 08318   |                         | 15 x 50                        | 750                                     | no       | -                      | bad                     | lighted   | none                         | I. vágány          | 180                                  | 50                 | 1, 4                   | local                       | no                       | 0          | 0              | 2                  | 19            | bad                     |                         | D   |   |
| Kisbárapáti        | 08284   |                         | 7 x 90                         | 630                                     | no       | -                      | adequate                | unlighted | none                         | I. vágány          | 190                                  | 90                 | 1, 2                   | local                       | no                       | 0          | 0              | 2                  | 20            | useable                 |                         | D   |   |
| Kiskorpad          | 06320   |                         | 8 x 50                         | 400                                     | yes      | concrete               | average                 | lighted   | side loading                 | I. vágány          | 720                                  | 50                 | 4, 9                   | central/ local              |                          |            | 0              | 0                  | 21            |                         |                         | D   |   |
| Kiskorpad          | 06320   |                         | 7 x 70<br>60 x 30<br>7 x 172   | 3 494                                   | yes      | concrete               | average                 | lighted   | end and side loading         | V. vágány          | 259                                  | 259                | 12                     | local                       | no                       | 0          | 0              | 0                  | 21            |                         | 20                      | S   |   |
| Kurd               | 06163   |                         | 4 x 14                         | 56                                      | yes      | concrete               | average                 | lighted   | side loading                 | I. (O)vágány       | 644                                  | 14                 | 5, 8                   | central                     | yes                      | 669        | 2              | 0                  | 21            | useable                 | 5                       | D   |   |
| Kurd               | 06163   | 1410+15-1410+90         | 25 x 75                        | 1 925                                   | yes      | stone                  | average                 | lighted   | none                         | I. vágány          | 644                                  | 75                 | 5, 8                   | central                     | yes                      | 669        | 2              | 0                  | 21            | useable                 | 5                       | D   |   |
| Lengyelbóti        | 08508   | 422+50-423+20           | 27 x 70                        | 1 758                                   | no       | -                      | average                 | lighted   | none                         | II. vágány         | 495                                  | 70                 | 2, 3                   | local                       | no                       | 0          | 0              | 0                  | 21            | to be repaired          | 20                      | D   |   |

| Service place       | Open access loading place registered by MÁV Zrt |                                    |                        |   |          |                      |                         |           |                                     |                   |                   | Loading track next to loading places |                        |                       |                          |            |                |                    |               |                         |                         |   | Restrictions  |
|---------------------|---|------------------------------------|------------------------|---|----------|----------------------|-------------------------|-----------|-------------------------------------|-------------------|-------------------|--------------------------------------|------------------------|-----------------------|--------------------------|------------|----------------|--------------------|---------------|-------------------------|-------------------------|---|---|
|                     | Code of the service place                       | Position                           | Size                   | Currently usable area (m <sup>2</sup> ) | Paved    | Material of pavement | Current technical state | Lighting  | Loading and other equipments        | Name of the track | Usable length (m) | Loading length (m)                   | Branching-off turnouts |                       | Availability of catenary |            | Derailer (pcs) | Scotch block (pcs) | Axle load (t) | Current technical state | Applicable speed (km/h) | Possibility of serving (S-straight, D-diverging position) |   |
|                     |   | From section to section            | Width (m) - length (m) |   | yes - no |                      |                         |           |                                     |                   |                   |                                      | Number                 | Switch operation mode | yes - no                 | length (m) |                |                    |               |                         |                         |   |   |
| Lepsény             | 03301   |                                    | 17 x 26                | 442                                     | yes      | concrete             | adequate                | lighted   | side loading                        | VII. (O)vágány    | 465               | 26                                   | 17, 22                 | central               | yes                      | 363        | 1              | 0                  | 21            | adequate                | 10                      | D   | Wagon weigh bridge: 5 km/h  |
| Lepsény             | 03301   | 947+00-949+12                      | 35 x 112               | 3920                                    | yes      | concrete             | adequate                | lighted   | scales, live stock loading          | VII. vágány       | 465               | 86                                   | 17, 22                 | central               | yes                      | 363        | 1              | 0                  | 21            | adequate                | 10                      | D   | Wagon weigh bridge: 5 km/h  |
| Lepsény             | 03301   | 947+10-494+80                      | 7 x 270                | 1890                                    | yes      | concrete             | adequate                | lighted   | none                                | IX. vágány        | 451               | 270                                  | 17, 28                 | central/ local        | yes                      | 80         | 0              | 0                  | 21            | adequate                | 5                       | D   |   |
| Magyarbóly          | 07476   |                                    | 12 x 102               | 1224                                    | no       | -                    | good                    | lighted   | scales, loading gauge, side loading | I.(A)vágány       | 291               | 102                                  | 9, 11                  | central/ local        | no                       | 0          | 0              | 0                  | 21            | adequate                | 5                       | D   |   |
| Magyarbóly          | 07476   |                                    | 12 x 55                | 660                                     | yes      | concrete             | good                    | lighted   | scales, loading gauge, side loading | I. (B)vágány      | 291               | 55                                   | 9, 11                  | central/ local        | no                       | 0          | 0              | 0                  | 21            | adequate                | 5                       | D   |   |
| Marcali             | 08599   |                                    | 10 x 70                | 700                                     | yes      | concrete             | good                    | lighted   | side loading                        | I. (O)vágány      | 367               | 70                                   | 5, 4                   | local                 | no                       | 0          | 0              | 2                  | 18,5          | good                    | 5                       | D   |   |
| Marcali             | 08599   | 217+20-217+73                      | 30 x 54                | 1 520                                   | yes      | concrete             | good                    | lighted   | live stock loading                  | I. vágány         | 367               | 54                                   | 5, 4                   | local                 | no                       | 0          | 0              | 2                  | 18,5          | good                    | 5                       | D   |   |
| Marcali             | 08599   |                                    | 23 x 70                | 1 600                                   | yes      | concrete             | good                    | lighted   | none                                | IV. vágány        | 263               | 70                                   | 5                      | local                 | no                       | 0          | 0              | 1                  | 18,5          | good                    | 5                       | S   |   |
| Marcali             | 08599   |                                    | 7x20                   | 140                                     | yes      | concrete             | good                    | lighted   | end loading                         | IV. vágány        | 263               | 140                                  | 5                      | local                 | no                       | 0          | 0              | 1                  | 18,5          | good                    | 5                       | S   |   |
| Mágocs-Alsómocsolád | 07021   | 123+00-126+70                      | 12 x 370               | 4 516                                   | yes      | concrete             | average                 | lighted   | none                                | IV. vágány        | 289               | 289                                  | 9, 11                  | local                 | no                       | 0          | 1              | 0                  | 21            | good                    | 5                       | D   |   |
| Mecsekfalja-Cserkút | 07286   |                                    | 20 x 20                | 400                                     | yes      | concrete             | good                    | lighted   | side loading                        | I.(O) vágány      | 640               | 20                                   | 16, 13                 | central               | no                       | 0          | 1              | 0                  | 21            | adequate                | 40                      | S   | Track between Switches No 8 and 16 is excluded from traffic.                            |
| Mecsekfalja-Cserkút | 07286   | 108+79-109+64<br>108+59-108+79     | 20 x 105               | 2 100                                   | yes      | concrete             | good                    | lighted   | none                                | I. vágány         | 640               | 85                                   | 16, 13                 | central               | no                       | 0          | 1              | 0                  | 21            | adequate                | 40                      | S   | Track between Switches No 8 and 16 is excluded from traffic.                            |
| Mecsekjányosi       | 07526   | 147+04-149+12                      | 13 x 55                | 715                                     | no       | -                    | average                 | lighted   | none                                | I. vágány         | 173               | 55                                   | 1, 4                   | local                 | no                       | 0          | 0              | 1                  | 21            | adequate                | 5                       | D   |   |
| Mernye              | 08268   |                                    | 6 x 15                 | 90                                      | yes      | concrete             | adequate                | unlighted | side loading                        | I.(O) vágány      | 214               | 15                                   | 3, 4                   | local                 | no                       | 0          | 2              | 0                  | 20            | adequate                |                         | D   |   |
| Mernye              | 08268   |                                    | 5 x 60                 | 300                                     | no       | -                    | adequate                | unlighted | none                                | I. vágány         | 214               | 60                                   | 3, 4                   | local                 | no                       | 0          | 2              | 0                  | 20            | adequate                |                         | D   |   |
| Mesztegyő           | 08573   | 303+40-304+00                      | 20 x 60                | 1 200                                   | yes      | stone                | good                    | unlighted | side loading                        | I. vágány         | 240               | 60                                   | 4, 5                   | local                 | no                       | 0          | 0              | 2                  | 18,5          | good                    | 20                      | D   | 10 km/h   |
| Mohács              | 07781   | 0+00-0+29                          | 15 x 70                | 1 050                                   | yes      | stone                | average                 | unlighted | none                                | XII. vágány       | 150               | 70                                   | 40                     | local                 | no                       | 0          | 0              | 0                  | 18,5          | to be renewed           | 5                       | S   |   |
| Mohács              | 07781   |                                    | 15 x 70                | 1 050                                   | yes      | concrete             | average                 | unlighted | side loading                        | XIII. vágány      | 156               | 70                                   | 40                     | local                 | no                       | 0          | 0              | 0                  | 18,5          | to be renewed           | 5                       | S   |   |
| Mohács              | 07781   | 1+00-3+00                          | 17 x 200               | 3 432                                   | yes      | concrete             | average                 | lighted   | none                                | VI. vágány        | 930               | 200                                  | 38                     | local                 | no                       | 0          | 0              | 0                  | 18,5          | to be renewed           | 5                       | S   |   |
| Murakeresztúr       | 03640   |                                    | 10 x 35                | 350                                     | yes      | concrete             | average                 | lighted   | side loading                        | Sz. XVII. vágány  | 210               | 35                                   | 75                     | local                 | yes                      | 210        | 0              | 1                  | 21            | adequate                | 5                       | S   |   |
| Murakeresztúr       | 03640   | 2347+92-2344+77                    | 6 x 120                | 720                                     | yes      | concrete             | adequate                | lighted   | none                                | A/1 vágány        | 315               | 120                                  | 31, 19                 | local                 | no                       | 0          | 1              | 1                  | 21            | good                    | 10                      | S   | Serving is possible only with diesel locomotive 5 km/h                                  |
| Nagyatád            | 08631   |                                    | 20 x 200               | 4 000                                   | yes      | concrete             | adequate                | unlighted | none                                | VI. vágány        | 362               | 200                                  | 6                      | local                 | no                       | 0          | 1              | 1                  | 21            | adequate                |                         | S   |   |
| Nagyatád            | 08631   |                                    | 12 x 110               | 1 320                                   | yes      | concrete             | adequate                | unlighted | none                                | V. vágány         | 256               | 110                                  | 6                      | local                 | no                       | 0          | 1              | 1                  | 21            | adequate                |                         | S   |   |
| Nagydorog           | 06684   |                                    | 10 x 20                | 200                                     | yes      | concrete             | average                 | unlighted | end loading                         | V. vágány         | 48                | 48                                   | 9                      | local                 |                          |            | 0              | 0                  | 21            | adequate                | 5                       | D   |   |
| Nagydorog           | 06684   |                                    | 10 x 20                | 200                                     | yes      | concrete             | average                 | unlighted | side loading                        | I.(O) vágány      | 536               | 20                                   | 7, 6                   | local/ central        | no                       | 0          | 1              | 0                  | 21            | adequate                | 5                       | D   |   |
| Nagydorog           | 06684   | 234+11-236+08                      | 20 x 66                | 1 320                                   | yes      | natural stone        | good                    | lighted   | live stock loading                  | I. vágány         | 536               | 66                                   | 7, 6                   | local/ central        | no                       | 0          | 1              | 0                  | 21            | adequate                | 5                       | D   |   |
| Nagykanizsa         | 03624   | 2207+50-2208+80                    | 23 x 170               | 3 910                                   | yes      | concrete             | adequate                | lighted   | end loading                         | XIX. (A)vágány    | 271               | 170                                  | 46                     | local                 | no                       | 0          | 0              | 0                  | 21            | bad                     | 10                      | S   | Serving is possible only with diesel locomotive 5 km/h                                  |
| Nagykanizsa         | 03624   |                                    | 8,5 x 90               | 765                                     | yes      | concrete             | adequate                | lighted   | end loading                         | XIX.(B) vágány    | 271               | 90                                   | 46                     | local                 | no                       | 0          | 0              | 0                  | 21            | bad                     | 10                      | S   | Serving is possible only with diesel locomotive 5 km/h                                  |
| Nagykanizsa         | 03624   | 2207+50-22010+48                   | 8 x 150                | 1 200                                   | yes      | concrete             | adequate                | lighted   | side loading                        | XXIV. vágány      | 238               | 98                                   | 44                     | local                 | no                       | 0          | 0              | 0                  | 21            | good                    | 10                      | S   | Serving is possible only with diesel locomotive 5 km/h                                  |
| Ósztopán            | 08458   | 250+60-252+73                      | 13 x 32                | 416                                     | yes      | concrete             | average                 | lighted   | side loading                        | I. (O)vágány      | 375               | 32                                   | 3, 4                   | local                 | no                       | 0          | 0              | 2                  | 21            | to be repaired          | 20                      | D   | 5 km/h  |
| Ósztopán            | 08458   | 253+00-255+00                      | 26 x 120               | 3 120                                   | no       | -                    | average                 | lighted   | none                                | I. vágány         | 375               | 120                                  | 3, 4                   | local                 | no                       | 0          | 0              | 2                  | 21            | to be repaired          | 20                      | D   | 5 km/h  |
| Pécsbánya-Rendező   | 07385   |                                    | 15 x 40                | 600                                     | yes      | concrete             | average                 | lighted   | scales, side loading                | I. vágány         | 198               | 40                                   | 21, 46                 | local                 | yes                      | 50         | 0              | 0                  | 21            | adequate                | 5                       | D   |   |
| Pécsbánya-Rendező   | 07385   | 3+50-5+50<br>7+00-5+00             | 15 x 200<br>9 x 200    | 3000<br>1500                            | no       | -                    | average                 | lighted   | none                                | II/a. vágány      | 360               | 300                                  | 1/1, 19                | local                 | yes                      | 420        | 1              | 1                  | 21            | adequate                | 20                      | D   |   |
| Sásd                | 07203   |                                    | 8 x 40                 | 320                                     | yes      | stone                | adequate                | lighted   | none                                | I.(C) vágány      | 645               | 40                                   | 4, 3                   | central               | yes                      | 676        | 2              | 0                  | 21            | adequate                | 40                      | D   | 10 km/h   |
| Sásd                | 07203   | 1723+09-1724+35<br>1721+70-1723+10 | 22 x 127<br>27 x 140   | 2794<br>3780                            | yes      | beton<br>kő, beton   | good<br>average         | lighted   | none                                | I. (B)vágány      | 645               | 267                                  | 4, 3                   | central               | yes                      | 676        | 2              | 0                  | 21            | adequate                | 40                      | D   | 10 km/h   |
| Sásd                | 07203   | 1721+34-1721+50                    | 25 x 16                | 400                                     | yes      | concrete             | average                 | lighted   | none                                | I. (A)vágány      | 645               | 16                                   | 4, 3                   | central               | yes                      | 676        | 2              | 0                  | 21            | adequate                | 40                      | D   | 10 km/h   |
| Sásd                | 07203   |                                    | 20 x 80                | 1 600                                   | yes      | stone, concrete      | average                 | lighted   | end and side loading                | I.(O) vágány      | 645               | 80                                   | 4, 3                   | local                 | no                       | 0          | 2              | 0                  | 21            | adequate                | 40                      | D   | 10 km/h   |
| Sárbogárd           | 05926   |                                    | 10 x 200               | 2 000                                   | yes      | asphalt              | good                    | lighted   | end loading                         | XIII. vágány      | 52                | 52                                   | 21, 27                 | local                 |                          | 0          | 0              | 0                  | 21            | adequate                | 10                      | S   | 5 km/h  |
| Sárbogárd           | 05926   | 791+00-792+00                      | 8 x 100                | 715                                     | yes      | asphalt              | good                    | lighted   | mérleg, elő és<br>oldatrakódó       | I. vágány         | 415               | 100                                  | 21, 26                 | local/ central        | yes                      | 590        | 1              | 0                  | 21            | adequate                | 10                      | D   |   |
| Sárbogárd           | 05926   |                                    | 8 x 57                 | 456                                     | yes      | concrete             | good                    | lighted   | side loading                        | XII. (O)vágány    | 218               | 57                                   | 21, 27                 | local                 | no                       | 0          | 0              | 0                  | 21            | adequate                | 10                      | S   |   |
| Sárbogárd           | 05926   | 789+14-789+71                      | 10 x 50                | 500                                     | yes      | asphalt              | good                    | lighted   | side and end loading                | XII. (B)vágány    | 218               | 50                                   | 21, 27                 | local                 | no                       | 0          | 0              | 0                  | 21            | adequate                | 10                      | S   |   |
| Sárosd              | 05892   | 618+00-621+00                      | 18 x 300               | 5 280                                   | yes      | asphalt              | good                    | lighted   | none                                | I. vágány         | 720               | 300                                  | 4, 7                   | central               | yes                      | 742        | 2              | 0                  | 21            | adequate                | 10                      | D   |   |
| Sárosd              | 05892   |                                    | 10 x 15                | 150                                     | yes      | concrete             | good                    | lighted   | side loading                        | I. (O)vágány      | 720               | 15                                   | 4, 7                   | central               | yes                      | 742        | 2              | 0                  | 21            | adequate                | 10                      | D   |   |
| Siófok-Teher        | 41327   |                                    | 22 x 127               | 2 794                                   | yes      | concrete             | adequate                | lighted   | side loading                        | V. vágány         | 220               | 127                                  | A/3                    | local                 | no                       | 0          | 0              | 0                  | 17            | to be renewed           | 5                       | S   |   |
| Siófok-Teher        | 41327   | 972+89-975+80                      | 22 x 291               | 6 402                                   | yes      | concrete             | adequate                | lighted   | end loading                         | III. vágány       | 220               | 220                                  | A/4                    | local                 | yes                      | 100        | 0              | 0                  | 17            | to be renewed           | 5                       | S   |   |
| Siófok-Teher        | 41327   | 972+89-975+80                      | 26 x 291               | 7 566                                   | yes      | concrete             | adequate                | lighted   | none                                | IV. vágány        | 230               | 230                                  | A/3                    | local                 | yes                      | 100        | 0              | 0                  | 17            | to be renewed           | 5                       | S   |   |
| Siófok              | 03350   | 1148+53-1149+66                    | 12 x 113               | 1 356                                   | yes      | concrete             | adequate                | lighted   | end loading                         | XVII. vágány      | 105               | 105                                  | 7                      | central               | yes                      | 126        | 1              | 0                  | 21            | good                    | 40                      | S   |   |
| Sellye              | 08078   |                                    | 8,5 x 15,5             | 132                                     | yes      | concrete             | good                    | lighted   | side loading                        | I. (O) vágány     | 315               | 15,5                                 | 9, 12                  | local                 | no                       | 0          | 0              | 1                  | 21            | average                 | 40                      | D   | *K'sign track, Fly shunting is not allowed, side loading ramp stretches into clearance. |

| Service place     | Open access loading place registered by MÁV Zrt |                                |                        |   |             |                       |  |           |                              |                   | Loading track next to loading places |                    |                        |                       |                          |            |                |                    |               |                         |                         |   | Restrictions   |
|-------------------|---|--------------------------------|------------------------|---|-------------|-----------------------|--|-----------|------------------------------|-------------------|--------------------------------------|--------------------|------------------------|-----------------------|--------------------------|------------|----------------|--------------------|---------------|-------------------------|-------------------------|---|--|
|                   | Code of the service place                       | Position                       | Size                   | Currently usable area (m <sup>2</sup> ) | Paved       | Material of pavement  | Current technical state                | Lighting  | Loading and other equipments | Name of the track | Usable length (m)                    | Loading length (m) | Branching-off turnouts |                       | Availability of catenary |            | Derailer (pcs) | Scotch block (pcs) | Axle load (t) | Current technical state | Applicable speed (km/h) | Possibility of serving (S-straight, D-diverging position) |  |
|                   |   | From section to section        | Width (m) - length (m) |   | yes - no    |                       |  |           |                              |                   |                                      |                    | Number                 | Switch operation mode | yes - no                 | length (m) |                |                    |               |                         |                         |   |  |
| Sellye            | 08078   | 697+24-697+97                  | 11 x 73                | 803                                     | yes         | concrete              | good                                   | lighted   | none                         | I. vágány         | 315                                  | 73                 | 9, 12                  | local                 | no                       | 0          | 0              | 1                  | 21            | average                 | 40                      | D   | "K'sign track, Fly shunting not allowed, side loading ramp stretches into clearance. |
| Sellye            | 08078   |                                | 11 x 73                | 803                                     | yes         | concrete              | good                                   | lighted   | none                         | VI. vágány        | 95                                   | 73                 | 9                      | local                 |                          |            | 0              | 1                  | 21            | average                 | 40                      | D   |  |
| Sellye            | 08078   | 695+42-696+82<br>696+00-696+60 | 5 x 140<br>10 x 93     | 712<br>930                              | no          | -                     | bad                                    | lighted   | none                         | V. vágány         | 276                                  | 233                | 11, 14                 | local                 | no                       | 0          | 0              | 0                  | 21            | good                    | 40                      | D   | "K'sign track, Fly shunting is not allowed.  |
| Siklós            | 08177   | 300+00-300+80<br>299+00-301+00 | 12 x 80<br>22 x 200    | 960<br>4400                             | igen<br>nem | -<br>asphalt          | average                                | lighted   | none                         | V. vágány         | 283                                  | 200                | 8, 11                  | local                 | no                       | 0          | 1              | 0                  | 21            | adequate                | 40                      | D   | 5 km/h   |
| Siklós            | 08177   | 301+00-302+00                  | 22 x 100               | 2 200                                   | no          | -                     | average                                | lighted   | none                         | VI. vágány        | 120                                  | 100                | 10                     | local                 | no                       | 0          | 0              | 0                  | 21            | adequate                | 40                      | S   | 5 km/h   |
| Simontornya       | 05967   | 968+65-973+72                  | 17 x 507               | 8 619                                   | yes         | concrete              | average                                | unlighted | none                         | VI. vágány        | 640                                  | 507                | 10, 7                  | central               | yes                      | 727        | 0              | 2                  | 21            | adequate                | 10                      | D   |  |
| Somogyjád         | 08441   | 10 x 190                       | 1 900                  | no                                      | -           | -                     | adequate                               | unlighted | none                         | I. vágány         | 554                                  | 190                | 1, 2                   | local                 | no                       | 0          | 0              | 2                  | 21            | adequate                | 5                       | D   |  |
| Somogyuszob       | 06379   | 12 x 73                        | 876                    | yes                                     | concrete    | good                  | good                                   | lighted   | side loading                 | I. (O)vágány      | 712                                  | 73                 | 5, 20                  | central               | yes                      | 330        | 1              | 1                  | 22,5          | good                    | 40                      | D   |  |
| Somogyuszob       | 06379   | 714+20-715+62                  | 10 x 144               | 1 440                                   | yes         | stone                 | good                                   | lighted   | scales, side loading         | I. vágány         | 712                                  | 144                | 5, 20                  | central               | yes                      | 330        | 1              | 1                  | 22,5          | good                    | 40                      | D   |  |
| Szántód-Köröshegy | 03400   | 1272+00-1273+85                | 12,5 x 185             | 2 313                                   | yes         | macadam               | good                                   | lighted   | none                         | I. (B)vágány      | 555                                  | 185                | 6, 7                   | central               | yes                      | 50+50      | 2              | 0                  | 21            | to be renewed           | 10                      | D   |  |
| Szántód-Köröshegy | 03400   | 1275+03-1276+13                | 16 x 110               | 1 760                                   | yes         | macadam               | good                                   | lighted   | none                         | I. (A) vágány     | 555                                  | 110                | 6, 7                   | central               | yes                      | 50+50      | 2              | 0                  | 21            | to be renewed           | 10                      | D   |  |
| Szakály-Hőgyész   | 06130   | 10 x 25                        | 250                    | yes                                     | concrete    | average               | average                                | lighted   | end loading                  | VII. (H) vágány   | 221                                  | 25                 | 9                      | local                 | yes                      | 75         | 0              | 0                  | 21            | adequate                | 5                       | S   |  |
| Szakály-Hőgyész   | 06130   | 1298+90-1300+85                | 14 x 195               | 3 278                                   | yes         | stone                 | average                                | lighted   | end loading                  | VII. vágány       | 221                                  | 195                | 9                      | local                 | yes                      | 75         | 0              | 0                  | 21            | adequate                | 5                       | S   |  |
| Szentlőrinc       | 07260   | 234+30-235+30                  | 10 x 142               | 1 420                                   | yes         | concrete              | good                                   | lighted   | end loading                  | X. vágány         | 42                                   | 42                 | 27                     | local                 | no                       | 0          | 0              | 0                  | 21            | adequate                | 10                      | S   | "K'sign track 5 km/h   |
| Szentlőrinc       | 07260   |                                | 10 x 142               | 1 420                                   | yes         | concrete              | average                                | lighted   | oldalrakodó                  | IX. (O) vágány    | 510                                  | 142                | 3, 20                  | central/<br>local     | yes                      | 300        | 0              | 0                  | 21            | adequate                | 10                      | D   | "K'sign track, side loading ramp stretches into clearance 5 km/h                     |
| Szentlőrinc       | 07260   | 231+10-232+70                  | 30 x 160               | 4 740                                   | yes         | stone                 | average                                | lighted   | scales                       | IX. vágány        | 510                                  | 160                | 3, 20                  | central/<br>local     | yes                      | 300        | 0              | 0                  | 21            | adequate                | 10                      | D   | "K'sign track, side loading ramp stretches into clearance 5 km/h                     |
| Szigetvár         | 05736   | 383+81-385+53                  | 7 x 172                | 1 666                                   | yes         | concrete              | good                                   | lighted   | none                         | VII. vágány       | 108                                  | 96                 | 6, 18                  | central/<br>local     | no                       | 0          | 2              | 0                  | 21            | average                 | 40                      | D   | "K'sign track  |
| Szigetvár         | 05736   | 379+50-380+55                  | 16 x 105               | 1 179                                   | yes         | concrete              | good                                   | lighted   | none                         | V. vágány         | 430                                  | 105                | 7, 14                  | local                 | no                       | 0          | 0              | 0                  | 21            | adequate                | 40                      | D   |  |
| Szigetvár         | 05736   | 382+80-383+20<br>382+00-382+80 | 5 x 40<br>5 x 80       | 200<br>400                              | no          | -                     | good                                   | lighted   | none                         | X. vágány         | 240                                  | 120                | 16                     | local                 | no                       | 0          | 0              | 1                  | 21            | good                    | 40                      | S   | "K'sign track 5 km/h   |
| Tab               | 08342   | 688+55-689+40                  | 13 x 85                | 1 105                                   | yes         | concrete              | adequate                               | lighted   | none                         | I. (B)vágány      | 331                                  | 85                 | 4,1                    | local                 | no                       | 0          | 0              | 1                  | 18,5          | to be renewed           | 20                      | D   |  |
| Tab               | 08342   | 690+26-691+80                  | 23 x 154               | 3 542                                   | yes         | concrete              | adequate                               | lighted   | live stock and side loading  | I. (A)vágány      | 331                                  | 154                | 4,1                    | local                 | no                       | 0          | 0              | 1                  | 18,5          | to be renewed           | 20                      | D   |  |
| Tamási            | 06890   | 123+55-124+25<br>124+25-124+65 | 16 x 70<br>20 x 40     | 1120<br>800                             | yes         | asphalt stone         | average                                | unlighted | none                         | IV. vágány        | 127                                  | 90                 | 7                      | local                 | no                       | 0          | 0              | 0                  | 21            | adequate                | 20                      | S   | 5 km/h   |
| Taszár            | 06262   | 218+85-219+79                  | 19 x 94                | 1 786                                   | yes         | concrete              | good, at entrances fragmented, crumbly | lighted   | none                         | IV. vágány        | 334                                  | 94                 | 5, 6                   | central               | yes                      | 240        | 2              | 0                  | 21            | bad                     | 10                      | D   |  |
| Tolna-Mózs        | 06742   | 472+50-473+70                  | 23 x 120               | 2 700                                   | yes         | concrete              | average                                | lighted   | none                         | III. vágány       | 195                                  | 120                | 8                      | local                 | no                       | 0          | 1              | 0                  | 21            | good                    | 5                       | S   |  |
| Vajta             | 06668   | 119+98-121+98                  | 8 x 200                | 1 603                                   | yes         | ferroconcrete seating | good                                   | unlighted | none                         | I. vágány         | 400                                  | 200                | 4, 5                   | central               | no                       | 0          | 1              | 0                  | 21            | adequate                | 10                      | D   |  |
| Vajszló           | 08094   | 579+00-580+90                  | 4 x 190                | 682                                     | yes         | concrete              | average                                | lighted   | none                         | IV. vágány        | 140                                  | 140                | 5, 8                   | local                 | no                       | 0          | 0              | 2                  | 21            | adequate                | 40                      | D   | "K'sign track, Fly shunting is not allowed 5 km/h                                    |
| Vajszló           | 08094   | 578+65-580+65                  | 20 x 200               | 4 000                                   | yes         | concrete              | average                                | lighted   | side loading                 | I. vágány         | 290                                  | 160                | 2, 7                   | local                 | no                       | 0          | 0              | 2                  | 21            | adequate                | 40                      | D   | "K'sign track, Fly shunting is not allowed 5 km/h                                    |
| Villány           | 07468   | 20 x 80                        | 1 600                  | no                                      | -           | -                     | bad                                    | lighted   | live stock loading           | IX. (A)vágány     | 198                                  | 80                 | 8, 11                  | local                 | no                       | 0          | 1              | 0                  | 21            | adequate                | 10                      | D   |  |
| Villány           | 07468   | 10 x 100                       | 1 000                  | yes                                     | stone       | -                     | bad                                    | lighted   | live stock loading           | IX (B) vágány     | 198                                  | 100                | 8, 11                  | local                 | no                       | 0          | 1              | 0                  | 21            | adequate                | 10                      | D   |  |
| Vizvár            | 05629   | 459+20-459+95                  | 20 x 75                | 1 500                                   | no          | -                     | good                                   | lighted   | none                         | I.(A) vágány      | 280                                  | 75                 | 8, 5                   | local                 | no                       | 0          | 0              | 0                  | 21            | average                 | 40                      | D   | 5 km/h   |
| Vizvár            | 05629   | 9 x 34                         | 306                    | yes                                     | concrete    | -                     | bad                                    | lighted   | side loading                 | I. (O)vágány      | 280                                  | 34                 | 8, 5                   | local                 | no                       | 0          | 0              | 0                  | 21            | average                 | 40                      | D   | 5 km/h   |
| Vizvár            | 05629   | 460+70-462+50                  | 20 x 185               | 3 700                                   | no          | -                     | bad                                    | lighted   | side loading                 | I.(B) vágány      | 280                                  | 151                | 8, 5                   | local                 | no                       | 0          | 0              | 0                  | 21            | average                 | 40                      | D   | 5 km/h   |
| Zalakomár         | 03657   | 5 x 50                         | 250                    | yes                                     | concrete    | adequate              | adequate                               | lighted   | side loading                 | IV. (O) vágány    | 662                                  | 50                 | 8, 5                   | central               | yes                      | 125        | 0              | 2                  | 21            | bad                     | 10                      | D   | Serving is possible only with diesel locomotive                                      |
| Zalakomár         | 03654   | 1997+12-2003+51                | 13 x 639               | 8 310                                   | yes         | concrete              | adequate                               | lighted   | side loading                 | IV. vágány        | 662                                  | 589                | 8, 5                   | central               | yes                      | 125        | 0              | 2                  | 21            | bad                     | 10                      | D   | Serving is possible only with diesel locomotive                                      |
| Zákány            | 05579   | 163+65-164+15                  | 40 x 85                | 3 400                                   | yes         | concrete              | adequate                               | lighted   | none                         | répa vágány       | 98                                   | 85                 | 104                    | central               | no                       | 0          | 0              | 0                  | 21            | adequate                | 20                      | S   |  |

List of loading places on open access railway network - MÁV Zrt

Sombathely TK

| Open access loading place registered by MÁV Zrt |                                 |                         |                           |                                  |          |                         |                                |           |                                 |                   | Loading track next to loading places |                       |                          |                         |                             |            |                |                       |               |                            |    | Applicable speed<br>(km/h) | Possibility of<br>serving<br>(S-straight,<br>D-diverging<br>position) | Restrictions |
|---|---------------------------------|-------------------------|---------------------------|----------------------------------|----------|-------------------------|--------------------------------|-----------|---------------------------------|-------------------|--------------------------------------|-----------------------|--------------------------|-------------------------|-----------------------------|------------|----------------|-----------------------|---------------|----------------------------|----|----------------------------|---|--------------|
| Service place                                   | Code of the<br>service<br>place | Position                | Size                      | Currently<br>usable area<br>(m2) | Paved    | Material of<br>pavement | Current technical<br>condition | Lighting  | Loading and other<br>equipments | Name of the track | Usable<br>length (m)                 | Loading<br>length (m) | Branching-off turnout(s) |                         | Availability of<br>catenary |            | Derailer (pcs) | Scotch block<br>(pcs) | Axle load (t) | Current technical<br>state |    |                            |   |              |
|   |                                 | From section to section | Width (m) x<br>length (m) |                                  | yes / no |                         |                                |           |                                 |                   |                                      |                       | Number                   | Switch operation mode   | yes / no                    | Length (m) |                |                       |               |                            |    |                            |   |              |
|   |                                 |                         |                           |                                  |          |                         |                                |           |                                 |                   |                                      |                       |                          |                         |                             |            |                |                       |               |                            |    |                            |   |              |
| Ajka  | 03996                           | 800 - 802               | 8 x 125                   | 1000                             | yes      | concrete                | good                           | lighted   | none                            | XIV. vágány       | 423                                  | 125                   | 28                       | central electric        | yes                         | 230        | 0              | 0                     | 21            | adequate                   | 10 | S                          |   |              |
| Andráshida                                      | 05108                           | 170-93 - 173-47         | 5 x 200                   | 1000                             | yes      | concrete                | good                           | lighted   | none                            | V. vágány         | 254                                  | 200                   | 13                       | central electric        | no                          | 0          | 1              | 0                     | 22,5          | good                       | 10 | S                          |   |              |
| Bakonyzentlászó                                 | 02972                           | 349-50 - 349-70         | 5 x 20                    | 100                              | yes      | asphalt                 | adequate                       | lighted   | side loading                    | I. (O) vágány     | 372                                  | 20                    | 2                        | local                   | no                          | 0          | 1              | 2                     | 21            | average                    | 10 | D                          |   |              |
| Bádasonytoma                                    | 04549                           | 1013 - 1014             | 4,5 x 100                 | 450                              | yes      | concrete                | average                        | lighted   | none                            | IV. vágány        | 569                                  | 100                   | 5,7,6                    | central electric        | no                          | 0          | 0              | 2                     | 21            | adequate                   | 40 | D                          |   |              |
| Bak   | 04937                           | 523-22 - 527-57         | 2,5 x 100                 | 250                              | yes      | concrete                | adequate                       | lighted   | none                            | I. (B) vágány     | 347                                  | 100                   | 3,4                      | local                   | no                          | 0          | 0              | 1                     | 20            | good                       | 10 | D                          |   |              |
| Bak   | 04937                           | 523-22 - 527-57         | 2,5 x 140                 | 350                              | yes      | concrete                | adequate                       | lighted   | none                            | I.(A) vágány      | 347                                  | 140                   | 3,4                      | local                   | no                          | 0          | 0              | 1                     | 20            | good                       | 10 | D                          |   |              |
| Bak   | 04937                           | 523-22 - 527-57         | 2,5 x 60                  | 150                              | yes      | concrete                | adequate                       | lighted   | side loading                    | I. (O) vágány     | 347                                  | 60                    | 3,4                      | local                   | no                          | 0          | 0              | 1                     | 20            | good                       | 10 | D                          |   |              |
| Bakonyzentlászó                                 | 02972                           | 349-50 - 349-70         | 5 x 20                    | 100                              | yes      | asphalt                 | adequate                       | lighted   | side loading                    | I. (O) vágány     | 372                                  | 20                    | 2                        | local                   | no                          | 0          | 1              | 2                     | 21            | average                    | 10 | D                          |   |              |
| Bakonyzentlászó                                 | 02972                           | 349-70 - 350-20         | 8 x 50                    | 400                              | yes      | asphalt                 | adequate                       | lighted   | none                            | I. vágány         | 372                                  | 50                    | 2                        | local                   | no                          | 0          | 1              | 2                     | 21            | average                    | 10 | D                          |   |              |
| Balatonszék                                     | 04416                           | 652 - 653-80            | 5,5 x 180                 | 1000                             | yes      | asphalt                 | adequate                       | lighted   | side loading                    | VII. vágány       | 555                                  | 180                   | 12,7                     | central electric        | no                          | 0          | 0              | 1                     | 21            | adequate                   | 40 | D                          |   |              |
| Balatonszék                                     | 04358                           | 448 - 449               | 15 x 100                  | 1500                             | no       | -                       | adequate                       | lighted   | none                            | I. vágány         | 524                                  | 100                   | 6,5                      | central electric        | no                          | 0          | 0              | 2                     | 21            | average                    | 10 | D                          |   |              |
| Boba  | 04093                           | 1129-50 - 1131-00       | 150 x 10                  | 1500                             | no       | -                       | adequate                       | lighted   | end loading                     | VII. vágány       | 151                                  | 150                   | 6                        | central electric        | no                          | 0          | 1              | 0                     | 21            | adequate                   | 40 | S                          |   |              |
| Céldömök I.                                     | 02170                           | 702-00 - 702-60         | 10 x 60                   | 600                              | yes      | cobblestone             | good                           | lighted   | none                            | XX. vágány        | 130                                  | 60                    | 60                       | local                   | no                          | 0          | 0              | 0                     | 19            | average                    | 40 | S                          |   |              |
| Céldömök I.                                     | 02170                           | 701-81 - 699-92         | 10 x 100                  | 1600                             | yes      | concrete                | good                           | lighted   | none                            | XV. vágány        | 160                                  | 100                   | 50                       | local                   | no                          | 0          | 0              | 0                     | 21,5          | good                       | 40 | S                          |   |              |
| Céldömök II.                                    | 02170                           | 702-67 - 699-60         | 9 x 100                   | 1260                             | yes      | concrete                | good                           | lighted   | none                            | XVI. vágány       | 140                                  | 100                   | 56                       | local                   | no                          | 0          | 0              | 0                     | 19            | good                       | 40 | S                          |   |              |
| Csajlag   | 04317                           | 304 - 306               | 8 x 200                   | 1600                             | no       | -                       | adequate                       | lighted   | none                            | VI. vágány        | 230                                  | 200                   | 6,12                     | central electric        | no                          | 0          | 0              | 2                     | 21            | average                    | 10 | D                          |   |              |
| Csömöder - Paka                                 | 04960                           | 761-90 - 764-98         | 2,5 x 150                 | 375                              | no       | -                       | average                        | lighted   | side loading                    | I.vágány          | 255                                  | 150                   | 7,8                      | local                   | no                          | 0          | 0              | 2                     | 20            | good                       | 10 | D                          |   |              |
| Devecser  | 04044                           | 922-45 - 923-90         | 25 x 145                  | 3625                             | yes      | asphalt                 | good                           | lighted   | side loading                    | I. vágány         | 624                                  | 145                   | 11,12                    | local, central electric | no                          | 0          | 0              | 0                     | 21            | good                       | 40 | D                          |   |              |
| Egyed-Rabacsanak                                | 03087                           | 147-80 - 248-30         | 12 x 50                   | 600                              | yes      | concrete                | good                           | lighted   | none                            | I. Rakodó vágány  | 279                                  | 50                    | 1,4                      | local                   | no                          | 0          | 0              | 3                     | 18,5          | average                    | 40 | D                          |   |              |
| Gatorfőde                                       | 04952                           | 674-18 - 676-72         | 2,5 x 120                 | 300                              | no       | -                       | adequate                       | lighted   | side loading                    | I. vágány         | 208                                  | 120                   | 5,4                      | local                   | no                          | 0          | 0              | 2                     | 20            | good                       | 10 | D                          |   |              |
| Gyömrő  | 02089                           | 258 - 258-30            | 10 x 30                   | 300                              | yes      | concrete                | good                           | lighted   | side loading                    | I. vágány         | 690                                  | 30                    | 3,6                      | 2 local, 1 central      | no                          | 0          | 0              | 0                     | 21            | adequate                   | 40 | D                          |   |              |
| Győrmezőre                                      | 02055                           | 158 - 158-30            | 10 x 30                   | 300                              | yes      | concrete                | bad                            | lighted   | none                            | IV. vágány        | 370                                  | 30                    | 8,10,12                  | 3 local, 1 central      | no                          | 0          | 2              | 1                     | 21            | adequate                   | 40 | D                          |   |              |
| Hajmáskér                                       | 03939                           | 364-50 - 365-20         | 10 x 138                  | 1386                             | yes      | concrete                | good                           | lighted   | side loading                    | I. vágány         | 594                                  | 138                   | 15,18                    | central point wire      | yes                         | 600        | 0              | 0                     | 21            | average                    | 10 | D                          |   |              |
| Hajmáskér                                       | 03939                           | 365-20 - 367            | 10 x 250                  | 2500                             | yes      | concrete                | good                           | lighted   | end loading                     | VII. vágány       | 121                                  | 250                   | 1                        | central point wire      | yes                         | 50         | 0              | 0                     | 21            | average                    | 10 | S                          |   |              |
| Hajmáskér                                       | 03939                           | 364-40 - 367-40         | 13 x 300                  | 4000                             | yes      | concrete                | adequate                       | lighted   | none                            | VIII. vágány      | 362                                  | 300                   | 1                        | central point wire      | yes                         | 30         | 0              | 0                     | 21            | average                    | 10 | S                          |   |              |
| Hérend  | 03954                           | 586-60 - 587-50         | 10 x 90                   | 900                              | yes      | concrete                | adequate                       | lighted   | end loading                     | X. vágány         | 90                                   | 90                    | 1,3,7                    | central electric        | no                          | 0          | 0              | 1                     | 21            | average                    | 10 | S                          |   |              |
| Hérend  | 03954                           | 586-00 - 586-60         | 15 x 60                   | 900                              | yes      | concrete                | adequate                       | lighted   | side loading                    | I. vágány         | 668                                  | 60                    | 1,3,7                    | central electric        | yes                         | 135        | 0              | 1                     | 21            | average                    | 10 | D                          |   |              |
| Hérend  | 03954                           | 579-78 - 582-98         | 6 x 20                    | 1920                             | yes      | concrete                | good                           | lighted   | end loading                     | VIII. vágány      | 20                                   | 20                    | 10                       | central electric        | no                          | 0          | 0              | 0                     | 21            | good                       | 10 | S                          |   |              |
| Hérend  | 03954                           | 582-98 - 585-98         | 6 x 300                   | 1800                             | yes      | concrete                | good                           | lighted   | none                            | V. vágány         | 668                                  | 300                   | 10,16                    | central electric        | yes                         | 660        | 0              | 0                     | 21            | good                       | 40 | S                          |   |              |
| Hérend  | 03954                           | 583-88 - 583-88         | 6 x 20                    | 120                              | yes      | concrete                | adequate                       | lighted   | end loading                     | VI. (H) vágány    | 300                                  | 20                    | 14                       | central electric        | no                          | 0          | 0              | 0                     | 21            | average                    | 10 | S                          |   |              |
| Hérend  | 03954                           | 583-88 - 585-88         | 6 x 200                   | 1200                             | yes      | concrete                | adequate                       | lighted   | none                            | VI. vágány        | 300                                  | 200                   | 14                       | central electric        | no                          | 0          | 0              | 0                     | 21            | average                    | 10 | S                          |   |              |
| Hérend  | 03954                           | 585-88 - 586-28         | 6 x 40                    | 240                              | yes      | concrete                | adequate                       | lighted   | side loading                    | VI. (O) vágány    | 300                                  | 40                    | 14                       | central electric        | no                          | 0          | 0              | 0                     | 21            | average                    | 10 | S                          |   |              |
| Jánosháza                                       | 04705                           | 93 -96                  | 6 x 150                   | 900                              | yes      | concrete                | good                           | lighted   | none                            | I. vágány         | 383                                  | 150                   | 1,2                      | central electric        | no                          | 0          | 2              | 0                     | 21            | good                       | 15 | S                          |   |              |
| Kerta   | 04085                           | 1081 - 1084             | 100 x 10                  | 1000                             | yes      | asphalt                 | good                           | lighted   | none                            | I. vágány         | 490                                  | 100                   | 3,2                      | central electric        | no                          | 0          | 0              | 2                     | 21            | adequate                   | 40 | D                          |   |              |
| Keszthely                                       | 04747                           | 248-91 - 249-51         | 7,5 x 60                  | 450                              | yes      | asphalt                 | average                        | lighted   | none                            | VII b. vágány     | 196                                  | 60                    | 15                       | central electric        | yes                         | 34         | 0              | 0                     | 21            | adequate                   | 40 | S                          |   |              |
| Lenti   | 04986                           | 853-53 - 862-24         | 6 x 60                    | 360                              | yes      | concrete                | adequate                       | lighted   | none                            | I. vágány         | 593                                  | 60                    | 7,12                     | central electric        | no                          | 0          | 0              | 1                     | 20            | good                       | 10 | D                          |   |              |
| Lenti   | 04986                           | 853-53 - 862-24         | 6 x 60                    | 360                              | yes      | concrete                | adequate                       | lighted   | side loading                    | I. (O) vágány     | 593                                  | 60                    | 7,12                     | central electric        | no                          | 0          | 0              | 1                     | 20            | good                       | 10 | D                          |   |              |
| Lenti   | 04986                           | 0-00 - 3-94             | 2 x 300                   | 600                              | yes      | concrete                | adequate                       | lighted   | none                            | Kerti csomka      | 490                                  | 300                   | 12                       | central electric        | no                          | 0          | 0              | 1                     | 20            | good                       | 10 | S                          |   |              |
| Mezőlak   | 02139                           | 521-40 - 522-00         | 18 x 60                   | 1080                             | yes      | concrete                | good                           | lighted   | none                            | I. Rakodó vágány  | 702                                  | 60                    | 5,8                      | central point wire      | no                          | 0          | 0              | 0                     | 18,5          | average                    | 40 | D                          |   |              |
| Órszentpéter                                    | 05074                           | 356 - 358               | 12,5 x 200                | 2500                             | yes      | concrete                | good                           | lighted   | none                            | VIII. vágány      | 200                                  | 200                   | 13                       | central electric        | yes                         | 60         | 1              | 0                     | 22,5          | good                       | 40 | S                          |   |              |
| Pannónhalma                                     | 02931                           | 150-50 - 152-25         | 13,3 x 175                | 1127                             | yes      | concrete                | good                           | lighted   | none                            | I. vágány         | 369                                  | 175                   | 2                        | local                   | no                          | 0          | 0              | 2                     | 21            | adequate                   | 40 | D                          |   |              |
| Pannónhalma                                     | 02931                           | 152-25 - 152-45         | 5 x 20                    | 100                              | yes      | concrete                | good                           | lighted   | side loading                    | I. (O) vágány     | 369                                  | 20                    | 2                        | local                   | no                          | 0          | 0              | 2                     | 21            | adequate                   | 40 | D                          |   |              |
| Pápa  | 02121                           | 444-20 - 444-80         | 15 x 60                   | 900                              | yes      | bitumen                 | good                           | lighted   | none                            | X. Rakodó vágány  | 396                                  | 60                    | 20                       | local                   | no                          | 0          | 0              | 0                     | 18,5          | average                    | 40 | S                          |   |              |
| Pétfürdő  | 04192                           | 83 - 83-60              | 10 x 60                   | 600                              | no       | -                       | adequate                       | unlighted | none                            | I. vágány         | 299                                  | 60                    | 7,6                      | local                   | no                          | 0          | 0              | 1                     | 21            | average                    | 10 | D                          |   |              |
| Pétfürdő  | 03921                           | 261-90 - 262-50         | 10 x 60                   | 600                              | no       | -                       | adequate                       | lighted   | side loading                    | I. vágány         | 493                                  | 60                    | 5,8                      | central electric        | yes                         | 493        | 0              | 2                     | 21            | adequate                   | 40 | D                          |   |              |
| Polgárdi-Ipartelepek                            | 04275                           | 178-70 - 179-90         | 5 x 120                   | 600                              | yes      | concrete                | adequate                       | lighted   | none                            | VI. vágány        | 120                                  | 120                   | 12                       | central electric        | no                          | 0          | 1              | 0                     | 21            | average                    | 10 | S                          |   |              |
| Polgárdi-Ipartelepek                            | 04275                           | 179-90 - 180            | 10 x 10                   | 100                              | yes      | concrete                | adequate                       | lighted   | none                            | I. vágány         | 290                                  | 10                    | 12                       | central electric        | no                          | 0          | 2              | 0                     | 21            | average                    | 10 | S                          |   |              |
| Polgárdi-Ipartelepek                            | 04275                           | 180 - 180-20            | 12 x 20                   | 240                              | yes      | concrete                | adequate                       | lighted   | side loading                    | I. (O) vágány     | 290                                  | 20                    | 1                        | central electric        | no                          | 0          | 2              | 0                     | 21            | average                    | 10 | S                          |   |              |
| Rábapordány                                     | 03095                           | 289-20 - 289-80         | 20 x 60                   | 1200                             | yes      | concrete                | good                           | lighted   | none                            | I. Rakodó vágány  | 314                                  | 60                    | 1,2                      | local                   | no                          | 0          | 0              | 2                     | 18,5          | average                    | 40 | D                          |   |              |
| Révfülpöl                                       | 04507                           | 905-00 - 905-60         | 10 x 60                   | 600                              | yes      | concrete                | average                        | lighted   | none                            | IV. vágány        | 309                                  | 60                    | 5,6                      | central electric        | no                          | 0          | 0              | 2                     | 21            | adequate                   | 40 | D                          |   |              |
| Sárvár  | 02212                           | 913-911                 | 200 x 15                  | 3000                             | yes      | concrete                | adequate                       | lighted   | side loading                    | X. vágány         | 200                                  | 200                   | 15                       | central electric        | no                          | 647        | 0              | 1                     | 19            | to be renewed              | 5  | D                          |   |              |
| Sárvár  | 02212                           | 918-919                 | 20 x 80                   | 1600                             | no       | soil                    | bad                            | unlighted | none                            | XII.vágány        | 101                                  | 80                    | 15                       | central electric        | no                          | 0          | 0              | 0                     | 19            | to be renewed              | 5  | S                          |   |              |
| Sárvár  | 02212                           | 912                     | 10 x 20                   | 300                              | yes      | concrete                | bad                            | lighted   | side loading                    | IX. vágány        | 62                                   | 20                    | 23                       | local                   | no                          | 0          | 0              | 0                     | 19            | to be renewed              | 5  | S                          |   |              |
| Sárvár  | 02212                           | 913 - 911               | 5 x 200                   | 1000                             | yes      | concrete                | adequate                       | lighted   | none                            | XI. vágány        | 277                                  | 200                   | 15                       | central electric        | no                          | 0          | 0              | 0                     | 19            | adequate                   | 5  | S                          |   |              |
| Sümeg   | 04663                           | 258 - 261               | 5 x 60                    | 300                              | no       | -                       | good                           | unlighted | side loading                    | IV. (O) vágány    | 363                                  | 60                    | 11                       | central electric        | no                          | 0          | 0              | 0                     | 20            | good                       | 25 | S                          |   |              |
| Sümeg   | 04663                           | 258 - 261               | 8 x 130                   | 1040                             | no       | -                       | good                           | lighted   | none                            | IV. vágány        | 363                                  | 130                   | 11                       | central electric        | no                          | 0          | 0              | 0                     | 20            | good                       | 25 | S                          |   |              |
| Sümeg Bazaltbánya                               | 04655                           | 293 - 300               | 10 x 130                  | 1300                             | no       | -                       | good                           | unlighted | none                            | I.vágány          | 663                                  | 130                   | 7                        | local                   | no                          | 0          | 1              | 1                     | 20            | bad                        | 5  | D                          |   |              |
| Szany-Rabacszentandrás                          | 03079                           | 177-90 - 178-70         | 12 x 80                   | 960                              | yes      | concrete                | good                           | lighted   |                                 |                   |                                      |                       |                          |                         |                             |            |                |                       |               |                            |    |                            |   |              |



| Service place           | Code of the service place | Open access loading place registered by MÁV Zrt |            |                            |       |                      |                             |           |                              | Loading track next to loading places |                   |                    |                          |                               |                          |        |                |                    |               |                         |                       | Applicable speed (km/h) | Possibility of serving (S-straight, D-diverging position) | Restrictions |
|-------------------------|---------------------------|---|------------|----------------------------|-------|----------------------|-----------------------------|-----------|------------------------------|--------------------------------------|-------------------|--------------------|--------------------------|-------------------------------|--------------------------|--------|----------------|--------------------|---------------|-------------------------|-----------------------|-------------------------|---|--------------|
|                         |                           | Position  | Size       | currently usable area (m2) | Paved | Material of pavement | Current technical condition | Lighting  | Loading and other equipments | Name of the track                    | Usable length (m) | Loading length (m) | Branching-off turnout(s) |                               | Availability of catenary |        | Derailer (pcs) | Scotch block (pcs) | Axle load (t) | Current technical state |                       |                         |   |              |
|                         |                           |   |            |                            |       |                      |                             |           |                              |                                      |                   |                    | From section to section  | Width (m) x length (m)        | yes / no                 | Number |                |                    |               |                         | Switch operation mode |                         |   |              |
| Várpalota               | 03871                     | 216+10 - 216+70                                 | 9 x 60     | 540                        | yes   | cobblestone          | adequate                    | lighted   | end loading                  | XIII. vágány                         | 60                | 60                 | 1                        | central electric              | no                       | 0      | 0              | 0                  | 21            | adequate                | 20                    | S                       |   |              |
| Várpalota               | 03871                     | 216+10 - 218+00                                 | 9 x 190    | 1710                       | yes   | cobblestone          | adequate                    | lighted   | none                         | XIV. vágány                          | 215               | 190                | 44                       | central electric              | no                       | 0      | 0              | 0                  | 21            | adequate                | 20                    | S                       |   |              |
| Várpalota               | 03871                     | 221+80-223+50                                   | 10 x 145   | 1450                       | yes   | concrete             | adequate                    | lighted   | none                         | XV. Vágány                           | 145               | 145                | 31                       | central electric              | no                       | 0      | 0              | 0                  | 21            | adequate                | 20                    | S                       |   |              |
| Vászar                  | 02113                     | 370+50 - 371+00                                 | 20 x 50    | 1000                       | yes   | concrete             | good                        | lighted   | none                         | I. Rakodó vágány                     | 685               | 50                 | 3,4                      | central point wire            | no                       | 0      | 0              | 0                  | 18,5          | average                 | 40                    | D                       |   |              |
| Veszprém                | 03947                     | 447 - 448                                       | 16.6 x 250 | 4150                       | yes   | concrete             | adequate                    | lighted   | side loading                 | K 1. vágány                          | 253               | 250                | 1                        | 1 local, 2 central point wire | no                       | 0      | 0              | 0                  | 21            | good                    | 20                    | S                       | 6-axle engine must not run                                |              |
| Veszprém                | 03947                     | 448 - 448                                       | 16.6 x 200 | 4150                       | yes   | concrete             | adequate                    | lighted   | scales                       | K 2 vágány                           | 259               | 120                | 1                        | 2 local, 1 central point wire | no                       | 0      | 0              | 0                  | 21            | good                    | 20                    | S                       | 6-axle engine must not run                                |              |
| Veszprém                | 03947                     | 449 - 448                                       | 16.6 x 250 | 4150                       | yes   | concrete             | adequate                    | lighted   | none                         | K 3 vágány                           | 258               | 250                | 1                        | 1 local, 1 central point wire | no                       | 0      | 0              | 0                  | 21            | good                    | 20                    | S                       | 6-axle engine must not run                                |              |
| Veszprém                | 03947                     | 450 - 448                                       | 16.6 x 250 | 4150                       | yes   | concrete             | adequate                    | lighted   | none                         | K 4 vágány                           | 260               | 250                | 1                        | 2 local, 1 central point wire | no                       | 0      | 0              | 0                  | 21            | good                    | 20                    | S                       | 6-axle engine must not run                                |              |
| Veszprém                | 03947                     | 445+10-445+45                                   | 10 x 35    | 350                        | yes   | concrete             | adequate                    | lighted   | side and end loading         | Ib. Vágány                           | 225               | 35                 | 23                       | local                         | no                       | 0      | 0              | 0                  | 21            | good                    | 10                    | S                       |   |              |
| Veszprémvarsány         | 02964                     | 285+85 - 286+75                                 | 17 x 90    | 1530                       | yes   | concrete             | good                        | lighted   | none                         | I. vágány                            | 290               | 90                 | 1                        | central electric              | no                       | 0      | 1              | 0                  | 21            | bad                     | 5                     | D                       |   |              |
| Veszprémvarsány         | 02964                     | 286+75 - 287+25                                 | 14 x 50    | 700                        | yes   | concrete             | good                        | lighted   | side loading                 | I. (Ö) vágány                        | 290               | 50                 | 1                        | central electric              | no                       | 0      | 1              | 0                  | 21            | bad                     | 5                     | D                       |   |              |
| Veszprémvarsány         | 02964                     | 279+80 - 280+95                                 | 17,2 x 115 | 1978                       | yes   | concrete             | good                        | lighted   | none                         | VII. vágány                          | 115               | 115                | 2                        | central electric              | no                       | 0      | 0              | 0                  | 21            | bad                     | 5                     | S                       |   |              |
| Vénár                   | 02154                     | 590+30-590+90                                   | 10 x 60    | 600                        | yes   | concrete             | good                        | lighted   | none                         | I. vágány                            | 461               | 60                 | 3,6                      | central point wire            | no                       | 0      | 1              | 1                  | 21            | adequate                | 40                    | D                       |   |              |
| Zalaabér - Battyk       | 04846                     | 310+50 - 311+50                                 | 10 x 100   | 1000                       | yes   | concrete             | good                        | lighted   | none                         | VI. vágány                           | 360               | 100                | 16,18                    | central electric              | no                       | 0      | 1              | 0                  | 21            | good                    | 10                    | D                       |   |              |
| Zalahaláp               | 04606                     | 45+65 - 46+25                                   | 10 x 60    | 600                        | no    | -                    | adequate                    | lighted   | end loading                  | I. vágány                            | 120               | 60                 | 8                        | local                         | no                       | 0      | 0              | 0                  | 21            | adequate                | 10                    | S                       |   |              |
| Zalaegerszeg            | 04895                     | 4+12 - 3+57                                     | 8 x 45     | 360                        | yes   | concrete             | good                        | lighted   | side and end loading         | Ker. telep I. vágány                 | 180               | 45                 | 12/2                     | local                         | no                       | 0      | 0              | 0                  | 22,5          | good                    | 10                    | S                       |   |              |
| Zalaegerszeg            | 04985                     | 3+04 - 1+24                                     | 10 x 180   | 1800                       | yes   | concrete             | good                        | lighted   | none                         | Ker. telep II. vágány                | 180               | 180                | 12/3,12/4,12/5           | local                         | no                       | 0      | 0              | 0                  | 22,5          | good                    | 10                    | S                       |   |              |
| Zalaegerszeg            | 04895                     | 3+04 - 1+24                                     | 15 x 170   | 2550                       | yes   | concrete             | good                        | lighted   | none                         | Ker. telep III. vágány               | 170               | 170                | 12/3,12/4,12/5           | local                         | no                       | 0      | 0              | 0                  | 22,5          | good                    | 10                    | S                       |   |              |
| Zalaegerszeg            | 04895                     | 3+93 - 2 +23                                    | 4 x 170    | 680                        | yes   | concrete             | good                        | lighted   | none                         | Ker. telep IV. vágány                | 170               | 170                | 12/3,12/4,12/5           | local                         | no                       | 0      | 0              | 0                  | 22,5          | good                    | 10                    | S                       |   |              |
| Zalaszentiván           | 05371                     | 475+20 -475+70                                  | 50 x 18    | 900                        | yes   | concrete             | good                        | lighted   | none                         | IX. vágány                           | 115               | 50                 | 19                       | central electric              | no                       | 0      | 0              | 0                  | 21            | good                    | 5                     | S                       |   |              |
| Zalalövő                | 05013                     | 230 - 232                                       | 10 x 40    | 400                        | yes   | concrete             | good                        | lighted   | side and end loading         | VIII. vágány                         | 150               | 40                 | 13                       | central electric              | yes                      | 100    | 1              | 1                  | 22,5          | good                    | 40                    | S                       |   |              |
| Zalalövő                | 05013                     | 230 - 232                                       | 10 x 100   | 1000                       | yes   | concrete             | good                        | lighted   | none                         | X.sz. vágány                         | 150               | 100                | 13                       | central electric              | no                       | 0      | 1              | 0                  | 22,5          | good                    | 40                    | S                       |   |              |
| Zalaszentgrót           | 04721                     | 60 - 63   | 12 x 45    | 540                        | no    | -                    | adequate                    | lighted   | side and end loading         | I. (Ö) vágány                        | 314               | 20                 | 4,1                      | local                         | no                       | 0      | 0              | 0                  | 21            | adequate                | 5                     | D                       |   |              |
| Zalaszentgrót           | 04721                     | 60 - 63   | 12 x 50    | 600                        | yes   | concrete             | adequate                    | lighted   | scales                       | I.vágány                             | 314               | 95                 | 4,1                      | local                         | no                       | 0      | 0              | 0                  | 21            | adequate                | 5                     | D                       |   |              |
| Zalaszentgrót           | 04721                     | Nincs adat                                      | 13 x 234   | 3042                       | yes   | concrete             | adequate                    | lighted   | none                         | IV.vágány                            | 239               | 234                | 5,8                      | central point wire            | no                       | 0      | 0              | 0                  | 21            | adequate                | 5                     | D                       |   |              |
| Zalaszentmihály - Pacsa | 05413                     | 1645 - 1650                                     | 11 x 70    | 770                        | yes   | concrete             | good                        | lighted   | side loading                 | V. (A) vágány                        | 583               | 70                 | 12,7                     | local                         | no                       | 0      | 1              | 1                  | 21            | good                    | 10                    | D                       |   |              |
| Zalaszentmihály - Pacsa | 05413                     | 1645 - 1650                                     | 15 x 244   | 3660                       | yes   | concrete             | good                        | lighted   | none                         | V. (B) vágány                        | 583               | 244                | 12,7                     | local                         | no                       | 0      | 1              | 1                  | 21            | good                    | 10                    | D                       |   |              |
| Zalaszentmihály - Pacsa | 05413                     | 1645 - 1650                                     | 15 x 132   | 1980                       | yes   | concrete             | good                        | unlighted | none                         | V. (C) vágány                        | 583               | 132                | 12,7                     | local                         | no                       | 0      | 1              | 1                  | 21            | good                    | 10                    | D                       |   |              |
| Zánka-Köveskál          | 04473                     | 837+50 - 838+50                                 | 8 x 100    | 800                        | yes   | concrete             | adequate                    | lighted   | none                         | I. vágány                            | 461               | 100                | 6,5                      | central electric              | no                       | 0      | 0              | 2                  | 21            | adequate                | 40                    | D                       |   |              |
| Zirc                    | 02998                     | 516+70-517+50                                   | 8 x 80     | 640                        | no    | rubble               | adequate                    | lighted   | none                         | VII. vágány                          | 325               | 80                 | 12,13                    | local                         | no                       | 0      | 0              | 0                  | 18,5          | good                    | 20                    | D                       |   |              |