

## Modifications

### ANNEXES

#### 1. Annex 3.8.2 - List of loading places on open access railway network - MÁV Zrt

The following modifications were made:

#### Debrecen Regional Centre:

Service place	Open access loading place registered by MÁV Zrt									Loading track next to loading places										Applicable speed (km/h)	Possibility of serving (S-straight, D-diverging position)	Restrictions	
	Code of the service place	Position	Size	Currently usable area	Paved	Material of pavement	Current technical state	Lighting	Loading and other equipments	Name of the track	Usable length (m)	Loading length (m)	Branching-off turnouts		Availability of catenary		Derailer (pcs)	Scotch block (pcs)	Axle load (t)				Current technical state
		From section to section	Width (m) - length (m)	(m²)	yes - no	Number	Switch operation mode	yes - no	length (m)														
Kemecse	14043	161+70 - 165+50	6 x 380	2180	yes	asphalt	adequate	lighted	none	I.vágány	803	380	0	0	yes	803	0	2	21	adequate	25	D	"K" group Between 13 October 2014 and 18 October 2014, the loading place is prohibited to be used.
Kemecse	14043	160+50 - 161+20	12 x 70	840	yes	concrete	adequate	lighted	side loading	I.(O) vágány	803	70	0	0	yes	803	0	2	21	adequate	25	D	"K" group Between 13 October 2014 and 18 October 2014, the loading place is prohibited to be used.

#### Szeged Regional Centre:

Service place	Open access loading place registered by MÁV Zrt									Loading track next to loading places										Applicable speed (km/h)	Possibility of serving (S-straight, D-diverging position)	Restrictions	
	Code of the service place	Position	Size	Currently usable area (m <sup>2</sup> )	Paved yes - no	Material of pavement	Current technical state	Lighting	Loading and other equipments	Name of the track	Usable length (m)	Loading length (m)	Branching-off turnouts		Availability of catenary		Derailer (pcs)	Scotch block (pcs)	Axle load (t)				Current technical state
		From section to section	Width (m) - length (m)										Number	Switch operation mode	yes - no	length (m)							
Békéscsaba	18036	848+70 - 849+04	23,6 x 34;3x110;5x130	1782	yes	stone	bad	lighted		XXIV. vágány	186	144	66	local	no	0	0	0	21	average	40	S	loading restriction until 30 September 2015
Békéscsaba	18036	849+00 - 853+00	5 x 150;3x140	1170	yes	asphalt	good	lighted		XXIII. vágány	140	140	88,66	local	no	0	0	0	21	good	40	S	loading restriction until 30 September 2015
Békéscsaba	18036	849+37 - 853+00	8 X 184	1472	no	-	good	lighted		XXII. vágány	200	184	60	local	no	0	0	0	21	good	40	S	loading restriction until 30 September 2015
Békéscsaba	18036	849+37 - 853+00	8 X 184	1472	no	-	good	lighted		XXII/1. vágány	145	145	88	local	no	0	0	0	21	good	40	S	loading restriction until 30 September 2015
Kecskemét	17114	330-332	6 x 120	720	yes	concrete	good	lighted		XIX.-Vágány	178	120	53,45-	local	no	0	0	0	21	good	40	D	
Kecskemét	17114	330-332	6 x 120	720	yes	concrete	good	lighted		XX.(B)-Vágány	200	120	55,45	local	no	0	0	0	21	good	40	D	
Kecskemét	17114	330-332	6 x 64	366	yes	concrete	good	lighted		XX.-A)Vágány	200	64	55,45	local	no	0	0	0	21	good	40	D	
Békéscsaba	18036	845+50 - 848+10	10,2 x 250	2550	yes	concrete	good	lighted		III. vágány	309	250	32/5	local	no	0	0	0	21	good	40	S	loading restriction until 31 October 2015
Telekgerendás	18655	989+60-993+00 989+90 - 992+90	15 x 334 300	4635 4500	no	-	bad	lighted		IV. vágány	309	309 300	4, 8	local	no	0	0	0	21	good	40	D	

## 2. Annex 3.8.5.2 - Wagon weigh bridges (scales)

The following modifications were made:

Infrastructure Manager Regional Centre	Number	Station	Service place code	Weighing capacity	Length of bridge	Type		Opening hours	Average weigh capacity (wagon/hour)	Availability of Catenary above the track equipped with scale (yes/no)	Remarks	Effective from
Budapest	1.	Ferencváros Nyugati Rendező	40162	100 t	2x9,5m	hybrid	MS-DUÁL	07-14	fluid: 6, solid: 15	no	The scales are prohibited to be used until 30 November 2014.	<del>29 August 2014</del> 04 February 2016
	2.	Soroksári út - Rendező	40196	120 t	2x9,5m	hybrid	MS-DUÁL	0-24	fluid: 6, solid: 15	no		<del>31 August 2014</del> 21 November 2015
	3.	Cegléd	13722	100 t	9+6+6m	electronic	ARDIN	0-24	fluid: 6, solid: 15	no		19 September 2015
	4.	Dunaujváros	06502	100 t	9+3+9m	electronic	ARDIN	0-24	fluid: 6, solid: 15	no	The scales are out of operation for technical reasons	25 September 2014
	5.	Győr Rendező	01271	100 t	2x9,5m	hybrid	MS-DUÁL	0-24	fluid: 6, solid: 15	no		22 November 2014
	6.	Hatvan Rendező	40667	100 t	9+3+9m	electronic	ARDIN	0-24	fluid: 6, solid: 15	no		09 November 2014
	7.	Komárom Rendező	01214	100 t	2x9,5m	hybrid	MS-DUÁL	0-24	fluid: 6, solid: 15	yes		<del>16 April 2015</del> 12 December 2015
	8.	Rákos	10074	100 t	9+3+9m	electronic	ARDIN	0-24	fluid: 6, solid: 15	yes	The scales are out of operation for technical reasons	5 February 2015
	9.	Székesfehérvár	03269	100 t	9+3+9m	electronic	ARDIN	0-24	fluid: 6, solid: 15	yes		<del>11 April 2015</del> 25 September 2015
	10.	Szolnok Rendező	40485	100 t	2x9,5m	hybrid	MS-DUÁL	0-24	fluid: 6, solid: 15	no		13 December 2014
Miskolc	11.	Bánréve	12849	100 t	2x9,5m	hybrid	MS-DUÁL	0-24	fluid: 6, solid: 14	no	The scales are prohibited to be used until 30 November 2014.	6 June 2015
	22.	Karcag	13847	100t	9+3+9 m	electronic	ARDIN D4309	0-24	fluid: 6, solid: 18 15	yes		<del>03 June 2015</del> 13 December 2014
Debrecen	23.	Mátészalka	15495	100 t	2x9,5m	hybrid	MS-DUÁL	0-24	fluid: 6, solid: 18	no	The scales are out of operation due to repair work until 31 October 2014.	28 May 2015
	24.	Nyíregyháza	14019	100 t	9+3+9m	electronic	ARDIN	0-24	fluid: 6, solid: 18	no		<del>12 June 2014</del> 30 September 2014
	25.	Nyírbátor	15453	100 t	9+3+9 m	electronic	ARDIN	3:20-00:20	fluid: 6, solid: 18	no		29 November 2015
	26.	Püspökladány	13862	100 t	2x9,5m	hybrid	aknás	0-24	fluid: 6, solid: 18	yes	The scales cannot be used for authentic weighing.	<del>27 March 2015</del> 31 May 2014
	27.	Törökszentmiklós	13789	100 t	2x9,5m	hybrid	MS-DUÁL	0-24	fluid: 6, solid: 18	yes		15 November 2015
	28.	Záhony 70/B vágány	44230	200 t	9+4,5+9m	electronic	ARDIN	0-24	fluid: 6, solid: 18	no	Broad gauge scales	27 March 2015
	29.	Záhony-Rendező VIII. vg.	42077	100 t	9+3+9m	electronic	ARDIN	0-24	fluid: 6, solid: 18	yes	The scales are out of operation due to repair work until 31 October 2014.	3 June 2015

Szeged	31.	Békéscsaba	18036	100 t	2x9,5m	hybrid	MS-DUÁL	0-24	fluid: 6, solid: 15	no	The scales are out of operation until 01 July 2015.	23 April 2015
	32.	Kelebia	16352	100 t	2x9,5m	hybrid	MS-DUÁL	0-24	fluid: 6, solid: 15	no		21 December 2014
	33.	Kiskőrös	16261	100 t	2x9,5m	hybrid	MS-DUÁL	0-24	fluid: 6, solid: 15	no	The scales are out of operation due to repair work until 31 October 2014.	9 April 2015
Pécs	47.	Sárbogárd	05926	100 t	2x9,5m	hybrid	MS-DUÁL	0-24	fluid: 6, solid: 18	yes	The scales are out of operation due to repair work until 31 October 2014.	2 July 2015
	48.	Somogyszob	06379	100 t	2x9,5m	hybrid	MS-DUÁL	0-24	fluid: 6, solid: 18	no		25 September 2015
	49.	Szentlőrinc	07260	100 t	9+3+9m	electronic	ARDIN	Mon-Fri: 0-24 Sun: 04:00-24:00	fluid: 6, solid: 18	yes	It cannot be used between 1 August 2014 and 30 November 2014 because of reparation.	<del>24 July 2014</del> 30 September 2014
Szombathely	52.	Veszprém	03947	100 t	9+3+9m	electronic	ARDIN	0-24	fluid: 6, solid: 15	no	The scales are out of operation due to repair work until 31 October 2014.	12 September 2014