

Modification

ANNEXES

1. Annex 3.3.1.1 - Main characteristics of railway lines, track sections

The following modifications were made:

Main number Sub-number		Starting point of line (station)	Final point of line (station)	Break-down of line into sections			Number of tracks	Applicable axle load (t) for hauled vehicles										Track speed (km/h)		Maximum length of train (m)	Electrified (yes/no)	Type of traffic management of line	Ground-train radio (yes (MHz)/no)	Train protection (Yes/No)	Possibility of flat transport (yes/no)	Rating in accordance with Governmental Decree No 168/2010	Remarks	RFC6	RFC7																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
								Applicable load per meter (t/m)		Applicable class of line		Maximum load applicable for extraordinary consignments		2-axle		4-axle		6-axle		special*		not rated		limited speed (km/h)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					</

2. Annex 3.3.1.3 - Position of stations and service locations on railway lines; main technical and operational characteristics - MÁV Zrt

Line number	IT Line number	Name of the service place	Statistical number of service place	Service place				Platform																
				Staffless	Remote controlled	Signalling tool	Suitable for train crossing	Number/name	Function (passenger/freight/other)	Electrified (yes)	Length (m)	Through main line (yes)	Designated to go-round (yes)	length/width/height of platform (m)	Qualified as occupied by persons (yes)	Designated for storage	Preheating/precooling	Connection to electric power	Water supply	Connection to sewer	Equipped with inspection pit			
220	1AY	Istvánfelki Főműhely	10363						other	yes	683 308	no		none	no		no	no	no	no	no			

3. Annex 3.8.4 - Refuelling facilities

MÁV Zrt

Regional Storage Centre, Site of Supply	Code of the service place	Service time
Istvánteleki Főműhely mh.	10132 10363	Mo-Sun: 00:00-24:00 Mo-Fri: 06:00-02:00 Sat-Sun: 14:00-02:00

4. Annex 3.8.5.2 - Wagon weigh bridges (scales)

MÁV Zrt

Infrastructure Manager Regional Centre	Number	Station	Service place code	Weighing capacity	Length of bridge	Type		Opening hours	Average weigh capacity (wagon/hour)	Availability of Catenary above the track equipped with scale (yes/no)	Remarks	Effective from
Budapest	1	Ferencváros Nyugati Rendező	40162	100 t	2x9,5m 9+3+9 m	hybrid electronic	MS-DUÁL Ardin D43-09	7-14 0-24	fluid: 6, solid: 15 15	no	It is also suitable for static and dynamic weighing.	04-February-2016 04 November 2016
	2	Ferencváros rpu.	10025	100 t	9x3 m	electronic	Ardin	0-24	fluid: 6, solid: 18	no		
	3	Soroksári út rendező	40196	120 t	2x9,5m	hybrid	MS-DUÁL	0-24	fluid: 6, solid: 15	no		21 November 2015
	4	Cegléd	13722	100 t	9+6+6m	electronic	ARDIN	0-24	fluid: 6, solid: 15	no		19 September 2015
	5	Dunaújváros	06502	100 t	9+3+9m	electronic	ARDIN	0-24	fluid: 6, solid: 15	no		25 September 2014
	6	Gönyű	01296	100 t	9+6+9m	electronic	Ardin D43-09	07-15	10	no		08 May 2015.
	7	Győr-Rendező	01271	100 t	2x9,5m	hybrid	MS-DUÁL	0-24	fluid: 6, solid: 15 12	no		22-November-2015 11 November 2016
	8	Hatvan-Rendező	40667	100 t	9+3+9m	electronic	ARDIN	0-24	fluid: 6, solid: 15 12	no		07 November 2016
	9	Komárom-Rendező	01214	100 t	2x9,5m	hybrid	MS-DUÁL	0-24	fluid: 6, solid: 15 12	yes	Planned for reconstruction in 2015.	12 December 2015
	10	Rákos	10074	100 t	9+3+9m	electronic	ARDIN	0-24	fluid: 6, solid: 15 12	yes	Planned for reconstruction in 2015.	25 September 2015
	11	Székesfehérvár	03269	100 t	9+3+9m	electronic	ARDIN	0-24	fluid: 6, solid: 15 12	yes		25 September 2015
	12	Szolnok-Rendező	40485	100 t	2x9,5m	hybrid	MS-DUÁL	0-24	fluid: 6, solid: 15 12	no		13-December-2014 13 October 2016
Miskolc	14	Füzesabony	11296	100 t	9+3+9m	electronic	SCHENCK	0-24	fluid: 6, solid: 14	yes		21-November-2014 13 November 2016
	19	Eperjeske-Átrakó I. vg.	14191	100 t	9+3+9m	electronic	ARDIN	0-24	fluid: 6, solid: 18	no		04-December-2014 31 October 2016
	20	Eperjeske-Átrakó XLI. Vg.	14191	120 t	2x9,5m	hybrid	MS-DUÁL	0-24	fluid: 6, solid: 18	no		05 June 2015
Debrecen	21	Eperjeske-Rendező I.sz. automata	44255	120 t	27m	hybrid-hump	MS-DUÁL	0-24	60	no	Broad scales	24-September-2014 03 October 2016
	22	Eperjeske-Rendező II.sz. automata	44255	120 t	27m	hybrid-hump	MS-DUÁL	0-24	60	no	Broad scales	24-September-2014 03 October 2016
	23	Eperjeske-Rendező Lapos	44255	150 t	9+5+9m	electronic	ARDIN	0-24	fluid: 6, solid: 18	no	Broad scales	03-October-2014 03 December 2016
	24	Mátészalka	15495	100 t	2x9,5m	hybrid	MS-DUÁL	0-24	fluid: 6, solid: 18	no		28-May-2015 22 December 2016
	25	Nyíregyháza	14019	100 t	9+3+9m	electronic	ARDIN	0-24	fluid: 6, solid: 18	no		30-September-2014 28 December 2016

Modification list Network Statement 2014-2015 M24

Debrecen	30	Záhony-Rendező VIII. vg.	42077	100 t	9+3+9m	electronic	ARDIN	0-24	fluid: 6, solid: 18	yes		03 June 2015 17 October 2016
Szeged	32	Békéscsaba	18036	100 t	2x9,5m	hybrid	MS-DUÁL	0-24	fluid: 6, solid: 15	no	Scales are out of operation until 01 July 2015. Scales are out of operation until 30 October 2015.	23 April 2015
	34	Kiskőrös	16261	100 t	2x9,5m	hybrid	MS-DUÁL	0-24	fluid: 6, solid: 15	no		09 April 2015 23 September 2016
	38	Szeged-Rendező	17210	100 t	2x9,5m	electronic	ARDIN	03:30-23:00	fluid: 6, solid: 15	no	Out of operation	03 April 2015
	39	Szentes	18184	100 t	2x9,5m	hybrid	MS-DUÁL	03:20-23:50	fluid: 6, solid: 15	no		06 May 2015 30 June 2015
Pécs	45	Murakeresztúr	03640	100 t	9+3+9m	electronic	ARDIN	0-24	fluid: 6, solid: 18	yes		18 October 2014 21 October 2016
	46	Nagykanizsa	03624	100 t	9+3+9m	electronic	ARDIN	0-24	fluid: 6, solid: 18	no		16 October 2014 22 October 2016

5. Annex 5.3.8.2 - Service places affected by service interruption, service stoppage

The following modifications were made:

Szombathely Regional Centre										
Line number	Service place	Service interruption			Service stoppage				Number of staff affected (person)	Remarks
29	Polgárdi Ipartelepek	Mon-Sun	23:40	-	4:10				1	Valid only in the winter timetable period
		Mon-Sun	0:40 0:20	-	4:10				1	Valid only in the summer timetable period
	Csajág	Mon-Sun	23:40	-	4:00				1	Valid only in the winter timetable period
		Mon-Sun	0:00 0:10	-	4:00				1	Valid only in the summer timetable period
	Balatonkenese	Mon-Sun	23:50 0:00	-	3:50				1	
	Balatonfűzfő	Mon-Sun	0:00	-	3:40				1	
	Balatonalmádi	Mon-Sun	0:00 0:10	-	3:40				1	
	Alsóörs	Mon-Sun	0:15	-	3:30				1	
	Balatonfüred	Mon-Sun	0:20	-	3:20				1	Valid only in the winter timetable period
	Aszód	Mon-Sun	23:00 23:30	-	3:50				1	
	Balatonakali-Dörgicse	Mon-Sun	22:50 23:40	-	3:50				1	
	Zánka-Köveskál	Mon-Sun	22:50 23:50	-	3:50				1	
	Révfülöp	Mon-Sun	23:00 00:00	-	4:00				1	
	Badacsonytomaj	Mon-Sun	23:00 0:10	-	4:00				1	
	Badacsonytördemic-Szigliget	Mon-Sun	23:00 0:20	-	4:00				1	