

ANNEX**1. 3.6.6.2 Wagon weigh bridges (scales)**

The following modifications were made:

Number	Station	Service place code	Weighing capacity	Length of bridge	Type		Opening hours	Average weigh capacity (wagon/hour)	Availability of Catenary above the track equipped with scales (yes/no)	Remarks	Effective from
2.	Soroksári út rendező	40196	100 t	9,5+1,5+9,5 m	hybrid	MS-DUÁL	0-24	12	no		09 September 2016 09 October 2017
4.	Dunaújváros	06502	100 t	9+3+9m	electronic	ARDIN (IQ810)	0-24	10	no		13 September 2017
18.	Debrecen	13912	100 t	9+3+9m	electronic	ARDIN	0-24	18	no	Waiting for reparation.	08 December 2018
24.	Karcag	13847	100 t	9+3+9 m	electronic	ARDIN (D43-09B)	0-24	15. jan	yes	Waiting for effective	15 October 2017
20.	Eperjeske-Átrakó XLI. Vg.	14191	120 t	9,5+1,5+9,5 m	hybrid	MS-DUÁL	0-24	25	no	Waiting for reparation.	
27.	Nyírbátor	15453	100 t	9+3+9 m	electronic	ARDIN	0-24	solid: 18	no		
28.	Püspökladány	13862	100 t	9,5+1,5+9,5 m	electronic	SCHENCK	0-24	10	yes		30 September 2017
29.	Törökszentmiklós	13789	100 t	9+3+9 m	electronic	ARDIN (D43-09B)	0-24	10	yes	Waiting for effective	17.08.2019
30.	Záhony 70/B vágány	44230	200 t	9+4,5+9m	electronic	ARDIN	0-24	fluid: 20, solid: 30	no	Waiting for reparation. Broad scales	
32.	Baja	16709	100 t	9,5+1,5+9,5 m	hybrid	MS-DUÁL	3:30-23:00	11	no		
33.	Békéscsaba	18036	100 t	2x9,5m	electronic	ARDIN D43 09B	0-24	11	no	Waiting for reparation.	30 October 2017
40.	Szentes	18184	100 t	9,5+1,5+9,5 m	hybrid	MS-DUÁL	0-24	11	no		02 June 2017 02 December 2017
42.	Gyékényes	06437	100 t	9+3+9m	electronic	ARDIN	0-24	solid: 15	no	Waiting for effective	
50.	Somogyszob	06379	100 t	9,5+1,5+9,5 m	hybrid	MS-DUÁL	0-24	15	no	Waiting for effective	
52.	Ajka	03996	100 t	9,5+1,5+9,5 m	hybrid	MS-DUÁL	0-24	6	yes	Waiting for effective	27 August 2017

2. 3.6.10 Public loading sidings and loading areas belonging to these loading sidings - MÁV Zrt.

The following modifications were made:

Budapest Regional Directorate

Service place	Code of the service place	Open access loading place registered by MÁV Zrt								Loading track next to loading places															Applicable speed (km/h)	Possibility of serving (S-straight, D-diverging position)	Restrictions
		Position From section to section	Size Width (m) x length (m)	currently usable area (m2)	Paved yes / no	Material of pavement	Current technical condition	Lighting	Loading and other equipments	TAF TSI ID	Name of the track	Usable length (m)	Loading length (m)	Branching-off turnout(s)		Availability of catenary		Derailer (pcs)	Scotch block (pcs)	Axle load (t)	Current technical state						
														Number	Switch operation mode	yes / no	Length (m)										
Paks	06593	790-792+60	25,2 x 200	5040	yes	concrete	good	lighted	none	55-06593-01-5	V.-vágány	265	200	11	local	no	0	0	0	21	satisfactory	5	S	K-group			
Paks	06593	790+10-793+30	20 x 50	100	yes	concrete	good	lighted	side-loading	55-06593-01-5	V.-(O)-vágány	265	50	11	local	no	0	0	0	21	satisfactory	5	S	K-group			
Paks	06593	976+70-977+30	25,2 x 200	5040	yes	concrete	good	lighted	side-loading	55-06593-01-6	Vl.-(O)-vágány	262	200	3	local	no	0	0	0	21	satisfactory	5	S	K-group			

Szeged Regional Directorate

Service place	Open access loading place registered by MÁV Zrt									Loading track next to loading places										Applicable speed (km/h)	Possibility of serving (S-straight, D-diverging position)	Restrictions		
	Code of the service place	Position From section to section	Size Width (m) - length (m)	Currently usable area (m²)	Paved	Material of pavement	Current technical state	Lighting	Loading and other equipments	TAF TSI ID	Name of the track	Usable length (m)	Loading length (m)	Branching-off turnouts		Availability of catenary		Derailer (pcs)	Scotch block (pcs)				Axle load (t)	Current technical state
					yes - no									Number	Switch operation mode	yes - no	length (m)							
Kunszentmárton	18135	345+16 - 348+16	14 x 300	4200	yes	concrete	good	lighted unlighted	none	55-16204-01-15	V. vágány	386	300	8, 3	local	no	0	0	0	17	good	10	D	

Pécs Regional Directorate

Service place	Open access loading place registered by MÁV Zrt									Loading track next to loading places												Restrictions		
	Code of the service place	Position	Size	Currently usable area	Paved	Material of pavement	Current technical state	Lighting	Loading and other equipments	TAF TSI ID	Name of the track	Usable length (m)	Loading length (m)	Branching-off turnouts		Availability of catenary		Derailer (pcs)	Scotch block (pcs)	Axle load (t)	Current technical state		Applicable speed (km/h)	Possibility of serving (S-straight, D-diverging position)
		From section to section	Width (m) - length (m)	(m ²)	yes - no									Number	Switch operation mode	yes - no	length (m)							
Lépsény	03301	947+80-948+92	35 x 112	3920	yes	concrete	adequate	lighted	scales, live stock loading	55-03301-01-9 55-03301-01-7	VII. vágány	465	86	17, 22	central	yes	363	1	0	21	adequate	10	D	Wagon weigh bridge: 5 km/h
Sisfok-Teher (Sisfok Kereskedelmi pu.)	41327		22 x 127	2 794	yes	concrete	adequate	lighted	side loading	55-08394-01-5	V. (O) vágány	220	127	A/3	local	no	0	0	0	17	to be renewed	5	S	
Sisfok-Teher (Sisfok Kereskedelmi pu.)	41327	972+89-975+80	22 x 291	6 402	yes	concrete	adequate	lighted	end loading	55-08394-01-3	III. vágány	220	220	A/4	local	yes	100	0	0	17	to be renewed	5	S	
Sisfok-Teher (Sisfok Kereskedelmi pu.)	41327	972+89-975+80	26 x 291	7 566	yes	concrete	adequate	lighted	none	55-08394-01-4	IV. vágány	230	230	A/3	local	yes	100	0	0	17	to be renewed	5	S	

Debrecen Regional Directorate

Debrecen Regional Directorate																								
Service place	Code of the service place	Open access loading place registered by MÁV Zrt								Loading track next to loading places												Applicable speed (km/h)	Possibility of serving (S-straight, D-diverging position)	Restrictions
		Position	Size	Currently usable area (m ²)	Paved	Material of pavement	Current technical state	Lighting	Loading and other equipments	TAF TSI ID	Name of the track	Usable length (m)	Loading length (m)	Branching-off turnouts		Availability of catenary		Derailer (pcs)	Scotch block (pcs)	Axle load (t)	Current technical state			
		From section to section	Width (m) - length (m)		yes - no									Number	Switch operation mode	yes - no	length (m)							
Püspökladány	13862	1779+83-1785+05	12x266	4213	yes	asphalt	good	lighted	scales	55-13862-01-20	XX. vágány	522	266	61, 43	central	no	0	2	0	21	adequate	20	D	The loading place is prohibited to be use from 09 September 2017 till 31 May 2018.

3. 3.6.9 Refuelling facilities

The following modifications were made:

MÁV Zrt.

Regional Storage Centre, Site of Supply	Code of the service place	Service time		
		Day	Start	End
Bátaszék	07146	Monday-Thursday; Sunday ① ② ③ ④ ⑦	11:30	24:00
		Friday-Saturday ⑤ ⑥	11:30	1:00
Istvánfalvi Főműhely	10132	Monday-Friday daily	06:00	03:00
		Saturday-Sunday	14:00	17:00
Dunaújváros	06502	Monday-Friday ① ② ③ ④ ⑤	06:00	14:00
		Saturday-Sunday ⑥ ⑦	08:00	14:00
Eszetregom	04544			Mon-Sun: 20:00-04:00
Hatvan	11205	Monday; Wednesday, Friday ① ② ⑤	11:00	01:00
		Tuesday, Thursday, Saturday, Sunday ② ④ ⑥ ⑦	17:00	01:00
Hegyeshalom	01362	Wednesday ③	09:00	12:00
Kecskemét	17111	Monday-Friday	16:30	00:30
		Saturday-Sunday daily	17:00	01:00 02:00
Kiskunhalas	16311	Monday-Friday ① ② ③ ④ ⑤	03:00	11:00
Komárom	01222	Monday	08:00	21:00
		Tuesday-Friday; Sunday daily	11:00	21:00 24:00
		Saturday	15:00	21:00
Nyíregyháza	14019	Monday-Friday ① ② ③ ④ ⑤	06:00	22:00
		Saturday-Sunday ⑥ ⑦	06:00	12:30
			16:30	22:00
Szeged-Rendező	17210	Monday-Friday ① ② ③ ④ ⑤	14:00	23:00
Záhony	14175	Monday-Friday ① ② ③ ④ ⑤	06:00	22:00
		Saturday-Sunday ⑥ ⑦	06:00	12:00
			16:00	22:00

4. 6-3-1 Service place categories and line categories of MÁV Zrt.

The following modifications were made:

Line number according to NS	IT line number	Service place code	Name of the service place	Chargeable kilometres	Station category for passenger trains	Station category for freight trains	Line category	Start/end of the train path	Request stop available
20	20	03871	Várpalota	22,8	2	1	2	Yes	No
20	20	03921	Pétfürdő	23,8 26,8	2	3	2	Yes	No
20	20	45757	Öskü mh.	31	3	3	2	No	No
35	35	08391	Siójut mh.	92,2	4	3	3	No	No
35	35	08394	Siófok B/1 kitérő ipvk. -pvh.	96,8	0	0	3	Yes	No
35	35	43240	Sióvölgy mh.	98	4	3	3	No	No

5. 3.5 -2 Service places affected by service stoppage

The following modifications were made:

Szeged Regional Centre						
Line number	Code of the service place	Service place	Service stoppage			Remarks
			Day	Start	End	
146	17384	Csépa	daily	7:00	13:00	
			daily	19:00	5:00	
			daily	18:45	5:00	from 01 October 2017
	17285	Lakitelek	daily	21:20	4:30	