

Effective: from 16 November 2021  
 Applicable: from 12 December 2021

## ANNEXES

## 1. Annex 2.3.6-2 - Availability of information relating to curvatures of railway track sections

The following modifications were made:

Name of the Organisation	Address	Phone number	Fax number	Phone number in railway network	Fax number in railway network	E-mail
<b>Regional Infrastructure Directorate - Budapest</b>						
Területi Pályalétesítmenyi Osztály Budapest (Regional Infrastructure Department Budapest)	1087 Budapest Kerepesi út 1-3	1/511-1502	-	01/15-02	-	<a href="mailto:hadnagy.peter@mav.hu">hadnagy.peter@mav.hu</a> <a href="mailto:sari.imre@mav.hu">sari.imre@mav.hu</a> <a href="mailto:bpplo@mavrt.hu">bpplo@mavrt.hu</a>
<b>Regional Infrastructure Directorate - Pécs</b>						
Területi Pályalétesítmenyi Osztály Pécs (Regional Infrastructure Department Pécs)	7623 Pécs Szabadság u. 39.	1/515-1602	1/515-1732	05/16-02	05/17-32	<a href="mailto:orban.zsolt@mav.hu">orban.zsolt@mav.hu</a> <a href="mailto:sprager.csaba@mav.hu">sprager.csaba@mav.hu</a>

## 2. Annex 2.5-2 - Service places affected by service stoppage

The following modifications were made:

## Regional Infrastructure Directorate - PÉCS

Line number	Statistical number	Service place	Service stoppage				Remarks
			Day	Beginning		End	
47	07542	Komló	daily	18:40	-	5:40	

### 3. Annex 7.3.11 - Public loading sidings and loading areas belonging to these loading sidings - MÁV Zrt.

The following modifications were made:

Budapest Regional Directorate

Service place	Open access loading place registered by MÁV Zrt								Loading track next to loading places						Restrictions, remarks
	Code of the service place	Position of the service place	Loading and other equipments	TAF TSI ID of the loading and other equipment	Paved	Lighting	Size		TAF TSI ID	Name of the track	Usable length (m)	Loading length (m)	Availability of catenary	Axle load (t)	
		From section to section			yes-no-partly	yes-no	Length (m)	Width (m)					yes / no partly?		
Délegyháza	16162	266+12-268+80	none	55-16162-06-5	no	yes	268	10	55-16162-01-5	5.	268	268	partly	21	Loading area can't be used until 10.12.2022 due to technical reasons, capacity is not available.
Dömsöd	16196	436+90-438+00	none	55-16196-06-1	no	yes	500	4	55-16196-01-1	1.	540	500	partly	21	serving only from endpoint Loading area can't be used until 10.12.2022 due to technical reasons, capacity is not available.
Dunaharaszti	16121	152+80 -152+92	side loading	55-16121-19-4(O)	yes	no	12	10	55-16121-01-4	4.(O)	385	12	no	20	Concrete fence next to the track in 200m length. Loading area can't be used until 10.12.2022 due to technical reasons, capacity is not available.
Dunaharaszti	16121	152+92-154+02	none	55-16121-06-4(B)	yes	no	110	20	55-16121-01-4	4.(B)	385	110	no	20	Loading area can't be used until 10.12.2022 due to technical reasons, capacity is not available.
Kiskunlacháza	16188	341+70 - 341+90	side loading	55-16188-19-1(O)	yes	no	20	6	55-16188-01-1	1.(O)	741	20	no	21	Loading area can't be used until 10.12.2022 due to technical reasons, capacity is not available.
Kiskunlacháza	16188	336+90-340+90	none	55-16188-06-1	yes	no	400	10	55-16188-01-1	1.	741	400	partly	21	Loading area can't be used until 10.12.2022 due to technical reasons, capacity is not available.
Kiskunlacháza	16188	336+90- 340+90	none	55-16188-06-R1	yes	no	400	10	55-16188-01-R1	R1 Kerti	330	293	no	21	Loading area can't be used until 10.12.2022 due to technical reasons, capacity is not available.
Soroksár	10322	89+89-90+32	none	55-10322-06-1(A)	yes	yes	43	24	55-10322-01-1	1.(A)	766	43	no	20	Loading area can't be used until 10.12.2022 due to technical reasons, capacity is not available.
Soroksár	10322	90+32-90+42	side loading	55-10322-19-1(O)	yes	yes	10	10	55-10322-01-1	1.(O)	766	10	no	20	Loading area can't be used until 10.12.2022 due to technical reasons, capacity is not available.
Soroksár	10322	90+42-91+17	none	55-10322-06-1(B)	yes	yes	75	10	55-10322-01-1	1.(B)	766	75	no	20	Loading area can't be used until 10.12.2022 due to technical reasons, capacity is not available.

Taksony	16147	189+00-187+36	none	55-16147-06-1	no	yes	164	17	55-16147-01-1	1.	164	84	partly	20	Loading area can't be used until 10.12.2022 due to technical reasons, capacity is not available.
Taksony	16147	189+80-192+80	none	55-16147-06-5	no	yes	300	20	55-16147-01-5	5.	772	300	yes, külön kapcsolható 188+45 - 192+85 szelvények között	20	It is strictly prohibited to run with motor vehicle between track no. 5 (V. vágány) and the mast of the overhead line. Track is also suitable for train departure Loading area can't be used until 10.12.2022 due to technical reasons, capacity is not available.

Szeged Regional Directorate

Service place	Open access loading place registered by MAV Zrt								Loading track next to loading places						Restrictions, remarks
	Code of the service place	Position of the service place	Loading and other equipments	TAF TSI ID of the loading and other equipment	Paved	Lighting	Size		TAF TSI ID	Name of the track	Usable length (m)	Loading length (m)	Availability of catenary yes - no - partly?	Axle load (t)	
		From section to section			yes-no-partly	yes-no	Length (m)	Width (m)							
Balotaszállás	16329	1368 - 1369	none	55-16329-06-1	no	yes	100	10	55-16329-01-1	1.	286	100	no	21	Can't be used until 10.12.2022 due to technical condition of loading track and area.
Bösztör	16212	636+05-638+64	none	55-16212-06-1	yes	yes	350	12	55-16212-01-1	1.	649	350	yes	18,5	Loading area can't be used until 10.12.2022 due to technical reasons, capacity can't be requested.
Csengőd	16253	899+55 - 900+00	none	55-16253-06-1	no	yes	38	23	55-16253-01-1	1.	679	38	no	21	Loading area can't be used until 10.12.2022 due to technical reasons, capacity can't be requested.
Fülöpszállás	16238	776+50 - 777+00	none	55-16238-06-6(A)	yes	yes	50	20	55-16238-01-6	6.(A)	274	50	no	21	Loading area can't be used until 10.12.2022 due to technical reasons, capacity can't be requested.
Fülöpszállás	16238	778+85-781+35	none	55-16238-06-6(B)	yes	yes	150	20	55-16238-01-6	6.(B)	274	150	no	21	Loading area can't be used until 10.12.2022 due to technical reasons, capacity can't be requested.
Kétegyháza	18051	1018+70 - 1019+50	none	55-18051-06-10	yes	yes	81	19	55-18051-01-10	10.	519	81	no	21	Loading area can't be used due to technical reasons, capacity can't be requested.
Kiskunhalas	16311	1264 - 1272	none	55-16311-06-1	yes	yes	100	18	55-16311-01-1	1.	821	100	yes	21	Loading area can't be used until 10.12.2022 due to technical reasons, capacity can't be requested.
Kiskunhalas	16311	1264 - 1272	side loading	55-16311-19-1(O)	yes	yes	100	18	55-16311-01-1	1.(O)	821	100	yes	21	Loading area can't be used until 10.12.2022 due to technical reasons, capacity can't be requested.
Kiskunhalas	16311	1275 - 1277	none	55-16311-06-22	yes	yes	160	3	55-16311-01-22	22.	183	160	no	21	Loading area can't be used until 10.12.2022 due to technical reasons, capacity can't be requested.
Kiskunhalas	16311	1268+86 - 1270+80	none	55-16311-06-13	yes	yes	194	9	55-16311-01-13	13.	246	194	no	21	Loading area can't be used until 10.12.2022 due to technical reasons, capacity can't be requested.
Kiskunhalas	16311	1268+86 - 1270+80	end loading	55-16311-19-12(H)	yes	yes	120	7	55-16311-01-12	12.(H)	120	120	no	20	Loading area can't be used until 10.12.2022 due to technical reasons, capacity can't be requested.

Kisszállás	16337	1446+55-1447+55	none	55-16337-06-7	no	yes	100	15	55-16337-01-7	7.	110	100	no	20	Can't be used until 10.12.2022 due to technical condition of loading track and area.
Kisszállás	16337	1449 - 1452	none	55-16337-06-1	yes	yes	125	15	55-16337-01-1	1.	410	125	no	20	Can't be used until 10.12.2022 due to technical condition of loading track and area.
Kunszentmiklós-Tass	16204	535+80 - 538+10	none	55-16204-06-15	yes	yes	106	33	55-16204-01-15	15.	249	106	no	18,5	Loading area can't be used until 10.12.2022 due to technical reasons, capacity can't be requested.
Kunszentmiklós-Tass	16204	534+40 - 534+90	none	55-16204-06-1	yes	yes	106	33	55-16204-01-1	1.	814	15	no	18,5	Loading area can't be used due to technical reasons, capacity can't be requested.
Kunszentmiklós-Tass	16204	534+40 - 534+90	side loading	55-16204-19-1(O)	yes	yes	70	13	55-16204-01-1	1.(O)	814	15	no	18,5	Loading area can't be used due to technical reasons, capacity can't be requested.
Lökösháza	18069	1139+50-1140+65	none	55-18069-06-9	yes	yes	115	11	55-18069-01-9	9.	456	115	no	20	Loading area can't be used due to technical reasons, capacity can't be requested.
Lökösháza	18069	1139+50-1140+65	side loading	55-18069-19-9(O)	yes	yes	61	11	55-18069-01-9	9.(O)	456	61	no	20	Loading area can't be used due to technical reasons, capacity can't be requested.
Soltvadkert	16287	1103+45 - 1105+00	none	55-16287-06-5	yes	yes	114	13	55-16287-01-5	5.	127	114	no	18,5	Loading area can't be used until 10.12.2022 due to technical reasons, capacity can't be requested.
Szabadkigyós	18044	930+80 - 932+60	none	55-18044-06-1	yes	yes	180	63	55-18044-01-1	1.	450	180	no	20	Loading area can't be used due to technical reasons, capacity can't be requested.
Szabadszállás	16220	716+85 - 717+85	none	55-16220-06-1	yes	yes	122	12	55-16220-01-1	1.(A)	573	122	yes	18,5	Loading area can't be used due to technical reasons, capacity can't be requested.
Szabadszállás	16220	716+33 - 716+63	none	55-16220-06-5	no	yes	29	11	55-16220-01-5	5.	93	73	yes	18,5	Loading area can't be used due to technical reasons, capacity can't be requested.
Szabadszállás	16220	716+85 - 717+85	side loading	55-16220-19-1(O)	yes	yes	25	12	55-16220-01-1	1.(O)	573	122	yes	18,5	Loading area can't be used due to technical reasons, capacity can't be requested.
Szabadszállás	16220	716 - 718	end loading	55-16220-19-5(H)	yes	yes	25	12	55-16220-01-5	5.(H)	93	20	yes	18,5	Loading area can't be used due to technical reasons, capacity can't be requested.

Szombathely Regional Directorate

Service place	Open access loading place registered by MÁV Zrt								Loading track next to loading places						Restrictions, remarks
	Code of the service place	Position of the service place	Loading and other equipments	TAF TSI ID of the loading and other equipment	Paved	Lighting	Size		TAF TSI ID	Name of the track	Usable length (m)	Loading length (m)	Availability of catenary yes - no - partly	Axle load (t)	
		From section to section			yes-no	yes-no	Length (m)	Width (m)							
Veszprém	03947	446+30-446+85	-end loading	55-03947-19-HCS(OH)	yes	yes	55	40	55-03947-01-HCS	HCS(OH)-	30	40	no	2t	40 km/h
Veszprém	03947	446+00-446+45	side loading	55-03947-19-1/b	yes	yes	89	40	55-03947-01-1/b	1/b-	45	40	no	2t	40 km/h