

Effective: from 24 May 2022  
Applicable: from 24 May 2022

## TEXT

### 1. 1.5.1 Validity of Network Statement

The following modifications were made:

This Network Statement is valid from 00:00 of 24 May 2022 to 24:00 of 10 December 2022

## ANNEXES

### 2. 7.3.7 Wagon weigh bridges (scales)

The following modifications were made:

Infrastructure Manager Regional Directorate	Number	Station	Service place code	Weighing capacity	Length of bridge	Type		Opening hours	Average weigh capacity (wagon/hour)	Availability of Catenary above the track equipped with scales (yes/no)	Remarks	Effective till
Szeged	30.	Baja	16709	100 t	9,5+1,5+9,5m	hybrid	MS-DUÁL	3:30-23:00	11	no		29.07.2023
	31.	Békéscsaba	18036	100 t	9+3+9m	electronic	ARDIN (D43-09B)	0-24	11	no		07.07.2022 05.05.2024
	32.	Kiskunfélegyháza	17137	100 t	9,5+1,5+9,5m	hybrid	MS-DUÁL	0-24	15	no		14.07.2022 26.04.2024
	33.	Szentes	18184	100 t	9,5+1,5+9,5m	hybrid	MS-DUÁL	03:20 -00:20	15	no		22.04.2023

### 3. 7.3.11 Public loading sidings and loading areas belonging to these loading sidings - MÁV Zrt.

The following modifications were made:

Debrecen Regional Directorate

Service place	Open access loading place registered by MÁV Zrt								Loading track next to loading places						Restrictions, remarks
	Code of the service place	Position of the service place	Loading and other equipments	TAF TSI ID of the loading and other equipment	Paved	Lighting	Size		TAF TSI ID	Name of the track	Usable length (m)	Loading length (m)	Availability of catenary	Axle load (t)	
		From section to section			yes-no	yes-no	Length (m)	Width (m)					yes - no - partly?		
Kaba	13870	1874 - 1877	none	55-13870-06-12	yes	yes	300	6	55-13870-01-12	12.	780	300	no	21	Loading area can't be used until 05. June 2022, capacity can't be requested.
Pátroha	14092	341+20 - 343+50	none	55-14092-06-1	yes	yes	170	12	55-14092-01-1	1.	820	170	yes	21	5 km/h, "K" group Loading area can't be used between 14 June 2022 -17 June 2022 capacity can't be requested.

Miskolc Regional Directorate

Service place	Open access loading place registered by MÁV Zrt								Loading track next to loading places						Restrictions, remarks
	Code of the service place	Position of the service place	Loading and other equipments	TAF TSI ID of the loading and other equipment	Paved	Lighting	Size		TAF TSI ID	Name of the track	Usable length (m)	Loading length (m)	Availability of catenary	Axle load (t)	
		From section to section			yes-no	yes-no	Length (m)	Width (m)					yes - no - partly?		
Sárospatak	13466	361+16 - 363+06	none	55-13466-06-5 55-13466-06-6	yes	no yes	188	10,3	55-13466-01-5 55-13466-01-6	V. rakodó vágány VI. rakodó vágány	273	188	yes no	21	

Pécs Regional Directorate

Service place	Open access loading place registered by MÁV Zrt								Loading track next to loading places						Restrictions, remarks
	Code of the service place	Position of the service place	Loading and other equipments	TAF TSI ID of the loading and other equipment	Paved	Lighting	Size		TAF TSI ID	Name of the track	Usable length (m)	Loading length (m)	Availability of catenary	Axle load (t)	
		From section to section			yes-no	yes-no	Length (m)	Width (m)					yes - no - partly?		
Darány	05694	553-553+47	none	55-05694-06-1	yes	yes	47	13	55-05694-01-1	1.	300	47	no	21	Loading area can't be used between 29. June 2022 -30 September 2022 capacity can't be requested. 5 km/h

Szeged Regional Directorate

Service place	Open access loading place registered by MÁV Zrt								Loading track next to loading places						Restrictions, remarks
	Code of the service place	Position of the service place	Loading and other equipments	TAF TSI ID of the loading and other equipment	Paved	Lighting	Size		TAF TSI ID	Name of the track	Usable length (m)	Loading length (m)	Availability of catenary	Axle load (t)	
		From section to section			yes-no-partly	yes-no	Length (m)	Width (m)					yes - no - partly?		
Baja	16709	23+80 - 26+50	none	55-16709-06-1	yes	no	270	20	55-16709-01-1	1.	300	270	no	21	Located in Baja-Külső Loading area can't be used from 06.06.2022. to 03.07.2022., capacity can't be requested
Baja	16709	23+80 - 26+50	none	55-16709-06-2	yes	no	270	20	55-16709-01-2	2.	300	270	no	21	Located in Baja-Külső Loading area can't be used from 06.06.2022. to 03.07.2022., capacity can't be requested

## 4. 2.3.3 - Position of stations and service places on railway lines; main technical and operational characteristics

The following modifications were made:

Line number	IT Line number	Name of the service place	Statistical number of service place	Platform													
				Number/name	Function (passenger/freight/other)	Electrified (yes)	Length (m) <sup>1</sup>	Through main line (yes)	Designated to go-round (yes)	length/width/height of platform (m)	Qualified as occupied by persons (yes)	Designated for storage	Preheating/precooling	Connection to electric power	Water supply	Connection to sewer	Equipped with inspection pit
140	140	Szeged-Rendező	17210	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				I.személy	passenger	yes	—	yes	no	66/1,80/0,15	yes	no	no	no	no	—	no
				II.személy	passenger	yes	—	yes	no	66/1,80/0,15	yes	no	no	no	no	—	no
				I.	freight	yes	817	no	yes	—	—	no	no	no	no	—	no
				II.	freight	yes	817	no	yes	—	—	no	no	no	no	—	no
				III.	freight	yes	859 819	no	yes	—	—	no	no	no	no	—	no
				IV.	freight	yes	412	no	yes	—	—	no	no	no	no	—	no
				V.	freight	yes	412	no	yes	—	—	no	no	no	no	—	no
				VI.	freight	yes	450	no	yes	—	—	no	no	no	no	—	no
				VII.	freight	yes	468	no	yes	—	—	no	no	no	no	—	no
				VIII.	freight	yes	674	no	yes	—	—	no	no	no	no	—	no
				IX.	freight	no	866	no	yes	—	—	no	no	no	no	—	no
				X.	closed	no	427	no	no	—	—	no	no	no	no	—	no
				XI.	connecting track	no	245 196	no	no	—	—	no	no	no	no	—	no
				XII.	storage csonka	no	357 257	no	no	—	—	no	no	no	no	—	no
				XIII.	storage-csonka	no	301	no	no	—	—	no	no	no	no	—	no
				XIV.	storage csonka	no	340 594	no	no	—	—	no	no	no	no	—	no