

Effective: from 29 November 2022
Applicable: from 11 December 2022

ANNEXES

1. 2.3.3 Position of stations and service places on railway lines; main technical and operational characteristics

The following modification was made:

Line number	IT Line number	Name of the service place	Statistical number of service place	Platform														
				Number/name	Function (passenger/freight/other)	Electrified (yes/no/partly)	Length (m) ¹	Through main line (yes/no)	Designated to go-round (yes/no)	length/width/height of platform (m)	Qualified as occupied by persons (yes/no)	Designated for storage (yes/no)	Preheating/precooling (yes/no)	Connection to electric power (yes/no)	Water supply (yes/no)	Connection to sewer (yes/no)	Equipped with inspection pit (yes/no)	
120/4.a	120A	Rákos	10074	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
120/4.a	120A	Rákoshegy	11528	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
120/4.a	120A	Rákoskert mh.	41640	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
120/4.a	120A	Ecser mh.	11544	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
120/4.a	120A	Maglód	11551	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
120/4.a	120A	Maglódi nyaraló mh.	11569	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
120/4.a	120A	Gyömrő	11577	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
120/4.a	120A	Mende	11585	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
120/4.a	120A	Pusztaszentistván mh.	11536	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
120/4.a	120A	Sülysáp	11601	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
120/4.a	120A	Szőlősnyaraló mh.	11593	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
120/4.a	120A	Tápiószecső	11627	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
120/4.a	120A	Szentmártonkáta mh.	11635	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
120/4.a	120A	Nagykátá	11643	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
120/4.a	120A	Tápiószentmárton mh.	42234	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
120/4.a	120A	Farmos mh.	11668	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
120/4.a	120A	Tápiószéle	11676	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
120/4.a	120A	Tápiógyörgye	11684	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Line number	IT Line number	Name of the service place	Statistical number of service place	Platform														
				Number/name	Function (passenger/freight/other)	Electrified (yes/no/partly)	Length (m) ¹	Through main line (yes/no)	Designated to go-round (yes/no)	length/width/height or platform (m)	Qualified as occupied by persons (yes/no)	Designated for storage (yes/no)	Preheating/precooling (yes/no)	Connection to electric power (yes/no)	Water supply (yes/no)	Connection to sewer (yes/no)	Equipped with inspection pit (yes/no)	
120/2a	120A	Újszász	11692	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
120/2a	120A	Zagyvarékas mh.	42275	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
120/2a	120A	Abonyi út mh.	42317	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
120/2a	120A	Szolnok	13748	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
136	136	Röszke	17673	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				I.	freight	no	758	no	yes	—	—	no	no	no	no	no	—	no
				II.	passenger/freight	no	758 435	yes	yes	—	—	no	no	no	no	no	—	no
				III.	passenger/freight	no	511	no	yes	—	—	no	no	no	no	no	—	no
				IV.	technological/toll	no	100	no	no	—	—	—	no	no	no	no	—	no
153	153	Öregcsertő mh.	16550	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				I.	other passenger/ freight	no	336	no	yes no	—	—	no	—	—	no	—	—	—
				II.	passenger/ freight secondary	no	404	yes no	yes no	60/2/0	—	yes	no	—	—	no	—	—

2. 2.5-2 Service places affected by service stoppage - MÁV Zrt

The following modification was made:

Regional Infrastructure Directorate - DEBRECEN

Line number	Statistical number	Service place	Service stoppage				Remarks
			Day	Beginning		End	
113	15453	Nagykálló	naponta	19:35	-	5:20	
114	15578	Csenger	Ⓐ	17:00	-	4:25	
			Ⓒ	17:00	-	4:15 5:25	

3. 7.3.7.3 Availability of personnel of IM for using the weighing service of MÁV Zrt.

The following modification was made:

Number	Station	Service place code number	Service hours	Remarks
36	Soroksári út rendező	40196	By occasional order personnel is provided.	

4. 7.3.11 Public loading sidings and loading areas belonging to these loading sidings - MÁV Zrt.

The following modification was made:

Debrecen Regional Directorate

Service place	Open access loading place registered by MÁV Zrt								Loading track next to loading places						Restrictions, remarks
	Code of the service place	Position of the service place From section to section	Loading and other equipments	TAF TSI ID of the loading and other equipment	Paved	Lighting	Size		TAF TSI ID	Name of the track	Usable length (m)	Loading length (m)	Availability of catenary yes / no partly?	Axle load (t)	
					yes-no partly	yes-no	Length (m)	Width (m)							
Berettyóújfalú	14423	1391+75 - 1394+63	none	55-14423-06-54	yes	yes	288	36	55-14423-01-54	4.	724	288	no	21	also main track Loading area can't be used between 11.12.2022.-10.06.2023. Capacity can not be requested.
Görögállás	11494	337+50-338+50	none	55-11494-06-1(A)	no	yes	80	8	55-11494-01-1	1.(A)	800	80	yes	18,5	5 km/h, "K" signed Loading area can't be used between 11.12.2022.-09.12.2023. Capacity can not be requested.
Macs	14480	151+60-154+50	none	55-14480-06-1	yes	yes	290	25	55-14480-01-1	1.	626	290	no	22,5	"K" signed Loading area can't be used between 11.12.2022.-30.06.2023. Capacity can not be requested.
Nyírbogdány	14050	204+80 - 205+40	none	55-14050-06-1CS	yes	yes	100	10	55-14050-01-1CS	1.csonka	100	70	yes	21	5 km/h, "K" signed Loading area can't be used between 11.12.2022.-09.12.2023. Capacity can not be requested.
Nyirtelek	11502	401+80-403+90	none	55-11502-06-1	yes	yes	210	4	55-11502-01-1	1.	218	210	yes	18,5	5 km/h "K" signed Loading area can't be used between 11.12.2022.-09.12.2023. Capacity can not be requested.
Rakamaz	11486	230+86-231+96	none	55-11486-06-1(A)	no	yes	110	15	55-11486-01-1	1.(A)	792	110	yes	18,5	5 km/h, "K" signed Loading area can't be used between 11.12.2022.-09.12.2023. Capacity can not be requested.
Sáp	14415	1257-1257+70	none	55-14415-06-6	yes	yes	70	12	55-14415-01-6	6.	317	70	no	21	"K" signed Loading area can't be used between 11.12.2022.-10.06.2023. Capacity can not be requested.
Tokaj	11478	170+40 -172+80	none	55-11478-06-1A(A)	yes	yes	300	5	55-11478-01-1A	1.(A)	730	300	yes	18,5	5 km/h, "K" signed Loading area can't be used between 11.12.2022.-09.12.2023. Capacity can not be requested.

5. 2.3.1 Main characteristics of railway lines, track sections

The following modification was made:

Line number Subnumber	Starting point of line (station)	Final point of line (station)	Dividing line into sections	Number of tracks	Applicable track gauge (mm)	Applicable class of line	Axle load range containing subload conditions of overweight locomotives				Applicable axle load (t)						Track load (kN/m ²)**	Minimum length of (km/m)	Electrified (yes/no)	Type of traffic management of line	Ground-clearance (m) (m/ft)	Transmission (0=HET/ETCS/ETCS/other)	Possibility of flat transport (yes/no)	Rating of line	Remarks	RFLA	RFL7	RFL9	RFL11																																						
							2-axle		3-axle		3-axle		3-axle		3-axle															3-axle																																					
							minimum axle load limit (t)	maximum axle load limit (t)	minimum axle load limit (t)	maximum axle load limit (t)	without limitation	with speed limit	without limitation	with speed limit	without limitation	with speed limit														without limitation	with speed limit																																				
120a	Rákosszentmihály	excit.	Szentmiklósi	excit.	1400	CAG	D2	21,6	22,5	21,6	22,5	21,0	21,0	21,0	21,0	21,0	21,0	100	no	central	160 MHz	no	Tren European Rail Freight Network	22,5 t axle load only applicable on Bekéscsaba - II. tracks, on further tracks only 21 t.	Rákosszentmihály - Szentmiklósi	Rákosszentmihály - Szentmiklósi	Szentmiklósi - Pécel	Pécel - Rákosszentmihály																																							
																													no restriction	no restriction	22,5	22,5	22,5	22,5																																	
																													no restriction	no restriction	22,5	22,5	22,5	22,5																																	
																													no restriction	no restriction	22,5	22,5	22,5	22,5																																	
130	Sárgáshegyi	excit.	Lékihegyi	excit.	1400	CAG	D2	21,6	22,5	21,6	22,5	21,0	21,0	21,0	21,0	21,0	100	yes	station	160 MHz	no	Tren European Rail Freight Network	22,5 t axle load only applicable on Bekéscsaba - II. tracks, on further tracks only 21 t.	Rákosszentmihály - Lékihegyi	Rákosszentmihály - Lékihegyi	Lékihegyi - Pécel	Pécel - Lékihegyi																																								
																												no restriction	no restriction	22,5	22,5	22,5	22,5																																		
																												no restriction	no restriction	22,5	22,5	22,5	22,5																																		
																												no restriction	no restriction	22,5	22,5	22,5	22,5																																		
																												140	Budapest-Nyugati	excit.	Záhony	excit.	1400	CAG	D3	21,6	22,6	21,6	22,6	21,0	21,0	21,0	21,0	21,0	100	yes	station	160 MHz	no	Tren European Rail Freight Network	GC loading gauge must not be used on track V of Kibánya-Tudor station.	Kibánya-Kécskés - Záhony	Kibánya-Kécskés - Szentmiklósi	Szentmiklósi - Kibánya-Kécskés	Kibánya-Kécskés - Szentmiklósi												
																																																								no restriction	no restriction	no restriction	no restriction	21,0	22,5	21,0	22,5	21,0	22,5	21,0	22,5
																																																								no restriction	no restriction	no restriction	no restriction	21,0	22,5	21,0	22,5	21,0	22,5	21,0	22,5
																																																								no restriction	no restriction	no restriction	no restriction	21,0	22,5	21,0	22,5	21,0	22,5	21,0	22,5
																																																								no restriction	no restriction	no restriction	no restriction	21,0	22,5	21,0	22,5	21,0	22,5	21,0	22,5
																																																								no restriction	no restriction	no restriction	no restriction	21,0	22,5	21,0	22,5	21,0	22,5	21,0	22,5
																																																								no restriction	no restriction	no restriction	no restriction	21,0	22,5	21,0	22,5	21,0	22,5	21,0	22,5
																																																								no restriction	no restriction	no restriction	no restriction	21,0	22,5	21,0	22,5	21,0	22,5	21,0	22,5
no restriction	no restriction	no restriction	no restriction	21,0	22,5	21,0	22,5	21,0	22,5	21,0	22,5																																																								
no restriction	no restriction	no restriction	no restriction	21,0	22,5	21,0	22,5	21,0	22,5	21,0	22,5																																																								
no restriction	no restriction	no restriction	no restriction	21,0	22,5	21,0	22,5	21,0	22,5	21,0	22,5																																																								
100	Mezőtúri	excit.	Nyíregyházi	excit.	1400	CAG	D2	21,6	22,5	21,6	22,5	21,0	21,0	21,0	21,0	100	no	central	160 MHz	no	Tren European Rail Freight Network	On the section Budapest-Kelenföld (excit.) - Hegyeshalom national border, on all axle load classes, loaded vehicles with axle loads above 21.0 t may only be used as special consignments.	Mezőtúri - Nyíregyházi	Mezőtúri - Nyíregyházi	Nyíregyházi - Mezőtúri	Mezőtúri - Nyíregyházi																																									
																											no restriction	no restriction	21,0	22,5	21,0	22,5	21,0	22,5	21,0	22,5	21,0	22,5																													

6. 5.2-4 Service place categories and line categories of MÁV Zrt.

The following modification was made:

Line number according to NS	IT line number	Sservice place code	Name of the service place	Chargeable kilometres	Station category for passenger trains	Station category for freight trains	Line category	Start/end of the train path	Request stop available
120/Aa	120A	10074	Rákos	0	2	1	1	Yes	No
120/Aa	120A	11528	Rákoshegy	6,1	1	2	1	Yes	No
120/Aa	120A	41640	Rákoskert mh.	10,3	2	3	1	No	No
120/Aa	120A	11544	Ecser mh.	12,6	2	3	1	No	No
120/Aa	120A	11551	Maglód	14,7	1	2	1	Yes	No
120/Aa	120A	11569	Maglódi nyaraló mh.	16,5	2	3	1	No	No
120/Aa	120A	11577	Gyömrő	18,9	1	2	1	Yes	No
120/Aa	120A	11585	Mende	22,6	1	2	1	Yes	No
120/Aa	120A	11536	Pusztaszentistván mh.	25,2	2	3	1	No	No
120/Aa	120A	11601	Sülysáp	29,9	1	2	1	Yes	No
120/Aa	120A	11593	Szőlősnyaraló mh.	32,2	2	3	1	No	No
120/Aa	120A	11627	Tápiószecső	36,8	1	2	1	Yes	No
120/Aa	120A	11635	Szentmártonkáta mh.	41,9	2	3	1	No	No
120/Aa	120A	11643	Nagykáta	46,9	1	2	1	Yes	No
120/Aa	120A	42234	Tápiószentmárton mh.	52,9	2	3	1	No	No
120/Aa	120A	11668	Farmos mh.	56,7	2	3	1	No	No
120/Aa	120A	11676	Tápiószele	59,6	2	2	1	Yes	No
120/Aa	120A	11684	Tápiógyörgye	65,8	2	2	1	Yes	No
120/Aa	120A	11692	Újszász	76,1	1	2	1	Yes	No
120/Aa	120A	42275	Zagyvarékas mh.	80,8	2	3	1	No	Yes
120/Aa	120A	42317	Abonyi út mh.	85,7	3	3	1	No	Yes
120/Aa	120A	40469	Szolnok D elágazás	87,3	0	0	1	No	No
120/Aa	120A	40451	Szolnok C elágazás	88,5	0	0	1	No	No
120/Aa	120A	40428	Újszász elágazás	89,1	0	0	1	No	No
120/Aa	120A	13748	Szolnok	93,4	1	1	1	Yes	No