Effective: from 14 December 2022 Applicable: from 14 December 2022

TEXT

1. 1.5.1. Validity of Network Statement

The following modification was made:

This Network Statement is valid from 00:00 of 14 December 2022 to 24:00 of 9 December 2023

2. 2.3.13 Train control systems

The following modification was made:

- Train protection 75 Hz (EVM, EÉVB, MIREL)
- ---INDUSI (PZB),
- -ETCS1,
- ETCS2.
- ETCS2,
- ETCS1,
- INDUSI (PZB),
- Train protection 75 Hz (EVM, EÉVB, MIREL)

If more than one train protection system is in operation on the line/section, the system to be used shall be the one whose requirements are met by the traction unit and the locomotive crew, in descending order.

ANNEXES

3. 2.3.1 Main characteristics of railway lines, track sections

The following modification was made:

* *	Starting point of line (station)		Final gains of Erne (Mattern)				met er (v/m)	of the	Aide load range containing subdued conditions of overweight locomotives		ions of	Applicable aide (s) for incomotives and haded vehicles			Q.	mf0***	f train (m) Ss/m) persent of line		es (Mrz)ho)	zion Zirodusi/No.)	sport (yesho)	ş								
Main number Sub-number					Dividing line into sections	Number of to	Applicable load per r	Applicable class Maximum load app	in R (t) 2 2 2 1 2 1 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 2	referrum a xie load	madernan ax is to ad limit (0)	without limitation with speed limit	without limitation	without limits tion	with speed limit	without limitation sp with speed limit	without limits tion	limited speed (km	Track speed (k	Na ximum length of Bectrifted (ye Type of traffic manage	Type of traffic manag	Ground-train radio (N	Train protect (75 HazeTCS AETCS)	Post billty of Rola trans	Rading of lin	Remarks	RFC6	RPC7	RFC9	MC11
15	Ágfalva oh.	incl.	Szombathely	encl.	Ágfalva határ - Sopron Sopron - Harka Harka - Soorebathely	one	C4	C4 D4	no restriction			11,0 22,5			_	21,0 22,5		1,5 80	120 110 120	500 no 700 yes	central.	450 Mhz GSM-R	75 Hz	no	Trans European Rail Freight Network	GYSEV line				Sopron Rendező délt elágszás - Szombathely
	Harka	excl.	Harka oh.	incl.	Harka - Harka oh.	one	C4	C4 D4	no restriction			1,0 22,5	21,0 22,	5 22,5		11,0 22,5		,,,	80	500 yes	450 MHz GSM-R	450 Mhz	ETCS2, Indusi	no		GYSEV line				
21	Szombathely	exct.	Szentgotthárd oh.	incl.	Szorebathely Szentgotthárd Szentgotthárd - Szentgotthárd oh.	cree	D4	D4 D4	no restriction			12,5	22,5	22,5	2	12,5	22,5		120	700 yes	central	450 Mhz GSN-R	ETCS2, Indust	no	Trans European Rail Freight Network	GYSEV line				

4. 2.6 Infrastructure enhancement works to be expected in the years following the timetable year of 2022/2023

The following modification was made:

GYSEV	Zrt.
-------	------

Number	Line	Line section	Start	End	Reason for restriction	Expected effect	Remarks
- 10	1	" /	07/10/000/	10.110.1000.1	In		
18	15	Lövö- Nemesker Bük	07/10/2024	12/10/2024	Road crossing reconstruction AS 593 EDILON	speed restriction prevention	

5. 7.3.11 Public loading sidings and loading areas belonging to these loading sidings - MÁV Zrt.

The following modification was made:

Debrecen Regional Directorate																
			Open access load	ing place registered by M	ÁV Zrt					Loading track next to l						
Service place	Code of the service	Position of the service place	Loading and other	TAF TSI ID of the loading and other	Paved	Lighting	ighting Si		TAF TSI ID	Name of the track	Usable length	Loading length	Availability of catenary	Axle	Restrictions, remarks	
	palce	From section to section	equipments	equipment	yes-no- partly	yes-no	Length Width (m) (m)		TAP 13110	Name of the track	(m)	(m)	yes / no partly?	load (t)		
Biharkeresztes	14449	1564+88-1567+88	none	55-14449-06-12RAKOD 55-14449-06-11	yes	yes	300	12	55-14449-01-12RAKOD 55-14449-01-11RAKOD	11.	300	300	no	21	Loading area can't be used until 10.06.2023 Capacity can not be requested.	
Biharkeresztes	14449	1564+62-1564+88	end loading	55-14449-19-11(H)	yes	yes	26	5,1	55-14449-01-11RAKOD	11.(H1)	300	26	no	21	Loading area can't be used until 10.06.2023 Capacity can not be requested.	
Sáp	14415	1251 - 1253+5 1253+30 - 1254+69	none	55-14415-06-4 (B)	yes	yes	80 139	12	55-14415-01-4	4. (B)	4 52 463	80	no	21	"K" signed Loading area can't be used until 10.06.2023 Capacity can not be requested.	
Sáp	14415	1251 - 1253+5 1251+86 - 1253+16	none	55-14415-06- 4(A) 5	yes	yes	90 130	12 6	55-14415-01- 45	4.(A) 5.	452 310	90	no	21	"K" signed Loading area can't be used until 10.06.2023 Capacity can not be requested.	
Sáp	14415	1253+16-1253+36	end loading	55-14415-19-5(H)	yes	yes	20	5,1	55-14415-01-5	5.(H)	310	20	no	21	Loading area can't be used until 10.06.2023. Capacity can not be requested.	