

Effective: from 14 July 2023
 Applicable: from 14 July 2023

ANNEXES

1. 2.3.3 Position of stations and service places on railway lines; main technical and operational characteristics - MÁV Zrt.

The following modification was made:

Line number	IT Line number	Name of the service place	Statistical number of service place	Platform													
				Number/name	Function (passenger/freight/other)	Electrified (yes/no/partly)	Length (m) ¹	Through main line (yes/no)	Designated to go-round (yes/no)	length/width/height or platform (m)	Qualified as occupied by persons (yes/no)	Designated for storage (yes/no)	Preheating/precooling (yes/no)	Connection to electric power (yes/no)	Water supply (yes/no)	Connection to sewer (yes/no)	Equipped with inspection pit (yes/no)
41/1	41	Kaposvár	06288	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				M IV./Csonka	other	yes	50	no	no	—	—	no	no	no	no	no	no
				P II./ Iroda.	other /closed	yes	120	no	no	—	—	yes	no	no	no	no	no
				S II./ Szeptári II.	other /closed	no	45	no	no	—	—	no	no	no	no	no	no
				S III./ Szeptári III.	other /closed	no	68	no	no	—	—	no	—	—	—	—	yes

2. 2.3.6-1 Traffic characteristics of stations and service places, ruling gradients, maximum and minimum gradients of railway lines - MÁV Zrt.

The following modification was made:

Line number	Statistical number of service place	Name of service place	Traffic controlling place	Staffless	Remote controlled/Remote operated	Type of signalling tool	Suitable for train crossing	Spacing order	Maximum gradient (up) (%)		Maximum gradient (down) (%)		Ruling gradient (%)		Ruling down-gradient (%)	
									towards endpoint	towards starting point	towards endpoint	towards starting point	towards endpoint	towards starting point	towards endpoint	towards starting point
62A	43307	Villány - elágazás	yes	yes no	no	key locker with form signals	no	station distance		7		7		7		7

3. 7.3.7 Wagon weigh bridges (scales) - MÁV Zrt.

The following modification was made:

Number	Station	Service place code	Weighing capacity	Length of bridge	Type	Opening hours	Average weigh capacity (wagon/hour)	Availability of Catenary above the track equipped with scales (yes/no)	Remarks	Effective till
5.	Győr-Rendező	01271	100 t	9,5+1,5+9,5m	hybrid MS-DUÁL	0-24	10	no	Waiting for repair.	To be specified later 06.07.2025
45.	Ajka	03996	100 t	9,5+1,5+9,5m	hybrid MS-DUÁL	0-24	6	yes		02.06.2023 01.06.2025

4. 7.3.11 Public loading sidings and loading areas belonging to these loading sidings - MÁV Zrt.

The following modification was made:

Szeged Regional Directorate

Service place	Open access loading place registered by MÁV Zrt								Loading track next to loading places						Restrictions, remarks
	Code of the service place	Position of the service place From section to section	Loading and other equipments	TAF TSI ID of the loading and other equipment	Paved yes-no	Lighting yes-no	Size Length (m) Width (m)		TAF TSI ID	Name of the track	Usable length (m)	Loading length (m)	Availability of catenary yes / no partly?	Axle load (t)	
Balásnya	17178	930+80-931+60	none	55-17178-06-4	yes	yes	80	9	55-17178-01-4	4.	125	80	partly	21	Passable with 5 km/h speed Service by diesel locomotive only.
Balásnya	17178	930+80-931+60	side loading	55-17178-19-4(O)	yes	yes	80	9	55-17178-01-4	4.(O)	125	10	partly	21	Passable with 5 km/h speed Service by diesel locomotive only.
Csengele	17152	773+83-775+67	side loading	55-17152-19-4(O)	yes	yes	194	10	55-17152-01-4	4.(O)	252	21	partly	21	Passable with 5 km/h speed Service by diesel locomotive only.
Csorvás	18630	1091+00 - 1092+42	none	55-18630-06-1	yes	yes	110	12	55-18630-01-1	1.	407	110	no	21	extraordinary consignment max 22,5 t and passable with 5 km/h speed
Déaványa	18424	295+17-295+71	none	55-18424-06-1(B)	yes	no	54	15	55-18424-01-1	1.(B)	374	54	no	20	Passable with 5 km/h speed
Déaványa	18424	1+32-2+12	none	55-18424-06-1(A)	yes	yes	80	14	55-18424-01-1	1.(A)	374	80	no	20	Passable with 5 km/h speed
Földeák	19364	170+30 - 172+19	none	55-19364-06-4	yes	no	189	15	55-19364-01-4	4.	323	189	no	21	passable only with 5 km/h
Harkakötöny	16733	365+42 - 366+60	none	55-16733-06-5	no	no	118	9	55-16733-01-5	5.	139	118	partly	21	passable with 5 km/h Service by diesel locomotive only.
Hódmezővásárhely	18572	1537+74 - 1538+14	none	55-18572-06-1/B	yes	yes	40	15	55-18572-01-1/B	1/B.	670	40	no	21	passable with 10 km/h
Hódmezővásárhely	18572	1538+75 - 1539+55	side loading	55-18572-19-1/B(O)	yes	yes	80	16	55-18572-01-1/B	1/B.(O)	670	80	no	21	passable with 10 km/h
Hódmezővásárhely	18572	1538+30 - 1534+30	none	55-18572-06-11	yes	yes	400	13	55-18572-01-11	11.	571	400	no	21	speed restriction 5 km/h
Hódmezővásárhely	18572	1538+55 - 1538+20	end loading	55-18572-19-12(H)	yes	yes	35	15	55-18572-01-12	12.(H)	30	30	no	18,5	passable with 5 km/h
Kardoskút	18358	513+38 - 513+73	none	55-18358-06-1	no	yes	35	15	55-18358-01-1	1.	324	100	no	18,5	5 km/h
Kiskunfélegyháza	17137	572+34-574+52	end loading	55-17137-19-17(H)	yes	yes	141	10	55-17137-01-17	17.(H)	185	141	no	21	Passable with 20 km/h speed
Kiskunfélegyháza	17137	572+62-574+26	none	55-17137-06-19	yes	yes	107	10	55-17137-01-19	19.	113	113	no	21	Passable with 20 km/h speed
Kiskunmajsa	16758	243 - 245	end loading	55-16758-06-5	yes	yes	220	13	55-16758-01-5	5.(H)	220	220	no	21	Passable with 5 km/h speed
Kiskunmajsa	16758	245 - 248	none	55-16758-06-1	yes	yes	300	3	55-16758-01-1	1.	692	300	yes	21	Passable with 5 km/h speed
Kiskunmajsa	16758	245 - 248	side loading	55-16758-19-1(O)	yes	yes	65	3	55-16758-01-1	1.(O)	692	65	yes	21	Passable with 5 km/h speed
Kiskundorozsma	17194	5+00 - 6+10	none	55-17194-06-SZÁLLÁS	no	no	110	5	55-17194-01-SZÁLLÁS	Szállász.	200	110	no	21	passable with 5 km/h. In case of extraordinary consignment permission it is passable with 22,5 t axle load at 5 km/h speed.

Network Statement 2022/2023. Modification No 31A - Modification list

Szeged Regional Directorate

Service place	Open access loading place registered by MÁV Zrt								Loading track next to loading places					Restrictions, remarks	
	Code of the service place	Position of the service place From section to section	Loading and other equipments	TAF TSI ID of the loading and other equipment	Paved	Lighting	Size		TAF TSI ID	Name of the track	Usable length (m)	Loading length (m)	Availability of catenary yes / no partly?		Axle load (t)
					yes-no partly	yes-no	Length (m)	Width (m)							
Kistelek	17160	865+24 - 866+50	side loading	55-17160-19-1(O)	yes	yes	126	9	55-17160-01-1	1.(O)	848	126	partly	21	Passable with 5 km/h speed Loading area can't be used between 17.07.2023-30.11.2023. Capacity can not be requested. Service by diesel locomotive only.
Kistelek	17160	861 - 864	none	55-17160-06-1	yes	yes	200	8	55-17160-01-1	1.	848	200	partly	21	Passable with 5 km/h speed Loading area can't be used between 17.07.2023-30.11.2023. Capacity can not be requested. Service by diesel locomotive only.
Kondoros	18283	54 - 55	side loading	55-18283-19-1(O)	yes	no	24	8	55-18283-01-1	1.(O)	374	24	no	20	temporarily closed for traffic
Kondoros	18283	53 - 56	none	55-18283-06-1(B)	yes	no	34	22	55-18283-01-1	1.(B)	374	34	no	20	temporarily closed for traffic
Kondoros	18283	53 - 56	none	55-18283-06-1(A)	yes	no	145	13	55-18283-01-1	1.(A)	374	145	no	20	temporarily closed for traffic
Lökösháza	18069	1133+10 - 1135+70	none	55-18069-06-11	yes	no	260	15	55-18069-01-11	11.	465	260	no	21	Loading area can't be used, capacity can't be requested. extraordinary consignment, max 22,5 t
Magyarbánhegyes	19273	189 - 191	none	55-19273-06-1	yes	yes	300	9	55-19273-01-1	1.	703	300	no	17	5 km/h speed restriction. Temporarily closed for traffic.
Magyarbánhegyes	19273	189 - 191	side loading	55-19273-19-1(O)	yes	yes	50	5	55-19273-01-1	1.(O)	703	50	no	17	5 km/h speed restriction. Temporarily closed for traffic.
Makó-Újváros	19372	266+43 - 267+03	none	55-19372-06-1(A)	yes	yes	60	7	55-19372-01-1	1.(A)	425	60	no	18,5	5 km/h speed restriction
Makó-Újváros	19372	267+78 - 268+55	none	55-19372-06-1(B)	yes	yes	77	7	55-19372-01-1	1.(B)	425	77	no	18,5	5 km/h speed restriction
Makó-Újváros	19372	268+65 - 268+97	none	55-19372-06-1(C)	yes	yes	32	7	55-19372-01-1	1.(C)	425	32	no	18,5	5 km/h speed restriction
Makó-Újváros	19372	269+21 - 270+50	none	55-19372-06-1(D)	yes	yes	129	7	55-19372-01-1	1.(D)	425	129	no	18,5	5 km/h speed restriction
Medgyesegyháza	19281	259+25 - 258+25	none	55-19281-06-1(A)	yes	no	100	10	55-19281-01-1	1.(A)	719	100	no	17	5 km/h speed restriction. Temporarily closed for traffic.
Medgyesegyháza	19281	258+15 - 255+40	none	55-19281-06-1(B)	yes	no	275	7	55-19281-01-1	1.(B)	719	275	no	17	5 km/h speed restriction. Temporarily closed for traffic.
Mezőhegyes	19166	496+74 - 497+50	none	55-19166-06-17(A)	yes	yes	76	8	55-19166-01-17	17.(A)	247	76	no	17	5 km/h speed restriction. Temporarily closed for traffic.
Mezőhegyes	19166	497+83 - 499+11	none	55-19166-06-17(B)	yes	yes	110	7	55-19166-01-17	17.(B)	247	110	no	17	5 km/h speed restriction. Temporarily closed for traffic.
Mezőhegyes	19166	504+75 - 505+00	side loading	55-19166-19-13(O)	yes	yes	25	15	55-19166-01-13	13.(O)	267	25	no	17	5 km/h speed restriction. Temporarily closed for traffic.
Mezőhegyes	19166	505+00 - 505+10	none	55-19166-06-13	yes	yes	10	15	55-19166-01-13	13.	270	15	no	17	5 km/h speed restriction. Temporarily closed for traffic.
Mezőkovácsháza	19182	119 - 121	none	55-19182-06-1(B)	no	yes	76	20	55-19182-01-1	1.(B)	660	76	no	17	40 km/h speed restriction. Temporarily closed for traffic.
Mezőkovácsháza	19182	121 - 124	none	55-19182-06-1(A)	yes	yes	224	7	55-19182-01-1	1.(A)	660	224	no	17	40 km/h speed restriction. Temporarily closed for traffic.
Mezőkovácsháza	19182	121 - 124	side loading	55-19182-19-1(O)	yes	yes	56	5	55-19182-01-1	1.(O)	660	56	no	17	40 km/h speed restriction. Temporarily closed for traffic.
Szatymaz	17186	1013 - 1015	side loading	55-17186-19-1(O)	yes	yes	50	10	55-17186-01-1	1.(O)	158	50	partly	21	Passable with 20 km/h speed Loading area can't be used between 17.07.2023-30.11.2023. Capacity can not be requested. Service by diesel locomotive only.
Szatymaz	17186	1013 - 1015	none	55-17186-06-1	yes	yes	30	16	55-17186-01-1	1.	158	30	partly	21	Passable with 20 km/h speed Loading area can't be used between 17.07.2023-30.11.2023. Capacity can not be requested. Service by diesel locomotive only.
Szatymaz	17186	1008 - 1010	end loading	55-17186-06-7	yes	no	192	7	55-17186-01-7	7.(H)	347	192	partly	21	Passable with 20 km/h speed Loading area can't be used between 17.07.2023-30.11.2023. Capacity can not be requested. Service by diesel locomotive only.

Network Statement 2022/2023. Modification No 31A - Modification list

Szeged Regional Directorate

Service place	Open access loading place registered by MÁV Zrt								Loading track next to loading places					Restrictions, remarks	
	Code of the service place	Position of the service place From section to section	Loading and other equipments	TAF TSI ID of the loading and other equipment	Paved	Lighting	Size		TAF TSI ID	Name of the track	Usable length (m)	Loading length (m)	Availability of catenary yes / no partly?		Axle load (t)
					yes-no partly	yes-no	Length (m)	Width (m)							
Szeged-Rendező	17210	8+17-12+42	none	55-17236-06-12	yes	yes	400	8	55-17236-01-12	12.	425	400	no	20	Because of technical reasons there is no lighting, loading is only possible at daylight for an indefinite period. Located in Szeged-Tisza pályaudvar Passable at 10 km/h speed.
Szeged-Rendező	17210	8+76 12+54	none	55-17236-06-13	yes	yes	300	8	55-17236-01-13	13.	378	300	no	20	Because of technical reasons there is no lighting, loading is only possible at daylight for an indefinite period. Located in Szeged-Tisza pályaudvar Passable at 10 km/h speed.
Szeged-Rendező	17210	9+30-12+50	none	55-17236-06-14	yes	yes	250	6	55-17236-01-14	14.	320	250	no	20	Because of technical reasons there is no lighting, loading is only possible at daylight for an indefinite period. Located in Szeged-Tisza pályaudvar Passable at 10 km/h speed. Loading area can't be used from 15 March 2022, capacity can't be requested.
Szentes	18184	217+40 - 218+16	none	55-18184-06-1 (A)	yes	yes	76	26	55-18184-01-1	1.(A)	534	76	no	21	extraordinary consignment, max 22,5 t and passable with 10 km/h speed
Szentes	18184	218+55 - 218+70	none	55-18184-06-1(B)	yes	yes	15	15	55-18184-01-1	1.(B)	534	15	no	21	extraordinary consignment, max 22,5 t and passable with 10 km/h speed
Szentes	18184	219+45 - 219+98	none	55-18184-06-1(C)	yes	yes	53	27	55-18184-01-1	1.(C)	534	53	no	21	extraordinary consignment, max 22,5 t and passable with 10 km/h speed
Szentes	18184	220+63 - 220+78	side loading	55-18184-19-1 (O1)	yes	yes	15	16	55-18184-01-1	1.(O1)	534	15	no	21	extraordinary consignment, max 22,5 t and passable with 10 km/h speed
Szentes	18184	219+98 - 220+63	none	55-18184-19-11	yes	yes	65	16	55-18184-01-11	11.	65	65	no	21	extraordinary consignment, max 22,5 t and passable with 10 km/h speed
Szentes	18184	220+63 - 220+91	end loading	55-18184-19-11 (H1)	yes	yes	28	16	55-18184-01-11	11.(H1)	65	28	no	21	extraordinary consignment, max 22,5 t and passable with 10 km/h speed
Szentes	18184	216+89 - 221+14	none	55-18184-06-12	yes	yes	425	15	55-18184-01-12	12.	470	425	no	21	Passable with 5 km/h speed
Szentes	18184	221+14 - 221+34	end loading	55-18184-19-12(H)	yes	yes	20	10	55-18184-01-12	12.(H)	470	20	no	21	Passable with 5 km/h speed
Telekgerendás	18655	989+90 - 992+90	none	55-18655-06-4	no	yes	331	15	55-18655-01-4	4.	306	300	no	21	extraordinary consignment, max 22,5 t and passable with 5 km/h speed
Tótkomlós	18374	615+35 - 615+55	none	55-18374-06-1(B)	yes	yes	20	10	55-18374-01-1	1.(B)	330	20	no	18,5	5 km/h speed restriction
Tótkomlós	18374	613+50 - 615+10	none	55-18374-06-1(A)	yes	yes	160	7	55-18374-01-1	1.(A)	330	160	no	18,5	5 km/h speed restriction
Városföld	17129	442+24-445+20	none	55-17129-06-11	yes	yes	130	8	55-17129-01-11	11.	291	130	partly	20	5 km/h speed restriction Service by diesel locomotive only.
Városföld	17129	442+24-445+20	side loading	55-17129-19-11(O)	yes	yes	130	8	55-17129-01-11	11.(O)	291	130	partly	20	5 km/h speed restriction Service by diesel locomotive only.
Vésztő	18465	338	side loading	55-18465-19-1(O)	yes	yes	20	7	55-18465-01-1	1.(O)	467	20	no	17,5	5 km/h on all secondary tracks of the station.
Vésztő	18465	338	none	55-18465-06-1(A)	yes	yes	14	7	55-18465-01-1	1.(A)	467	14	no	17,5	5 km/h on all secondary tracks of the station.
Vésztő	18465	338 - 340	none	55-18465-06-1(B)	yes	yes	15	10	55-18465-01-1	1.(B)	467	15	no	17,5	5 km/h on all secondary tracks of the station.
Vésztő	18465	338 - 340	none	55-18465-06-1(C)	yes	yes	91	10	55-18465-01-1	1.(C)	467	91	no	17,5	5 km/h on all secondary tracks of the station.
Gyula	18697	733-735	none	55-18697-06-1	yes	yes	110	15	55-18697-01-1	1.	515	110	no	21	extraordinary consignment, max 22,5 t and 40 5 km/h speed restriction
Gyula	18697	733-735	side loading	55-18697-19-1(O)	yes	yes	7	15	55-18697-01-1	1.(O)	515	20	no	21	extraordinary consignment, max 22,5 t and 40 5 km/h speed restriction
Gyula	18697	733-735	none	55-18697-06-8	yes	yes	110	10	55-18697-01-8	8.	224	60	no	21	extraordinary consignment, max 22,5 t and 40 5 km/h speed restriction
Gyula	18697	736-738	none	55-18697-06-5/2	no	yes	225	8	55-18697-01-5/2	5/2	254	225	no	21	extraordinary consignment, max 22,5 t and 40 5 km/h speed restriction
Gyula	18697	738-741	none	55-18697-06-9	no	no	220	8	55-18697-01-9	9.	317	220	no	21	extraordinary consignment, max 22,5 t and 40 5 km/h speed restriction
Gyula	18697	734-735	none	55-18697-06-6	no	no	25	15	55-18697-01-6	6.	355	25	no	21	extraordinary consignment max 22,5 t and 5 km/h speed restriction