

Effective: from 01 February 2024
 Applicable: from 06 February 2024

TEXT

1. 1.5.1 Validity, publishing and updating of Network Statement

The following modification was made:

This Network Statement is valid from 00:00 of ~~17 January~~ **06 February** 2024 to 24:00 of 14 December 2024.

ANNEXES

2. 7.3.10 - Refuelling facilities

The following modification was made:

MÁV Zrt.

Regional Storage Centre, Site of Supply	Code of the service place	Service time		
		Day	Start	End
Szerencs	11445	① ③ ④ ⑤ ⑦	09:00 08:00	12:00 11:30
Tapolca*	04598	daily	12:00	24:00

* during summer timetable may change by notice

3. 7.3.11 - Public loading sidings and loading areas belonging to these loading sidings - MÁV Zrt.

The following modification was made:

Debrecen Regional Directorate															
Service place	Open access loading place registered by MÁV Zrt								Loading track next to loading places						Restrictions, remarks
	Code of the service place	Position of the service place From section to section	Loading and other equipments	TAF TSI ID of the loading and other equipment	Paved	Lighting	Size		TAF TSI ID	Name of the track	Usable length (m)	Loading length (m)	Availability of catenary yes / no partly?	Axle load (t)	
					yes-no partly	yes-no	Length (m)	Width (m)							
Debrecen	13912	2212+10 - 2213+30	none	55-13912-06-B10	yes	yes	120	8	55-13912-01-B10	B10	295	120	no	21	5km/h Loading area can't be used to 14.12.2024. Capacity can not be requested.
Szeged Regional Directorate															
Service place	Open access loading place registered by MÁV Zrt								Loading track next to loading places						Restrictions, remarks
	Code of the service place	Position of the service place From section to section	Loading and other equipments	TAF TSI ID of the loading and other equipment	Paved	Lighting	Size		TAF TSI ID	Name of the track	Usable length (m)	Loading length (m)	Availability of catenary yes / no partly?	Axle load (t)	
					yes-no partly	yes-no	Length (m)	Width (m)							
Balástya	17178	930+80-931+60	none	55-17178-06-4	yes	yes	80	9	55-17178-01-4	4.	125	80	partly	21	Passable with 5 km/h speed Service by diesel locomotive only.
Balástya	17178	930+80-931+60	side loading	55-17178-19-4(O)	yes	yes	80	9	55-17178-01-4	4.(O)	125	10	partly	21	Passable with 5 km/h speed Service by diesel locomotive only.
Csegele	17152	773+83-775+67	side loading	55-17152-19-4(O)	yes	yes	194	10	55-17152-01-4	4.(O)	252	21	partly	21	Passable with 5 km/h speed Service by diesel locomotive only.
Déaványa	18424	295+17-295+71	none	55-18424-06-1(B)	yes	no	54	15	55-18424-01-1	1.(B)	374	54	no	20	Passable with 5 km/h speed
Déaványa	18424	1+32-2+12	none	55-18424-06-1(A)	yes	yes	80	14	55-18424-01-1	1.(A)	374	80	no	20	Passable with 5 km/h speed
Harkakötöny	16733	365+42 - 366+60	none	55-16733-06-5	no	no	118	9	55-16733-01-5	5.	139	118	partly	21	Passable with 5 km/h speed Service by diesel locomotive only.
Hódmezővásárhely	18572	1537+74 - 1538+14	none	55-18572-06-1/B	yes	yes	40	15	55-18572-01-1/B	1/B.	670	40	no	21	passable with 40 km/h
Hódmezővásárhely	18572	1538+75- 1539+55	side loading	55-18572-19-1/B(O)	yes	yes	80	16	55-18572-01-1/B	1/B.(O)	670	80	no	21	passable with 40 km/h
Hódmezővásárhely	18572	1538+30 - 1534+30	none	55-18572-06-11	yes	yes	400	13	55-18572-01-11	11.	571	400	no	21	speed restriction 5 km/h
Hódmezővásárhely	18572	1538+55 - 1538+20	end loading	55-18572-19-12(H)	yes	yes	35	15	55-18572-01-12	12.(H)	30	30	no	18,5	passable with 5 km/h
Kardoskút	18358	513+38 - 513+73	none	55-18358-06-1	no	yes	35	15	55-18358-01-1	1.	324	100	no	18,5	5 km/h--
Kiskunfélegyháza	17137	572+62-576+92	none	55-17137-06-18	yes	yes	379	20	55-17137-01-18	18.	379	368	no	21	The area is divided by a level-crossing in section no. 575+60. Passable with 20 km/h speed
Kiskunfélegyháza	17137	572+34-574+52	end loading	55-17137-19-17(H)	yes	yes	141	10	55-17137-01-17	17.(H)	185	141	no	21	Passable with 20 km/h speed
Kiskunfélegyháza	17137	572+62-574+26	none	55-17137-06-19	yes	yes	107	10	55-17137-01-19	19.	113	113	no	21	Passable with 20 km/h speed
Kiskunmajsa	16758	243+07 - 245+50	end loading	55-16758-06-5	yes	yes	243	10	55-16758-01-5	5.(H)	220	220	no	21	Passable with 5 km/h speed
Kiskunmajsa	16758	245 - 248	none	55-16758-06-1	yes	yes	300	3	55-16758-01-1	1.	692	300	yes	21	Passable with 5 km/h speed The loading area is approached from the endpoint.
Kiskunmajsa	16758	245 - 248	side loading	55-16758-19-1(O)	yes	yes	65	3	55-16758-01-1	1.(O)	692	65	yes	21	Passable with 5 km/h speed The loading area is approached from the endpoint.

Szeged Regional Directorate

Service place	Open access loading place registered by MÁV Zrt								Loading track next to loading places						Restrictions, remarks
	Code of the service place	Position of the service place From section to section	Loading and other equipments	TAF TSI ID of the loading and other equipment	Paved	Lighting	Size		TAF TSI ID	Name of the track	Usable length (m)	Loading length (m)	Availability of catenary yes / no partly?	Axle load (t)	
					yes-no partly	yes-no	Length (m)	Width (m)							
Kiskundorozsma	17194	5+00 - 6+10	none	55-17194-06-SZÁLLÁS	no	no	110	5	55-17194-01-SZÁLLÁS	Szállás2.	200	110	no	21	passable with 5 km/h. In case of extraordinary consignment permission it is passable with 22,5 t axle load at 5 km/h speed.
Kistelek	17160	865+24 - 866+50	side loading	55-17160-19-1(O)	yes	yes	126	9	55-17160-01-1	1.(O)	848	126	partly	21	Passable with 5 km/h speed Loading area can't be used until 19.04.2024., capacity can't be requested. Service by diesel locomotive only.
Kistelek	17160	861 - 864	none	55-17160-06-1	yes	yes	200	8	55-17160-01-1	1.	848	200	partly	21	Passable with 5 km/h speed Loading area can't be used until 19.04.2024., capacity can't be requested. Service by diesel locomotive only.
Kunszentmárton	18135	345+16 - 348+16	none	55-18135-06-5	yes	no	300	14	55-18135-01-5	5.	378	300	no	21	extraordinary consignment, max 22,5 t and 40 km/h speed restriction
Kútvolgy	18580	1444+50 - 1442+00	none	55-18580-06-1	yes	no	250	4	55-18580-01-1	1.	927	250	no	21	extraordinary consignment, max 22,5 t and 40 km/h speed restriction, main track also
Magyarbánhegyes	19273	189 - 191	none	55-19273-06-1	yes	yes	300	9	55-19273-01-1	1.	703	300	no	17	5 km/h speed restriction. Temporarily closed for traffic.
Magyarbánhegyes	19273	189 - 191	side loading	55-19273-19-1(O)	yes	yes	50	5	55-19273-01-1	1.(O)	703	50	no	17	5 km/h speed restriction. Temporarily closed for traffic.
Makó-Ujváros	19372	266+43 - 267+03	none	55-19372-06-1(A)	yes	yes	60	7	55-19372-01-1	1.(A)	425	60	no	18,5	5 km/h speed restriction
Makó-Ujváros	19372	267+78 - 268+55	none	55-19372-06-1(B)	yes	yes	77	7	55-19372-01-1	1.(B)	425	77	no	18,5	5 km/h speed restriction
Makó-Ujváros	19372	268+65 - 268+97	none	55-19372-06-1(C)	yes	yes	32	7	55-19372-01-1	1.(C)	425	32	no	18,5	5 km/h speed restriction
Makó-Ujváros	19372	269+21 - 270+50	none	55-19372-06-1(D)	yes	yes	129	7	55-19372-01-1	1.(D)	425	129	no	18,5	5 km/h speed restriction
Mezőhegyes	19166	496+74 - 497+50	none	55-19166-06-17(A)	yes	yes	76	8	55-19166-01-17	17.(A)	247	76	no	17	5 km/h speed restriction. Temporarily closed for traffic.
Mezőhegyes	19166	497+83 - 499+11	none	55-19166-06-17(B)	yes	yes	110	7	55-19166-01-17	17.(B)	247	110	no	17	5 km/h speed restriction. Temporarily closed for traffic.
Mezőhegyes	19166	504+75 - 505+00	side loading	55-19166-19-13(O)	yes	yes	25	15	55-19166-01-13	13.(O)	267	25	no	17	5 km/h speed restriction. Temporarily closed for traffic.
Mezőhegyes	19166	505+00 - 505+10	none	55-19166-06-13	yes	yes	10	15	55-19166-01-13	13.	270	15	no	17	5 km/h speed restriction. Temporarily closed for traffic.
Mezőkovácsháza	19182	119 - 121	none	55-19182-06-1(B)	no	yes	76	20	55-19182-01-1	1.(B)	660	76	no	17	40 km/h speed restriction. Temporarily closed for traffic.
Mezőkovácsháza	19182	121 - 124	none	55-19182-06-1(A)	yes	yes	224	7	55-19182-01-1	1.(A)	660	224	no	17	40 km/h speed restriction. Temporarily closed for traffic.
Mezőkovácsháza	19182	121 - 124	side loading	55-19182-19-1(O)	yes	yes	56	5	55-19182-01-1	1.(O)	660	56	no	17	40 km/h speed restriction. Temporarily closed for traffic.
Szatymaz	17186	1013 - 1015	side loading	55-17186-19-1(O)	yes	yes	50	10	55-17186-01-1	1.(O)	158	50	partly	21	Passable with 20 km/h speed Service by diesel locomotive only.
Szatymaz	17186	1013 - 1015	none	55-17186-06-1	yes	yes	30	16	55-17186-01-1	1.	158	30	partly	21	Passable with 20 km/h speed Service by diesel locomotive only.
Szatymaz	17186	1008 - 1010	end loading	55-17186-06-7	yes	no	192	7	55-17186-01-7	7.(H)	347	192	partly	21	Passable with 5 km/h speed Service by diesel locomotive only.
Szeged-Rendező	17210	8+17-12+42	none	55-17236-06-12	yes	no	400	8	55-17236-01-12	12.	425	400	no	20	Located in Szeged-Tisza pályaudvar Passable at 40 km/h speed.
Szeged-Rendező	17210	8+76 12+54	none	55-17236-06-13	yes	no	300	10	55-17236-01-13	13.	378	300	no	20	Located in Szeged-Tisza pályaudvar Passable at 40 km/h speed.
Szeged-Rendező	17210	9+30-12+50	none	55-17236-06-14	yes	no	250	6	55-17236-01-14	14.	320	250	no	20	Located in Szeged-Tisza pályaudvar Passable at 40 km/h speed.

Szeged Regional Directorate

Service place	Open access loading place registered by MÁV Zrt								Loading track next to loading places						Restrictions, remarks
	Code of the service place	Position of the service place From section to section	Loading and other equipments	TAF TSI ID of the loading and other equipment	Paved	Lighting	Size		TAF TSI ID	Name of the track	Usable length (m)	Loading length (m)	Availability of catenary yes / no partly?	Axle load (t)	
					yes-no partly	yes-no	Length (m)	Width (m)							
Szentes	18184	216+89 - 221+14	none	55-18184-06-12	yes	yes	425	15	55-18184-01-12	12.	470	425	no	21	Passable with 5 km/h speed
Szentes	18184	221+14 - 221+34	end loading	55-18184-19-12(H)	yes	yes	20	10	55-18184-01-12	12.(H)	470	20	no	21	Passable with 5 km/h speed
Tótkomlós	18374	615+35 - 615+55	none	55-18374-06-1(B)	yes	yes	20	10	55-18374-01-1	1.(B)	330	20	no	18,5	5km/h speed restriction
Tótkomlós	18374	613+50 - 615+10	none	55-18374-06-1(A)	yes	yes	160	7	55-18374-01-1	1.(A)	330	160	no	18,5	5km/h speed restriction
Városföld	17129	442+24-445+20	none	55-17129-06-11	yes	yes	130	8	55-17129-01-11	11.	291	130	partly	20	5km/h speed restriction Service by diesel locomotive only.
Városföld	17129	442+24-445+20	side loading	55-17129-19-11(O)	yes	yes	130	8	55-17129-01-11	11.(O)	291	130	partly	20	5km/h speed restriction Service by diesel locomotive only.
Vésztő	18465	338	side loading	55-18465-19-1(O)	yes	yes	20	7	55-18465-01-1	1.(O)	467	20	no	17,5	5 km/h on all secondary tracks of the station.
Vésztő	18465	338	none	55-18465-06-1(A)	yes	yes	14	7	55-18465-01-1	1.(A)	467	14	no	17,5	5 km/h on all secondary tracks of the station.
Vésztő	18465	338 - 340	none	55-18465-06-1(B)	yes	yes	15	10	55-18465-01-1	1.(B)	467	15	no	17,5	5 km/h on all secondary tracks of the station.
Vésztő	18465	338 - 340	none	55-18465-06-1(C)	yes	yes	91	10	55-18465-01-1	1.(C)	467	91	no	17,5	5 km/h on all secondary tracks of the station.