

Line number Sub-number	Starting point of line (station)	Final point of line (station)	Dividing line into sections	Number of tracks	Applicable load per meter (m)	Applicable axle class of line	Maximum load applicable for special cargo consignments	Axle load range containing subload conditions of overweight locomotives				Applicable axle load (t) for locomotives and hauled vehicles								Truck load (t/m ²)	Maximum length of train (m)	Electrified (kV)	Type of traffic management of line	Ground anti-rail gun (kV)	Train number (ETCS/ETCS/ETCS)	Possibility of Rail transport	Ranking of line	Remarks	RFCA Automated control	RFCT On-board Rail control	RFCT Rail Double control	RFCT Automated control																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
								2-6 axle				2 axle		4 axle		6 axle		Special															Special																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
								minimum axle load limit (t)	maximum axle load limit (t)	maximum axle load limit (t)	maximum axle load limit (t)	without restriction	with load limit	without restriction	with load limit	without restriction	with load limit	without restriction	with load limit														without restriction	with load limit	without restriction	with load limit																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
22	Körmend	ecol.	Zalaútv	ecol.	one	5,0	A	A	shall not run			10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0

Route number Sub-number	Starting point of line (station)	Final point of line (station)	Dividing line into sections	Number of tracks	Applicable load per meter (m)	Applicable date class of line Maximum load applicable for axle load consequences	Axle load range containing subload conditions of one-way traffic				Applicable axle load (t) for locomotives and hauled vehicles										Type of traffic management of line	Ground axle load per (m/track)	Train axle load per (m)	Maximum length of track (m)	Electrified (yes/no)	Type of traffic management of line	Remarks	IFCA Maximum axle load	IFCA Double axle load	IFCA Double axle load	IFCA Double axle load																																																																																																																																																																																																																																																																																																																																																																																																																				
							2 axle	4 axle	2 axle	4 axle	2 axle	4 axle	2 axle	4 axle	2 axle	4 axle	2 axle	4 axle	2 axle	4 axle												2 axle	4 axle	2 axle	4 axle	2 axle	4 axle	2 axle	4 axle	2 axle	4 axle																																																																																																																																																																																																																																																																																																																																																																																																										
60	Budaörs	Szentlőrinc	Örtös - Gyékényes	incl.-incl.	6,4	C2	C2	21,6	22,5	21,6	22,5	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0

[illegible]

Line number Azónoszló	Starting point of line (station) Kezdő állomás	Final point of line (station) Vég állomás	Dividing line into sections Szétválasztó szakaszok	Number of tracks Vágányok száma	Applicable load per meter (kN) Alkalmazható terhelés méterenként (kN)	Applicable class of the line Alkalmazható vonal osztály	Maximum load applicable for extraordinary contingencies Maximum terhelés alkalmazható kivételeges körülményekre	Axle load range containing subload conditions of overweight locomotives Tengelyterhelési tartomány, amely tartalmazza a tengelyterhelési feltételeket túlsúlyú mozdonyok esetében						Applicable axle load (t) for locomotives and hauled vehicles Alkalmazható tengelyterhelés (t) mozdonyok és vontatott járművek esetében										Track speed (km/h) Vágány sebesség	Maximum length of track (m) Vágány maximális hossza (m)	Electrified (yes/no) Áramtalanított (igen/nem)	Type of traffic management of line Vonal forgatásának típusa	Ground-sens auto (yes) (MHz) Földszélességi automatizálás (igen) (MHz)	Traffic management (FS) (ETCS/ETCS-Basic/ETCS-2) Forgatáskezelés (FS) (ETCS/ETCS-Basic/ETCS-2)	Possibility of Rail transport (yes/no) Vasúti közlekedés lehetősége (igen/nem)	Rating of lines Vonal minősítése	Remarks Megjegyzések	RFCA Railway corridor Vasúti korridor	RFCA Cross-border corridor Határon átlépő korridor	RFCA Railway corridor Vasúti korridor	RFCA Cross-border corridor Határon átlépő korridor		
								2-8 axle 2-8 tengelyes		4 axle 4 tengelyes		2 axle 2 tengelyes		4 axle 4 tengelyes		6 axle 6 tengelyes		special 9" speciális 9"		special 9" speciális 9"		limited speed (km/h) korlátozott sebesség (km/h)																
								minimum axle load (t) minimum tengelyterhelés (t)	maximum axle load (t) maximum tengelyterhelés (t)	minimum axle load (t) minimum tengelyterhelés (t)	maximum axle load (t) maximum tengelyterhelés (t)	without load (t) terhelés nélkül (t)	with load (t) terheléssel (t)	without load (t) terhelés nélkül (t)	with load (t) terheléssel (t)	without load (t) terhelés nélkül (t)	with load (t) terheléssel (t)	without load (t) terhelés nélkül (t)	with load (t) terheléssel (t)	without load (t) terhelés nélkül (t)	with load (t) terheléssel (t)	without load (t) terhelés nélkül (t)	with load (t) terheléssel (t)														without load (t) terhelés nélkül (t)	with load (t) terheléssel (t)
								21,6	22,5	21,6	22,5	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0														21,0	21,0
224	Ferencvárosi Nyugati rendelő	inc.	Ferencváros	exc.		one	7,2	D3	CH4									40	750	yes	station	GS&R	no	no	Trans European Rail Freight Network	"X" tracks												
225	Ferencvárosi Nyugati rendelő	inc.	Ferencváros	exc.		one	7,2	D3	CH5									40	750	yes	station	GS&R	no	no	Trans European Rail Freight Network	"W" tracks												
227	Sorsbányai út	exc.	Csepel város	inc.	Sorsbányai út - Sorsbányai út rendelő		exc. inc.	one	7,2	C3	C3	20,6	22,5	20,6	22	20,0	20,0	25	750	yes	station	sem	no	no	Nationalwide Secondary Railway Line													
					Sorsbányai út rendelő - Csepel város		exc. inc.	one	6,4	C2	C2	shall not run	shall not run	20,0	20,0	20,0	16,0	16,0	25	300	no																	
235	Sorsbányai	exc.	Sorsbányai-Terminal	inc.		one	7,2	CH3	D3		21,6	22,5	21,6	22,5	21,0	21,0	21,0	40	750	yes	station	GS&R	75 Hz	no	Trans European Rail Freight Network	Connecting: Sorsbányai - Sorsbányai- Terminal	Connecting: Sorsbányai - Sorsbányai- Terminal	Connecting: Sorsbányai - Sorsbányai- Terminal										
363	Törökcsanaktelepi elágazás	exc.	Tízszentgyörgyi elágazás	exc.		one	6,4	CH2	CH2		shall not run	shall not run	21,0	21,0	21,0	21,0	21,0	40	750	yes	station	GS&R	ETCS2, 750p	no	Trans European Rail Freight Network													

^{***} (slash) between them, the first value applies to engines and the second one to power cars.