

Modification: 1A, 5, 13A, 17B

Procedure of applying for, ordering exceptional consignments requiring special regulation at MÁV Infrastructure Co. Ltd.

1. Procedure of applying for and ordering exceptional consignments requiring special regulation

Exceptional consignment shall be accepted by the Railway Undertaking only with preliminary acceptance/taking-over permission for railway transport or taken over from a foreign railway /railway undertaking.

1.1. Procedure of the application and ordering

Applicant shall submit its application for transferring exceptional consignment by forwarding the filled-in application form "Application for licensing of exceptional consignments" attached to this Annex or by forwarding the IÜR (Exceptional consignment application) UC_01_17 dialogue to organisation units defined later by this Annex.

The acceptance/taking-over permission shall be submitted before the planned run according to the licensing procedure taking into account the following:

- in case of domestic transportation at least 7 days before;
- in case of international transportation and international agreement at least 30 days before considering the arrival of the licenses;
- in case of extraordinary oversized, overweight and overheight cargo (transformators) at least 40 days before;
- in case of transshipment traffic at least 50 days before.

In the case of changing measurement data of the consignment the application and ordering procedure written in the first and second French paragraph mentioned above shall start again.

On the basis of the submitted application, Infrastructure Manager prepares the offer depending on the licensing procedure, and sends the offer to the applicant by using the "Form of Offers and Orders". Applicant orders the forwarding of exceptional consignment at a price set in the offer and with the attached technology by confirming the offer. The order (confirmation of the offer) shall be submitted to the Infrastructure Manager at least 6 days before the scheduled train run. Infrastructure Manager shall provide this service exclusively on ordering.

Form of Offers shall be prepared in case of occurring special performance charge.

Transferring permission shall be submitted after consignment data verification.

Basis for accounting shall be the performance acknowledgement to be found in the "Form of Offers and Orders". Infrastructure manager shall issue a cumulative invoice to the railway undertaking in accordance with the content of the order(s) in every month.

Applications for taking-over permission shall be submitted to organisations as follows:

- In the event of international transport: MÁV Infrastructure Co. Ltd., Vice-presidential Organisation for Infrastructure operation, Directorate-General for Traffic and Operation management Unit, Operation Control Centre, International Business of Exceptional Consignments (NRK)

Address: H-1087 Budapest, Kerepesi út 16.

Phone: +36-1-511-3932

+36-1-511-3061

+36-1-511-1097
E-mail: sondertrp@mavcsoport.hu

- In the event of domestic transport: MÁV Infrastructure Co. Ltd. Vice-presidential Organisation for Infrastructure operation, Directorate-General for Traffic and Operation management, Traffic Operational Unit, Operation Control Centre, Domestic Business of Exceptional Consignments (BRK)

Address: H-1087 Budapest, Kerepesi út 16.

Phone: +36-1-511-1566

+36-30-367-2002

E-mail: uk.rk@mavcsoport.hu

Charges for issuing permissions for exceptional consignments or consignments requiring special regulation, as well as description and charges of special performances (use of special technology, special work, or use of supervisory guide(s)) which may occur during the forwarding of exceptional consignments transported on the basis of special regulation or individual transport permission are indicated in the Regulation of special services provided by MÁV Infrastructure Co. Ltd.

1.2. Performance acknowledgement

Infrastructure Manager shall send to the Railway Undertaking by e-mail the summing-up of ordered and delivered performances of exceptional consignments transported on the basis of individual permission relating to a certain period in every month not later than the first working day after the last day of the given month. Railway Undertaking shall submit to the Infrastructure Manager NRK its possible complaints with detailed reasoning within 5 working days in writing. Should the Infrastructure Manager not receive any complaint within 5 working days after the delivery of the summing-up, IM considers the indicated performances as acknowledged, and shall account these performances to the Railway Undertaking in every month.

Forms to be used:

- Application for permitting of exceptional consignments (Appendix 1)
- Form of Offers and Orders (Appendixes 2,3,4)

2. Procedure of submitting requests and ordering of test trains

Licensing and running of test trains are regulated in accordance with Traffic Instructions F2 Annex 15. with the following amendments.

2.1. Procedure of submitting requests and orders

Normal test train

Normal test train is such a train where the allotted speed is not higher than the highest speed allotted to the forwarded vehicles and to the infrastructure, and there are no other special regulations concerning the test train.

Introduction of the normal test train has to be requested 3 calendar days before the train-run.

Introduction of the normal test train shall be as general exceptional consignment, if no traffic disturbance is caused.

Consignment code of the vehicles forwarded in normal test train without traffic disturbance is 70. Acceptance/taking-over permission acts as forwarding permission as well. It can be issued for multiple routes and the whole timetable period. Giving the train path identification number(s) during

submitting is not needed. The number of the Acceptance/taking-over permission shall be given at train path request.

Introduction of the normal test train shall be as special exceptional consignment, if traffic disturbance is caused.

Consignment code of the vehicles forwarded in normal test train with traffic disturbance is 71. Transferring permission shall be requested after Acceptance/taking-over permission is issued. The number of the Acceptance/taking-over permission shall be given at train path request.

Train path identification number(s) shall be given during submitting Transferring permission. In case of code 71 +25% travel time shall be added to the timetable during timetable construction.

Special test train

Special test train is such a train that - for high speed or any other reasons - may only run under special licensing conditions deviating from normal licensing conditions, and the fulfilment of the test is ensured by the running of the train with a speed fixed in the timetable.

Introduction of the special test train has to be requested 8 calendar days before the train-run.

Introduction of the special test train shall be as special exceptional consignment.

Consignment code of the vehicles forwarded in special test train is 72. Transferring permission shall be requested after Acceptance/taking-over permission is issued. The number of the Acceptance/taking-over permission shall be given at train path request. Giving the train path identification number(s) during submitting the Transferring permission is needed.

Requests and orders have to be submitted to the following place:

- MÁV Infrastructure Co. Ltd., Deputy for Infrastructure, Traffic Operational Unit, Operation Control Centre, Domestic Business of Exceptional Consignments (BRK)
Address: H-1087 Budapest, Kerepesi út 16.
Phone: +36/1/511-1566
+36-30-367-2002
E-mail: uk.rk@mavcsoport.hu

2.2. Performance acknowledgement

On the first working day following the last day of the month, Infrastructure Manager shall send to the Railway Undertaking by e-mail via NRK the summing-up of ordered and delivered performances of test trains relating to a certain period. Railway Undertaking shall submit to NRK its possible complaints with detailed reasoning within 5 working days in writing.

Should the Infrastructure Manager not receive any complaint within 5 working days after the delivery of the summing-up, IM considers the indicated performances as acknowledged, and shall account these performances to the Railway Undertaking in every month.

2.3. Forms to be used

- Forms of Application for test trains, Offers and Orders (Appendix 5)
- Form of introduction test trains (Appendix 7)
- Blank sheet for monthly summary of ordered test trains and charges of the services concerning permitting and running of test trains. (Appendix 6)

3. Procedure of submitting requests and ordering of measurement trains

Licensing and running of measurement trains are regulated in accordance with Traffic Instructions F2 Annex 15.2 with the following amendments:

Introduction of the measurement train has to be requested at least 5 calendar days before the train runs.

Introduction of the measurement train shall be as general exceptional consignment. Consignment code is 73. Acceptance/taking-over permission acts as forwarding permission as well. It can be issued for multiple routes. Giving the train path identification number(s) during submitting is not needed. The number of the Acceptance/taking-over permission shall be given at train path request.

Requests and orders have to be submitted to the following place:

- MÁV Infrastructure Co. Ltd., Deputy for Infrastructure, Traffic Operational Unit, Operation Control Centre, Domestic Business of Exceptional Consignments (BRK)

Address: H-1087 Budapest, Kerepesi út 16.

Phone: +36/1/511-1566

+36-30-367-2002

E-mail: uk.rk@mavcsoport.hu

3.1. Forms to be used

- Form of Application for measurement trains (Appendix 8)

4. Rules for locomotives

Regulations for exceptional consignments shall apply for Locomotives, which locomotives' train path(s) affect(s) those line section(s), where the line class applicable for the locomotive is beyond the lowest applicable line class prescribed in Annex 2.3.1., or the locomotive's load per meter is higher than the lowest applicable load per meter of the line section affected by the train path(s) (t/m).

In case the axle load of the locomotive exceeds the lowest applicable axle load of the section(s) used by the train path, but the axle load range of subdued rules for overweight locomotives prescribed in Annex 2.3.1.

- the lowest applicable axle load of subdued rules for overweight locomotives prescribed in Annex 2.3.1 is not reached, then the locomotive shall run as a normal consignment,
- the lowest applicable axle load of subdued rules for overweight locomotives prescribed in Annex 2.3.1 is reached, but the higher applicable axle load is not exceeded, the overweight-ness of the locomotive will be declared by MÁV Infrastructure Co. Ltd. and its run will be ensured according to the rules applicable,
- the higher applicable axle load of subdued rules for overweight locomotives prescribed in Annex 2.3.1 is exceeded, but the maximum of 22,5 t axle load is not reached, locomotive(s) shall run according to special consideration.

In case the locomotive's type falls under the regulation prescribed in point 2. or 3. in the previous paragraph, sufficient taking over permission shall be attached to the train path request.

Applicant shall be informed through the IT system, when MÁV Infrastructure Co. Ltd. finds that according to axle load the locomotive shall run under the regulations stated above, on the basis of the train formation diagram data in its IT system.

Subdued conditions of overweight locomotives shall only be applied when

- the number of the overweight locomotives is not more than 2 pcs,
- the axle load of hauled vehicles do not exceed the axle load class of the line.

Axle load of the locomotive shall not exceed the maximum of 22,5 t on normal gauge lines.

Regulation applies to all train types.


Measures of typical consignments which can be forwarded with general permission

Pont	(12a)	(13)	(14)	(15)	(16)	(17)	(17)	(18)	(18)	Pont	(12a)	(13)	(14)	(15)	(16)	(17)	(17)	(18)	(18)
						(-)	(250)	(-)	(250)							(-)	(250)	(-)	(250)
11.típusküldemény										66.típusküldemény									
A	1575	800	4000	0	50	43	75	1668	1700	A	1800	1000	4000	0	50	43	75	1893	1925
B	1575	3940	4000	0	106	43	75	1724	1756	B	1800	3175	4000	0	90	43	75	1933	1965
C	1455	4270	4000	0	112	43	75	1610	1642	C	1750	3175	4000	0	90	43	75	1883	1915
D	1455	4400	4000	0	114	43	75	1612	1644	D	1455	4025	4000	0	108	43	75	1606	1638
E	1246	4650	4000	0	120	43	75	1409	1441	E	933	4650	4000	0	120	43	75	1096	1128
F	0	4650	4000	0	120	43	75	163	195	F	0	4650	4000	0	120	43	75	163	195
22.típusküldemény										77.típusküldemény									
A	1650	800	4000	0	50	43	75	1743	1775	A	1850	1000	4000	0	50	43	75	1943	1975
B	1650	3860	4000	0	104	43	75	1797	1829	B	1850	3770	4000	0	102	43	75	1995	2027
C	1575	4070	4000	0	108	43	75	1726	1758	C	1800	3900	4000	0	104	43	75	1947	1979
D	1455	4400	4000	0	114	43	75	1612	1644	D	1685	3900	4000	0	104	43	75	1832	1864
E	1246	4650	4000	0	120	43	75	1409	1441	E	1575	4200	4000	0	110	43	75	1728	1760
F	1204	4700	4000	0	120	43	75	1367	1399	F	1455	4525	4000	0	118	43	75	1616	1648
G	0	4700	4000	0	120	43	75	163	195	G	1311	4700	4000	0	120	43	75	1474	1506
33.típusküldemény										H	0	4700	4000	0	120	43	75	163	195
A	1700	1000	4000	0	50	43	75	1793	1825	88.típusküldemény									
B	1700	3860	4000	0	104	43	75	1847	1879	A	1600	430	5500	2000	0	80	80	1680	1680
C	1575	4200	4000	0	110	43	75	1728	1760	B	1600	650	5500	2000	0	80	80	1680	1680
D	1455	4525	4000	0	118	43	75	1616	1648	C	1625	650	5500	2000	50	59	111	1734	1786
E	1311	4700	4000	0	120	43	75	1474	1506	D	1625	1160	5500	2000	50	59	111	1734	1786
F	0	4700	4000	0	120	43	75	163	195	E	1700	1160	5500	2000	50	59	111	1809	1861
44.típusküldemény										F	1700	3860	5500	2000	104	59	111	1863	1915
A	1750	1000	4000	0	50	43	75	1843	1875	G	1600	4250	5500	2000	112	59	111	1771	1823
B	1750	3720	4000	0	102	43	75	1895	1927	H	1455	4525	5500	2000	118	59	111	1632	1684
C	1700	3860	4000	0	104	43	75	1847	1879	I	1311	4700	5500	2000	120	59	111	1490	1542
D	1575	4200	4000	0	110	43	75	1728	1760	99.típusküldemény									
E	1455	4525	4000	0	118	43	75	1616	1648	A	1575	800	4000	0	50	43	75	1668	1700
F	1311	4700	4000	0	120	43	75	1474	1506	B	1575	3940	4000	0	106	43	75	1724	1756
G	0	4700	4000	0	120	43	75	163	195	C	1455	4270	4000	0	112	43	75	1610	1642
55.típusküldemény										D	1455	4400	4000	0	114	43	75	1612	1644
A	1800	1000	4000	0	50	43	75	1893	1925	E	1246	4650	4000	0	120	43	75	1409	1441
B	1800	3900	4000	0	104	43	75	1947	1979	F	0	4650	4000	0	120	43	75	163	195
C	1685	3900	4000	0	104	43	75	1832	1864										
D	1575	4200	4000	0	110	43	75	1728	1760										
E	1455	4525	4000	0	118	43	75	1616	1648										
F	1311	4700	4000	0	120	43	75	1474	1506										
G	0	4700	4000	0	120	43	75	163	195										

Label for exceptional consignment

MÁV **U minta**

bárcatartóba helyezendő



Elegytömeg	Méterenkénti tömeg	Legnagyobb tengelyterhelés
7 + 8 (t)	9 (t/m)	10 (t)

(A vasút cégjele) / (Szám)

-----/-----

-----/-----


-----/-----

-----/-----

Pontok	Távolság a kocsik közepétől		Sinkorona feletti magasság	Távolság a szélső tengelytől illetve forgócsaptól	
	egyik oldalon	másik oldalon		befelé	kifelé
	12a mm	12b mm	13 mm	14 n ₁ mm	15 n _a mm
A					
B					
C					
D					

MÁV **U minta**

bárcatartóba helyezendő



Elegytömeg	Méterenkénti tömeg	Legnagyobb tengelyterhelés
7 + 8 (t)	9 (t/m)	10 (t)

(A vasút cégjele) / (Szám)

-----/-----

-----/-----


-----/-----

-----/-----

Pontok	Távolság a kocsik közepétől		Sinkorona feletti magasság	Távolság a szélső tengelytől illetve forgócsaptól	
	egyik oldalon	másik oldalon		befelé	kifelé
	12a mm	12b mm	13 mm	14 n ₁ mm	15 n _a mm
A					
B					
C					
D					

(Nagyság kb. 210x210/50 mm)

Not to be used in case of electronic consignment note



(A vasút cégjele) / (Szám)

-----/-----




-----/-----

-----/-----


-----/-----

Le kell vágni és a fuvarlevélre kell ragasztani (RIV 11. p.)


International label for exceptional consignment

(Zeichen des EVU)		Muster U		(Zeichen des EVU)		Muster U																																																																																																																																																																													
		<div style="border: 1px solid black; padding: 5px; width: fit-content; margin: 0 auto;">Kodenummern der Sendung</div> <div style="border-bottom: 1px solid black; width: 100%; height: 15px; margin: 2px 0;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 15px; margin: 2px 0;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 15px; margin: 2px 0;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 15px; margin: 2px 0;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 15px; margin: 2px 0;"></div>		<div style="writing-mode: vertical-rl; transform: rotate(180deg); font-size: small;">Für Zerteilhaber</div>				<div style="border: 1px solid black; padding: 5px; width: fit-content; margin: 0 auto;">Kodenummern der Sendung</div> <div style="border-bottom: 1px solid black; width: 100%; height: 15px; margin: 2px 0;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 15px; margin: 2px 0;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 15px; margin: 2px 0;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 15px; margin: 2px 0;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 15px; margin: 2px 0;"></div>		<div style="writing-mode: vertical-rl; transform: rotate(180deg); font-size: small;">Für Zerteilhaber</div>																																																																																																																																																																									
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>Gesamtlast</th> <th>Meterlast</th> <th>Größte Radsatzlast</th> </tr> <tr> <td>⑦ + ⑧ t</td> <td>⑨ t/m</td> <td>⑩ t</td> </tr> <tr> <td>50,08</td> <td>3,29</td> <td>12,7</td> </tr> </table>		Gesamtlast	Meterlast	Größte Radsatzlast	⑦ + ⑧ t	⑨ t/m	⑩ t	50,08	3,29	12,7	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>Gesamtlast</th> <th>Meterlast</th> <th>Größte Radsatzlast</th> </tr> <tr> <td>⑦ + ⑧ t</td> <td>⑨ t/m</td> <td>⑩ t</td> </tr> <tr> <td>50,08</td> <td>3,29</td> <td>12,7</td> </tr> </table>		Gesamtlast	Meterlast	Größte Radsatzlast	⑦ + ⑧ t	⑨ t/m	⑩ t	50,08	3,29	12,7	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>Gesamtlast</th> <th>Meterlast</th> <th>Größte Radsatzlast</th> </tr> <tr> <td>⑦ + ⑧ t</td> <td>⑨ t/m</td> <td>⑩ t</td> </tr> <tr> <td>50,08</td> <td>3,29</td> <td>12,7</td> </tr> </table>		Gesamtlast	Meterlast	Größte Radsatzlast	⑦ + ⑧ t	⑨ t/m	⑩ t	50,08	3,29	12,7	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>Gesamtlast</th> <th>Meterlast</th> <th>Größte Radsatzlast</th> </tr> <tr> <td>⑦ + ⑧ t</td> <td>⑨ t/m</td> <td>⑩ t</td> </tr> <tr> <td>50,08</td> <td>3,29</td> <td>12,7</td> </tr> </table>		Gesamtlast	Meterlast	Größte Radsatzlast	⑦ + ⑧ t	⑨ t/m	⑩ t	50,08	3,29	12,7																																																																																																																																								
Gesamtlast	Meterlast	Größte Radsatzlast																																																																																																																																																																																	
⑦ + ⑧ t	⑨ t/m	⑩ t																																																																																																																																																																																	
50,08	3,29	12,7																																																																																																																																																																																	
Gesamtlast	Meterlast	Größte Radsatzlast																																																																																																																																																																																	
⑦ + ⑧ t	⑨ t/m	⑩ t																																																																																																																																																																																	
50,08	3,29	12,7																																																																																																																																																																																	
Gesamtlast	Meterlast	Größte Radsatzlast																																																																																																																																																																																	
⑦ + ⑧ t	⑨ t/m	⑩ t																																																																																																																																																																																	
50,08	3,29	12,7																																																																																																																																																																																	
Gesamtlast	Meterlast	Größte Radsatzlast																																																																																																																																																																																	
⑦ + ⑧ t	⑨ t/m	⑩ t																																																																																																																																																																																	
50,08	3,29	12,7																																																																																																																																																																																	
(Zeichen des EVU) / (Nr) <i>PKP</i> / <i>Ps 123/00</i> <i>ZSR</i> / <i>SMZ 8912-05-dps</i> <i>MAV</i> / <i>Rk 789/05</i>		(Zeichen des EVU) / (Nr) <i>PKP</i> / <i>Ps 123/00</i> <i>ZSR</i> / <i>SMZ 8912-05-dps</i> <i>MAV</i> / <i>Rk 789/05</i>		(Zeichen des EVU) / (Nr) <i>PKP</i> / <i>Ps 123/00</i> <i>ZSR</i> / <i>SMZ 8912-05-dps</i> <i>MAV</i> / <i>Rk 789/05</i>		(Zeichen des EVU) / (Nr) <i>PKP</i> / <i>Ps 123/00</i> <i>ZSR</i> / <i>SMZ 8912-05-dps</i> <i>MAV</i> / <i>Rk 789/05</i>																																																																																																																																																																													
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th rowspan="2">Pkt</th> <th colspan="2">Querabstand von der Wagenlängsachse auf der</th> <th rowspan="2">Höhe über SO</th> <th colspan="2">Längsabstand von Endradsatz bzw. Drehzapfen</th> </tr> <tr> <th>einen Seite</th> <th>anderen Seite</th> <th></th> <th></th> </tr> <tr> <td></td> <td>⑫ mm</td> <td>⑬ mm</td> <td>⑭ mm</td> <td>⑮ ni mm</td> <td>⑯ na mm</td> </tr> <tr> <td>A</td> <td>1890</td> <td>1890</td> <td>1200-1360</td> <td>3470</td> <td>200</td> </tr> <tr> <td>B</td> <td>1845</td> <td>1845</td> <td>1200-2020</td> <td>3760</td> <td>490</td> </tr> <tr> <td>C</td> <td>1700</td> <td>1700</td> <td>1200-3420</td> <td>4700</td> <td>590</td> </tr> <tr> <td>D</td> <td>1780</td> <td>1780</td> <td>1700-1800</td> <td>4370</td> <td>0</td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </table>		Pkt	Querabstand von der Wagenlängsachse auf der		Höhe über SO	Längsabstand von Endradsatz bzw. Drehzapfen		einen Seite	anderen Seite				⑫ mm	⑬ mm	⑭ mm	⑮ ni mm	⑯ na mm	A	1890	1890	1200-1360	3470	200	B	1845	1845	1200-2020	3760	490	C	1700	1700	1200-3420	4700	590	D	1780	1780	1700-1800	4370	0																			<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th rowspan="2">Pkt</th> <th colspan="2">Querabstand von der Wagenlängsachse auf der</th> <th rowspan="2">Höhe über SO</th> <th colspan="2">Längsabstand von Endradsatz bzw. Drehzapfen</th> </tr> <tr> <th>einen Seite</th> <th>anderen Seite</th> <th></th> <th></th> </tr> <tr> <td></td> <td>⑫ mm</td> <td>⑬ mm</td> <td>⑭ mm</td> <td>⑮ ni mm</td> <td>⑯ na mm</td> </tr> <tr> <td>A</td> <td>1890</td> <td>1890</td> <td>1200-1360</td> <td>3470</td> <td>200</td> </tr> <tr> <td>B</td> <td>1845</td> <td>1845</td> <td>1200-2020</td> <td>3760</td> <td>490</td> </tr> <tr> <td>C</td> <td>1700</td> <td>1700</td> <td>1200-3420</td> <td>4700</td> <td>590</td> </tr> <tr> <td>D</td> <td>1780</td> <td>1780</td> <td>1700-1800</td> <td>4370</td> <td>0</td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </table>		Pkt	Querabstand von der Wagenlängsachse auf der		Höhe über SO	Längsabstand von Endradsatz bzw. Drehzapfen		einen Seite	anderen Seite				⑫ mm	⑬ mm	⑭ mm	⑮ ni mm	⑯ na mm	A	1890	1890	1200-1360	3470	200	B	1845	1845	1200-2020	3760	490	C	1700	1700	1200-3420	4700	590	D	1780	1780	1700-1800	4370	0																			<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th rowspan="2">Pkt</th> <th colspan="2">Querabstand von der Wagenlängsachse auf der</th> <th rowspan="2">Höhe über SO</th> <th colspan="2">Längsabstand von Endradsatz bzw. Drehzapfen</th> </tr> <tr> <th>einen Seite</th> <th>anderen Seite</th> <th></th> <th></th> </tr> <tr> <td></td> <td>⑫ mm</td> <td>⑬ mm</td> <td>⑭ mm</td> <td>⑮ ni mm</td> <td>⑯ na mm</td> </tr> <tr> <td>A</td> <td>1890</td> <td>1890</td> <td>1200-1360</td> <td>3470</td> <td>200</td> </tr> <tr> <td>B</td> <td>1845</td> <td>1845</td> <td>1200-2020</td> <td>3760</td> <td>490</td> </tr> <tr> <td>C</td> <td>1700</td> <td>1700</td> <td>1200-3420</td> <td>4700</td> <td>590</td> </tr> <tr> <td>D</td> <td>1780</td> <td>1780</td> <td>1700-1800</td> <td>4370</td> <td>0</td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </table>		Pkt	Querabstand von der Wagenlängsachse auf der		Höhe über SO	Längsabstand von Endradsatz bzw. Drehzapfen		einen Seite	anderen Seite				⑫ mm	⑬ mm	⑭ mm	⑮ ni mm	⑯ na mm	A	1890	1890	1200-1360	3470	200	B	1845	1845	1200-2020	3760	490	C	1700	1700	1200-3420	4700	590	D	1780	1780	1700-1800	4370	0																		
Pkt	Querabstand von der Wagenlängsachse auf der		Höhe über SO	Längsabstand von Endradsatz bzw. Drehzapfen																																																																																																																																																																															
	einen Seite	anderen Seite																																																																																																																																																																																	
	⑫ mm	⑬ mm	⑭ mm	⑮ ni mm	⑯ na mm																																																																																																																																																																														
A	1890	1890	1200-1360	3470	200																																																																																																																																																																														
B	1845	1845	1200-2020	3760	490																																																																																																																																																																														
C	1700	1700	1200-3420	4700	590																																																																																																																																																																														
D	1780	1780	1700-1800	4370	0																																																																																																																																																																														
Pkt	Querabstand von der Wagenlängsachse auf der		Höhe über SO	Längsabstand von Endradsatz bzw. Drehzapfen																																																																																																																																																																															
	einen Seite	anderen Seite																																																																																																																																																																																	
	⑫ mm	⑬ mm	⑭ mm	⑮ ni mm	⑯ na mm																																																																																																																																																																														
A	1890	1890	1200-1360	3470	200																																																																																																																																																																														
B	1845	1845	1200-2020	3760	490																																																																																																																																																																														
C	1700	1700	1200-3420	4700	590																																																																																																																																																																														
D	1780	1780	1700-1800	4370	0																																																																																																																																																																														
Pkt	Querabstand von der Wagenlängsachse auf der		Höhe über SO	Längsabstand von Endradsatz bzw. Drehzapfen																																																																																																																																																																															
	einen Seite	anderen Seite																																																																																																																																																																																	
	⑫ mm	⑬ mm	⑭ mm	⑮ ni mm	⑯ na mm																																																																																																																																																																														
A	1890	1890	1200-1360	3470	200																																																																																																																																																																														
B	1845	1845	1200-2020	3760	490																																																																																																																																																																														
C	1700	1700	1200-3420	4700	590																																																																																																																																																																														
D	1780	1780	1700-1800	4370	0																																																																																																																																																																														
		(Zeichen des EVU) / (Nr) <i>PKP</i> / <i>Ps 123/00</i> <i>ZSR</i> / <i>SMZ 8912-05-dps</i> <i>MAV</i> / <i>Rk 789/05</i>		(Zeichen des EVU) / (Nr) <i>PKP</i> / <i>Ps 123/00</i> <i>ZSR</i> / <i>SMZ 8912-05-dps</i> <i>MAV</i> / <i>Rk 789/05</i>		(Zeichen des EVU) / (Nr) <i>PKP</i> / <i>Ps 123/00</i> <i>ZSR</i> / <i>SMZ 8912-05-dps</i> <i>MAV</i> / <i>Rk 789/05</i>																																																																																																																																																																													
Abtrennen und auf Frachtbrief kleben (RIV Ziff. 2)																																																																																																																																																																																			

Label for out-of-gauge consignment bounded to forwarding direction



1520 mm gauge OSZZSD(RZD) railways' loading gauge, MÁV-WM, O-WM, 1-WM gauge, and „Regional loading gauge”



MÁV-WM gauge

Height over upper surface of the rail mm	Concerning half-width mm	Height over upper surface of the rail mm	Concerning half-width mm	Height over upper surface of the rail mm	Concerning half-width mm	Height over upper surface of the rail mm	Concerning half-width mm
3500	1575	3800	1523	4100	1470	4400	1418
10	1573	10	1521	10	1468	10	1416
20	1572	20	1519	20	1467	20	1414
30	1570	30	1517	30	1465	30	1412
40	1568	40	1516	40	1463	40	1410
50	1566	50	1514	50	1461	50	1409
60	1565	60	1512	60	1460	60	1407
70	1563	70	1510	70	1458	70	1405
80	1561	80	1509	80	1456	80	1404
90	1559	90	1507	90	1454	90	1402
3600	1558	3900	1505	4200	1453	4500	1400
10	1556	10	1503	10	1451	10	1387
20	1554	20	1502	20	1449	20	1373
30	1552	30	1500	30	1447	30	1359
40	1551	40	1498	40	1446	40	1346
50	1549	50	1496	50	1444	50	1332
60	1547	60	1495	60	1442	60	1318
70	1545	70	1493	70	1440	70	1305
80	1544	80	1491	80	1439	80	1291
90	1542	90	1489	90	1437	90	1277
3700	1540	4000	1488	4300	1435	4600	1264
10	1538	10	1486	10	1433	10	1250
20	1537	20	1484	20	1432	20	1236
30	1535	30	1482	30	1430	30	1222
40	1533	40	1481	40	1428	40	1209
50	1531	50	1479	50	1426	4650	1195
60	1530	60	1477	60	1425		
70	1528	70	1475	70	1423		
80	1526	80	1474	80	1421		
90	1524	90	1472	90	1419		
3800	1523	4100	1470	4400	1418		

O-WM gauge

Height over upper surface of the rail mm	Concerning half-width mm	Height over upper surface of the rail mm	Concerning half-width mm	Height over upper surface of the rail mm	Concerning half-width mm	Height over upper surface of the rail mm	Concerning half-width mm
430	}	3800	1460	4140	1180	4480	874
1160		10	1452	50	1171	90	865
1160		20	1444	60	1163	4500	856
3500		30	1435	70	1155	10	847
10	1620	40	1427	80	1147	20	838
20	1614	50	1419	90	1138	30	829
30	1609	60	1410	4200	1130	40	820
40	1603	70	1402	10	1120	50	811
50	1598	80	1394	20	1111	60	802
60	1592	90	1386	30	1102	70	792
70	1587	3900	1378	40	1092	80	783
80	1581	10	1369	50	1083	90	774
90	1576	20	1361	60	1074	4600	765
3600	1570	30	1353	70	1065	10	756
10	1565	40	1345	80	1056	20	747
20	1559	50	1336	90	1047	30	738
30	1554	60	1328	4800	1038	40	729
40	1548	70	1320	10	1029	4650	720
50	1543	80	1312	20	1020		
60	1537	90	1303	30	1011		
70	1532	4000	1295	40	1002		
80	1526	10	1287	50	992		
90	1521	20	1279	60	983		
3700	1515	30	1270	70	974		
10	1510	40	1262	80	965		
20	1504	50	1254	90	956		
30	1499	60	1246	4400	947		
40	1493	70	1237	10	938		
50	1488	80	1229	20	929		
60	1482	90	1221	30	920		
70	1477	4100	1213	40	911		
80	1471	10	1204	50	902		
90	1466	20	1196	60	892		
3800	1460	30	1188	70	883		


1-WM gauge

Height over upper surface of the rail mm	Concerning half-width mm	Height over upper surface of the rail mm	Concerning half-width mm	Height over upper surface of the rail mm	Concerning half-width mm
430	} 1625	4100	1460	4400	1480
1160		10	1635	10	1472
1160		20	1632	20	1464
3850		30	1630	30	1456
60		40	1627	40	1448
70		50	1625	50	1440
80		60	1622	60	1432
90		70	1620	70	1424
3900		80	1617	80	1416
10	1685	90	1615	90	1408
20	1682	4200	1612	4500	1400
30	1680	10	1610	10	1388
40	1677	20	1607	20	1376
50	1675	30	1605	30	1364
60	1672	40	1602	40	1352
70	1670	4250	1600	50	1340
80	1667	60	1592	60	1328
90	1665	70	1584	70	1316
4000	1662	80	1576	80	1304
10	1660	90	1568	90	1292
20	1657	4300	1560	4600	1280
30	1655	10	1552	10	1268
40	1652	20	1544	20	1256
50	1650	30	1536	30	1244
60	1647	40	1528	40	1232
70	1645	50	1520	50	1220
80	1642	60	1512	60	1208
90	1640	70	1504	70	1196
4100	1637	80	1496	80	1184
		90	1488	90	1172
		4400	1480	4700	1160

Regional loading gauge”

Height over upper surface of the rail mm	Concerning half-width mm	Height over upper surface of the rail mm	Concerning half-width mm	Height over upper surface of the rail mm	Concerning half-width mm
430	} 1625	4100	1460	4400	1480
1160		10	1635	10	1472
1160		20	1632	20	1464
3850		30	1630	30	1456
60		40	1627	40	1448
70		50	1625	50	1440
80		60	1622	60	1432
90		70	1620	70	1424
3900	1687	80	1617	80	1416
		90	1615	90	1408
10	1685	4200	1612	4500	1400
20	1682	10	1610	10	1388
30	1680	20	1607	20	1376
40	1677	30	1605	30	1364
50	1675	40	1602	40	1352
60	1672	4250	1600	50	1340
70	1670	60	1592	60	1328
80	1667	70	1584	70	1316
90	1665	80	1576	80	1304
4000	1662	90	1568	90	1292
10	1660	4300	1560	4600	1280
20	1657	10	1552	10	1268
30	1655	20	1544	20	1256
40	1652	30	1536	30	1244
50	1650	40	1528	40	1232
60	1647	50	1520	50	1220
70	1645	60	1512	60	1208
80	1642	70	1504	70	1196
90	1640	80	1496	80	1184
4100	1637	90	1488	90	1172
		4400	1480	4700	1160

A-sample, Loading gauge, structure gauge, measure gauge



Application for permitting exceptional consignments

Applicant: (Consignor/Railway Undertaking):

Appendix 1

1a	Name of consignment NHM-code										
1b	Similar consignment (piece)		1c	UIC-registration (PR)number *							
2a	Wagon series ⁽¹⁾										
3	Wheel-base/bogie pivot pitch*		mm								
4	Wheel-base in bogie ^{(2)*}		mm								
5	Number of axles*		6	Length of wagon between bumpers * (mm)							
7	Wagon dead weight*(t)		8	Net load (t)							
7+8	Joint weight*		9	Per meter load (t/m)							
10	Axle load (t)		11	Length of load (mm)							
Crucial points of consignment⁽³⁾											
P o i n t s	12a	12b	13	14	15	16 dynamical sup- plement	17		18		
	Distance from the middle of the wagon		Height above rail level	Distance from the outside axle or from the bogie pin			Arch amplification in case of radius	Width of the needed space from the middle of the track (12+16+17)			
	One side	Other side		"ni" (in-wards)	"na" (out-wards)			∞ m *	250 m *	∞ m *	250 m *
	mm	mm		mm	mm			mm	mm	mm	mm
A											
B											
C											
D											
E											
F											
G											
H											

19	Remarks to the load *: <ul style="list-style-type: none"> - Does not go beyond loading gauge - Remarks to crucial points⁽⁴⁾ - Details of goods: - Centre of mass of goods: ⁽⁵⁾ - Special loading specifications: 	
20	Consignor (name and address):	
20b	Railway Undertaking(s): ⁽⁶⁾	
21	Origin station:	
22	Destination station:	
23	Route of forwarding ⁽⁷⁾	
24	Forwarding *: - in freight train, in special run, from own resources	V _{max} km/h
25	Station with customs clearance:	26 Transshipment port:
27a	Consignee (name and address):	

27b	Party bearing costs (name and address):
28	Transport conditions: ⁽⁸⁾
28a	Remarks to railway wagons or vehicles*: a) Standard axle load, exceeding of axle load b) Why is the wagon not equipped with RIV/RIC label? c) Technical data for height of floor, wheel, carrying capacity etc.. d) Technical data for brake e) Other operational data f) Permitted speed with loaded or empty wagons g) Expected time or period of dispatch, etc.
29	Transport specifications: Must the load be grounded? - * <i>Forwarding</i> : (hauled, from own resources and driver) - * <i>Inserting</i> : (as the first wagon behind the locomotive, as a trailer), - * <i>Not to be hump shunted, kicked, or pulled to a hump</i> - * <i>In group of wagons</i> - * (Other operational specifications) -
30	Must the load stand in a given direction at a transit station?: *?
31	Former licence number *:
32	Extra costs to transport charges: ⁽⁹⁾
33	Checking of the running stability of vehicles at stations:.....*
34	1. Second deadline for transportation: ⁽⁷⁾
Explanation * Optional (1) Serial indicator, type number, layout sketch for low-floor wagons, etc., buffer wagon, adaptor wagon etc. (2) Only in case of bogie wagons. In case of combined bogie wagons (p), (p ₁), (p ₂) must be given. (3) Only in case of overhanging the loading gauge (4) E.g.: Crucial points connected with straight lines/curves (5) Coordinates, height/width/length of centre of mass (6) Railway undertaking(s) affected by transportation (7) Suggested border crossings (8) Carriage conditions and other prescriptions laid down by railway company issuing permission (9) Determination (in percentage) of additional carriage charge resulting from special conditions of transportation - technical guidance, making electrical overhead wire dead, speed restriction, etc.	

Further information for filling-in the form

1. Data for railway vehicles shall only be given in this form if series, height of the floor etc. of vehicles to be used are known. In any other cases measures of cross sectional and side views must be given in accordance with the maximum height of floor of H=1300 mm.

2. Cross sectional, side and top views of the consignment shall be drawn with colour lines. Fields for text must also be filled in. Cross sections view must be drawn to scale, side and top views shall be

proportionate. Crucial points of the load shall be dimensioned with measurements taken laterally from the middle of the track, vertically from the upper edge of the rail.

3. By the characteristic outline of the consignment such a profile is meant which is formed from elements of individual cross sections of the consignment overhanging in the greatest extent the measures of the loading gauge. Individual points of the characteristic outline are those points of the consignment which

a) - in the same altitude - are the furthest from the axle of the vehicle




b) - in the same latitude - have the greatest distance above the rail head

Lines and curves linking the individual points shall be drawn in accordance with the outline of the consignment. Individual points of the characteristic outline and lines linking these points form such a profile - a non existing profile if cross sections of the consignment varies - on the basis of which the railway company issuing the permission defines the possibilities and conditions of transportation.


4. The centre of mass of load shall be indicated on the sketch.

5. If load - beyond the end of the vehicle - overhangs the bogie pin (in case of a two-axle vehicle, the axle) extent of overhanging must be indicated in the side view.

6. Carrier shall sign the filled in form, and if applicable, shall stamp it.



Cross-sectional outline characteristic of consignment



----- New clearance

—— MÁV loading gauge

----- Intern. Loading gauge

Appendix 2

Infrastructure manager performs the forwarding of exceptional consignment and special performances requested by.....Railway Undertaking against payment of charges to be seen below:				
No	References, e.g. MAV Rk.	Route of forwarding (km)	Case	HUF
	Name of performance	Charge		
1.				
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
Total (HUF)				0 HUF

Flat rate of service

0 HUF, no itemized accounting between parties.

Budapest, ...

Traffic Business Unit (L.S., stamp)

In accordance with the above I am placing the order for forwarding of exceptional consignments against payment of fee mentioned above.

Railway Undertaking (L.S., stamp)

date

Performance fulfilled in compliance with the order.

Railway Undertaking (L.S., stamp)

date

Appendix 3

Infrastructure Manager					
Railway Undertaking:				Subject: Form of monthly summing-up on taking over permission of exceptional consignments	
Number	Issued	year: 20...	month:	day:	page no.:
	MÁV Infra-structure Co. Ltd. Rk No./year	Date of Issue	Code of restriction	Domestic(B) International(N)	Charge (HUF, without VAT)
1					
2					
3					
4					
5					
6					
7					
8					
9					
10					
11					
12					
13					
14					
15					
16					
17					
18					
19					
20					
21					
22					
23					
24					
25					
26					
27					
28					
29					
Total					

Issuing person:

Appendix 4

Infrastructure Manager							
Railway Undertaking:					<u>Subject:</u> Form for monthly summing-up of permissions for forwarding of exceptional consignments		
Number	Issued:	year:20...	month:		day:		page no.:
	MÁV Infra-structure Co. Ltd. Rk no./year	Wagon no.	Day of dispatch/entrance	Code of restriction	Charge for permission	Charge for special performances (HUF, without VAT)	Total sum of charges (HUF, without VAT)
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
Total:							

Issuing person:

Appendix 5

Infrastructure manager provides special performances during the running of normal/special test trains ordered by.....Railway Undertaking against payment of fee to be seen below:				
No	References (e.g. No/day of request)	Route of forwarding (km)	Case	HUF
	Name of performance	Charge		
1.				
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
Total (HUF)				0 HUF

Flat rate of service

0 HUF, no itemized accounting between parties.

Budapest, ...

 Traffic Business Unit (L.S., stamp)

In accordance with the above I am placing the order for running of
normal/special test train againsts payment of fee mentioned above.

 Railway Undertaking (L.S., stamp)

date

Performance fulfilled in compliance with the order.

 Railway Undertaking (L.S., stamp)

date

Appendix 6

Infrastructure Manager					
Railway Undertaking:				Subject: Form of monthly summing-up on running of normal/special test trains	
number	Issued	year: 20...	month:	day:	
	MÁV Infra-structure Co. Ltd. Telegram No	Date of Issue	Fee of permit	Fee of special performances (HUF, without VAT)	Total fee (HUF, without VAT)
1			HUF 0	HUF 0	HUF 0
2					
3					
4					
5					
6					
7					
8					
9					
10					
11					
12					
13					
14					
15					
16					
17					
18					
19					
20					
21					
22					
23					
24					
25					
26					
27					
28					
29					
Total					HUF 0

Issuing person:

Appendix 7

Introduction of test train					
1	Applicant				
1a	Application ID / Applicant contacts		E-mail/Fax:	Phone:	
1b	Name of Applicant				
2	Time of application		Number of Annexes:		
2b	Request modification Y/N:		Reference number of Application		
3	Type of test train according to business train categories (marked with x)				
	Normal motor train set test train	EMPR		Special motor train set test train	KMPR
	Normal passenger coach test train	ESzPR		Special passenger coach test train	KSzPR
	Freight wagon test train	PRÁ		Special freight wagon test train	KPRÁ
	Normal loco test train	EPRB		Special loco test train	KPRB
3a	Name of test train according to its purpose				
4	Day/period of train run				
5	Name of test leader:				
5a	Contact:				
6	Registration number of participant vehicle(s)				
6a	Permitted speed of vehicle(s) (km/h)		Length of test train (m)		
7	Planned maximum speed of test train (km/h)				
	Braking distance different from average braking distance allowed for the test train's route (m)				
8	Route of test train	allocated train path	Route of test train	allocated train path	
9	Further train crew request Y/N				
	Traffic		Track maintenance		Signalling
	Overhead wire		Other		
10	Train type distinctions according to station intervals in case of combined normal/special test train				

11	Description of test run technology, and the expected disturbance limit	
12	Only overhead wire will be used	Y / N
	Overrun of max. permitted speed of track	Y / N
	Stopping/reduced speed at signal/other infrastructure element in order to examine disturbance (additional running time <5 / >5 min.)	Y / N
	Braking distance measurement with stopping	Y / N
	Braking distance measurement with uncoupling	Y / N
	Derogation from the effective instructions during train run	Y / N
	Derogation from the effective instructions during train run	Y / N
	Derogation from the effective instructions during train run	Y / N
	Derogation from the effective instructions during train run	Y / N

Notice:

Introduction of the normal test train has to be requested 3 calendar days before the train run.
 Introduction of the special test train has to be requested 8 calendar days before the train run.

Consignment code of the vehicles forwarded in normal test train without traffic disturbance is 70.
 Acceptance/taking-over permission is forwarding permission as well. It can be issued for multiple routes and the whole timetable period. Giving the train path identification number(s) during submitting is not needed. The Acceptance/taking-over permission shall be given at train path request.

Consignment code of the vehicles forwarded in normal test train with traffic disturbance is 71.
 Transferring permission shall be requested after Acceptance/taking-over permission is issued.
 The Acceptance/taking-over permission shall be given at train path request.
 Train path identification number(s) shall be given during submitting Transferring permission.

Consignment code of the vehicles forwarded in special test train is 72.
 Transferring permission shall be requested after Acceptance/taking-over permission is issued.
 The Acceptance/taking-over permission shall be given at train path request.
 Giving the train path identification number(s) during submitting the Transferring permission is needed.

Description of the technology of the test train shall be attached to the request as an Annex, if it is needed according to other parameters.

Description of the test train's technology shall possibly contain data about:

- places where train traffic disturbance may occur, e.g. in case of open-line braking distance measurement the planned station intervals and speed ranges;

- technical events which may disturb station technologies, e.g. running on a certain track of the station, exceptional passing certain main signals at red light, passing a subsidiary signal at free sign;
- stopping in switching zone, then moving forward again, etc.

Appendix 8.

License for measurement train transportation				
1	Applicant			
1a	Application ID /number		E-mail:	Fax:
1b	Applicant contacts:			
2	Time of application		Number of Annexes	
2a	Request modification Y/N:		Reference number of Application	
3	Type and registration number of measurement vehicle			
3a	Runs in train		Runs individually	
4	Contact of the measurement vehicle			
5	Allowed speed of measurement vehicle		Allowed speed of measurement vehicle during measuring	
6	Route of the measurement train			
7	Day of run of the measurement train			
8	Further train crew request, IÜR number			
	Traffic		Track maintenance	
			Signalling	
9	Description of measurement technology (measuring / non measuring shunting)			

Consignment code is 73.

Acceptance/taking-over permission is forwarding permission as well. It can be issued for multiple routes. Giving the train path identification number(s) during submitting is not needed. The Acceptance/taking-over permission shall be given at train path request.

Introduction of the measurement train has to be requested at least 5 calendar days before the train runs.

Guideline

Mandatory fields : Colored rows

1a	Number registered by the applicant.
2	Number of annexes, documents attached to the application, number of attached documents
2b	Date and time of amending request after receiving the introduction telegram. Reference number of the to be modified original request.
3a	Measurement train (vehicle) runs in train, or solely.
7	Giving the running periods of test train running on more days
8	IÜR reference number of ordered infrastructure guidance crew prescribed for the run of measurement train (preliminary agreement on the necessity of guidance crew is possible)
9	Measurement train runs according to an allocated train path reference number, on (a) given section(s) in different mode - with or without measuring process.

Appendix 9 - Forwarding requirements of General type measures

Line number	Name of line or section			Sign of consignments forwardable with General permission										Object
				11	22	33	44	55	66	77	88	99		
1	Budapest-Keleti	Ferencváros		0	0	0	0	0	0	0	0	0	Only forwardable with individual permission	
	Ferencváros		E4. track	m ₁	0	X	X	X	X	0	0	m ₁ D2	On switch no. 58. in M/T, T/M direction	
	Ferencváros		E4. track	X	X	X	X	X	X	0	0	D2		
	Ferencváros		IV. track	X	X	X	X	X	X	0	0	D2		
	Ferencváros		V. track	X	X	X	X	X	X	0	0	D2		
	Ferencváros		V. track	X	X	X	X	X	X	0	0	D2		
	Ferencváros	Budapest-Kelenföld	right track	X	X	X	X	m ₁ t ₁	X	0	X	D2	83 - 88 bridge structure (Danube)	
	Ferencváros	Budapest-Kelenföld	left track	X	X	X	X	m ₁ t ₁	X	0	X	D2	83 - 88 bridge structure (Danube)	
	Budapest-Kelenföld		I. track	X	X	X	X	X	X	0	0	D2		
	Budapest-Kelenföld		II. track	X	X	X	X	X	X	0	0	D2		
	Budapest-Kelenföld		III. track	X	X	X	X	X	X	0	0	D2		
	Budapest-Kelenföld		IV. track	X	X	X	X	X	X	0	0	D2		
	Budapest-Kelenföld		V. track	X	X	X	X	X	X	0	0	D2		
	Budapest-Kelenföld		VI. track	X	X	X	X	X	X	0	0	D2		
	Budapest-Kelenföld		VII. track	X	X	X	X	X	X	0	0	D2		
	Budapest-Kelenföld		X. track	X	X	X	X	X	X	0	0	D2		
	Budapest-Kelenföld		XIV. track	X	X	X	X	X	X	0	0	D2		
	Budapest-Kelenföld		XV. track	X	X	X	X	X	X	0	0	D2		
	Budapest-Kelenföld		XIX. track	m ₁	0	0	0	0	0	0	0	m ₁ D2	134+88 loudspeaker pole	
	Budapest-Kelenföld		XX. track	m ₁	0	0	0	0	0	0	0	m ₁ D2	134+88 loudspeaker pole	
	Budapest-Kelenföld	Budaörs	right track	X	X	X	X	X	X	0	X	X		
	Budapest-Kelenföld	Budaörs	left track	X	X	X	X	X	X	0	X	X		
	Budaörs		II. track	X	X	X	X	X	X	0	X	D2		
	Budaörs		IV. track	X	X	0	0	0	0	0	0	D2		
	Budaörs		V. track	X	X	X	m ₁	0	0	0	X	D2	175+90 sign	
	Budaörs		VI. track	X	X	0	0	0	0	0	0	D2		
	Budaörs		VII. track	X	X	0	0	0	0	0	0	D2		
	Budaörs		VIII. track	X	0	0	0	0	0	0	0	0		
	Budaörs		IX. track	X	X	X	X	X	X	0	X	0		
	Budaörs	Biatorbágy	right track	X	X	X	X	X	X	0	X	D2		
	Budaörs	Biatorbágy	left track	X	X	0	0	0	0	X	0	D2		
	Biatorbágy		IV. track	X	X	X	X	X	X	0	m ₁	D2	stilted platform	
	Biatorbágy	Herceghalom		X	X	X	X	t ₁	X	0	X	D2		
	Herceghalom		III. track	X	X	X	X	X	X	0	0	D2		
	Herceghalom	Bicske		X	X	X	X	t ₁	X	0	X	D2		
	Bicske		IV. track	X	X	X	X	X	X	0	0	D2		
	Bicske		V. track	X	X	X	X	X	X	0	0	D2		
	Bicske		IX. track	X	X	X	X	X	X	0	0	0		
	Bicske	Szárliget		X	X	X	X	X	X	0	X	D2		
	Szárliget		IV. track	X	X	X	X	X	X	0	m ₁	D2	stilted platform, overpass pilar	
	Szárliget	Tatabánya		X	X	X	X	t ₁	t ₁	0	X	D2		
	Tatabánya		VI - XI. tracks	X	X	X	X	X	X	0	m ₁	D2	switch no. 17.	
	Tatabánya		VI - XI. tracks	X	X	X	X	X	X	0	0	D2	Switch no. 17. from Oroszlány	
	Tatabánya	Tata	right track	X	X	X	X	X	X	0	m ₁	D2	783 - 786 stilted platform	
	Tatabánya	Tata	left track	X	X	X	X	X	X	0	0	D2		
	Tata		III. track	X	X	X	X	X	X	0	m ₁	D2	high platform	
	Tata		IV. track	X	X	X	X	X	X	0	m ₁	D2	high platform	
	Tata		VI. track	X	X	X	X	X	X	0	m ₁	D2	high platform	
	Tata	Hegyeshalom		X	X	X	X	X	X	0	X	D2		
	Almásfűzőtő felső		XII. b track	X	X	X	X	X	X	0	0	D2		
	Almásfűzőtő felső		XIII. b track	X	X	X	X	X	X	0	m ₁	D2	high platform	
	Komárom		II. track	X	X	X	X	X	X	0	0	D2		
	Komárom		III. track	X	X	X	X	X	X	0	m ₁	D2	stilted platform	
	Komárom		IV. track	X	X	X	X	X	X	0	0	D2		
	Komárom		V. track	X	X	X	X	X	X	0	0	D2		
	Komárom			X	0	X	m ₁	m ₁	m ₁	0	0	D2	On switch no. 56. in M/T direction	
	Ács		V. track	X	X	X	X	X	X	0	m ₁	D2	stilted platform	
	Ács		VII. track	X	X	X	X	X	X	0	0	D2		
	Nagyszentjános		I. track	X	X	X	X	X	X	0	0	D2		
	Győrszentiván		IV. track	X	X	X	X	X	X	0	m ₁	D2	stilted platform	
	Győrszentiván		V. track	X	X	X	X	X	X	0	0	D2		
	Győr-Rendező		I. tároló track	X	X	X	X	X	X	0	X	D2		
	Győr-Rendező		II. tároló track	X	X	X	X	X	X	0	X	D2		
	Győr-Rendező		RXIII. track	X	X	0	0	0	0	0	0	D2		
	Győr		I. track	X	X	X	X	X	X	0	m ₁	D2	stilted platform	
	Győr		II. track	X	X	X	X	X	X	0	0	D2		
	Győr		III. track	X	X	0	0	0	X	0	0	D2		
	Győr		V. track	X	X	X	X	X	X	0	0	D2		
	Győr		VI. track	m ₁	m ₁	0	0	0	X	0	0	0	platform roof	
	Győr		VII. track	0	0	0	0	0	X	0	0	0		
	Ótvevény		II. track	X	X	X	X	X	X	0	m ₁	D2	stilted platform	
	Lébény-Mosonszentmiklós		II. track	X	X	X	X	X	X	0	m ₁	D2	stilted platform	
	Kimle		II. track	X	X	X	X	X	X	0	m ₁	D2	stilted platform	
	Mosonmagyaróvár		II. track	X	X	X	X	X	X	0	m ₁	D2	high platform	
	Mosonmagyaróvár		III. track	X	X	X	X	X	X	0	m ₁	D2	high platform	
	Hegyeshalom		II. track	X	X	X	X	X	X	0	0	D2		
	Hegyeshalom		III. track	X	X	X	X	X	X	0	0	D2		
	Hegyeshalom	országhatár		X	X	X	X	t ₁	t ₁	0	X	D2		

Line number	Name of line or section			Sign of consignments forwardable with General permission									Object		
				11	22	33	44	55	66	77	88	99			
1d	Hegyeshalom (1)	Rajka		X	X	X	X	X	X	0	X	D2			
2	Rákostető (70)	Angyalföld		X	0	0	0	0	0	0	0	X			
	Angyalföld	Pilisvörösvár		X	X	X	X	X	X	0	0	X			
	Pilisvörösvár	Órhegy A elágazás		X	X	X	X	X	X	0	0	X			
	Órhegy A elágazás	Órhegy B elágazás		X	X	X	X	X	X	0	0	X			
	Órhegy B elágazás	Piliscsaba		X	X	0	0	0	X	X	0	0	X		
	Piliscsaba	Esztergom		X	X	X	X	X	X	0	0	X			
3	Komárom (1)	országhatár		X	0	0	0	0	X	0	0	0	X		
3	Komárom (1)	országhatár		X	X	X	X	X	X	0	0	X	D2		
4	Almásfűző (1)	Esztergom-Kertváros (2)		X	X	X	X	X	X	0	0	X	0		
5	Székesfehérvár (30)	Bakonyársárhány		X	X	X	X	X	X	0	X	D2			
	Mór		II. track	X	X	X	X	X	X	0	X	D2			
	Mór		III. track	X	X	X	X	X	X	0	X	D2			
	Mór		IV. track	X	X	X	X	X	X	0	X	D2			
	Bakonyársárhány	Kisbér		X	X	X	t ₁	X	t ₁	0	X	D2			
	Kisbér		III. track	X	X	X	X	X	X	0	X	D2			
5a	Bodajk (5)	Komárom (1)		X	X	X	X	X	X	0	X	D2			
5a	Bodajk (5)	Balinka		0	0	0	0	0	X	0	0	0	0	Only forwardable with individual permission	
5b	Mór (5)	Pusztavám		0	0	0	0	0	X	0	0	0	0	Only forwardable with individual permission	
6	Lovasberény	Székesfehérvár (30)		0	0	0	0	0	X	0	0	0	0	Only forwardable with individual permission	
8	Győr (1)	Kapuvár		X	X	X	X	X	X	0	X	D2			
	Kapuvár		VI. track	X	X	X	X	X	m ₁	0	X	D2	loudspeaker pole		
	Kapuvár	Fertőendréd		X	m ₁	X	X	X	X	0	0	D2	471+53 Kis Rába bridge		
	Fertőszentmiklós		II. track	X	X	X	X	X	X	0	0	D2			
	Fertőszentmiklós		III. track	X	X	X	X	X	X	0	0	D2			
	Fertőszentmiklós		V. track	X	X	X	X	X	X	0	0	D2			
	Fertőendréd	Sopron		X	X	X	X	X	X	0	X	D2			
	Sopron személypályaudvar		I. track	m ₁	0	0	0	0	X	X	0	0	m ₁ D2	platform roof	
	Sopron személypályaudvar		II. track	m ₁	0	0	0	0	X	X	0	0	m ₁ D2	platform roof	
	Sopron személypályaudvar		III. track	m ₁	0	0	0	0	X	X	0	0	m ₁ D2	platform roof	
	Sopron személypályaudvar		V. track	0	0	0	0	0	X	0	0	0	0		
	Sopron személypályaudvar		VII. track	0	0	0	0	0	X	0	0	0	0		
8G	Győr GYSEV	Sopron országhatár		X	X	X	X	X	X	0	X	X			
8GR	Győr	Győr GYSEV		X	X	X	X	X	X	0	X	D2			
8R	Sopron Keleti elág	Sopron Rendező		X	X	X	X	X	X	0	X	D2			
9	Fertőszentmiklós (8)	Pomogy országhatár		X	X	X	X	X	X	0	X	D2			
10	Győr-Rendező	Győrszabadhegy		X	X	X	X	X	X	0	X	D2			
	Győrszabadhegy	Győrszemere		X	X	X	X	X	X	0	m ₁	D2	74 - 78 stilted platform		
	Győrszemere		II. track	X	X	X	X	X	X	0	0	D2			
	Győrszemere	Gecse-Gyarmat		X	X	X	X	X	X	0	X	D2			
	Gecse-Gyarmat		I. track	X	X	X	X	X	X	0	0	D2			
	Gecse-Gyarmat		II. track	X	X	X	X	X	X	0	m ₁	D2	stilted platform		
	Gecse-Gyarmat	Pápa		X	X	X	X	X	X	0	X	D2			
	Pápa		VI. track	X	X	X	X	X	X	0	m ₁	D2	stilted platform		
Pápa		IV.b track	X	X	X	X	X	X	0	m ₁	D2	stilted platform			
Pápa	Celldömök		X	X	X	X	X	X	0	X	D2				
11	Győrszabadhegy (10)	Veszprémmarsány		X	X	X	X	X	X	0	X	0			
	Veszprémmarsány		IV. track	X	X	X	X	X	X	0	X	0			
	Veszprémmarsány	Bakonyzentlászó		X	X	X	X	X	t ₁	0	X	0			
	Bakonyzentlászó		II. track	X	X	X	X	X	X	0	X	0			
	Bakonyzentlászó		III. track	X	X	X	X	X	X	0	X	0			
	Bakonyzentlászó		IV. track	X	X	X	X	X	X	0	X	0			
11a	Zirc	Veszprém (20)		X	X	X	X	X	X	0	X	0			
11a	Zirc	Dudár		0	0	0	0	0	0	0	0	0	Only forwardable with individual permission		
12	Felsőgalla -	Tatabánya elágazás (1)		0	0	0	0	0	0	0	0	0	Only forwardable with individual permission		
12	Tatabánya (1)	Oroszlány		X	X	X	X	X	X	0	X	D2			
13	Környe (12)	Pápa (10)		0	0	0	0	0	0	0	0	0	Only forwardable with individual permission		
14	Pápa (10)	Szany-Rábaszentandrás		X	X	X	X	X	X	0	X	0			
	Szany-Rábaszentandrás		III. track	X	X	X	X	X	X	0	X	0			
	Szany-Rábaszentandrás -	Csorna (8)		X	X	X	X	X	X	0	X	0			
15	Egyed-Rábacsanak		II. track	X	X	X	X	X	0	0	X	0			
	Sopron (8)	Harka		X	X	X	X	X	X	0	X	D2			
15D	Harka	Szombathely (20)		X	X	X	X	X	X	0	0	D2			
15D	Harka (kiz)	Harka országhatár		X	X	X	X	X	X	0	X	D2			
15R	Sopron (kiz) - Sopron Rendező	Sopron Déli elág		X	X	X	X	X	X	0	X	D2			
16	Porpác (20)	Beled		X	X	X	X	X	X	0	0	D2			
	Beled		II. track	X	X	X	m ₁	X	0	0	0	D2	336+40 movable scotch		
	Beled	Hegyeshalom (1)		X	X	X	X	X	X	0	0	D2			
17	Szombathely (20)	Püspökmolnári		X	X	X	X	X	X	0	0	D2			
	Püspökmolnári	Vasvár		X	X	X	X	X	X	0	0	D2			
	Vasvár	Zalaszentiván (25)		X	X	X	X	X	X	0	0	D2			
	Zalaszentiván (25)	Nagykanizsa (30)		X	X	X	X	X	X	0	X	D2			
	Újudvar		III. track	X	X	X	0	X	0	0	X	D2			
18	Kőszeg	Szombathely (20)		X	X	X	X	X	X	0	0	D2			

Line number	Name of line or section			Sign of consignments forwardable with General permission									Object
				11	22	33	44	55	66	77	88	99	
20	Székesfehérvár (30)	Hajmáskér		X	X	X	X	X	X	0	X	D2	
	Várpalota		III. track	X	X	X	X	X	m ₁	0	X	D2	K3ISM2 signal
	Hajmáskér	Veszprém		X	X	X	X	X	X	0	X	D2	
	Veszprém	Herend		X	X	X	X	X	X	0	0	0	
	Herend	Ajka		X	X	X	X	X	X	0	X	0	
	Városlőd-Kislőd		III. track	X	X	X	X	X	X	0	X	D2	
	Ajka	Devecser		X	X	X	X	X	X	0	m ₁	D2	886 - 890 stilted platform
	Devecser	Tüskevár		X	X	X	X	X	X	0	X	D2	
	Tüskevár	Kerta elágazás		X	X	X	X	X	X	0	0	D2	
	Kerta		II. track	X	X	X	X	X	X	0	m ₁	D2	stilted platform
	Kerta elágazás	Tokorcs		X	X	X	X	X	m ₁	0	X	D2	1128+36 sign
	Boba		II. track	X	X	X	X	X	X	0	m ₁	D2	stilted platform
	Boba		III. track	X	X	X	X	X	X	0	m ₁	D2	stilted platform
	Celldömök		III. track	X	X	X	X	X	X	0	0	D2	
	Tokorcs	Ostffyasszonyfa		X	X	X	X	X	X	0	0	D2	
	Ostffyasszonyfa	Porpác		X	X	X	X	X	X	0	X	D2	
	Porpác	Szombathely	left track	X	X	X	X	X	X	0	X	D2	
	Porpác	Szombathely	right track	X	m ₁	0	0	X	0	0	0	D2	1149/1150 G signal
	Szombathely		I. track	X	X	X	X	X	X	0	m ₁	D2	high platform
	Szombathely		II. track	X	X	X	X	X	X	0	m ₁	D2	high platform
	Szombathely		III. track	X	X	X	X	X	X	0	m ₁	D2	high platform
	Szombathely		IV. track	X	X	X	X	X	X	0	m ₁	D2	high platform
	Szombathely		V. track	X	X	X	X	X	X	0	m ₁	D2	high platform
21	Szombathely (20)	Szentgotthárd országhatár		X	X	X	X	X	X	0	0	D2	
23	Rédics	Zalaegerszeg (25)		X	X	X	X	X	X	0	X	0	
24	Zalaszentgrót	Zalabér-Batyk (25)		X	X	X	X	X	X	0	X	0	
25	Boba (20)	Óriszentpéter - országhatár		X	X	X	X	X	X	0	X	X	
	Zalabér-Batyk		II. track	X	X	X	X	X	X	0	m ₁	D2	stilted platform
	Zalabér-Batyk		III. track	X	X	X	X	X	X	0	m ₁	D2	stilted platform
	Zalabér-Batyk		IV. track	X	X	X	X	X	X	0	m ₁	D2	stilted platform
	Pókaszeptek		I. track	X	X	X	X	X	X	0	0	D2	
	Pókaszeptek		II. track	X	X	X	X	X	X	0	m ₁	X	stilted platform
	Zalaszentiván		I. track	X	X	X	X	X	X	0	m ₁	X	stilted platform
	Zalaszentiván		IV. track	X	X	X	X	X	X	0	m ₁	X	stilted platform
26	Zalaszentiván		V. track	X	X	X	X	X	X	0	X	D2	
	Zalaszentiván		VI. track	X	X	X	X	X	X	0	X	D2	
26	Ukk (25)	Balatonszentgyörgy (30)		X	X	X	X	X	X	0	X	D2	
	Keszthely		III. track	X	X	X	X	X	m ₁	0	X	D2	life protecting fence
27	Lepsény (30)	Hajmáskér (20)		0	0	0	0	X	0	0	0	0	Only forwardable with individual permission
29	Börgönd (44)	Szabadbattyán (30)		X	X	X	X	X	X	0	X	D2	
	Szabadbattyán (30)												
	Szabadbattyán (30)	Balatonfüred		0	0	0	0	0	0	0	0	0	Only forwardable with individual permission
	Balatonfüred		I. track	0	0	0	0	0	X	0	0	0	
	Balatonfüred	Balatonakali-Dörgicse		X	X	X	X	X	X	0	X	0	
	Balatonakali-Dörgicse		II. track	X	X	0	0	0	0	0	0	0	
	Balatonakali-Dörgicse	Zánka-Köveskál		X	X	X	X	X	X	0	m ₁	0	819 - 822 stilted platform
	Zánka-Köveskál		III. track	X	X	X	X	X	X	0	0	0	
	Zánka-Köveskál	Tapolca (26)		X	X	X	X	X	X	0	X	0	
29	Badacsonytomaj		II. track	X	X	X	X	X	X	0	0	0	

Line number	Name of line or section			Sign of consignments forwardable with General permission									Object
				11	22	33	44	55	66	77	88	99	
30	Budapest-Déli	Budapest-Kelenföld		0	0	0	0	0	0	0	0	0	Only forwardable with individual permission
	Budapest-Kelenföld		I. track	X	X	X	X	X	X	0	0	D2	
	Budapest-Kelenföld		II. track	X	X	X	X	X	X	0	0	D2	
	Budapest-Kelenföld		III. track	X	X	X	X	X	X	0	0	D2	
	Budapest-Kelenföld		IV. track	X	X	X	X	X	X	0	0	D2	
	Budapest-Kelenföld		V. track	X	X	X	X	X	X	0	0	D2	
	Budapest-Kelenföld		VI. track	X	X	X	X	X	X	0	0	D2	
	Budapest-Kelenföld		VII. track	X	X	X	X	X	X	0	0	D2	
	Budapest-Kelenföld		X. track	X	X	X	X	X	X	0	0	D2	
	Budapest-Kelenföld		XIV. track	X	X	X	X	X	X	0	0	D2	
	Budapest-Kelenföld		XV. track	X	X	X	X	X	X	0	0	D2	
	Budapest-Kelenföld		XIX. track	m ₁	0	0	0	0	0	0	0	m ₁ D2	134+88 loudspeaker pole
	Budapest-Kelenföld		XX. track	m ₁	0	0	0	0	0	0	0	m ₁ D2	134+88 loudspeaker pole
	Budapest-Kelenföld	Székesfehérvár		X	X	X	X	X	X	0	0	X	
	Székesfehérvár		I. track	X	X	X	X	X	X	0	0	X	
	Székesfehérvár		II. track	X	X	X	X	X	X	0	0	X	
	Székesfehérvár		III. track	X	X	X	X	X	X	0	0	X	
	Székesfehérvár		IV. track	X	X	X	X	X	X	0	0	X	
	Székesfehérvár		V. track	X	X	X	X	X	X	0	0	X	
	Székesfehérvár		VI. track	X	X	X	X	X	X	0	0	X	
	Székesfehérvár		VII. track	X	X	X	X	X	X	0	0	X	
	Székesfehérvár		VIII. track	X	X	X	X	X	X	0	0	X	
	Székesfehérvár		IX. track	X	X	X	X	X	X	0	0	X	
	Székesfehérvár		XII. track	X	X	X	X	0	X	0	X	X	
	Székesfehérvár	Szabadbattyán	right track	X	X	X	X	X	X	0	0	D2	
	Székesfehérvár	Szabadbattyán	left track	X	X	X	X	X	X	0	m ₁	D2	702 - 705 stilted platform
	Szabadbattyán		III. track	X	X	X	X	X	X	0	X	D2	
	Szabadbattyán	Lepsény		X	X	X	X	X	X	0	0	D2	
	Kiscséripusztá		III. track	X	m ₁	0	0	0	0	0	0	D2	838+22 sign
	Lepsény		I. track	X	X	X	X	0	0	0	0	D2	
	Lepsény		II. track	X	X	X	X	m ₁	m ₁	0	0	D2	944+96 and 945+26 sign
	Lepsény	Siófok		X	X	X	X	X	X	0	0	X	
	Szabadisóstó		II. track	X	X	X	X	X	X	0	0	D2	
	Siófok	Zamárdi felső		X	X	X	X	X	X	0	0	X	
	Zamárdi felső	Balatonszentgyörgy		X	X	X	X	X	X	0	0	D2	
	Balatonszemes		III. track	X	X	X	X	m ₁	m ₁	0	0	D2	1385+92 sign
	Balatonszentgyörgy		I. track	X	X	X	X	X	X	0	X	D2	
	Balatonszentgyörgy		II. track	X	X	X	X	X	X	0	m ₁	D2	stilted platform
	Balatonszentgyörgy		IV. track	X	X	X	X	X	X	0	m ₁	D2	stilted platform
	Balatonszentgyörgy	Murakeresztúr országhatár		X	X	X	X	X	X	0	X	D2	
	Sávoly		I. track	X	X	X	X	X	X	0	m ₁	D2	stilted platform
	Sávoly		II. track	X	X	X	X	X	X	0	m ₁	D2	stilted platform
	Zalakomár		II. track	X	X	X	X	X	X	0	0	D2	
	Zalaszentjakab		I. track	X	X	X	X	X	X	0	0	D2	
	Murakeresztúr		Sz.II. track	X	X	X	X	X	X	0	0	D2	
	Murakeresztúr		A IV. track	X	X	X	X	X	X	0	0	D2	
31	Érd elágazás	Tárnok (30)		X	X	X	X	X	X	0	0	X	
35	Kaposvár elágazás	Felsőmocsolád		X	X	X	X	X	X	0	X	0	
	Felsőmocsolád	Tab		X	X	m ₁	0	0	0	0	m ₁	0	642/643 bridge parapet
	Tab	Siófok (30)		X	X	X	X	X	X	0	X	0	
36	Kaposvár (41)	Lengyeltóti		X	X	X	X	X	X	0	0	D2	
	Óztopán		III. track	X	X	X	m ₁	0	0	0	0	D2	sign
	Lengyeltóti		III. track	X	X	X	X	X	X	0	0	D2	sign
	Lengyeltóti	Fonyód (30)		X	X	X	X	X	X	0	0	D2	
37	Somogyuszob (41)	Balatonmárfafürdő elágazás		X	X	X	X	X	X	0	X	0	
38	Somogyuszob (41)	Nagyatád		X	X	X	X	X	X	0	X	0	

Line number	Name of line or section			Sign of consignments forwardable with General permission									Object	
				11	22	33	44	55	66	77	88	99		
40	Budapest-Kelenföld (30)	Háros		X	X	X	X	X	X	0	0	D2		
	Háros	Nagytétény-Diósd		X	X	X	X	X	X	0	0	D2		
	Nagytétény-Diósd	Érd elágazás		X	X	X	X	X	X	0	0	D2		
	Érd elágazás	Érd		X	X	X	X	t ₁	X	0	0	D2		
	Érd	Százhalombatta		X	X	X	X	t ₁	t ₁	0	0	D2		
	Százhalombatta	Ercsi elágazás		X	X	X	X	t ₁	t ₁	0	0	D2		
	Ercsi elágazás	Iváncsa forgalmi kitérő		X	X	X	X	t ₁	t ₁	0	0	D2		
	Iváncsa forgalmi kitérő	Pusztaszabolcs		X	X	X	X	X	X	0	0	D2		
	Pusztaszabolcs	Sárbogárd		X	X	X	X	X	X	0	X	D2		
	Sárbogárd		2., 3. track	X	X	m ₁	0	0	0	0	X	D2	793+54 sign	
	Sárbogárd		9. track	X	X	X	0	0	0	0	m ₁	D2	792+96 sign	
	Sárbogárd	Rétszilas		X	X	X	X	X	X	0	X	D2		
	Rétszilas	Tolnanémedi		X	X	X	X	X	X	0	0	D2		
	Tolnanémedi		2. track	X	X	X	X	X	X	0	0	D2		
	Tolnanémedi		3. track	X	X	X	X	X	X	0	0	D2		
	Tolnanémedi	Keszőhidegkút-Gyöng		X	X	X	X	X	X	0	0	D2		
	Keszőhidegkút-Gyöng	Szakály-Högyész		X	X	X	X	X	X	0	0	D2		
	Keszőhidegkút-Gyöng	Szakály-Högyész		X	X	X	X	X	X	0	0	D2		
	Szakály-Högyész		2. track	X	X	X	X	X	X	0	0	D2		
	Szakály-Högyész	Kurd		X	X	X	X	X	X	0	0	D2		
	Kurd		3. track	X	X	X	0	0	0	0	0	0	D2	
	Kurd	Döbrököz		X	m ₁	0	0	0	0	0	0	0	D2	1418 - 1429 overhead wire poles
	Döbrököz	Dombóvár		X	X	0	0	0	0	0	0	0	D2	
	Dombóvár		2. track	X	X	X	X	X	X	0	X	D2		
	Dombóvár	Godisa		X	X	X	X	X	X	0	X	D2		
	Godisa	Abaliget		X	m ₁	0	0	0	0	0	0	0	D2	1813+01 overhead wire pole
Abaliget	Bükkösd		X	m ₁	0	0	0	0	0	0	0	D2	1905+36 overhead wire pole	
Bükkösd	Szentlőrinc		X	0	0	0	0	0	0	0	0	D2		
Szentlőrinc		2. track	X	X	X	m ₁	0	0	0	0	0	D2	pole	
Szentlőrinc	Pécs		X	X	X	X	X	X	0	X	D2			
40e	Százhalombatta	Dunai Finomító		X	X	X	X	X	X	0	0	D2		
	Dunai finomító		3. track	X	X	X	X	X	X	0	0	0		
	Dunai finomító		4. track	X	X	X	X	X	X	0	0	0		
	Dunai finomító		5. track	X	X	X	X	X	X	0	0	0		
	Dunai finomító		6. track	X	X	X	X	X	X	0	0	0		
	Dunai Finomító	Ercsi		X	X	X	X	X	X	0	0	D2		
	Ercsi		3. track	X	X	X	0	0	0	0	0	D2		
41	Ercsi	Ercsi elágazás		X	X	X	X	t ₁	t ₁	0	0	D2		
	Dombóvár (40)	Dombóvár alsó		X	X	X	X	X	X	0	X	D2		
	Dombóvár alsó		III. track	X	X	X	X	X	X	0	m ₁	D2	life protecting fence	
	Dombóvár alsó	Csoma-Szabadi		X	X	X	X	X	X	0	m ₁	D2	20 - 21 post	
	Csoma-Szabadi	Taszár		X	X	X	X	X	X	0	X	D2		
	Taszár	Kaposvár		X	X	t ₁	t ₁	t ₂	t ₂	0	t ₁	D2		
	Kaposvár		III. track	X	X	X	X	X	X	0	X	D2		
	Kaposvár		IV. track	X	X	X	X	X	X	0	X	D2		
	Kaposvár	Kaposmérő		X	X	X	t ₁	t ₁	t ₁	0	X	D2		
	Kaposmérő		III. track	X	X	X	0	0	0	0	0	D2		
42	Kaposmérő	Gyékényes (60)		X	X	X	X	X	X	0	X	D2		
	Gyékényes (60)	országhatár		X	X	X	X	X	X	0	X	D2		
	Pusztaszabolcs (40)	Rácalmás		X	X	X	X	X	X	0	X	D2		
	Rácalmás	Dunaújváros		X	X	X	X	X	X	0	X	D2		
43	Dunaújváros	Mezőfalva elágazás		X	X	X	X	X	X	0	X	D2		
	Mezőfalva elágazás (42)	Paks		X	X	X	X	X	X	0	X	0		
44	Mezőfalva elágazás (42)	Rétszilas		X	X	X	X	X	X	0	X	D2		
	Székesfehérvár (30)	Börgönd		X	X	X	X	X	X	0	X	D2		
	Börgönd		IV. track	X	X	X	m ₁	0	0	0	X	D2	93 - 94 signal	
45	Börgönd	Pusztaszabolcs (40)		X	X	X	X	X	X	0	0	X		
	Börgönd (44)			X	X	X	X	X	X	0	X	0		
46	Rétszilas (40)	Bátaszék (50)		X	X	X	X	X	X	0	X	D2		
47	Cece		II. track	X	X	X	X	X	X	0	X	D2		
48	Godisa (40)	Komló		X	X	X	X	X	X	0	X	0		
49	Keszőhidegkút-Gyöng (40)	Tamási		0	0	0	0	0	0	0	0	0	Only forwardable with individual permission	
49	Lepsény (30)	Enying		0	0	0	0	0	0	0	0	0	Only forwardable with individual permission	
50	Dombóvár (40)	Máza-Szászvár		X	X	X	X	X	X	0	X	D2		
	Máza-Szászvár	Hidas-Bonyhád		X	X	X	X	X	X	0	X	D2		
	Hidas-Bonyhád	Bátaszék		X	X	X	X	X	X	0	0	D2		
	Bátaszék		VI. track	X	X	X	X	X	X	0	X	D2		
50	Bátaszék		VIII. track	X	X	X	X	X	X	0	X	D2		
51	Hidas-Bonyhád (50)	Bonyhád		0	0	0	0	0	0	0	0	0	Only forwardable with individual permission	

Line number	Name of line or section			Sign of consignments forwardable with General permission									Object	
				11	22	33	44	55	66	77	88	99		
60	Murakeresztúr	Órtilos		X	X	X	X	X	X	0	0	D2		
	Órtilos		2. track	X	0	0	0	0	0	0	0	D2		
	Órtilos	Gyékényes		X	X	X	X	X	X	0	0	D2		
	Gyékényes		5. track	X	X	X	X	X	X	0	0	D2		
	Gyékényes	Berzence		X	X	X	X	X	X	0	0	0		
	Berzence		2. track	X	X	X	m ₁	0	0	0	0	0	321+47 sign	
	Berzence	Babócsa		X	X	X	X	X	X	0	0	0		
	Babócsa	Barcs		X	X	X	X	X	X	0	0	0	588+75 - 588+86 bridge structure	
	Barcs	Középrigóc		X	X	X	X	X	X	0	0	0	670+24 - 670+04 bridge structure	
	Középrigóc	Szigetvár		X	X	X	X	X	X	0	0	0		
	Szigetvár		4. track	X	X	X	X	X	X	0	0	0		
	Szigetvár	Szentlőrinc		X	X	X	X	X	X	0	0	0		
61	Szentlőrinc (40)	Sellye		X	X	X	X	X	X	0	X	0		
62	Középrigóc (60)	Villány elágazás		0	0	0	0	0	0	0	0	0	Only forwardable with individual permission	
64	Pécs (40)	Pécs-Külváros		X	X	t ₁	t ₁	t ₂	t ₂	0	t ₁	D2		
	Pécs Külváros (65)	Pécsvárad		0	0	0	0	0	0	0	0	0	Only forwardable with individual permission	
65	Pécs (40)	Pécs-Külváros		X	X	t ₁	t ₁	t ₂	t ₂	0	t ₁	D2		
	Pécs Külváros	Villány		X	X	X	X	X	X	0	X	D2		
	Áta		II. track	X	X	X	X	m ₁	m ₁	0	X	D2	signs	
	Villány	Mohács		X	X	X	X	X	X	0	X	D2		
66	Villány (65)	Magyarbóly - országhatár		X	X	X	X	X	X	0	X	D2		
70	Budapest-Nyugati	Rákospuszta		0	0	0	0	0	0	0	0	0	Only forwardable with individual permission	
	Rákospuszta		ABIII. track	X	X	X	0	0	0	X	0	X	D2	
	Rákospuszta	Rákospalota-Újpest	right track	X	t ₁	t ₂	0	0	0	0	0	t ₂	D2	
	Rákospuszta	Rákospalota-Újpest	left track	X	t ₁	t ₂	t ₂	t ₂	t ₂	0	t ₂	D2		
	Rákospalota-Újpest		VIII. track	X	X	0	0	0	0	0	0	0	D2	
	Rákospalota-Újpest	Göd		X	X	X	X	X	X	0	X	D2		
	Göd		I. track	0	0	0	0	0	0	0	0	0		
	Göd	Vác		X	X	X	X	X	X	0	0	D2		
	Vác			X	X	X	X	X	X	0	0	X		
	Vác	Verőce	right track	X	X	m ₁	0	0	0	0	0	0	D2	355+23 sign
	Vác	Verőce	left track	X	X	X	X	X	X	0	0	D2		
	Verőce	Szob		X	X	X	X	X	X	0	X	D2		
	Szob		III. track	X	X	X	X	X	X	0	X	D2		
	Szob		VI. track	X	X	X	X	X	X	0	X	D2		
71	Rákospalota-Újpest (70)	Fót		X	X	X	X	X	X	0	X	0		
	Fót	Vácrátót		X	X	X	X	X	X	0	X	0		
	Vácrátót	Vác (70)		X	X	X	X	X	X	0	0	0		
74	Nógrádszakál	országhatár		0	0	0	0	0	0	0	0	0	Only forwardable with individual permission	
75	Vác (70)	Szokolya		X	X	X	X	X	X	0	0	0		
	Szokolya	Diósjenő		X	X	X	X	X	X	0	0	0		
	Diósjenő	Nagyoroszi		X	X	X	X	X	X	0	0	0		
	Nagyoroszi	Drégelypalánk		X	X	X	X	0	0	0	0	0		
	Drégelypalánk	Balassagyarmat		X	X	X	X	X	X	0	0	0		
76	Diósjenő	Romhány		0	0	0	0	0	0	0	0	0	Only forwardable with individual permission	
77	Aszód (80)	Vácrátót (71)		X	X	X	X	X	X	0	X	0		
78	Galgamácsa (77)	Acsa-Erdőkürt		X	X	X	X	X	X	0	X	0		
	Acsa-Erdőkürt	Nógrádkövesd		X	X	X	X	0	X	0	X	0		
	Nógrádkövesd	Magyarnándor		m ₁ *	0	0	0	0	m ₁ **	0	0	0	*389 - 393 tunnel, 442/443 signal, **338/339 signal	
	Magyarnándor	Balassagyarmat (75)		X	t ₂	t ₂	t ₂	t ₂	t ₂	0	t ₂	0		
	Balassagyarmat (75)	Szécsény		X	t ₂	t ₂	t ₂	t ₂	t ₂	0	t ₂	0		
	Szécsény	Nógrádszakál		X	X	X	X	X	X	0	X	0		
	Nógrádszakál	Ipolytarnóc - országhatár		X	X	X	X	0	m ₁	0	X	0	992/993 signal	

Line number	Name of line or section			Sign of consignments forwardable with General permission									Object	
				11	22	33	44	55	66	77	88	99		
80	Budapest-Keleti	Kőbánya felső		0	0	0	0	0	0	0	0	0	Only forwardable with individual permission	
	Kőbánya felső		I. track	X	X	X	X	X	X	0	0	D2		
	Kőbánya felső		III. track	X	X	X	X	X	X	0	X	D2		
	Kőbánya felső		IV. track	X	X	X	X	X	X	0	X	D2		
	Kőbánya felső		V. track	X	X	X	X	X	X	0	X	D2		
	Kőbánya felső	Rákos	right track	X	X	X	X	0	0	0	X	D2		
	Kőbánya felső	Rákos	left track	X	X	X	X	t ₁	X	0	X	D2		
	Rákos		II. track	X	X	X	X	0	m ₁	0	X	D2	85+50 signal	
	Rákos		III. track	X	X	X	m ₁	0	m ₁	0	X	D2	85+50 signal	
	Rákos		V. track	X	X	X	X	0	X	0	X	D2		
	Rákos	Rákosliget forgalmi kitérő		X	X	X	t ₁	t ₁	t ₁	0	0	X		
	Rákosliget forgalmi kitérő	Pécel		X	X	X	t ₁	t ₁	t ₁	0	0	X		
	Gödöllő		II. track	X	X	X	X	m ₁	X	0	0	X	359+74 signal	
	Gödöllő		V. track	X	X	X	X	m ₁	X	0	0	X	359+15 V5 signal	
	Gödöllő	Babátpuszta		X	X	X	X	t ₁	t ₁	0	0	X		
	Babátpuszta	Aszód		X	X	X	X	t ₁	t ₁	0	0	X		
	Aszód	Hatvan "A" elágazás		X	X	X	X	t ₁	t ₁	0	0	X		
	Hatvan "A" elágazás	Hatvan		X	X	X	X	t ₁	t ₁	0	0	D2		
	Hatvan		V. track	m ₁	0	X	X	X	X	0	0	m ₁ D2	657/658 dwarf shunting signal	
	Hatvan		Vla. track	X	X	X	X	X	X	0	0	D2		
	Hatvan	Hort-Csány	right track	X	X	X	t ₁	t ₁	t ₁	0	t ₁	D2		
	Hatvan	Hort-Csány	left track	X	X	X	t ₁	m ₁ t ₁	m ₁ t ₁	0	t ₁	D2	670+23 sign	
	Hort-Csány	Vámosgyörk		X	X	X	X	t ₁	t ₁	0	X	D2		
	Vámosgyörk		II. track	X	X	X	X	X	X	0	m ₁	D2	stilted platform	
	Vámosgyörk	Ludas		X	X	X	X	t ₁	t ₁	0	X	D2		
	Ludas	Nagyút		X	X	X	X	t ₁	X	0	X	D2		
	Nagyút	Kál-Kápolna		X	X	X	t ₁	t ₁	t ₁	0	t ₁	D2		
	Kál-Kápolna		V. track	X	X	X	X	0	0	0	X	D2		
	Kál-Kápolna	Mezőkeresztes-Mezőnyárad		X	X	X	X	t ₁	X	0	X	D2		
	Mezőkeresztes-Mezőnyárad	Nyékkládháza		X	X	X	X	X	X	0	X	D2		
	Nyékkládháza		21. kitérő	X	X	X	X	X	X	0	0	D2		
	Nyékkládháza	Miskolc-Rendező		X	X	X	X	t ₁	X	0	X	D2		
	Miskolc-Rendező		B1. track	X	X	X	0	0	0	m ₁	0	0	D2	Tj1 signal
	Miskolc-Rendező	Miskolc-Tiszai		X	X	X	X	X	X	0	X	D2		
	Miskolc-Tiszai		I. track	X	X	X	X	X	X	0	X	D2		
	Miskolc-Tiszai		VII. track	m ₁	m ₁	0	0	0	0	X	0	0	m ₁ D2	platform roof
	Miskolc-Tiszai		VIII. track	X	m ₁	0	0	0	0	X	0	0	D2	platform roof
	Miskolc-Tiszai		IX. track	X	m ₁	0	0	0	0	X	0	0	D2	platform roof
	Miskolc-Tiszai	Hernádnémeti-Böcs		X	X	X	X	t ₁	t ₁	0	X	D2		
	Hernádnémeti-Böcs	Taktaharkány		X	X	X	t ₁	t ₁	t ₁	0	X	D2		
	Taktaharkány	Szerencs		X	X	X	X	t ₁	X	0	X	D2		
	Szerencs		I. track	0	0	0	0	0	0	0	0	0		
	Szerencs	Mezőzombor		X	X	X	X	X	X	0	X	D2		
	Mezőzombor		II. track	X	X	X	X	X	X	0	X	D2		
80c	Bodrogkeresztúr		I. track	X	X	X	X	X	X	0	0	D2		
	Bodrogkeresztúr		II. track	X	X	X	X	X	X	0	m ₁	D2	high platform	
	Bodrogkeresztúr		III. track	X	X	X	m ₁	0	0	0	0	X	D2	sign
	Bodrogkeresztúr	Olaszlizska-Tolcsva		X	X	X	X	m ₁	m ₁	0	m ₁	D2	148+99 station name board Szegi mh.	
	Bodrogkeresztúr	Olaszlizska-Tolcsva		X	X	X	X	X	X	0	m ₁	D2	148-152 high platform Szegi mh.	
	Bodrogkeresztúr	Olaszlizska-Tolcsva		X	X	X	X	X	X	0	m ₁	D2	171-174 high platform Erdőbénye mh.	
	Olaszlizska-Tolcsva		I. track	X	X	X	X	X	X	0	0	D2		
	Olaszlizska-Tolcsva		II. track	X	X	X	X	X	X	0	m ₁	D2	high platform	
	Olaszlizska-Tolcsva	Sárospatak		X	X	X	X	X	X	0	m ₁	D2	294-298 high platform Bodrogolaszi mh.	
	Sárospatak		I. track	X	X	X	X	X	X	0	0	D2		
	Sárospatak		II. track	X	X	X	X	X	X	0	m ₁	D2	high platform	
	Sátoraljaújhely		I. track	m ₁	0	0	0	0	0	0	0	0	m ₁ D2	platform roof
	Sátoraljaújhely		IV. track	X	X	X	X	X	X	0	m ₁	D2	stilted platform	
	80d	Sátoraljaújhely	Szlovákújhely országhatár		X	X	X	X	t ₃ B	0	0	0	X	D2
Hatvan (80)		Selyp		X	X	X	X	t ₁	t ₁	0	X	0		
81	Selyp	Tar		X	X	X	X	X	X	0	X	0		
	Tar	Nagybátony		X	X	X	X	0	X	0	X	0		
	Nagybátony	Salgótarján külső		X	X	X	X	X	X	0	X	0		
	Salgótarján	Somoskőújfalu országhatár		X	X	X	X	X	X	0	X	0		
82	Hatvan (80)	Újszász (120)		X	X	X	X	X	X	0	X	D2		
84	Kisterenye (81)	Kál-Kápolna (80)		0	0	0	0	0	0	0	0	0	Only forwardable with individual permission	
85	Vámosgyörk (80)	Gyöngyöshalász mh elágazás		X	X	X	X	X	X	0	X	D2		
	Gyöngyöshalász mh elágazás	Gyöngyös		X	X	X	m1	0	0	0	0	X	D2	92+49 signal
86	Vámosgyörk (80)	Újszász (120)		X	X	X	X	X	X	0	0	0		
	Jászapáti		II. track	X	X	X	X	X	X	0	0	0		
	Jászapáti		III. track	X	X	X	X	0	m1	0	0	0	0	water crane
87	Füzesabony (80)	Eger		X	X	X	X	X	X	0	X	0		
	Eger	Eger-Felnémet		X	X	X	X	X	X	0	X	0		
	Eger-Felnémet	Szilvásvárad		0	0	0	0	0	0	0	0	0	Only forwardable with individual permission	
	Szilvásvárad	Putnok (92)		0	0	0	0	0	0	0	0	0	Only forwardable with individual permission	
87b	Eger-Rendező elágazás	Tihaméri elágazás		X	X	X	X	X	X	0	X	0		
87c	Eger-Rendező	Eger elágazás		X	X	X	X	X	X	0	X	0		
88	Hejőkeresztúr (89)	Mezőcsát		X	X	X	X	X	X	0	X	0		
	Hejőszalonta		II. track	X	X	X	X	X	X	0	m ₁	0	77/78 switch balance	
89	Nyékkládháza (80)	Tiszapalkonya-Erőmű		X	X	X	X	X	X	0	X	D2		

Line number	Name of line or section			Sign of consignments forwardable with General permission									Object
				11	22	33	44	55	66	77	88	99	
90	Felsőzsolca (80)	Halmaj		X	X	X	X	X	X	0	X	D2	
	Halmaj	Forró-Encs		X	X	X	X	X	X	0	0	D2	
	Forró-Encs		IV. track	X	X	0	0	0	0	0	0	D2	
	Forró-Encs	Hidasnémeti országhatár		X	X	X	X	X	X	0	X	D2	
	Hidasnémeti		VI. track	X	X	X	X	X	X	0	X	D2	
91	Miskolc-Rendező (80)	Diósgyőr-Vasgyár		X	X	X	X	X	X	0	X	D2	
92	Miskolc-Tiszai (80)	Szinva elágazás		X	X	X	X	0	X	0	0	D2	
	Szinva elágazás	Miskolc-Gömöri		X	X	X	X	0	X	0	0	D2	
	Miskolc-Gömöri		III. track	X	X	X	X	X	X	0	X	D2	
	Miskolc-Gömöri	Bánréve országhatár		X	X	X	X	X	X	0	X	D2	
	Putnok		VI. track	X	X	X	X	0	X	0	X	D2	
	Bánréve		I. track	X	X	X	X	0	X	0	X	D2	
	Bánréve	Center		X	X	X	X	0	X	0	0	D2	
	Center	Özd		X	X	X	X	0	X	0	0	D2	
94	Sajóecseg (92)	Hídvégárdó országhatár		X	X	X	X	X	X	0	X	0	
	Szalonna		IV. track	X	X	m ₁	0	0	0	0	m ₁	0	fence
95	Kazincbarcika (92)	Rudabánya		0	0	0	0	0	0	0	0	0	Only forwardable with individual permission
98	Szerencs (80)	Hidasnémeti (90)		X	X	X	X	X	X	0	X	0	

Line number	Name of line or section			Sign of consignments forwardable with General permission									Object	
				11	22	33	44	55	66	77	88	99		
100	Budapest-Nyugati			0	0	0	0	0	0	0	0	0	Only forwardable with individual permission	
	Budapest-Nyugati	ceglédi	right track	X	X	X	X	0	0	0	0	X	D2	
	Budapest-Nyugati	ceglédi	left track	X	X	X	X	0	0	0	0	0	D2	
	Budapest-Nyugati	Városliget elágazás	right track	X	X	X	X	X	X	0	0	0	D2	
	Budapest-Nyugati	Városliget elágazás	left track	X	X	X	0	0	0	0	0	X	D2	
	Városliget elágazás	Kőbánya-Teher		X	X	X	X	X	X	0	0	0	D2	
	Kőbánya-Teher	Kőbánya-Kispest	right track	X	X	X	X	X	X	0	X	0	D2	
	Kőbánya-Teher	Kőbánya-Kispest	left track	X	m ₁	0	0	0	0	X	0	0	D2	78 - 81 platform roof
	Kőbánya-Kispest		I. track	X	X	X	X	X	X	0	0	X	D2	
	Kőbánya-Kispest		II. track	X	X	X	X	0	X	0	m ₁	0	D2	stilted platform
	Kőbánya-Kispest		IV. track	X	X	X	X	m ₁	X	0	X	0	D2	platform roof
	Kőbánya-Kispest		V. track	X	X	X	X	X	X	0	X	0	D2	
	Kőbánya-Kispest		IX. track	X	X	X	m ₁	0	X	0	X	0	D2	platform roof
	Kőbánya-Kispest		XI. track	X	X	m ₁	0	0	X	0	0	0	D2	platform roof
	Kőbánya-Kispest	Alberttírsa		X	X	X	X	X	X	0	X	X		
	Alberttírsa	Ceglédbercel-Cserő		X	X	X	X	t ₁	t ₁	0	X	X		
	Ceglédbercel-Cserő	Cegléd		X	X	X	X	t ₁	X	0	X	X		
	Cegléd		V. track	X	X	X	X	0	0	0	X	X		
	Cegléd		VI. track	X	X	X	X	X	X	0	0	X		
	Cegléd	Abony		X	X	X	X	X	X	0	X	X		
	Abony		IV. track	X	X	X	X	X	X	0	0	X		
	Abony	Szolnok		X	X	X	X	t ₁	t ₁	0	X	X		
	Szolnok		I. track	m ₁	m ₁	0	0	0	0	X	0	0	m ₁ D2	platform roof
	Szolnok		III. track	X	X	X	X	X	X	0	m ₁	0	D2	platform roof
	Szolnok		IV. track	X	X	X	X	X	X	0	0	0	D2	
	Szolnok		VIII. track	X	X	X	X	X	X	0	m ₁	0	D2	platform roof
	Szolnok		X. track	X	X	X	X	X	X	0	m ₁	0	D2	platform roof
	Szolnok		XI. track	X	X	X	X	X	X	0	m ₁	0	D2	platform roof
	Szolnok		XIII. track	X	X	X	X	X	X	0	m ₁	0	D2	platform roof
	Szolnok		XV. track	X	X	0	0	0	0	X	0	0	D2	
	Szolnok		XXII. - XXVI. track	X	X	X	X	X	X	0	0	0	D2	
	Szolnok	Millér		X	X	X	X	t ₁	X	0	X	X		
	Millér	Szajol		X	X	X	X	t ₁	X	0	X	X		
	Szajol	Kaba		X	X	X	X	X	X	0	0	X		
	Püspökladány		I. track	X	X	X	X	m ₁	m ₁	0	0	X	J40 dwarf shunting signal with sign	
	Kaba	Hajdúszoboszló		X	X	X	X	t ₁	t ₁	0	0	X		
	Hajdúszoboszló	Debrecen		X	X	X	X	X	X	0	0	X		
	Debrecen		I. track	0	0	0	0	0	0	X	0	0	0	
	Debrecen		II. track	X	X	X	X	X	X	0	0	0	D2	
	Debrecen		III. track	X	X	X	X	X	X	0	m ₁	0	D2	platform roof
	Debrecen		IV. track	X	X	X	X	X	X	0	0	0	D2	
	Debrecen		V. track	m ₁	0	0	0	0	0	X	0	0	m ₁ D2	platform roof
	Debrecen		VIII. track	X	X	X	X	X	X	0	0	0	D2	
	Debrecen		X. track	X	m ₁	0	0	0	0	X	0	0	D2	platform roof
	Debrecen		XI. track	X	X	m ₁	m ₁	m ₁	X	0	0	0	D2	platform roof
	Debrecen		XII. track	X	X	X	m ₁	0	0	0	0	X	D2	2221+83 sign
	Debrecen		XIII. track	X	X	X	m ₁	0	0	0	0	X	D2	2221+83 sign
	Debrecen		XIV. track	X	X	X	m ₁	0	0	0	0	X	D2	2221+83 sign
	Debrecen		M track	X	X	m ₁	0	0	0	0	0	m ₁	D2	2222+19 sign
	Debrecen	Apafa		X	X	X	X	t ₁	X	0	X	X	D2	
	Apafa	Hajdúhadház		X	X	X	X	t ₁	X	0	X	0	D2	
	Hajdúhadház		IV. track	X	X	X	X	X	X	0	0	0	D2	
	Hajdúhadház	Újfehértó		X	X	X	X	t ₁	X	0	X	0	D2	
	Újfehértó	Császárszállás		X	X	X	X	X	X	0	X	0	D2	
	Császárszállás	Nyíregyháza		X	X	X	X	t ₁	X	0	X	0	D2	
	Nyíregyháza		I. track	0	0	0	0	0	0	0	0	0	0	
Nyíregyháza		II. track	0	0	0	0	0	0	0	0	0	0		
Nyíregyháza		III. track	0	0	0	0	0	0	0	0	0	0		
Nyíregyháza		IV. track	0	0	0	0	0	0	0	0	0	0		
Nyíregyháza		V. track	0	0	0	0	0	0	0	0	0	0		
Nyíregyháza		VII. track	X	X	X	m ₁	0	0	0	0	X	D2	4+86 loudspeaker pole	
Nyíregyháza		IX. track	X	m ₁	0	0	0	0	0	0	0	D2	V10 signal	
Nyíregyháza	Pátróha		X	X	X	X	X	X	0	X	0	D2		
Sóstóhegy		II. track	X	X	0	0	0	0	0	0	0	D2		
Nyírbogdány		III. track	X	X	X	X	X	X	0	m ₁	0	D2	stilted platform	
Nyírbogdány		VI. track	X	X	X	X	X	X	0	0	0	D2		
Pátróha	Kisvárd		X	X	X	X	t ₁	X	0	X	0	D2		
Kisvárd	Tuzsér		X	X	X	X	X	X	0	X	0	D2		
Fényeslitke		I. track	m ₁	0	0	0	0	0	0	0	0	m ₁ D2	side loading	
Komoró		VII. track	X	X	X	X	m ₁	m ₁	0	X	0	D2	row of poles	
Tuzsér		I. track	X	X	m ₁	0	0	0	0	0	0	D2	K2 signal	
Tuzsér		V. track	X	X	X	m ₁	0	0	0	0	m ₁	D2	578+01 sign	
Tuzsér		VI. track	X	X	X	X	X	X	0	X	0	D2		
Tuzsér	Záhony		X	X	X	X	X	X	0	X	0	D2		
Záhony-Rendező		R II. track	X	X	X	m ₁	0	0	0	0	0	D2	638+76 sign	
Záhony		II. track	X	X	X	X	X	X	0	0	0	D2		
Záhony		III. track	X	X	X	X	X	X	0	0	0	D2		
Záhony		V. track	X	X	X	X	m ₁	m ₁	0	0	0	D2	660+20 pole	
Záhony	országhatár		X	X	X	X	X	X	0	X	0	D2		

Line number	Name of line or section			Sign of consignments forwardable with General permission									Object
				11	22	33	44	55	66	77	88	99	
100c	Mezőzombor (80)	Görögszállás		X	X	X	X	0	X	0	0	D2	
	Rakamaz		II. track	X	X	X	X	X	X	0	0	D2	
	Rakamaz	Görögszállás		X	X	X	X	X	X	0	0	D2	
	Görögszállás		VI. track	0	0	0	0	0	0	0	0	0	
	Görögszállás	Nyíregyháza-Északi kitérő		X	X	X	X	X	X	0	0	D2	
	Nyírtelek		III. track	X	X	X	X	m1	m1	0	0	D2	401- 402 K4 signal
	Nyíregyháza-Északi kitérő		III. track	X	X	X	X	m1	X	0	0	0	467+70 signal at switch no. 1
	Nyíregyháza-Északi kitérő		IV. track	X	X	X	X	m1	X	0	0	D2	467+70 signal at switch no. 1
	Nyíregyháza-Északi kitérő	Nyíregyháza (100)		X	X	X	X	0	X	0	0	D2	
100d	Fényeslitke-Rendező	Komoró (100)		X	X	X	X	X	X	0	X	D2	
	Fényeslitke-Rendező	Eperjeske-Átrakó		X	X	X	X	X	X	0	X	D2	
	Eperjeske-Rendező	Tornyospálca (111)		X	X	X	X	X	X	0	X	D2	
	Eperjeske-Átrakó		XXVIII. track	X	X	X	X	0	X	0	X	D2	
	Záhony (100)	Komoró (100)		X	X	X	X	X	X	0	X	D2	
	Tuzsér (100)	Eperjeske országhatár		X	X	X	X	X	X	0	X	D2	
101	Püspökladány (100)	Biharkeresztes országhatár		X	X	X	X	X	X	0	0	D2	
102	Kál-Kápolna (80)	Kisköre		X	X	X	X	X	X	0	X	0	
	Kisköre	Abádszalók		0	0	0	0	0	0	0	0	0	
	Abádszalók	Kisújszállás (100)		X	X	X	X	X	X	0	X	0	
103	Karcag (100)	Tiszafüred (108)		X	X	X	X	X	X	0	X	0	
105	Debrecen (100)	Vámospércs		X	X	X	X	X	X	0	X	D2	
	Vámospércs		IV. track	X	X	X	X	X	X	0	0	0	
	Vámospércs	Nagycsere		X	X	X	X	X	X	0	X	D2	
	Nagycsere		II. track	X	X	X	X	X	X	0	0	D2	
	Nagycsere	Nyírábrány		X	X	X	X	X	X	0	X	D2	
	Nyírábrány		III. track	X	X	X	X	X	X	0	0	D2	
	Nyírábrány	országhatár		X	X	X	X	X	X	0	X	D2	
106	Debrecen (100)	Nagykerekei		X	X	X	X	X	X	0	X	0	
107	Sáránd (106)	Létavértes		X	X	X	X	X	X	0	X	0	
108	Debrecen (100)	Tócsóvölgy		X	X	X	X	X	X	0	X	D2	
	Tócsóvölgy			X	X	X	X	X	X	0	X	D2	
	Tócsóvölgy	Poroszló		X	X	X	X	X	X	0	X	0	
	Hortobágy		II. track	X	X	X	X	0	X	0	X	0	
	Poroszló	Füzesabony (80)		X	m1	X	X	X	X	0	X	0	888/889 Egerfarmos switch no. 2.figure
	Egerfarmos		II. track	X	0	X	X	X	X	0	0	0	
109	Tócsóvölgy (108)	Tiszalök (117)		X	X	X	X	X	X	0	X	D2	
110	Apafa (100)	Mátészalka (111)		X	X	X	X	X	X	0	X	0	
111	Mátészalka		V. track	X	X	X	X	X	X	0	X	D2	
	Mátészalka	Záhony (100)		X	X	X	X	X	X	0	X	D2	
112	Nagykálló elágazás	Nyíradony (110)		0	0	0	0	0	0	0	0	0	Only forwardable with individual permission
113	Nyíregyháza (100)	Nyírbátor (110)		X	X	X	X	X	X	0	X	0	
	Mátészalka (111)	Zajta		X	X	X	X	X	X	0	X	0	
114	Kocsord alsó (113)	Csenger		X	X	X	X	X	X	0	X	0	
	Csenger		II. track	X	X	X	0	0	0	0	m1	0	switch no. 8. figure
115	Ágerdómajor országhatár	Mátészalka (111)		X	X	X	X	X	X	0	X	0	
116	Nyíregyháza (100)	Nyíregyháza külső		X	X	X	X	X	X	0	X	0	
	Nyíregyháza külső	Ófehértó		X	X	X	X	0	0	0	X	0	
	Ófehértó	Nyírmada		X	X	X	X	X	X	0	X	0	
	Nyírmada	Vásárosnamény (111)		X	X	X	X	X	X	0	X	D2	
117	Óhat-Pusztakócs (108)	Tiszalök		0	0	0	0	0	0	0	0	0	Only forwardable with individual permission
	Tiszalök	Görögszállás (100c)		X	X	X	X	X	X	0	X	D2	

Line number	Name of line or section			Sign of consignments forwardable with General permission									Object
				11	22	33	44	55	66	77	88	99	
120	Rákös (80)	Rákoshegy		X	X	X	X	X	X	0	0	D2	
	Rákoshegy		IV. track	X	X	X	X	0	X	0	0	D2	
	Rákoshegy	Maglód		X	X	X	X	X	X	0	0	D2	
	Maglód		III. track	X	X	m ₁	m ₁	m ₁	X	0	0	D2	platform roof
	Maglód		IV. track	X	X	0	0	0	X	0	0	D2	
	Maglód	Gyömrő		X	X	X	X	X	X	0	0	D2	
	Gyömrő		I. track	X	X	m ₁	m ₁	m ₁	X	0	0	D2	high platform, platform roof
	Gyömrő		II. track	X	X	m ₁	m ₁	m ₁	X	0	0	D2	high platform, platform roof
	Gyömrő	Mende		X	X	X	X	X	X	0	0	D2	
	Mende		III. track	X	X	m ₁	m ₁	m ₁	X	0	0	D2	platform roof
	Mende		IV. track	X	X	X	X	X	X	0	0	D2	
	Mende	Sülysáp	right track	X	X	X	X	X	X	0	0	D2	
	Mende	Sülysáp	left track	X	X	X	X	X	X	0	0	D2	
	Sülysáp		IV. track	X	X	X	X	X	X	0	0	D2	
	Sülysáp	Tápiószecső	right track	X	X	X	X	X	X	0	0	D2	
	Sülysáp	Tápiószecső	left track	X	X	X	X	X	X	0	0	D2	
	Tápiószecső	Nagykáta	right track	X	X	X	X	X	X	0	0	D2	
	Nagykáta		II. track	X	X	X	m ₁	0	0	0	0	D2	stilted platform
	Nagykáta	Tápiószele		X	X	X	X	X	X	0	0	D2	
	Tápiószele		III. track	X	X	X	X	X	X	0	0	D2	
	Tápiószele		IV. track	X	X	X	X	X	X	0	0	D2	
	Tápiószele	Tápiógyörgye		X	X	X	X	X	X	0	0	D2	
	Tápiógyörgye		III. track	X	X	X	X	X	X	0	0	D2	
	Tápiógyörgye		IV. track	X	X	X	X	X	X	0	0	D2	
	Tápiógyörgye	Újszász		X	X	X	X	X	X	0	0	D2	
	Újszász		IV. - VII. track	X	X	m ₁	0	0	0	0	0	D2	522+98 sign
	Újszász	Szolnok D elágazás	right track	X	X	X	X	X	X	0	0	D2	
	Újszász	Szolnok D elágazás	left track	X	X	X	X	X	X	0	0	D2	
	Szolnok D elágazás	Szolnok (100)		X	X	X	X	X	X	0	0	D2	
	Szolnok (100)	Szajol (100)											
	Szajol (100)	Tiszatenyő		X	X	X	X	X	X	0	X	X	
	Tiszatenyő		III. track	X	X	X	X	X	X	0	m ₁	X	stilted platform
	Tiszatenyő	Kétpó forgalmi kitérő	right track	X	X	X	X	X	X	0	0	X	
	Tiszatenyő	Kétpó forgalmi kitérő	left track	X	X	X	X	X	X	0	X	X	
	Kétpó forgalmi kitérő	Mezőtúr	right track	X	X	X	X	X	X	0	X	X	
	Kétpó forgalmi kitérő	Mezőtúr	left track	X	X	X	X	X	X	0	m ₁	X	Mezőtúr switch no. 8.
	Mezőtúr		I/1. track	X	X	X	X	X	X	0	X	D2	
	Mezőtúr		külső A track	X	X	X	m ₁	0	0	0	X	D2	life protecting fence
	Mezőtúr		III. track	X	X	X	X	X	X	0	0	D2	
	Mezőtúr		IV. - VIII. track	X	X	X	X	X	X	0	0	D2	
	Mezőtúr	Gyoma		X	X	X	X	X	X	0	X	X	
	Gyoma	Békéscsaba		X	X	X	X	X	X	0	0	X	
	Békéscsaba		II. track	X	X	X	X	m ₁	m ₁	0	0	X	platform roof and underpass
	Békéscsaba		III. track	X	X	X	X	X	X	0	0	X	
	Békéscsaba		IV. track	X	X	X	X	X	X	0	0	X	
	Békéscsaba		V. track	X	X	X	X	X	X	0	0	X	
	Békéscsaba		XI. track	X	X	X	X	X	X	0	X	D2	
	Békéscsaba	Lökősháza országhatár		X	X	X	X	X	X	0	X	D2	
	Lökősháza		I. track	X	X	X	X	X	X	0	0	D2	
	Lökősháza		II. track	X	X	X	X	X	X	0	0	D2	
	Lökősháza		IV. track	X	X	X	0	0	0	0	X	D2	
	Lökősháza		VI. track	X	X	X	X	X	X	0	X	D2	
121	Újszeged	Kétegyháza (120)		X	X	X	X	X	X	0	X	0	
125	Mezőtúr (120)	Mezőhegyes (121)		X	X	X	X	X	X	0	X	0	
125a	Mezőhegyes (121)	Battonya		X	X	X	X	X	X	0	X	0	
	Battonya		II. track	X	X	X	X	X	X	0	0	0	
126	Kisszénás (125)	Kondoros		X	X	X	X	X	X	0	X	0	
	Kondoros		III. track	X	X	X	X	X	X	0	m ₁	0	movable scotch block
127	Gyoma (120)	Szeghalom (128)		X	X	X	X	X	X	0	X	0	
	Vésztő (128)	Körösnagyharsány		0	0	0	0	0	0	0	0	0	Only forwardable with individual permission
128	Kötegyán (135)	Püspökladány (100)		X	X	X	X	X	X	0	X	0	
129	Murony (120)	Békés		0	0	0	0	0	0	0	0	0	Only forwardable with individual permission
130	Tiszatenyő (120)	Martély		X	X	X	X	X	X	0	X	D2	
	Martély	Hódmezővásárhely Népkert (135)		X	X	X	X	X	X	0	0	D2	
	Hódmezővásárhely (135)	Makó elágazás (121)		0	0	0	0	0	0	0	0	0	Only forwardable with individual permission
135	Szeged (140)	Szeged-Rókus		X	X	X	X	X	X	0	X	D2	
	Szeged Rókus	Hódmezővásárhely Népkert		X	0	0	0	0	0	0	0	D2	
	Hódmezővásárhely Népkert			X	0	0	0	0	0	0	0	D2	
	Hódmezővásárhely Népkert	Gyula		X	X	X	X	X	X	0	X	D2	
	Hódmezővásárhely		II. track	X	X	m ₁	0	0	0	0	m ₁	D2	water crane
	Hódmezővásárhely		III. track	X	X	m ₁	0	0	0	0	m ₁	D2	water crane
	Békéscsaba (120)												
	Gyula	Kötegyán országhatár		X	X	X	X	X	X	0	X	0	

Line number	Name of line or section			Sign of consignments forwardable with General permission									Object
				11	22	33	44	55	66	77	88	99	
136	Szeged-Rendező (140)	Röszke országhatár		X	X	X	X	X	X	0	0	D2	
140	Cegléd (100)	Városföld		X	X	X	X	X	X	0	X	D2	
	Városföld	Kiskunfélegyháza		X	X	X	t ₁	t ₁	t ₁	0	X	D2	
	Kiskunfélegyháza	Kiskundorozsma		X	X	X	X	X	X	0	X	D2	
	Kiskundorozsma	Szeged		X	X	X	X	X	X	0	X	D2	
	Szeged		I. track	0	0	0	0	0	0	X	0	0	
	Szeged		II. track	X	X	X	X	X	X	0	0	D2	
	Szeged		III. track	X	X	X	X	X	X	0	m ₁	D2	heating connector
	Szeged		IV. track	X	X	X	X	X	X	0	m ₁	D2	heating connector
142	Kőbánya-Kispest (100)	Kecskemét (140)		X	X	X	X	X	X	0	X	D2	
	Ócsa		I. track	X	0	X	X	X	X	0	0	D2	
	Ócsa		V. track	X	0	X	X	X	X	0	0	D2	
	Dabas		I. track	X	X	X	X	X	X	0	0	D2	
	Dabas		VI. track	X	X	X	X	X	X	0	0	D2	
	Szolnok	Tószeg		X	X	X	X	X	X	0	X	0	
145	Tószeg	Tiszakécske		X	X	X	X	0	0	0	X	0	
	Tiszakécske	Nyárlőrinc		X	X	X	X	X	X	0	X	0	
	Nyárlőrinc	Kecskemét		X	X	X	X	m ₁	X	0	X	0	21/20 signal
146	Kiskunfélegyháza (140)	Tiszaalpár		X	X	X	0	0	0	0	0	0	
	Tiszaalpár		III. track	X	X	X	X	0	0	0	X	0	
	Tiszaalpár	Csépa		X	X	X	X	X	X	0	X	0	
	Lakitelek (145)			X	X	X	X	X	X	0	X	0	
147	Csépa	Kunszentmárton elágazás		X	X	X	X	0	X	0	X	0	
	Kiskunfélegyháza (140)	Orosháza (135)		X	X	X	X	X	X	0	X	0	
	Csongrád		IV. track	X	X	X	X	X	X	0	0	0	
	Szentcsanak (130)			X	X	X	X	X	X	0	X	D2	
	Ferencváros (1)	Soroksári út	right track	X	m ₁	X	X	X	X	0	0	X	8/9 bridge structure
	Ferencváros (1)	Soroksári út	left track	X	X	X	X	X	X	0	X	X	
	Soroksári út	Soroksár		X	X	X	X	X	X	0	X	X	
	Soroksár			X	X	X	X	X	X	0	X	D2	
150	Soroksár	Kiskunhalas		0	0	0	0	0	0	0	0	0	Only forwardable with individual permission
	Kiskunhalas			X	X	X	X	X	X	0	X	D2	
	Kiskunhalas	Kelebia-országhatár		0	0	0	0	0	0	0	0	0	Only forwardable with individual permission
	Kunszentmiklós-Tass (150)	Dunapataj		0	0	0	0	0	0	0	0	0	Only forwardable with individual permission
	Fülöpszállás (150)	Helvécia		0	0	0	0	0	0	0	0	0	Only forwardable with individual permission
	Helvécia	Kecskemét alsó (142)		X	X	X	X	X	X	0	X	0	
	Kiskörös (150)	Kalocsa		X	X	X	X	X	X	0	X	0	
	Kalocsa		IV. track	X	X	X	X	X	X	0	X	0	
153	Bátaszék (50)	Pörböl		0	0	0	0	0	0	0	0	D2	
	Pörböl	Baja-Dunapart kiágazás		X	X	X	X	X	X	0	0	D2	
	Baja-Dunapart kiágazás	Bácsbokod-Bácsborsód		X	X	X	X	X	X	0	0	D2	
	Baja		III. track	X	X	X	X	X	X	0	0	D2	
	Mátészalkapuszta		II. track	X	X	X	X	X	X	0	0	D2	
	Bácsbokod-Bácsborsód		III. track	X	X	X	X	0	0	0	0	D2	
	Bácsbokod-Bácsborsód	Bácsalmás		X	X	X	X	X	X	0	0	D2	
	Bácsalmás	Kiskunhalas (150)		X	X	X	X	X	X	0	0	D2	
155	Jánoshalma		IV. track	X	X	X	X	X	X	0	0	D2	
	Kiskunhalas (150)	Galambos		X	X	X	X	X	X	0	X	D2	
200	Galambos	Kiskunfélegyháza (140)		X	X	X	X	X	X	0	X	D2	
	Kőbánya felső (80)	Rákosszentmihály		X	t ₁	t ₂	t ₂	t ₂	t ₂	0	t ₂	D2	
	Rákosszentmihály	Angyalföld elágazás		X	t ₁	t ₂	t ₂	t ₂	t ₂	0	0	D2	
201	Angyalföld elágazás (200)	Rákosrendező (70)		X	X	X	X	X	X	0	X	D2	
202	Angyalföld elágazás (200)	Angyalföld (2)		X	X	X	X	X	X	0	X	D2	
203	Angyalföld elágazás (200)	Rákospalota-Újpest (70)		X	X	X	t ₁	t ₁	t ₁	0	X	D2	
205	Rákos (80)	Rákos elágazás (200)		X	t ₁	t ₂	t ₂	t ₂	t ₂	0	t ₂	D2	
206	Ferencváros (1)	Kőbánya felső (80)		X	X	X	X	X	X	0	m ₁	D2	15 - 16 bridge structure
209	Ferencváros (1)	Kőbánya-Kispest (100)		X	X	t ₁	t ₁	t ₂	t ₂	0	t ₁	X	
209	Budapest-Nyugati (70 és 100)	Rákosrendező (70)		0	0	0	0	0	0	0	0	0	Only forwardable with individual permission
211	Kispest elágazás	Pestszentimre felső elágazás		0	0	0	0	0	0	0	0	0	Only forwardable with individual permission
212	Kőbánya-Teher (100)	Kőbánya felső (80)		0	0	0	0	0	0	0	0	0	Only forwardable with individual permission
215	Kőbánya-Teher (100)	Pestszentlőrinci vontatóvágány (100)		0	0	0	0	0	0	0	0	0	Only forwardable with individual permission
216	Kőbánya felső elágazás (205)	Kőbánya-Hízaló		0	0	0	0	0	0	0	0	0	Only forwardable with individual permission
217	Kőbánya kiágazás (200)	Rákos (80)		X	t ₁	t ₂	t ₂	t ₂	t ₂	0	t ₂	D2	
219	Rákosrendező (70)	Városliget elágazás (100)		X	0	X	X	X	X	0	0	0	
220	Rákosrendező (70)	Istvánteleki főműhely		0	0	0	0	0	0	0	0	0	Only forwardable with individual permission
221	Soroksár (150)	Szemeretelep (Pestszentlőrinc) (100)		0	0	0	0	0	0	0	0	0	Only forwardable with individual permission
227	Soroksári út (150)	Soroksári út rendező		X	X	X	X	X	X	0	X	0	
	Soroksári út rendező	Csepel elosztó		X	X	X	X	X	X	0	X	0	
235	Soroksár (150)	Soroksár-Terminál		X	X	X	X	X	X	0	X	D2	
261	Törökszentmiklós elágazás (100)	Tiszatenyő elágazás (120)		X	X	X	X	X	X	0	X	0	
262a	Hatvan "A" elágazás	Hatvan "C" elágazás		X	X	X	X	X	X	0	X	D2	
262b	Hatvan "B" elágazás	Hatvan "C" elágazás		X	X	X	X	X	X	0	X	D2	
262c	Hatvan "B" elágazás	Hatvan-Rendező		X	X	X	X	X	X	0	X	0	
262d	Hatvan "C" elágazás	Hatvan "D" elágazás		X	X	X	X	X	X	0	X	D2	
262e	Hatvan Rendező		IX. track	X	X	0	0	0	0	0	0	0	
	Hatvan Rendező		XIII. track	X	X	X	X	X	X	0	0	0	
	Hatvan Rendező	Hatvan		X	X	X	X	X	X	0	X	0	

Line number	Name of line or section			Sign of consignments forwardable with General permission									Object
				11	22	33	44	55	66	77	88	99	
263	Abony elágazás	Nyársapát elágazás		X	X	X	X	X	X	0	X	D2	
264f	Paládcspusztá elágazás	Újszász elágazás		X	X	X	X	X	X	0	X	0	
265	Balotaszállás elágazás	Harkakötő elágazás		X	X	X	X	X	X	0	X	D2	
266a	Celldömök Rendező (20)	Vinár elágazás (10)		X	X	X	X	X	X	0	X	D2	
266b	Celldömök Rendező (20)	Celldömök (10)		X	X	X	X	X	X	0	X	D2	
267	Dombóvár alsó (41)	Dombóvár elágazás		X	X	X	X	X	X	0	X	D2	
268	Dorog elágazás	Tokod (4)		X	X	X	X	X	X	0	X	0	
269	Városföld elágazás	Kecskemét alsó (142)		X	X	X	X	X	X	0	X	D2	
271	Győrszentiván elágazás	Győrszabadhegy elágazás		X	X	X	X	X	X	0	X	D2	
272	Bósztr elágazás	Szalkszentmárton elágazás		0	0	0	0	0	0	0	0	0	Only forwardable with individual permission
273	Izsák elágazás	Csengőd elágazás		0	0	0	0	0	0	0	0	0	Only forwardable with individual permission
277	Nyíregyháza-Északi kitérő (100c)	Sóstóhegy elágazás		X	X	X	X	X	X	0	X	D2	
281	Szeged-Rendező (140)	Szeged-Tisza		X	X	X	X	X	X	0	X	0	
291	Zalaszentiván elágazás	Andráshida elágazás		X	X	X	X	X	X	0	X	X	
292	Kerta elágazás	Jánosháza elágazás		X	X	X	X	X	X	0	X	X	
340	Győrszentiván (1)	Gönyű		X	X	X	X	X	X	0	X	X	
341	Adony (42)	Adony-Dunapart		0	0	0	0	0	0	0	0	0	Only forwardable with individual permission
342	Dunaújváros (42)	Dunaújvárosi kikötő		X	X	X	X	0	0	0	X	0	
352	Tapolca (26)	Zalahaláp		0	0	0	0	0	0	0	0	0	Only forwardable with individual permission
353	Uzsa (26)	Uzsabánya		X	X	X	X	X	X	0	X	0	
354	Balatonszentgyörgyi elágazás	Sármellék rh.		0	0	0	0	0	0	0	0	0	Only forwardable with individual permission
370	Sajóecseg (92)	Sajóbábony		0	0	0	0	0	0	0	0	0	Only forwardable with individual permission
371	Mezőkeresztes-Mezőnyárad (80)	Bükkbány		X	X	X	X	X	X	0	X	0	
372	Nagyút (80)	Visonta kombinát		X	X	X	X	X	X	0	X	0	
390	Baja (154)	Baja-Dunapart		X	X	X	X	X	X	0	0	0	
391	Baja (154)	Baja külő		X	X	X	X	X	X	0	0	0	

Notation:

- **X:** No restriction beyond general conditions - According to Traffic Instructions F. 2.
- **0:** Shall not run on given section or track,
- **01:** general consignment V.max.=60 km/h, in the diversionary direction on switches Vmax =20 km/h on the whole route,
- **02:** general consignment V.max.=80 km/h on the whole route,
- **74:** general consignment V.max.=90 km/h, in the diversionary direction on switches Vmax =20 km/h on the whole route,
- **t1:** On open line consignment shall not meet with another train which forwards out-of-gauge - except for code 11 and 99 - consignments. On an open line, on a section of track consisting of more than two tracks, it shall not meet with another train which forwards out-of-gauge consignments on the immediately adjacent track(s), except for type 11 and 99 consignments.
- **t2:** Shall not meet with train or vehicle on open line. On a section of track with more than two tracks, a train or vehicle on an open line shall not meet a train or vehicle on the immediately adjacent track(s).
- **t3B:** On stations the forwarding train may run on „B”, „C”, „D”, „E”, „F”-signed tracks,
- No simultaneous movement is allowed at stations on neighbouring tracks. Both train which forwards out-of-gauge consignment and vehicles standing on neighbouring tracks shall stand at least 30 meters before the shunting limit sign,
- **v1:** On the given section at under the given facility consignment can only be forwarded with release and grounding.
- **m1:** Passing only with max. 15 km/h.
- **D2:** May run under conditions of Traffic Instructions F. 2. Annex 27. point 27.5., Train staff shall be informed about forwarding permissions of consignments forwarded under „non out-of-gauge consignment with axle overload (65)” as specified in the "Written provision on restrictions" of the said acceptance licence, in accordance with the line.