

Position of stations and service places on railway lines; main technical and operational characteristics - GYSEV Zrt.

Line number	IT line number	Name of the service place	Statistical number of service place	Track														
				Number /name	Function (passenger/freight/other)	Electrified (yes)	Length (m)	Through main line (yes)	Designated to go-round (yes)	length/width/height of platform (m)	Qualified as occupied by persons (yes)	Designated for storage	Preheating/precooling	Connection to electric power	Water supply	Connection to sewer	Equipped with inspection pit	
1D	1	Bezenye mh.	47431	I		yes					140/3,3/0,15							
1D	1	Rajka	01974															
			I.	other	yes	810					yes		yes		yes			
			II.	passenger/freight	yes	820	yes		400/6,8/0,3	yes								
			III.	passenger/freight	yes	810			400/6,8/0,3	yes								
			III/A	other	yes	240												
			IV.	freight	yes	830												
			V	freight	yes	810												
			VI	freight	yes	800												
			VII	freight	yes	820												
			VIII	freight	yes	830		yes										
			IX	freight	yes	830												
			X	freight	yes	830												
			XI	freight	yes	860												
			XV	other		150							yes					
			XVI	other		150							yes					
			XVII	other	yes	50							yes					
			XIX	other		150							yes					
			XX	other		150							yes					
			XXI	other		100							yes					
			XXII	other		100							yes					
XXIII	other		50							yes								
8	8G, 8GR	Győr-Gysev	02501	I.	other		410							yes				
			II.	freight	yes	440		yes										
			III.	freight	yes	493		yes										
			IV.	freight	yes	620		yes										
			V.	freight	yes	595/637		yes										
			VI.	freight	yes	403/555		yes										
			VII.	other		347						yes						
			VIII.	other		440						yes						
			IX.	other		80						yes						
8	8	Ikrény	02519	I.	passenger/freight	yes	619	yes		191/1,9/0,3	yes							
			II.	passenger/freight	yes	658		yes	140/1,85/0	yes								
			III.	freight	yes	658		yes										
			IV.	other	yes	100					yes							
8	8	Rábapatona mh.	02527	I.		yes				162/1,9/0,3								
8	8	Enese	02535	I.	other	yes	666					yes						
			II.	passenger/freight	yes	669		yes	282/1,65/0,15	yes								
			III.	passenger/freight	yes	756	yes	yes	133/1,70/0									
8	8	Kóny	02543				180						yes					
			II.	passenger/freight	yes	629	yes	yes	195/3,2/0,3	yes								
			III.	passenger/freight	yes	647		yes	151/1,84/0	yes								
8	8	Bágyoszová m.	02550	I.		yes				133/2,54/0,3								
8	8	Dör mh.	02568	I.		yes				185/1,9/0,3								
8	8, 14, 16	Csorna	02576	I/a	other	yes	335						yes					
			I/b	other	yes	218					yes		yes					
			II.	passenger/freight	yes	687		yes	127/3,9;9/0,3									
			III.	passenger/freight	yes	712	yes	yes	228/6,4/0,3									
			IV/a	passenger/freight	yes	330			1,21/1,6/0,15	yes								
			IV/b	other	yes	103			1,09/1,6/0,15	yes								
			V.	passenger/freight	yes	730		yes	228/6,4/0,3									
			VI.	freight	yes	730		yes										
			VII.	freight	yes	707		yes			yes							
			VIII.	freight	yes	707		yes			yes							
			IX.	freight	yes	596		yes			yes							
			X.	other	yes	305					yes							
			XI.	other		244					yes							
			XII.	other		119					yes							
			XIII.	other		141												
			XIV.	other		129												
			XV.	other		33												
			XVI.	other		90												
			XVII.	other		440												
			XVIII.	other		324												
8	8	Farád mh.	02584	I.		yes				210/1,9/0,3								
8	8	Rábatamási	02592					yes	yes		90/1,9/0,3	yes						
			II.	passenger/freight	yes	578		yes	150/1,9/0	yes								
			III.	other		150					yes							
8	8	Szár föld mh.	02600	I.		yes				198/1,9/0,3								
8	8	Vesz kény mh.	02618	I.		yes				186/1,9/0,3								
8	8	Kapuvár	02626															
			I.	other	yes	578					yes							
			II.	passenger/freight	yes	588			200/1,65/0,15	yes								
			III.	passenger/freight	yes	632	yes	yes	230/1,65/0,15	yes								
			IV.	passenger/freight	yes	644		yes	120/2/0	yes								
			V.	freight	yes	599		yes										
			VI.	other		585					yes							
			VII.	other		200					yes							
8	8	Vt nyéd-Csermajor mh.	02634	VIII.	other		20					yes						
				I.		yes				160/3,45/0,55								

Position of stations and service places on railway lines; main technical and operational characteristics - GYSEV Zrt.

Line number	IT line number	Name of the service place	Statistical number of service place	Track														
				Number /name	Function (passenger /freight /other)	Electrified (yes)	Length (m)	Through main line (yes)	Designated to go-round (yes)	length /width /height of platform (m))	Qualified as occupied by persons (yes)	Designated for storage	Preheating /precooling	Connection to electric power	Water supply	Connection to sewer	Equipped with inspection pit	
8	8	Fertőendréd	02642															
				I.	other		170					yes						
				II.	freight	yes	713		yes									
				III.	freight	yes	793	yes	yes									
8	8	Petőháza	02659															
				I.	passenger /freight	yes	1034	yes		114/1,9/0,3	yes							
				II.	freight	yes	580		yes									
				III.	other	yes	519		yes			yes						
				IV.	other	yes	492		yes			yes						
V.	other		414		yes			yes										
8	8, 9	Fertőszentmiklós	02667															
				I/A	other	yes	221											
				I/B	other	yes	50											
			II.	passenger /freight	yes	610/968			150/4,50/0,55									
			III.	passenger /freight	yes	570/879	yes	yes	210/6,20/0,55									
			IV/A	other	yes	118												
			IV/B	other	yes	333												
			V.	passenger /freight	yes	573		yes	210/6,2/0,55				yes					
			VI.	freight	yes	517		yes						yes				
			VII.	freight	yes	450		yes						yes				
VIII.	other		145						yes									
IX.	other		136															
8	8	Pinnye	02683															
				I.	other	yes	414					yes						
				II.	passenger /freight	yes	746		yes	260/2/0	yes							
				III.	passenger /freight	yes	729	yes	yes	121/2/0	yes							
				IV.	other	yes	664		yes			yes						
V.	other		240															
8	8	Fertőboz	02709															
				I.	passenger /freight	yes	753	yes	yes	85/1,90/0,30; 85/2/0								
				II.	passenger /freight	yes	649		yes	70/1,65/0,15; 125/1,9/0								
III.	freight	yes	620		yes			yes										
8	8	Balfürdő mh.	2717	I.		yes				113/2/0								
8, 15	8, 8E, 15, 15R, 524	Sopron	02725															
				I.	passenger	yes	256		yes	241/8/0,30			yes		yes			
				II.	passenger	yes	275		yes	231/3-9,4/0,30			yes		yes			
				III.	passenger	yes	535		yes	231/3-9,4/0,30			yes		yes			
				IV.	freight	yes	530	yes	yes			yes						
				V.	passenger	yes	402		yes	157/6,40/0,55								
				VI.	other	yes	176						yes					
				VII.	passenger	yes	426		yes	157/6,40/0,55								
				VIII.	passenger	yes	343		yes									
			XVII	passenger /freight	yes	251					yes		yes					
XXXVI.	other		30											yes				
8, 15	8R, 15R	Sopron-Rendező	48025															
				I.	other		731						yes					
				II.	freight	yes	683		yes			yes						
				III.	freight	yes	683		yes			yes						
				IV.	freight	yes	758		yes			yes						
				V.	freight	yes	638		yes			yes						
				VI.	freight	yes	645		yes			yes						
				VII.	freight	yes	597		yes			yes						
				VIII.	freight	yes	583		yes			yes						
				IX.	freight	yes	619		yes			yes						
				X.	freight	yes	712		yes			yes						
				XI.	freight	yes	673		yes			yes						
				XII.	freight	yes	694		yes			yes						
				XIII.	freight	yes	750		yes			yes						
				XIV.	freight	yes	749		yes			yes						
				XV.	freight	yes	787		yes			yes						
				XVI.	freight	yes	784		yes			yes						
				XVIII.	other		100											
				CT I.	other		252											
				CT II.	other		213											
				CT III.	other		463											
				CT IIIa.	other		350											
				CT IV.	other		429											
				CT IVa.	other		336											
				CT V.	freight	yes	413		yes				yes					
				CT VI.	freight	yes	620		yes				yes					
			9	9	Fertőszéplak-Fertőd mh.	02857			yes				160/2,80/0,55					
15	15, 15D	Harka	05157															
				I.	passenger /freight	yes	568	igen	yes	115/2,5/0,30								
				II.	passenger /freight	yes	530		yes	120/1,65/0								
15	15	Kópháza mh.	05165	I.		yes				150/3,15/0,55								

Position of stations and service places on railway lines; main technical and operational characteristics - GYSEV Zrt.

Line number	IT line number	Name of the service place	Statistical number of service place	Track													
				Number/name	Function (passenger/freight/other)	Electrified (yes)	Length (m)	Through main line (yes)	Designated to go-round (yes)	length/width/height of platform (m)	Qualified as occupied by persons (yes)	Designated for storage	Preheating /precooling	Connection to electric power	Water supply	Connection to sewer	Equipped with inspection pit
15	15	Nagyecenk	05173														
				I.	passenger / freight	yes	460	yes		150/3,35/0,55							
				II.	passenger / freight	yes	470		yes	150/3,35/0,55							
				III.	freight		466		yes			yes					
				IV.	other		222					yes					
15	15	Pereszteg mh.	05181	I.		yes				150/3,25/0,55							
15	15	Sopronkövesd mh.	05199	I.		yes				150/3,25/0,55							
15	15	Lövő	05207														
				I.	passenger / freight	yes	814	yes		150/3,35/0,55							
				II.	passenger / freight	yes	798			150/6,18/0,55							
				III.	passenger / freight	yes	820			150/6,18/0,55							
				IV.	other		222										
15	15	Nemeskér-Egyházásfalu mh.	05215	I.		yes				150/3,15/0,55							
15	15	Újkér	05223	I.		yes				150/3,15/0,55							
15	15	Tormásliget mh.	45971	I.		yes				150/3,15/0,55							
15	15	Bük	05231														
				I.	passenger / freight	yes	377		yes	160/2,6/0,55							
				II.	passenger / freight	yes	382	yes	yes	260/6,25/0,55							
				III.a.	freight	yes	61					yes					
				III.b.	freight	yes	203					yes					
				IV.	passenger / freight	yes	515		yes	260/6,25/0,55							
				V.	freight		497					yes					
				VI.	freight		147					yes					
				VII.	freight		196					yes					
15	15	Acsád	05249														
				I.	passenger / freight	yes	353		yes	150/4,1/0,55							
				II.	passenger / freight	yes	353	yes	yes	150/4,1/0,55							
				III.	freight	yes	449		yes								
				IV.	freight		421					yes					
15	15	Salköveskút-Vassurány mh.	05264	I.	passenger / freight	yes				150/3,25/0,55							
15, 16, 17, 18, 20, 21	15, 16, 17, 18, 20, 21	Szombathely személy-pályaudvar	02246														
				A	passenger	yes	190			190/9/0,3			yes		yes		
				B	passenger	yes	200			172/3/0,3	yes		yes	yes	yes		
				I.	passenger	yes	280		yes	350/9/0,3	no, but from the end side, on the place next to the stairs to the underpass: yes		yes		yes		
				II.	passenger	yes	294		yes	340/8/0,3			yes	yes	yes		
				III.	passenger	yes	506	yes	yes	460/8/0,3			yes	yes	yes		
				IV.	passenger	yes	480	yes	yes	400/7,5/0,3; 55/1,65/0,15			yes		yes		
				V.	passenger	yes	470		yes	400/7,5/0,3; 41/1,75/0			yes		yes		
				VI.	passenger	yes	404			360/2/0		yes	yes		yes		
				VII.	passenger	yes	373		yes	360/2/0							
				VIII.	passenger	yes	405			315/2/0		yes	yes		yes		
				IX.	other	yes	264					yes	yes		yes		
16	16	Mosonszolnok	02337														
				I	passenger / freight		658			160/4,2/0,55							
				II	passenger / freight	yes	589	yes		160/4,2/0,55							
				III	freight	yes	566		yes								
				IV	freight	yes	500										
				V	freight	yes	500										
16	16	Jánossomorja	02345														
				I	passenger / freight	yes	558			160/4,2/0,55							
				II	passenger / freight	yes	664	yes		160/4,2/0,55							
				III	freight	yes	731		yes								
				IV	other	partly	232					yes					
16	16	Hanság-Nagyerdő mh.	02352			yes				145/1,6/0,3							
16	16	Hanságliget mh.	45666			yes				90/2,85/0,55							
16	16	Bősárkány	02360														
				I	other	partly	600					yes					
				II	passenger / freight	yes	600			160/4,2/0,55							
				III	passenger / freight	yes	740	yes		160/4,2/0,55							

Position of stations and service places on railway lines; main technical and operational characteristics - GYSEV Zrt.

Line number	IT line number	Name of the service place	Statistical number of service place	Track													
				Number/name	Function (passenger/freight/other)	Electrified (yes)	Length (m)	Through main line (yes)	Designated to go-round (yes)	length/width/height of platform (m)	Qualified as occupied by persons (yes)	Designated for storage	Preheating /precooling	Connection to electric power	Water supply	Connection to sewer	Equipped with inspection pit
16	16	Szil-Sopronnémeti	02378														
						start-point: 150 m; end-point: 25 m											
				I.	other		301					yes					
				II.	passenger/freight	yes	680		yes	160/5,3-7,7/0,55							
				III.	passenger/freight	yes	680	yes	yes	160/5,3-7,7/0,55							
				IV.	freight	yes	780		yes								
16	16	Magyarkeresztúr-Zsebeháza mh.	02386			yes				240/4/0,3							
16	16	Páli-Vadosfa mh.	02394			yes				200/2,5/0							
16	16	Vica mh.	45674			yes				97/2,6/0							
16	16	Beled	02402														
						start-point: 150m; end-point: 25m											
				I.	other		679					yes					
				II.	passenger/freight	yes	660		yes	160/4,2/0,55							
				III.	passenger/freight	yes	640	yes	yes	160/4,2/0,55							
				IV.	freight	yes	610		yes								
				V.	other		151										
16	16	Dénesfa mh.	02410			yes				130/2/0,15							
16	16	Csánig mh.	02428			yes				52/5/0,15; 130/5/0							
16	16	Répcelak	02436														
						start-point: 25m; end-point: 25m											
				I.	other		682					yes					
				II.	passenger/freight	yes	713		yes	209/4,6-6,7/0,55					water crane		
				III.	passenger/freight	yes	701	yes	yes	209/4,6-6,7/0,55					water crane		
				IV.	passenger/freight	yes	696		yes	200/1,90-2,60/0,15							
				V.	freight	yes	678		yes								
				VI.	freight	yes	646		yes								
				VII.	other	yes	25										
				VIII.	other		38					yes					
				IX.	other	yes	300										
16	16	Vámoscsalád mh.	02444			yes				247/4/0,3							
16	16	Vasegerszeg mh.	02451			yes				90/2,75/0,55							
16	16	Hegyfalu	02469														
				I.	passenger/freight	yes	679		yes	160/4,15/0,55							
				II.	passenger/freight	yes	694	yes	yes	160/4,15/0,55							
				III.	freight		806		yes	nincs							
				IV.	other	start-point: 25m; end-point: 25m						yes					
				V.	other	start-point: 25m	404										
16	16	Pósfa mh.	02477			yes	100					yes					
			02485							90/2,85/0,55							
16	16	Ölbő-Alsószeleste		I.	passenger/freight	yes	600		yes	160/4,2/0,55							
				II.	passenger/freight	yes	574	yes	yes	160/4,2/0,55							

Position of stations and service places on railway lines; main technical and operational characteristics - GYSEV Zrt.

Line number	IT line number	Name of the service place	Statistical number of service place	Track													
				Number/name	Function (passenger/freight/other)	Electrified (yes)	Length (m)	Through main line (yes)	Designated to go-round (yes)	length/width/height of platform (m)	Qualified as occupied by persons (yes)	Designated for storage	Preheating /precooling	Connection to electric power	Water supply	Connection to sewer	Equipped with inspection pit
17.21	17.21	Szombathely rendező-pályaudvar	43778														
				I. "tyra"	other	yes	263		yes								
				II.	freight	yes	566		yes			yes					
				III.	freight	yes	534		yes			yes					
				IV.	freight	yes	561		yes								
				V.	freight	yes	603		yes			yes					
				VI.	freight	yes	711		yes			yes					
				VII.	freight	yes	622		yes			yes					
				VIII.	freight	yes	641		yes			yes					
				IX.	freight	yes	692		yes			yes					
				X.	freight	yes	594		yes								
				XI.	freight	yes	680	yes	yes								
				XII.	freight	yes	589	yes	yes								
				XIII.	other	yes	841										
				Temető csonka	other	yes	140					yes		yes			
				Újkihúzó	other		238					yes					
				Régi Kihúzó	other		231					yes					
				Élőrakodó	other		151					yes					
				Sertés egyenes	other		446 415					yes					
				Sertés görbe	other		161					yes					
				Régi mérleg	other		90					yes					
				Kert	other		330					yes					
				Kút	other		122					yes					
				Rampa	other		185					yes					
				Daru	other		170					yes		yes			
				Újvágány	other		66					yes					
				KPU I.	other	yes	291					yes					
				KPU II.	other	yes	273					yes					
				KPU III.	other	yes	273					yes					
				KPU IV.	other	yes	272					yes					
				Görbe kirakó	other		176					yes					
17	17	Gyöngyöshermán mh.	46169	I.		yes				90/3,5/0,55							
17	17	Hatmajor forgalmi kitérő	43786														
				I.	freight	yes	695	yes									
				II.	freight	yes	645		yes								
17	17	Sorkifalud mh.	05280	I.		yes				90/3,5/0,55							
17	17	Szentléánt mh.	05298	I.		yes				90/3,5/0,55							
17	17	Püspökmolnári	05306														
				I.	passenger/freight	yes	671			161/4,2/0,55							
				II.	passenger/freight	yes	606	yes		161/4,2/0,55							
				III.	freight	yes	703		yes								
				IV.csonka	other	in 150 m lenght	330										
17	17	Vasvár	05314														
				I.	passenger/freight	yes	649	yes		210/4,13/0,55							
				II.	passenger/freight	yes	651		yes	210/4,13/0,55							
				III.	other	starting point: 25 m	64										
				II. csonka	other	yes	30										
17	17	Pácsony	05330														
				I.	passenger/freight	yes	674			160/6,2/0,55							
				II.	passenger/freight	yes	670	yes		160/6,2/0,55							
				III.	freight	yes	699		yes								
				IV.	other	ending point: 25m	190										
17	17	Győrvár mh.	05348	I.		yes				90/3,5/0,55							
17	17	Egervár - Vasboldogasszony	05355														
				I.	passenger/freight	yes	618			160/6,17/0,55							
				II.	passenger/freight	yes	628	yes		160/6,17/0,55							
				III.	freight	yes	628		yes								
				IV.	other	starting point: 150 m	282										
17	17	Zalaszentlőrinc mh.	05181	I.		yes				90/3,50/0,55							
18	18	Kámon mh.	47951	I.						90/3,1/0,55							
18	18	Gencsapáti alsó mh.	05504	I.						90/3,5/0,55							
18	18	Gencsapáti felső mh.	45989	I.						90/3,2/0,55							
18	18	Gyöngyösfalu mh.	05512	I.						90/3,4/0,55							
18	18	Lukácsháza alsó mh.	45997	I.						90/3,6/0,55							
18	18	Lukácsháza mh.	05220	I.						90/3,6/0,55							
18	18	Kőszegfalva mh.	46003	I.						90/3,5/0,55							
18	18	Kőszeg	05538														
				I.	passenger/freight		336			100/5,7/0,55							
				II.	freight		60										

Position of stations and service places on railway lines; main technical and operational characteristics - GYSEV Zrt.

Line number	IT line number	Name of the service place	Statistical number of service place	Track													
				Number/name	Function (passenger/freight/other)	Electrified (yes)	Length (m)	Through main line (yes)	Designated to go-round (yes)	length/width/height of platform (m)	Qualified as occupied by persons (yes)	Designated for storage	Preheating /precooling	Connection to electric power	Water supply	Connection to sewer	Equipped with inspection pit
20	16, 20	Porpác	02220	I.	passenger/freight	yes	806		yes	275/3/0							
				II.	passenger/freight	yes	842	yes	yes	345/5,7/0,30							
				III.	passenger/freight	yes	878	yes	yes	345/5,7/0,30							
				IV.	freight	yes	878		yes								
				V.	other	yes	393					yes					
20	20	Vép	02233	I.	passenger/freight	yes	828		yes	305/2/0							
				II.	passenger/freight	yes	871	yes	yes	340/4,5/0,30							
				III.	passenger/freight	yes	878	yes	yes	340/4,5/0,30							
				IV.	freight	yes	825		yes								
				V.	freight	yes	809		yes								
				VI.	other	yes	270					yes					
				VII.	other	yes	152					yes					
				I.		yes				260/3,4/0,55							
21	21	Ják - Balogunyom	02253	I.	passenger/freight	yes	536			260/6,2/0,55							
				II	other	yes	85										
				III.	passenger/freight	yes	537	yes		260/6,2/0,55							
				IV.	freight	yes	595					yes					
				V.	freight	yes	551					yes					
				VI	other		600					yes					
				VII	other		103					yes					
21	21	Egyházásrádóc	02279	I.	passenger/freight	yes	561	yes		260/3,1/0,55							
				II.	passenger/freight	yes	561			260/3,1/0,55							
21	21, 22	Körmend	02287	I.a	other		360					yes					
				Ib.	passenger		42			30/2,7/0,55		yes					
				II.	passenger	yes	647			150/4,84/0,55							
				III.	passenger	yes	662	yes		260/6,2/0,55							
				Iva	other	yes	288					yes					
				V.	passenger	yes	604			260/6,2/0,55							
				VI.	freight	yes	526		yes			yes					
				VII.	freight	yes	493		yes			no					
				VIII.	freight	yes	489		yes			no					
				X.	other		50					yes					
				XI.	other		120					yes					
21	21	Horvátnádalja mh.	45658	I.		yes				150/3,15/0,55							
21	21	Csákánydoroszló	02295	I.						260/6,4/0,55							
				II	passenger/freight	yes	762			260/6,4/0,55							
				III.	freight	yes	704	yes	yes	260/6,4/0,55							
				IV.	other		103					yes					
				V.	other		60					yes					
				VI	other		53					yes					
21	21	Rátót mh.	02303	I.		yes				260/3,70/0,55							
21	21	Alsóórnök	02311	I.	passenger/freight	yes	750			260/4,2/0,55							
				II	passenger/freight	yes	750	yes		260/4,2/0,55							
21	21	Haris mh.	46375	I.		yes				200/4,4/0,55							
21	21	Szentgotthárd	02329	I.a	other		80					yes					
				Ib.	other, weighing		137					yes					
				II	passenger	yes	563			200/4,2/0,55		yes	yes				
				III.	passenger	yes	591	yes		260/6,2/0,55		yes	yes				
				Iva	other	yes	232					yes	yes				
				Ivb	other	yes	117					yes	yes				
				V.	passenger	yes	617			260/6,2/0,55		yes	yes				
				VI	freight	yes	862		yes	190/2,3/0		yes	yes				
				VII.	freight	yes	789		yes	190/2,3/0		no					
				VIII.	freight	yes	714		yes			no					
				IX.	freight	yes	708					yes					
				X	other		98										
				XI.	other		89										
				XII	other		73										