

Modification: D, E, 1A, 7C, 10A, 13A, 17B, 17G, 18, 19A

Annex 7.3.11

Public loading sidings and loading areas belonging to these loading sidings - MÁV Infrastructure Co. Ltd.

Budapest Regional Directorate

Service place	Open access loading place registered by MÁV Infrastructure Co. Ltd.								Loading track next to loading places						Restrictions, remarks
	Code of the service palce	Position of the service place	Loading and other equipments	SLC ID of the loading and other equipment	Paved	Lighting	Size		TAF TSI ID	Name of the track	Usable length (m)	Loading length (m)	Availability of catenary	Axle load (t)	
		From section to section			yes-no-partly	yes-no	Length (m)	Width (m)					yes / no partly?		
Abony	13730	882+80-884+60	side and end loading	HU-13730-19-X06	yes	yes	35	8	55-13730-01-6	06rakodó csonka(OH)	167	35	no	21	"K" signed
Abony	13730	882+80-884+60	none	HU-13730-06-T06	yes	yes	180	35	55-13730-01-6	06rakodó csonka	167	132	no	21	"K" signed
Ács	01230	1131+1132	none	HU-01230-06-T01	yes	yes	100	20	55-01230-01-1	01	710	100	yes	21	"K" signed
Ács	01230	1131+1132	side loading	HU-01230-19-001	yes	yes	47	12	55-01230-01-1	01.(O)	710	47	yes	21	"K" signed
Acsa -Erdőkürt	10884	232+00-235+20	side loading	HU-10884-19-001	yes	yes	50	6	55-10884-01-1	01.(O)	580	50	no	20	
Acsa -Erdőkürt	10884	232+00-235+20	none	HU-10884-06-T01A	yes	yes	100	10	55-10884-01-1	01.(A)	580	100	no	20	
Acsa -Erdőkürt	10884	236+50-237+00	none	HU-10884-06-T01B	no	yes	40	20	55-10884-01-1	01.(B)	580	40	no	20	
Adony	06452	85-86	none	HU-06452-06-T01	yes	yes	80	8	55-06452-01-1	01.	500	80	partly	21	Service by diesel locomotive only.
Albertirsa	13698	551+80-553+80	none	HU-13698-06-T09	yes	yes	200	18	55-13698-01-9	09.csonka	237	200	no	21	
Angyalföld	10124	0+92-2+50	none	HU-10124-06-T09	yes	yes	200	22	55-10124-01-9	09.	346	200	no	20	
Angyalföld	10124	0+45-2+80	none	HU-10124-06-T10	yes	yes	200	22	55-10124-01-10	10.	315	200	no	20	Locomotives with 6 axle are not allowed to run.
Aszód	11163	503+66-504+16	side loading	HU-11163-19-007	yes	yes	50	10	55-11163-01-7	07.(O)	536	140	no	16	Loading area can't be used, capacity is not available.
Aszód	11163	505+71-506+14	end loading	HU-11163-19-H08	yes	yes	48	10	55-11163-01-8	08.(H)	4860	48	no	16	Loading area can't be used, capacity is not available.
Aszód	11163	503+36-507+36	none	HU-11163-06-T09	yes	yes	400	25	55-11163-01-9	09.	510	400	no	16	Loading area can't be used, capacity is not available.
Balassagyarmat	10967	601-602	none	HU-10967-06-T17	yes	yes	100	10	55-10967-01-17	17.	210	100	no	18,5	
Balassagyarmat	10967	602-603	side loading	HU-10967-19-001	yes	yes	30	15	55-10967-01-1	01.(O)	321	30	no	18,5	
Balassagyarmat	10967	603-603+25	none	HU-10967-06-T01	yes	yes	20	10	55-10967-01-1	01.	321	25	no	18,5	
Balassagyarmat	10967	603-605	none	HU-10967-06-T09	yes	yes	200	15	55-10967-01-9	09.	210	200	no	18,5	
Biatorbágy	01057	296+298	none	HU-01057-06-T01A	yes	yes	200	10	55-01057-01-1	01.(A)	710	200	partly	21	"K" signed Service by diesel locomotive only.
Biatorbágy	01057	300-303	none	HU-01057-06-T01B	yes	yes	250	17	55-01057-01-1	01.(B)	710	220	partly	21	"K" signed Service by diesel locomotive only.
Biatorbágy	01057	300-303	side loading	HU-01057-19-001	yes	yes	30	4	55-01057-01-1	01.(O)	30	30	yes	21	"K" signed
Bicske	01081	482+84 - 483+10	end loading	HU-01081-06-H12	no	no	26	10	55-01081-01-12	12.	300	26	no	21	
Bicske	01081	480+00 - 483+81	end loading	HU-01081-06-H13	yes	yes	381	15	55-01081-01-13	13.	300	300	no	21	
Bicske	01081	481+78 - 483+74	none	HU-01081-06-T16	yes	yes	196	12	55-01081-01-16	16.	350	150	no	21	
Bodajk	03707	199+22 - 199+52	side loading	HU-03707-19-001	yes	yes	30	15	55-03707-01-1	01.(O)	480320	30	no	20	
Börögönd	04101	87+43 - 87+83	side loading	HU-04101-19-001	yes	yes	40	10	55-04101-01-1	01.(O)	689	40	no	20	
Budaörs	01032	183	side loading	HU-01032-19-001	yes	yes	35	6	55-01032-01-1	01.(O)	700	35	no	21	"K" signed
Cegléd	13722	719+65-722+45	none	HU-13722-06-T12	yes	yes	280	16	55-13722-01-12	12.	733	280	yesno	21	"K" signed
Cegléd	13722	722+65-723+61	none	HU-13722-06-T14	yes	yes	96	11	55-13722-01-14	14.	337	96	no	21	"K" signed
Cegléd	13722	9+85-11+31	none	HU-13722-06-T16	yes	yes	146	10	55-13722-01-16	16.csonka	283	116146	no	21	"K" signed
Cegléd	13722	9+85-11+31	end loading	HU-13722-19-H16	yes	yes	29,5	5,8	55-13722-01-16	16.(H1)csonka	283	30	no	21	"K" signed
Cegléd	13722	9+85-11+31	side loading	HU-13722-19-O17	yes	yes	29,5	5,8	55-13722-01-17	17.(H1)csonka	362	29	no	21	
Dabas	16840	425+10-425+90	none	HU-16840-06-T01	no	yes	10080	10	55-16840-01-1	01.	595	10080	no	21	
Délegyháza	16162	266+12-268+80	none	HU-16162-06-T05	no	yes	268	10	55-16162-01-5	05.	268	268	partly	21	Under construction from 01.02.2022 (full closure) Service by diesel locomotive only.
Diósjenő	10645	282+05-283+00	side loading	HU-10645-19-001	yes	yes	10	5	55-10645-01-1	01.(O)	194	10	no	16,5	
Diósjenő	10645	282+05-283+00	none	HU-10645-06-T01	yes	yes	100	15	55-10645-01-1	01.	194	100	no	16,5	
Dömsöd	16196	436+90-438+00	none	HU-16196-06-T01	no	yes	500	4	55-16196-01-1	01.	540	500	partly	21	serving only from endpoint Loading area can't be used until further notice due to technical reasons, capacity can't be requested.
Drégelypalánk	10694	388+80-388+90	side loading	HU-10694-19-001	yes	yes	10	10	55-10694-01-1	01.(O)	130	10	no	12	
Drégelypalánk	10694	387+40-388+80	none	HU-10694-06-T01	yes	yes	100	20	55-10694-01-1	01.	130	100	no	12	
Dunaföldvár	06569	547-547+50	none	HU-06569-06-T01A	no	yes	50	20	55-06569-01-1	01.(A)	712	50	no	21	"K" signed
Dunaföldvár	06569	548+20-549+20	none	HU-06569-06-T01B	no	yes	100	25	55-06569-01-1	01.(B)	712	100	no	21	"K" signed
Dunaföldvár	06569	550+80-551+80 550+45-550+85	side loading	HU-06569-19-001	yes	yes	2040	10	55-06569-01-1	01.(O)	712	20	no	21	"K" signed
Dunaföldvár	06569	550+80-551+80 550+85-551+85	none	HU-06569-06-T01C	yes	yes	100258	20	55-06569-01-1	01.(C)	712	100	no	21	"K" signed
Dunaföldvár	06569	548+80-551+40 548+40-551+65	none	HU-06569-06-T05	no	yes	260325	20	55-06569-01-5	05.	285	235	no	21	"K" signed
Dunaföldvár	06569	548-551 550+00-550+25	side loading	HU-06569-19-005	no	yes	25	10	55-06569-01-5	05.(O)	285	25	no	21	"K" signed
Dunaharaszti	16121	152+80 -152+92	side loading	HU-16121-19-004	yes	no	12	10	55-16121-01-4	04.(O)	385	12	no	20	Under construction from 01.02.2022 (full closure) Concrete fence next to the track in 200m length. Due to P+R parking lot it can't be reached from the road.

Service place	Open access loading place registered by MÁV Infrastructure Co. Ltd.								Loading track next to loading places						Restrictions, remarks
	Code of the service palce	Position of the service place	Loading and other equipments	SLC ID of the loading and other equipment	Paved	Lighting	Size		TAF TSI ID	Name of the track	Usable length (m)	Loading length (m)	Availability of catenary	Axle load (t)	
		From section to section			yes-no-partly	yes-no	Length (m)	Width (m)					yes / no partly?		
Dunaharaszti	16121	152+92-154+02	none	HU-16121-06-T04B	yes	no	110	20	55-16121-01-4	04.(B)	385	110	no	20	Under construction from 01.02.2022 (full closure) Due to P+R parking lot it can't be reached from the road.
Dunakeszi	10371	142+18-145+00	none	HU-10371-06-T01	yes	yes	282	10	55-10371-01-1	01.	882	282	no	20	
Dunaújváros	06502	262+00-266+94	none	HU-06502-06-TKE	yes	yes	420	10	55-06502-01-KERTI	Kerti vágány	420	420	no	21	
Dunaújváros	06502	263+93-267+10	end loading	HU-06502-19-HMV	yes	yes	210	10	55-06502-01-MERCs	Mérleg vágány(H)	210	210	no	21	wagon scale
Ercsi	05850	329-331	none	HU-05850-06-T14	no	yes	100	30	55-05850-01-14	14.	280	100	no	21	"K" signed Earth cone from the starting point.
Ercsi	05850	331-332	none	HU-05850-06-T15	partly	yes	60	12	55-05850-01-15	15.	150	60	yes	21	"K" signed
Ferencváros	10025	63+40 - 65+50	side loading	HU-10025-19-OHV	yes	yes	210	4	55-10025-01-HÁZI VG	01.(O)	411	210	yes	21	passable with 22,5t axle load with 5 km/h + district inspector
Ferencváros	10025	63+40 - 63+55	end loading	HU-10025-19-HHC	yes	yes	15	12	55-10025-01-HÁZI CS	HÁZI CSONKA (H)	82	82	yes	21	passable with 22,5t axle load with 5 km/h + district inspector
Göd	10413	216+25-217+27	none	HU-10413-06-T06	yes	yes	102	10	55-10413-01-6	06.	344	102	no yes	20	Loading area can't be used, capacity is not available.
Győr-Rendező	01271	1403+16-1404+16	end loading	HU-01271-19-HCS	yes	yes	94	19	55-01271-01-CSO 1	Csárda csonka(H)	60	19	no	21	Loading area can't be used until further notice due to technical reasons, capacity can't be requested.
Győr-Rendező	01271	1403+72-1405+40	none	HU-01271-06-TC3	yes	yes	75	19	55-01271-01-CSD 3	Csárda3.	120	75	no	21	
Győr-Rendező	01271	1404+00-1405+03	none	HU-01271-06-TC4	yes	yes	85	9	55-01271-01-CSD 4	Csárda4.	115	85	no	21	
Győr-Rendező	01271	1404+16-1406+03	none	HU-01271-06-TC5	yes	yes	85	9	55-01271-01-CSD 5	Csárda5.	155	85	no	21	"D" signed
Győr-Rendező	01271	1405-1408	none	HU-01271-06-TT2	yes	no	150	9	55-01271-01-TEM 2	Temető2.	172	150	no	21	"K" signed Loading area can't be used until further notice due to technical reasons, capacity can't be requested.
Győrszabadhegy*	02022	37+50-37+71	end loading	HU-02022-19-HJC	yes	yes	21	5	55-02022-01-JÁKI	Jáki csonka(H)	326	326	no	21	"K" signed Loading area can't be used, capacity is not available.
Győrszabadhegy*	02022	39+50-42	none	HU-02022-06-T01	yes	yes	250	5	55-02022-01-1	01.	430	250	no	21	"K" signed
Győrszentiván	01255	1328-1332	none	HU-01255-06-T01	yes	yes	122	14	55-01255-01-1	01.	590	122	yes	21	"K" signed Loading area can't be used, capacity is not available.
Győrszentiván	01255	1332-1333	side loading	HU-01255-19-O01	yes	yes	30	28	55-01255-01-1	01.(O)	590	30	yes	21	"K" signed
Győrszentiván	01255	1333-1334	end loading	HU-01255-19-HCS	yes	yes	10	6	55-01255-01-11 CSONKA	11.(H)	15	15	yes	21	"K" signed
Hatvan	11205	664+80-666+40	none	HU-11205-06-TUC	yes	no	160	16	55-11205-01-ÚJ CSONKA	Újcsonga	240	160	no	21	Track is not suitable for train departure
Hatvan	11205	3+00 - 3+85	none	HU-11205-06-TR4	no	no	85	8	55-11205-01-RÉPA 4	Répa4.	709	85	partly	21	"K" signed Service by diesel locomotive only.
Háros	05785	67+54 - 70+49 67+54-70+33	none	HU-05785-06-T14	yes	yes	295 289	18,5- 11	55-05785-01-14	14.	378	200	no	21	
Hegyeshalom	01362	1+80-2+46	side loading	HU-01362-19-OR1	yes	no	66	2,5	55-01362-01-RAKTÁR 1	Raktár1.(O)	115	18	no	21	"K" signed
Hegyeshalom	01362	1+80-2+77	none	HU-01362-06-TR1	yes	no	97	3,5	55-01362-01-RAKTÁR 1	Raktár1.	115	97	no	21	"K" signed
Hegyeshalom	01362	1+80-2+77	none	HU-01362-06-TR2	yes	no	97	3,5	55-01362-01-RAKTÁR 2	Raktár2.	170	97	no	21	"D" signed
Herceghalom	01065	375+95-376+70	none	HU-01065-06-T01	yes	yes	175	13	55-01065-01-1	01.	726	175	no	21	"K" signed
Herceghalom	01065	376+78-377+25	side loading	HU-01065-19-O01	yes	yes	20	10	55-01065-01-1	01.(O)	726	20	no	21	"K" signed
Isaszeg	11122	285+55 - 289+90	side loading	HU-11122-19-O04	yes	yes	260	10	55-11122-01-4	04.	379	260	no	22,5	"K" signed
Jászberény	11957	247+80-251+80	none	HU-11957-06-T08	yes	yes	80	5	55-11957-01-8	08.	340	80- 140	no	21	
Jászberény	11957	251+80	end loading	HU-11957-19-H08	yes	yes	20	6	55-11957-01-8	08.(H)	340	60	no	21	Loading area can't be used, capacity is not available.
Jászberény	11957	248+85-250+60	none	HU-11957-06-T07	yes	yes	180	5	55-11957-01-7	07.	210	180	no	21	
Jászberény	11957	248+85-250+60	none	HU-11957-06-T06	yes	yes	175	9	55-11957-01-6	06.	388 473	175	no	21	Loading area can't be used, capacity is not available.
Jászboldogháza-Jánoshida	11981	414+60-415+90	side loading	HU-11981-19-O01	yes	yes	22	10	55-11981-01-1	01.(O)	559	22	no	21	Bypass wire next to the track, therefore loading permit is required! Accessible only from the starting point.
Jászboldogháza-Jánoshida	11981	414+60-415+90	none	HU-11981-06-T01	yes	yes	130	5	55-11981-01-1	01.	559	430 150	no	21	Bypass wire next to the track, therefore loading permit is required! Accessible only from the starting point.
Jászfényszaru	11932	101+12-101+57	none	HU-11932-06-T01	yes	yes	315	4	55-11932-01-1	01.	553 400	315	no	21	Can be served only from the endpoint Track section next to the side loading excluded from traffic.
Jászfényszaru	11932	100+93-101+12	side loading	HU-11932-19-O01	yes	yes	19	15	55-11932-01-1	01.(O)	553 400	19	no	21	Can be served only from the endpoint Track section next to the side loading excluded from traffic. Capacity is not available.
Kimle-Károlyháza	01339	1691+86-1693+90	none	HU-01339-06-T08	yes	no	200	30	55-01339-01-8	08.	255	200	yes	21	
Kisbér	03764	464+59 - 466+15	none	HU-03764-06-T06	yes	yes	156	4	55-03764-01-6	06.	480	156	no	20 21	
Kisbér	03764	463+42 - 464+74 463+42-464+25	side and end loading	HU-03764-19-X06	yes	yes	429 83	14	55-03764-01-6	06.(O1)	480	429 83	no	20	
Kisbér	03764	463+42 - 462+74 462+28-463+42	side and end loading	HU-03764-19-X07	yes	yes	429 114	44 6	55-03764-01-7	07.(H1)	174	30 114	no	20	Loading area can't be used, capacity is not available.
Kisbér	03764	461+82 - 463+42	none	HU-03764-06-T07	yes	yes	160	9	55-03764-01-7	07.	174	444 160	no	20	Loading area can't be used, capacity is not available.

Service place	Open access loading place registered by MÁV Infrastructure Co. Ltd.								Loading track next to loading places						Restrictions, remarks
	Code of the service palce	Position of the service place	Loading and other equipments	SLC ID of the loading and other equipment	Paved	Lighting	Size		TAF TSI ID	Name of the track	Usable length (m)	Loading length (m)	Availability of catenary	Axle load (t)	
		From section to section			yes-no-partly	yes-no	Length (m)	Width (m)					yes / no partly?		
Kisbér	03764	466+03 -464+74 464+60-466+00	none	HU-03764-06-T08	yes	yes	129	4	55-03764-01-8	08.	130	129	no	20	
Kiskunlacháza	16188	341+70 - 341+90	side loading	HU-16188-19-001	yes	no	20	6	55-16188-01-1	01.(O)	741	20	no	21	Under construction from 01.02.2022 (full closure)
Kiskunlacháza	16188	336+90-340+90	none	HU-16188-06-T01	yes	no	400	10	55-16188-01-1	01.	741	400	partly	21	Under construction from 01.02.2022 (full closure) Service by diesel locomotive only.
Kiskunlacháza	16188	336+90- 340+90	none	HU-16188-06-TR1	yes	no	400	10	55-16188-01-R1	R1 Kerti	330	293	no	21	Under construction from 01.02.2022 (full closure)
Kispest	10199	81+00-82+00	side loading	HU-10199-19-001	yes	no	60	2	55-10199-01-1	01.(O)	672	60	no	21	Loading area can't be used due to technical reasons, capacity is not available.
Kispest	10199	82+05-82+10	end loading	HU-10199-19-H04	yes	no	4	5	55-10199-01-4	04.(H1)	177	177	no	21	Loading area can't be used due to technical reasons, capacity is not available.
Kispest	10199	82+07-83+27	end loading	HU-10199-19-H05	yes	no	4	5	55-10199-01-5	05.(H1)	86	86	no	21	Loading area can't be used due to technical reasons, capacity is not available.
Kispest	10199	82+07-83+27	end loading	HU-10199-19-H06	yes	no	4	5	55-10199-01-6	06.(H1)	86	86	no	21	Loading area can't be used due to technical reasons, capacity is not available.
Kispest	10199	82+07-83+27	none	HU-10199-06-T07	no	no	120	5	55-10199-01-7	07.	160	120	no	21	Loading area can't be used due to technical reasons, capacity is not available.
Kisterenye	11858	1242+65-1243+60	none	HU-11858-06-T10	yes	yes	100	20	55-11858-01-RAKTÁRI 10	10.raktári vágány	100	100	no	21	Loading area can't be used due to technical reasons, capacity is not available.
Komárom	01222	1045-1047	side loading	HU-01222-19-ONR	no	yes	90 70	10	55-01222-01-NAGYRAMPA	Nagyrapma(O)	170	50	no	21	
Komárom	01222	1047-1048	side and end loading	55-01222-19-XOR	yes	yes	30	15	55-01222-01-OROSZ	Orosz csonka	161	30	no	21	Excluded from traffic.
Komárom-Rendező	01214	1029-1035	none	HU-01214-06-TFD	no	no	340	3	55-01214-01-F Duna	Felső-Duna	580	340	no	21	"B" signed "K" signed
Kőbánya-Teher	10108	73+70-75+20	side and end loading	HU-10108-19-X16	yes	no	150	8,1	55-10108-01-16	16.(OH)	186	167	no	20	Loading area can't be used, capacity is not available. Track excluded from traffic.
Környe	01743	76+91-79+71 77+20-80+02	none	HU-01743-06-T06	yes	no	260 280	9 7,5	55-01743-01-6	06.	623 640	260 280	yes	24 18,5	"K" signed
Lábatlan	01578	201-203;205	none	HU-01578-06-T01	yes	no	160	20	55-01578-01-1	01.	637	270	no	21	
Lábatlan	01578	204	side loading	HU-01578-19-001	partly	no	20	16	55-01578-01-1	01.(O)	637	40	no	21	Loading area can't be used, capacity is not available.
Lébény-Mosonszentmiklós	01321	1602-1606+30	none	HU-01321-06-T01	yes	no	297	28,9	55-01321-01-1	01.	741	297	yes	21	"F" signed
Lovasberény	01685	276+28 - 276+68	side loading	HU-01685-19-001	yes	no	40	3,5	55-01685-01-1	1.(O)rakodó	212	35	no	20	Connected open line excluded. Loading area can't be used due to technical reasons, capacity is not available.
Magyarnándor	10934	446-447+50		none	HU-10934-06-T01	yes	yes	107	20	55-10934-01-1	01.	246	107	no	
Mende	11585	223+45-224+18	none	HU-11585-06-T01A	yes no	yes	73	5	55-11585-01-1	01.(A)	896	73	yes	20	Loading area can't be used, capacity is not available.
Mende	11585	226+62-226+96	none	HU-11585-06-T01B	yes no	yes	34	5	55-11585-01-1	01.(B)	896	34	yes	20	Loading area can't be used, capacity is not available.
Mende	11585	227+12-227+92	none	HU-11585-06-T01C	yes no	yes	80	5	55-11585-01-1	01.(C)	896	80	yes	20	Loading area can't be used, capacity is not available.
Ménfőcsanak mrh.	02048	99+42-103+90	none	HU-02048-06-TRA	yes	yes	300	10	55-02048-01-RAKODÓ	Rakodó	385	300	no	21	
Mezőfalva	06536	380-382 380+70-382+35	none	HU-06536-06-T01	yes	yes	200 165	9	55-06536-01-1	01.	691	200	no	21	"K" signed
Mezőfalva	06536	383+50-384 383+70-384+12	end loading	HU-06536-19-HCS	no	yes	20 42	10	55-06536-01-Csonka	Csonka(H1)	141	25	no	21	"K" signed
Mezőfalva	06536	383+50-384 383+35-383+70	side loading	HU-06536-19-001	yes	yes	20 35	10	55-06536-01-1	01. vágány(O1)	691	20	no	21	"K" signed
Mezőfalva	06536	384-384+50	none	HU-06536-06-TCS	no	yes	50	16	55-06536-01-Csonka	Csonka	141	25	no	21	"K" signed
Moha	03673	97+23 - 99+15	none	HU-03673-06-T01	yes	yes	192	5 20	55-03673-01-1	01.	210	192	no	20	serving only from endpoint in 200 meters!
Monor	13664	369+60-371+25	none	HU-13664-06-T06	yes	yes	165	10	55-13664-01-6	06.	239	165	partly	21	"K" group
Mór	03731	275+60 -276+80 275+60-277+10	none	HU-03731-06-T01	yes	yes	120 150	5	55-03731-01-1	01.	679	120	no	20	
Mór	03731	270+55 -272+05 271+30-273+55	none	HU-03731-06-TCS	yes	yes	150 225	5	55-03731-01-1CSONKA	01. csonka	154	150	no	20	"K" signed
Mór	03731	273+43 - 275+86	none	HU-03731-06-T06	no	yes	243	20	55-03731-01-6	06.	400 370	243	no	20	
Mór	03731	272+05 -273+55 273+55-274+00	side loading	HU-03731-19-001	yes	yes	50 45	14	55-03731-01-1	01.(O1)	679 154	50 45	no	20	
Mosonmagyaróvár	01347	1764-1765	none	HU-01347-06-T1C	yes	yes	100	15	55-01347-01-1C	01.C	208	100	yes	21	"K" signed
Mosonmagyaróvár	01347	1760+60-1762	none	HU-01347-06-T12	yes	no	140	10	55-01347-01-12	12.	125	110	no	21	"E" signed Loading area can't be used, capacity is not available.
Mosonmagyaróvár	01347	1759+60-1762+30	none	HU-01347-06-T08	yes	no	270	47	55-01347-01-8	08.-	645	270	yes	24	"E" signed
Mosonmagyaróvár	01347	1759+60-1759+85	none	HU-01347-06-T08A	yes	no	25	17	55-01347-01-8	08.(A)	615	25	yes	21	"E" signed
Mosonmagyaróvár	01347	1759+85-1761+35	none	HU-01347-06-T08B	yes	no	150	8	55-01347-01-8	08.(B)	615	150	yes	21	"E" signed
Mosonmagyaróvár	01347	1761+35-1762+30	none	HU-01347-06-T08C	yes	no	95	17	55-01347-01-8	08.(C)	615	95	yes	21	"E" signed
Nagyigmánd-Bábolna	03798	625+76-626+26 626+90-627+40	side loading	HU-03798-19-004	yes	yes	50	12	55-03798-01-4	04.(O)	647	44	no	21	

Service place	Open access loading place registered by MÁV Infrastructure Co. Ltd.								Loading track next to loading places						Restrictions, remarks
	Code of the service palce	Position of the service place	Loading and other equipments	SLC ID of the loading and other equipment	Paved	Lighting	Size		TAF TSI ID	Name of the track	Usable length (m)	Loading length (m)	Availability of catenary	Axle load (t)	
		From section to section			yes-no-partly	yes-no	Length (m)	Width (m)					yes / no partly?		
Nagyigmánd-Bábolna	03798	626+76-628+26 627+40-629+15	none	HU-03798-06-T04	yes	yes	150 175	12	55-03798-01-4	04.	647	150 175	no	21	
Nagykátá	11643	469+67-470+89	none	HU-11643-06-T10	yes	yes	122	13	55-11643-01-10	10.vágány	256	122	yes	21	"K" signed
Nagymaros	10488	519+25-520+15	side loading	HU-10488-19-001	yes	yes	90	11	55-10488-01-1	01.(O)	797	90	yes	20	
Nagymaros	10488	515+63-516+63	none	HU-10488-06-T01	no	no	100	10	55-10488-01-1	01.	797	100	no yes	20	
Nagyoroszi	10660	373+40-376+10	none	HU-10660-06-T01	yes	yes	80	10	55-10660-01-1	01.	247	80	no	12	
Nagyoroszi	10660	373+40-376+10	side loading	HU-10660-19-001	yes	yes	10	5	55-10660-01-1	01.(O)	247	10	no	12	
Nagyszentjános	01248	1236-1238	side loading	HU-01248-19-ORA	yes	yes	40	15	55-01248-01-RAKTÁR	Raktár(O)	395	40	yes	21	"K" signed
Nagyszentjános	01248	1236-1238	none	HU-01248-06-TRA	yes	yes	250	21	55-01248-01-RAKTÁR	Raktár	395	250	yes	21	"K" signed Loading area can't be used, capacity is not available.
Nógrádkövesd	10918	324-324+20	none	HU-10918-06-T01A	no	yes	20	5	55-10918-01-1	01.(A)	315	20	no	20	
Nógrádkövesd	10918	326-327	side loading	HU-10918-19-001	no	yes	20	4	55-10918-01-1	01.(O)	315	20	no	20	
Nógrádkövesd	10918	327-328	none	HU-10918-06-T01B	no	yes	50	10	55-10918-01-1	01.(B)	315	50	no	20	
Ócsa	16824	268+10-270+40	none	HU-16824-06-T05	yes	yes	217	10	55-16824-01-5	05.	534	214	no	21	Loading area can't be used due to technical reasons, capacity is not available.
Oroszlány	01768	66+21-66+72 68+80-69+84	none	HU-01768-06-T01	partly	no	104 100	13	55-01768-01-1	01.	250 150	104	no	21 18,5	
Öttevény	01313	1540-1543+10	side loading	HU-01313-19-005	yes	yes	30	8	55-01313-01-5	05.(O)	406	30	yes	21	"K" signed Loading area can't be used until further notice due to technical reasons, capacity can't be requested.
Öttevény	01313	1539+50-1541+30	none	HU-01313-06-T06	no	no	36	5	55-01313-01-6	06.	517	36	yes	21	"F" signed Loading area can't be used until further notice due to technical reasons, capacity can't be requested.
Öttevény	01313	1540-1543+10	none	HU-01313-06-T05	yes	no	248	10	55-01313-01-5	05.	406	248	yes	21	"K" signed Loading area can't be used until further notice due to technical reasons, capacity can't be requested.
Paks	06593	790-792+60 790+15-792+64	none	HU-06593-06-T05	yes	yes	200 250	25	55-06593-01-5	05.	265	200	no	21	"K" signed
Paks	06593	790-792+60 789+70-790+15	side loading	HU-06593-19-005	yes	yes	50 45	20	55-06593-01-5	05.(O)	265	50	no	21	"K" signed
Paks	06593	789+00-793+00 790+30-792+25	none	HU-06593-06-T06	yes	yes	200 195	25	55-06593-01-6	6	320	200	no	21	"K" signed
Paks	06593	791+00-792+00 790+85-791+88	side loading	HU-06593-19-006	yes	yes	100 103	5	55-06593-01-6	06.(O)	320	100	no	21	"K" signed
Pásztó	11809	976+70 - 977+30	none	HU-11809-06-T01A	yes	no	60	13	55-11809-01-1	01.(A)	650	60	no	21	temporarily closed from traffic
Pásztó	11809	977+60 - 978+20	none	HU-11809-06-T01B	yes	no	60	13	55-11809-01-1	01.(B)	650	60	no	21	temporarily closed from traffic
Pásztó	11809	980+20 - 982+00	none	HU-11809-06-T01C	yes	yes	133	17	55-11809-01-1	01.(C)	650	180	no	21	temporarily closed from traffic
Pásztó	11809	878+58 - 879+70	none	HU-11809-06-T07	yes	no	112	20	55-11809-01-7	07. Rakodó	368	112	no	21	"K" signed, served only from endpoint, until the unused wagon weigh bridge in lenth of 195 m!
Pestszentlőrinc	10181	130+71-132+70	none	HU-10181-06-TNC	yes	yes	73	15,8	55-10181-01-NAGYCSONKA	Nagycsonka	163	73	no	20	Consignments of types 22,33,44,55,66,77 -are not allowed to run
Pilis	13680	475+65-477+15	none	HU-13680-06-T06	yes	yes	150	10	55-13680-01-6	06.	242	150	no	21	"K" group
Pusztamonostor	11940	144+56-145+76	none	HU-11940-06-T01	yes	yes	120	4,5	55-11940-01-1	01.	507	120	no	21	Bypass wire next to the track, therefore loading permit is required! Accessible only from the endpoint.
Pusztamonostor	11940	144+20-144+56	side loading	HU-11940-19-001	yes	yes	36	10	55-11940-01-1	01.(O)	507	36	no	21	Bypass wire next to the track, therefore loading permit is required! Accessible only from the endpoint.
Pusztaszabolcs	05876	475+59 - 478+45	end loading	HU-05876-19-H13	yes	yes	286	19,5-20,9	55-05876-01-13	13.(H)	358	286	no	21	Can be served only from the starting point, end loading at the endpoint.
Rákos	10074	80-86	none	HU-10074-06-T29	no	yes	450	5	55-10074-01-29	29.	450	450	no	21	Can be served only from the end point.
Rákoshegy	11528	57+30-58+50	none	HU-11528-06-T01A	yes	yes	310	53	55-11528-01-1	01.(A)	477	310	yes	20	"K" signed Loading area can't be used, capacity is not available.
Rákoshegy	11528	61+93-63+51	none	HU-11528-06-T01B	yes	yes	158	5	55-11528-01-1	01.(B)	477	158	yes	20	"K" signed Loading area can't be used, capacity is not available.
Rákospalota-Újpest	10140	79+90-80+70	none	HU-10140-06-T14	yes	yes	80	30	55-10140-01-14	14. csonka	300	80	no	20	
Rákosszentmihály	10272	42/43	none	HU-10272-06-T01	yes	yes	70	4	55-10272-01-1	01.	80	40	yes	21	Can be served only from the end point.
Romhány	10785	169+50-170+20	side loading	HU-10785-19-001	no	no	40	5	55-10785-01-1	01.(O)-	181	40	no	16,5	Traffic is suspended
Romhány	10785	169+50-170+20	none	HU-10785-06-T01	no	no	70	15	55-10785-01-1	01.-	181	70	no	16,5	Traffic is suspended
Salgótarján-külső	11874	1244+45-1245+20	none	HU-11874-06-TRCA	yes	no	30	30	55-11874-01-RAKT1	Raktári csonka(A)	120	30	no	21	
Salgótarján-külső	11874	1244+15-1244+45	side loading	HU-11874-19-ORC	yes	no	40	1,5	55-11874-01-RAKT1	Raktári csonka(O)	120	40	no	21	
Salgótarján-külső	11874	1244+45-1244+85	none	HU-11874-06-TRCB	yes	no	20	20	55-11874-01-RAKT1	Raktári csonka (B)	120	20	no	21	
Selyp	11759	793+20 - 794+60	none	HU-11759-06-TKR	yes	no	110	10	55-11759-01-Közforg.cs	Közforg.Rak.csonka	110	110	no	21	temporarily closed from traffic

Service place	Open access loading place registered by MÁV Infrastructure Co. Ltd.								Loading track next to loading places						Restrictions, remarks
	Code of the service palce	Position of the service place	Loading and other equipments	SLC ID of the loading and other equipment	Paved	Lighting	Size		TAF TSI ID	Name of the track	Usable length (m)	Loading length (m)	Availability of catenary	Axle load (t)	
		From section to section			yes-no-partly	yes-no	Length (m)	Width (m)					yes / no partly?		
Somoskőújfalú	11924	1328+70 - 1329+95	none	HU-11924-06-T01	yes	no	87	16	55-11924-01-1	01.	319	87	no	21	Loading area can't be used between 01.05.2025 - 13.12.2025. Capacity can not be requested.
Somoskőújfalú	11924	1328+70 - 1329+95	side loading	HU-11924-19-001	yes	no	38	10,5	55-11924-01-1	01.(O)	319	38	no	21	Loading area can't be used between 01.05.2025 - 13.12.2025. Capacity can not be requested.
Soroksár	10322	89+89-90+32	none	HU-10322-06-T01A	yes	yes	43	24	55-10322-01-1	01.(A)	766	43	no	20	Under construction from 01.02.2022 (full closure)
Soroksár	10322	90+32-90+42	side loading	HU-10322-19-001	yes	yes	10	10	55-10322-01-1	01.(O)	766	10	no	20	Under construction from 01.02.2022 (full closure) Can't be used due to its condition.
Soroksár	10322	90+42-91+17	none	HU-10322-06-T01B	yes	yes	75	10	55-10322-01-1	01.(B)	766	75	no	20	Under construction from 01.02.2022 (full closure) Loading area can't be used due to technical reasons, capacity is not available.
Soroksári út rpu.	40196	2+85 - 5+37	none	HU-40196-06-TZ5	yes	no	252	25	55-40196-01-ZSÍROS	Zsíros vágány	300	250	no	20	Loading area can't be used. Capacity can not be requested.
Súlysáp	11601	298+42-300+96	none	HU-11601-06-T01	yes	yes	254	5	55-11601-01-1	01.vágány	298	254	yes	21	"K" signed
Süttő	01552	158+04-158+99	side loading	HU-01552-19-001	no	no	95	8	55-01552-01-1	01.(O)	95	70	no	21	serving only with district inspector
Szabadbattyán	03285	767+43 - 769+25	none	HU-03285-06-T08A	yes	yes	182	20	55-03285-01-8	08.(A)	418	185	yes	24 18	
Szabadbattyán	03285	769+44 - 769+88	side loading	HU-03285-19-008	yes	yes	44	10	55-03285-01-8	08.(O)	418	35	yes	24 18	
Szabadbattyán	03285	769+88 - 770+73	none	HU-03285-06-T08B	yes	yes	85	20	55-03285-01-8	08.(B)	418	85	yes	24 18	
Szajol	13771	1101+20-1103+20	side loading	HU-13771-19-O10	yes	yes	250	13	55-13771-01-10	10.(O1)	768	200	yes	21	"K" signed
Szajol	13771	1103+20-1106+00	end loading	HU-13771-19-H11	yes	yes	250	13	55-13771-01-11	11.(H1)	316	200	no	21	"K" signed
Szajol	13771	1104+00-1108+00	end loading	HU-13771-19-H12	yes	yes	250	13	55-13771-01-12	12.(H1)	107	107	no	21	"K" signed
Szajol	13771	1104+00-1108+00	none	HU-13771-06-T16	no	yes	400	10	55-13771-01-16	16.	450	400	no	21	"K" signed
Százhalmobatta	05835	235+86 - 236+36	none	HU-05835-06-T09	yes	yes	50	6	55-05835-01-9	09.	145	50	no	21	Can be served only from the starting point, dead-end at the endpoint.
Szécsény	10991	772-775	side loading	HU-10991-19-001	no	yes	10	5	55-10991-01-1	01.(O)	259	10	no	18,5	
Szécsény	10991	772+50-774	none	HU-10991-06-T01	no	yes	20	20	55-10991-01-1	01.	259	20	no	18,5	
Szécsény	10991	772-775+50	none	HU-10991-06-T04	yes	yes	180	20	55-10991-01-4	04.	237	180	no	18,5	
Székesfehérvár	03269	671+50 - 673+50	side loading	HU-03269-19-O26	yes	yes	180	15	55-03269-01-26	26.	400	180	yes	48 21	Can be serving only from the starting point with axle load of 210KN to section 673+50hm. The side loading area is supported by a frame-stand system of overhead contact wire mesh girders with steel lattice girders, 9.00m above the Sk and supporting columns with a slab-shaped concrete base in the loading area.
Szolnok-Rendező	40485	2+70-5+50	none	HU-40485-06-TC1	yes	yes	200	30	55-40485-01-C1	C1.vágány	278	200	no	21	Can be served only from the end point.
Szolnok-Rendező	40485	2+80-3+20	none	HU-40485-06-TC3	yes	yes	200	6	55-40485-01-C3	C3.vágány	288	200	no	21	Can be served only from the end point.
Taksony	16147	189+00-187+36	none	HU-16147-06-T01	no	yes	164	17	55-16147-01-1	01.	164	84	partly	20	Under construction from 01.02.2022 (full closure) Service by diesel locomotive only.
Taksony	16147	189+80-192+80	none	HU-16147-06-T05	no	yes	300	20	55-16147-01-5	05.	772	300	yes, separetly switchable sections between 188+45 - 192+85	20	Under construction from 01.02.2022 (full closure) It is strictly prohibited to run with motor vehicle between track no. 5 (V. vágány) and the mast of the overhead line.
Tápiógyörgye	11684	655+26-659+13	none	HU-11684-06-T01	yes	yes	387	8	55-11684-01-1	01.	827	387	yes	21	"K" signed
Tápiószecső	11627	369+28-370+68	none	HU-11627-06-T01	partly	yes	140	5	55-11627-01-1	01.	393	140	no	21	"K" signed
Tápiószele	11676	588+42-595+92	none	HU-11676-06-T01	no	yes	450	5	55-11676-01-1	01.	710	385	yes	21	"K" signed Loading area can't be used, capacity can not be requested.
Tata	01164	812+60-814+30	none	HU-01164-06-T08	yes	yes	170	20	55-01164-01-8	08.	171	128	no	21	
Tata	01164	812+26-815+28	side loading	HU-01164-19-001	yes	yes	55	12	55-01164-01-1	01.(O1)	280	55	no	21	"K" signed
Tata	01164	814+20-814+89	end loading	HU-01164-19-H07	yes	yes	55	12	55-01164-01-7	07.(H1)	69	69	no	21	
Tatabánya	01131	714+00-715+98	none	HU-01131-06-TR1	yes	yes	190	15	55-01131-01-R1	rendező1.	220	190	no	21	
Tatabánya	01131	712+46-714+46	none	HU-01131-06-TR2	yes	yes	190	15	55-01131-01-R2	rendező2.	225	190	no	21	
Tokod	01628	340+08-341+38	none	HU-01628-06-T01C	no	yes	130	5	55-01628-01-1(C)	01.(C)	251	110	no	20	"K" signed
Tokod	01628	337+78-337+98	side loading	HU-01628-19-001B	yes	yes	20	12	55-01628-01-1(B)	01.(B)	251	20	no	20	"K" signed
Tokod	01628	337+52-337+78	none	HU-01628-06-T01A	yes	yes	26	12	55-01628-01-1(A)	01.(A)	251	26	no	20	"K" signed; area with ramp
Tószeg	17707	108+80-110+50	none	HU-17707-06-T04	yes	yes	170	9	55-17707-01-4	04.	196	170	no	18	"K" signed
Újszász	11692	522+85-524+85	none	HU-11692-06-T01	yes	yes	200	21	55-11692-01-1	01.	287	200	yes	21	"K" signed
Újszász	11692	522+85-524+85	side loading	HU-11692-19-001	yes	yes	37	10	55-11692-01-1	01.(O)	287	37	yes	21	"K" signed
Újszász	11692	515+15-522+15	none	HU-11692-06-T09	no	yes	700	5	55-11692-01-9	09.	753	700	partly	21	"K" signed Service by diesel locomotive only.
Üllő	13649	285+40-286+76	none	HU-13649-06-T04	yes	yes	136	8	55-13649-01-4	04.csonka	200	136	yes	21	"K" group

Service place	Open access loading place registered by MÁV Infrastructure Co. Ltd.								Loading track next to loading places						Restrictions, remarks
	Code of the service palce	Position of the service place	Loading and other equipments	SLC ID of the loading and other equipment	Paved	Lighting	Size		TAF TSI ID	Name of the track	Usable length (m)	Loading length (m)	Availability of catenary	Axle load (t)	
		From section to section			yes-no-partly	yes-no	Length (m)	Width (m)					yes / no partly?		
Üllő	13649	280+25-282+25	none	HU-13649-06-T05	yes	yes	200	8	55-13649-01-5	05.csonka	136	200	yes	21	"K" group
Vác	10447	3+16-5+51	end loading	HU-10447-19-H14	yes	yes	180	17	55-10447-01-14	14.(H)	185	180	no	21	
Vác	10447	3+50-6+09	none	HU-10447-06-T15	yes	yes	200	17	55-10447-01-15	15.	259	200	no	21	
Vecsés	13623	208+60 - 210+60	none	HU-13623-06-T05	yes	yes	200	8	55-13623-01-5	05.csonka	490	200	no	21	
Verőce	10454	432+25-433+58	none	HU-10454-06-TRK	yes	yes	135	4,5	55-10454-01-RAKODÓ	rakodó	135	135	yes no	21	
Zagyvápálfalva	11882	1220+30-1222+00	none	HU-11882-06-T05	no	no	170	17	55-11882-01-5	05.	422	170	no	21	

*To: 30.06.2025

Public loading sidings and loading areas belonging to these loading sidings - MÁV Infrastructure Co. Ltd.

Debrecen Regional Directorate

Service place	Open access loading place registered by MÁV Infrastructure Co. Ltd.								Loading track next to loading places						Restrictions, remarks
	Code of the service palce	Position of the service place	Loading and other equipments	SLC ID of the loading and other equipment	Paved	Lighting	Size		TAF TSI ID	Name of the track	Usable length (m)	Loading length (m)	Availability of catenary	Axle load (t)	
		From section to section			yes-no-partly	yes-no	Length (m)	Width (m)					yes / no partly?		
Apagy	15669	185+80-187+20	none	HU-15669-06-T01	yes	yes	140	10	55-15669-01-1	1.	300	140	no	18,5	"K" signed
Apagy	15669	184+70-184+90	side loading	HU-15669-19-O01	yes	yes	20	10	55-15669-01-1	1.(O).	300	20	no	18,5	"K" signed
Aradványpuszta	15362	186+06-186+56	none	HU-15362-06-T02	yes	no	50	6	55-15362-01-2	2.(O)	682	50	no	21	"K" signed (excluded from traffic)
Baktalórántháza	15701	337+70-341+20	none	HU-15701-06-T01	yes	yes	350	10	55-15701-01-1	1.	350	300	no	18,5	"K" signed
Baktalórántháza	15701	337+50-337+70	side loading	HU-15701-19-O01	yes	yes	20	10	55-15701-01-1	1.(O)	350	20	no	18,5	"K" signed
Balmazújváros	14506	220+00 - 224+15	none	HU-14506-06-T01	yes	yes	415	20	55-14506-01-1	1.	727	415	no	21	"K" signed Loading area can't be used between 15.12.2024 - 13.12.2025. Capacity can not be requested.
Balmazújváros	14506	224+25-224+35	side loading	HU-14506-19-O01	yes	yes	10	6	55-14506-01-1	1.(O).	724	10	no	21	"K" signed Loading area can't be used between 15.12.2024 - 13.12.2025. Capacity can not be requested.
Berettyóújfalu	14423	1391+75 - 1394+63	none	HU-14423-06-T04	yes	yes	288	36	55-14423-01-4	4.	721	288	no	21	also main track
Biharkeresztes	14449	1564+88-1567+88	none	HU-14449-06-T11	yes	yes	300	12	55-14449-01-11RAKOD	11.	300	300	no	21	
Biharkeresztes	14449	1564+62-1564+88	end loading	HU-14449-19-H11	yes	yes	26	5,1	55-14449-01-11RAKOD	11.(H1)	300	26	no	21	
Csenger	15578	167+95-172+79	side loading	HU-15578-19-O01	yes	yes	16	7	55-15578-01-1	1.(O)	300	16	no	12	"K" signed
Csenger	15578	167+95-172+79	none	HU-15578-06-T01	yes	yes	208	12	55-15578-01-1	1.	300	208	no	12	"K" signed
Csenger	15578	169+72-173+76	none	HU-15578-06-T04	yes	yes	180	12	55-15578-01-4	4.	200	180	no	12	"K" signed (excluded from traffic)
Debrecen	13912	2211+40+2213+40	none	HU-13912-06-TB3	yes	yes	180	10	55-13912-01-B03	B3.	195	180	no	21	"K" signed
Debrecen	13912	2211+60-2214+90	none	HU-13912-06-TB6	yes	yes	300	13	55-13912-01-B06	B6.	358	300	no	21	"K" signed
Debrecen	13912	2211+85-2214+90	none	HU-13912-06-TB7	yes	yes	260	10	55-13912-01-B07	B7.	385	300	no	21	
Debrecen	13912	2212+40-2215+70	none	HU-13912-06-TB8	yes	yes	290	8	55-13912-01-B08	B8.	330	290	no	21	
Debrecen	13912	2212+40-2215+70	none	HU-13912-06-TB9	yes	yes	290	9	55-13912-01-B09	B9.	330	290	no	21	
Debrecen	13912	2212+10 - 2213+30	none	HU-13912-06-TB10	yes	yes	120	8	55-13912-01-B10	B10	295	120	no	21	
Ebes	13896	2091+50-2092+50	none	HU-13896-06-T06	yes	yes	100	12	55-13896-01-6	6.	222	100	yes	22,5	
Egyek	14555	585+90 - 588+00	none	HU-14555-06-T01	yes	yes	210	6	55-14555-01-1	1.	403	210	no	21	
Fehérgyarmat	15768	391-395	none	HU-15768-06-T01A	no	yes	215	14	55-15768-01-1	1.(A)	577	215	no	16	"K" signed
Fehérgyarmat	15768	391-395	none	HU-15768-06-T01B	yes	yes	100	14	55-15768-01-1	1.(B)	577	100	no	16	"K" signed
Fehérgyarmat	15768	391-395	side loading	HU-15768-19-O01	yes	yes	22	15	55-15768-01-1	1.(O)	577	22	no	16	"K" signed
Fényeslitke	14134	496+00-498+90	none	HU-14134-06-T01A	partly	yes	290	8	55-14134-01-1	1.(A)	815	290	yes	18,5	"K" signed
Fényeslitke	14134	490+00-492+00	none	HU-14134-06-T01B	no	yes	100	20	55-14134-01-1	1.(B)	815	100	yes	18,5	"K" signed
Fényeslitke	14134	490+00-492+00	side loading	HU-14134-19-O01	yes	yes	20	10	55-14134-01-1	1.(O)	815	20	yes	18,5	"K" signed
Görögszállás	11494	337+50-338+50	none	HU-11494-06-T01A	no	yes	80	8	55-11494-01-1	1.(A)	800	80	yes	18,5	5 km/h, "K" signed Loading area can't be used. Capacity can not be requested.
Görögszállás	11494	342+00-343+00	none	HU-11494-06-T01B	no	yes	100	5	55-11494-01-1	1.(B)	800	100	yes	18,5	5 km/h, "K" signed Loading area can't be used. Capacity can not be requested.
Görögszállás	11494	341+75-342-00	side loading	HU-11494-19-O01	yes	yes	25	5	55-11494-01-1	1.(O)	800	25	yes	18,5	"K" signed
Győrtelek alsó	15537	378+98-382+61	side loading	HU-15537-19-O01	yes	no	10	8	55-15537-01-1	1.(O)	295	10	no	16	"K" signed
Győrtelek alsó	15537	378+98-382+61	none	HU-15537-06-T01	yes	no	200	14	55-15537-01-1	1.	295	200	no	16	"K" signed
Hajdúböszörmény	14670	210+25-212+57	none	HU-14670-06-T01B	yes	yes	30	5	55-14670-01-1	1.(B)	500	30	no	21	"K" signed Loading area can't be used. Capacity can not be requested.
Hajdúböszörmény	14670	210+25-212+57	none	HU-14670-06-T01A	yes	yes	232	20	55-14670-01-1	1.(A)	500	232	no	21	Loading area can't be used between 05.03.2025. - 17.04.2025. Capacity can not be requested. pavement in bad condition, "K" signed
Hajdúböszörmény	14670	209+74-212+02	none	HU-14670-06-T05	yes	yes	228	27	55-14670-01-5	5.	240	228	no	21	pavement in bad condition, "K" signed
Hajdúböszörmény	14670	213+10-213+45	side loading	HU-14670-19-O01	yes	yes	35	8	55-14670-01-1	1.(O)	500	35	no	21	Loading area can't be used between 05.03.2025. - 17.04.2025. Capacity can not be requested
Hajdúdorog	14696	369+02-369+72	none	HU-14696-06-T01A	yes	yes	70	13	55-14696-01-1	1.(A)	511	70	no	18,5	"K" signed
Hajdúdorog	14696	370+83-371+01	side loading	HU-14696-19-O01	yes	yes	18	10	55-14696-01-1	1.(O)	511	18	no	18,5	"K" signed
Hajdúdorog	14696	372+58 - 373+88	none	HU-14696-06-T01D	yes	yes	230	13	55-14696-01-1	1.(D)	511	230	no	18,5	"K" signed
Hajdúdorog	14696	370+39-370+69	none	HU-14696-06-T01B	yes	yes	30	13	55-14696-01-1	1.(B)	511	30	no	18,5	"K" signed Loading area can't be used. Capacity can not be requested.
Hajdúdorog	14696	371+01-371+37	none	HU-14696-06-T01C	yes	yes	36	13	55-14696-01-1	1.(C)	511	36	no	18,5	"K" signed Loading area can't be used. Capacity can not be requested.
Hajdúhadház	13953	2407+96-2410+16	none	HU-13953-06-T01A	yes	yes	220	10	55-13953-01-1	1.(A)	530	220	yes	21	
Hajdúhadház	13953	2410+16-2410+46	side loading	HU-13953-19-O01	yes	yes	30	20	55-13953-01-1	1.(O)	530	30	yes	21	
Hajdúhadház	13953	2412+14-2412+74	none	HU-13953-06-T01B	yes	yes	60	15	55-13953-01-1	1.(B)	530	60	yes	21	
Hajdúnánás	14704	423+79- 426+19	none	HU-14704-06-T01A	yes	yes	240	18	55-14704-01-1	1.(A)	509	240	no	18,5	"K" signed
Hajdúnánás	14704	426+54-426+84	none	HU-14704-06-T01B	yes	yes	30	15	55-14704-01-1	1.(B)	509	30	no	18,5	"K" signed
Hajdúnánás	14704	426+84-427+19	side loading	HU-14704-19-O01	yes	yes	35	10	55-14704-01-1	1.(O)	509	35	no	18,5	"K" signed Loading area can't be used. Capacity can not be requested.
Hajdúsámson	15347	89+25-91+60	none	HU-15347-06-T03	yes	yes	235	5	55-15347-01-3	3.	332	235	no	21	10 km/h, "K" signed
Hajdúsámson	15347	91+60-92+10	side loading	HU-15347-19-O03	yes	yes	50	10	55-15347-01-3	3.(O)	332	50	no	21	10 km/h, "K" signed

Service place	Code of the service palce	Position of the service place	Loading and other equipments	SLC ID of the loading and other equipment	Paved	Lighting	Size		TAF TSI ID	Name of the track	Usable length (m)	Loading length (m)	Availability of catenary	Axle load (t)	Restrictions, remarks
		From section to section			yes-no partly	yes-no	Length (m)	Width (m)					yes / no partly?		
Hajdúszoboszló	13888	2016+10-2018+10	none	HU-13888-06-T08A	yes	yes	200	6	55-13888-01-8	8.(A)	563	200	no	22,5	
Hajdúszoboszló	13888	2019+30-2021+10	none	HU-13888-06-T08B	yes	yes	180	6	55-13888-01-8	8.(B)	563	180	no	22,5	
Heves	12286	703+704	none	HU-12286-06-T01A	yes	yes	70	15	55-12286-01-1	1.(A)	418	70	no	20	Switch Nr.6 excluded. Can be served only from the end point.
Heves	12286	705+706	none	HU-12286-06-T01B	yes	yes	120	15	55-12286-01-1	1.(B)	418	120	no	20	Switch Nr.6 excluded. Can be served only from the end point.
Heves	12286	705+706	side loading	HU-12286-19-001	yes	yes	30	8	55-12286-01-1	1.(O)	418	30	no	20	Switch Nr.6 excluded. Can be served only from the end point.
Hodász	15479	470+58-471+29	none	HU-15479-06-T01A	partly	no	71	6	55-15479-01-1	1.(A)	310	71	no	21	"K" signed
Hodász	15479	468+29-469+28	none	HU-15479-06-T01B	yes	no	99	6	55-15479-01-1	1.(B)	310	99	no	21	"K" signed
Hodász	15479	468+19-468+29	side loading	HU-15479-19-001	yes	no	10	8	55-15479-01-1	1.(O)	310	10	no	21	"K" signed
Kaba	13870	1874 - 1877	none	HU-13870-06-T12	yes	yes	300	6	55-13870-01-12	12.	780	300	no	21	
Kaba	13870	7+59-9+92	none	HU-13870-06-TUJ	yes	no	165	30	55-13870-01-Új rak	Új rakodó vágány	165	160	no	21	
Kállósemjén	15438	224+85-224+95	side loading	HU-15438-19-001	no	no	10	8	55-15438-01-1	1.(O)	343	10	no	14	"K" signed
Kállósemjén	15438	225+90-226+80	none	HU-15438-06-T01A	yes	yes	90	7	55-15438-01-1	1.(A)	343	90	no	14	"K" signed
Kállósemjén	15438	226+90-227+40	none	HU-15438-06-T01B	no	yes	50	10	55-15438-01-1	1.(B)	343	50	no	14	"K" signed
Karcag	13847	1626+42 - 1627+42	none	HU-13847-06-T10	yes	yes	100	30	55-13847-01-10	10.	200	100	yes	22,5	"K" signed, The overhead wire is a bypass. To ground the bypass, previous agreement is needed!
Karcag	13847	1625 - 1628+68	none	HU-13847-06-T11	yes	yes	298	6	55-13847-01-11	11.	298	298	no	22,5	"K" signed
Kemecse	14043	161+70 - 165+50	none	HU-14043-06-T01	yes	yes	380	10	55-14043-01-1	1	803	380	yes	21	"K" signed
Kemecse	14043	160+50 - 161+20	side loading	HU-14043-19-001	yes	yes	70	12	55-14043-01-1	1.(O)	803	70	yes	21	"K" signed
Kisköre	12310	891-893	none	HU-12310-06-T01	yes	yes	150	10	55-12310-01-1	1.	251	150	no	20	"K" signed
Kisköre	12310	888-892	side loading	HU-12310-19-005	yes	yes	310	8	55-12310-01-5	5.	312	310	no	20	"K" signed Loading area can't be used between 15.12.2024. - 13.12.2025. Capacity can not be requested.
Kisújszállás	13821	1464+14-1466+70	none	HU-13821-06-T10	yes	yes	256	8	55-13821-01-10	10.	609	256	yes	22,5	"K" signed. The overhead wire is a bypass. To switch off the bypass, previous agreement is needed! Loading area can't be used until 13.12.2025. Capacity can not be requested.
Kisújszállás	13821	1464+27-1466+10	none	HU-13821-06-T11	yes	yes	180	5	55-13821-01-11	11.	190	180	yes	22,5	"K" signed. The overhead wire is a bypass. To switch off the bypass, previous agreement is needed!
Kisvárd	14118	417+41 - 422+51	none	HU-14118-06-T12	yes	yes	378	8,5	55-14118-01-12 KERTI	Kerti csonka	350	350	no	21	"K" signed
Kisvárd	14118	417+41 - 420+00	none	HU-14118-06-T11	yes	yes	100	11	55-14118-01-11	11.	100	100	no	21	"K" signed
Kunhegyes	12344	1073+1074	none	HU-12344-06-T01B	yes	yes	20	18	55-12344-01-1	1.(B)	432	20	no	20	Loading area can't be used between 15.12.2024. - 13.12.2025. Capacity can not be requested.
Kunhegyes	12344	1073+1074	side loading	HU-12344-19-001	yes	yes	20	12	55-12344-01-1	1.(O)	432	20	no	20	"K" signed Loading area can't be used between 15.12.2024. - 13.12.2025. Capacity can not be requested.
Kunhegyes	12344	1073+1074	none	HU-12344-06-T01C	yes	yes	150	18	55-12344-01-1	1.(C)	432	150	no	20	Loading area can't be used between 15.12.2024. - 13.12.2025. Capacity can not be requested.
Kunhegyes	12344	1071-1072	none	HU-12344-06-T01A	no	yes	92	20	55-12344-01-1	1.(A)	432	92	no	20	Loading area can't be used between 15.12.2024. - 13.12.2025. Capacity can not be requested.
Kunmadaras	14233	178+60 - 180+50	none	HU-14233-06-T01A	yes	yes	102	27	55-14233-01-1	1.(A)	634	102	no	20	"K" signed
Kunmadaras	14233	181+10 - 184+00	none	HU-14233-06-T01B	yes	yes	350	30	55-14233-01-1	1.(B)	634	350	no	20	"K" signed
Macs	14480	151+60-154+50	none	HU-14480-06-T01	yes	yes	290	25	55-14480-01-1	1.	626	290	no	21	"K" signed Loading area can't be used, capacity can not be requested. Towed vehicles with an axle load of 22.5 t may be used as exceptional consignment without any specific restriction.
Macs	14480	156+60-156+70	side loading	HU-14480-19-001	yes	yes	10	6	55-14480-01-1	1. (O)	626	10	no	21	"K" signed Loading area can't be used, capacity can not be requested.
Mándok	15875	783-791	none	HU-15875-06-T01A	no	yes	235	10	55-15875-01-1	1.(A)	812	235	no	21	
Mátészalka	15495	327+05-329+35	none	HU-15495-06-T1A	partly	yes	196	4,5	55-15495-01-1A	I/a.köz.for.	196	196	no	21	"B" signed
Mátészalka	15495	327+90-330+97	none	HU-15495-06-TKE	partly	yes	307	6,5	55-15495-01-KERTI	Kerti köz.for.	307	307	no	21	"B" signed
Mátészalka	15495	326+37-327+57	none	HU-15495-06-TVO	no	yes	120	8	55-15495-01-VOLÁN	Volán csonka köz.for.	420 100	420 100	no	21	"B" signed
Mátészalka	15495	30+84-32+99	none	HU-15495-06-TCU	yes	no	100	7	55-15495-01-CUKORGYÁRI	Cukorgyári köz.for.	215	215	no	21	"B" signed
Nagycsere	15149	103+30-103+90	side loading	HU-15149-19-001	yes	yes	60	15	55-15149-01-1	1.(O)	924	60	no	21	"K" signed
Nagycsere	15149	103+90-104+67	none	HU-15149-06-T01	yes	yes	77	10	55-15149-01-1	1.	924	77	no	21	"K" signed
Nagyecsed	15982	218+67-224+88	side loading	HU-15982-19-001	yes	yes	24	11	55-15982-01-1	1.(O)	524	24	no	18,5	"K" signed, partly passable
Nagyecsed	15982	218+67-224+88	none	HU-15982-06-T01A	yes	yes	24	2	55-15982-01-1	1.(A)	524	24	no	18,5	"K" signed, partly passable
Nagykálló	15420	136+60-136+70	side loading	HU-15420-19-001	yes	yes	10	8	55-15420-01-1	1.(O)	329	10	no	14	"K" signed
Nagykálló	15420	136+80-138+50	none	HU-15420-06-T01	yes	yes	170	8,5	55-15420-01-1	1.	329	170	no	14	"K" signed
Nagyszekeres	15784	315+36-318+58	side loading	HU-15784-19-001	yes	no	10	8	55-15784-01-1	1.(O)	210	10	no	16	"K" signed
Nagyszekeres	15784	315+36-318+58	none	HU-15784-06-T01	yes	no	120	10	55-15784-01-1	1.	210	120	no	16	"K" signed
Nyíradony	15370	246+25-247+10	none	HU-15370-06-T01A	no	yes	85	20	55-15370-01-1	1.(A)	260	85	no	21	"K" signed

Service place	Code of the service palce	Position of the service place	Loading and other equipments	SLC ID of the loading and other equipment	Paved	Lighting	Size		TAF TSI ID	Name of the track	Usable length (m)	Loading length (m)	Availability of catenary	Axle load (t)	Restrictions, remarks
		From section to section			yes-no partly	yes-no	Length (m)	Width (m)					yes / no partly?		
Nyíradony	15370	247+-84-248+20	side loading	HU-15370-19-001	yes	yes	36	9	55-15370-01-1	1.(O)	260	36	no	21	"K" signed
Nyíradony	15370	248+20-249+30	none	HU-15370-06-T01B	yes	yes	110	21	55-15370-01-1	1.(B)	260	110	no	21	"K" signed
Nyírbátor	15453	379+80-381+20	none	HU-15453-06-T01	yes	yes	140	15	55-15453-01-1	1.	373	140	no	21	"K" signed Loading is only permitted on workdays between 8:00 and 20:00
Nyírbátor	15453	1+19 - 2+59	none	HU-15453-06-T07	yes	yes	140	10	55-15453-01-7	7.	171	140	no	21	"K" signed Loading is only permitted on workdays between 8:00 and 20:00
Nyírbogdány	14050	202+70 - 202+90	none	HU-14050-06-T01	yes	yes	60	12	55-14050-01-1	1.	745	60	yes	21	"K" signed
Nyírbogdány	14050	202+00-202+80	side loading	HU-14050-19-001	yes	yes	23	10	55-14050-01-1	1.(O)	745	23	yes	21	"K" signed
Nyírbogdány	14050	204+40 - 205+40	none	HU-14050-06-T01C	yes	yes	70	10	55-14050-01-1CS	1.csonka	100	70	yes	21	"K" signed Loading area can't be used between 15.12.2024. - 13.12.2025. Capacity can not be requested.
Nyíregyháza	14019	4+13 - 5+50	none	HU-14019-06-TT1	yes	yes	104	20	55-14019-01-TEM1	temető 1.rakodó	135	104	no	21	
Nyíregyháza	14019	4+13 - 5+50	none	HU-14019-06-TT2	yes	yes	117	35	55-14019-01-TEM2	temető 2.rakodó	135	117	no	21	
Nyíregyháza	14019	4+13 -7+13	none	HU-14019-06-TT3	yes	yes	117	35	55-14019-01-TEM3	temető 3.rakodó	254	117	no	21	
Nyíregyháza	14019	1+34-6+50	side loading	HU-14019-19-OR	yes	yes	215	20	55-14019-01-RAKTÁR	raktári(O)	516	215	no	21	5 km/h Overweight vehicle shall not run between segments 4+32 - 4+52 and 4+69 - 6+50,
Nyíregyháza-Külső	15636	33+20-33+70	none	HU-15636-06-T01A	no	yes	50	7	55-15636-01-1	1.(A)	193	50	no	20	"K" signed
Nyíregyháza-Külső	15636	33+80-34+00	side loading	HU-15636-19-001	yes	yes	20	7	55-15636-01-1	1.(O)	193	20	no	20	"K" signed
Nyíregyháza-Külső	15636	34+00-35+00	none	HU-15636-06-T01B	no	yes	100	7	55-15636-01-1	1.(B)	193	100	no	20	"K" signed
Nyírgelse	15396	334+40-335+40	none	HU-15396-06-T01A	no	yes	100	3	55-15396-01-1	1.(A)	478	100	no	21	"K" signed
Nyírgelse	15396	336+25-338+15	none	HU-15396-06-T01B	no	yes	190	3	55-15396-01-1	1.(B)	478	190	no	21	"K" signed
Nyírmada	15735	466+10 - 468+60	none	HU-15735-06-T01	partly	yes	232	10	55-15735-01-1	1.	309	232	no	16	"K" signed
Nyírmada	15735	466+10 - 468+60	side loading	HU-15735-19-001	yes	yes	18	8	55-15735-01-1	1.(O)	309	18	no	16	"K" signed
Nyírtelek	11502	401+80-403+90	none	HU-11502-06-T01	yes	yes	210	4	55-11502-01-1	1.	218	210	yes	18,5	"K" signed Loading area can't be used. Capacity can not be requested.
Ófehértó	15685	265 - 266	none	HU-15685-06-T01	no	yes	100	8	55-15685-01-1	1.	716	100	no	18,5	20 km/h "K" signed
Ohat-Pusztakócs	14548	536+55 - 536+95	none	HU-14548-06-T01	yes	yes	40	18	55-14548-01-1	1.	782	40	no	21	"K" signed
Ohat-Pusztakócs	14548	536+65-537+20	side loading	HU-14548-19-001	yes	yes	22	12	55-14548-01-1	1.(O)	782	22	no	21	"K" signed
Pátroha	14092	341+20 - 343+50	none	HU-14092-06-T01	yes	yes	170	12	55-14092-01-1	1.	820	170	yes	21	"K" signed
Pátroha	14092	341+25 - 343+40	side loading	HU-14092-19-001	yes	yes	50	9	55-14092-01-1	1.(O)	820	50	yes	21	"K" signed
Penyige	15776	357+40-359+50	none	HU-15776-06-T01	yes	yes	148	14	55-15776-01-1	1.	158	105	no	16	"K" signed
Penyige	15776	357+40-359+50	side loading	HU-15776-19-001	yes	yes	10	8	55-15776-01-1	1.(O)	158	5	no	16	"K" signed
Penyige	15776	357+07-359+11	none	HU-15776-06-T03	no	yes	104	6	55-15776-01-3	3.	104	80	no	16	"K" signed
Polgár	14811	0+90-1+10	none	HU-14811-06-T01	yes	yes	190	10	55-14811-01-1	1.	425	190	no	18,5	"K" signed
Porcsalma-Tyukod	15552	255+76-258+40	side loading	HU-15552-19-001	yes	yes	40	10	55-15552-01-1	1.(O)	354	40	no	0	5 km/h, "K" signed
Porcsalma-Tyukod	15552	255+76-258+40	none	HU-15552-06-T01	yes	yes	220	12	55-15552-01-1	1.	354	220	no	0	5 km/h, "K" signed
Poroszló	14571	775+45 - 776+25	none	HU-14571-06-T01A	yes	no	80	15	55-14571-01-1	1.(A)	677	80	no	21	"K" signed
Poroszló	14571	777+35-778+45	none	HU-14571-06-T01B	yes	yes	110	7	55-14571-01-1	1.(B)	677	110	no	21	"K" signed
Püspökladány	13862	1781+10 - 1782+24	none	HU-13862-06-T16	yes	yes	106	10	55-13862-01-16	16.	140	106	no	21	"K" signed Overweight consignment is not allowed to run on the track. Loading area can't be used until 13.12.2025. Capacity can not be requested.
Püspökladány	13862	1779+83-1785+05	none	HU-13862-06-T20	yes	yes	266	12	55-13862-01-20	20.	421	266	no	21	"K" signed, wage at the endpoint, overweight consignment is allowed to run on the track at 5 km/h speed.
Püspökladány	13862	1781+24- 1782+24	none	HU-13862-06-T17	yes	yes	118	10	55-13862-01-17	17.	118	118	no	21	20 km/h, "K" signed Overweight consignment is not allowed to run on the track. Loading area can't be used until 13.12.2025. Capacity can not be requested.
Rakamaz	11486	230+86-231+96	none	HU-11486-06-T01A	no	yes	110	15	55-11486-01-1	1.(A)	792	110	yes	18,5	"K" signed
Rakamaz	11486	232+08-232+24	side loading	HU-11486-19-001	yes	yes	16	9	55-11486-01-1	1.(O)	792	16	yes	18,5	"K" signed
Rakamaz	11486	234+10-236+03	none	HU-11486-06-T01B	yes	yes	193	15	55-11486-01-1	1.(B)	792	193	yes	18,5	"K" signed
Rakamaz	11486	236+69-238+59	none	HU-11486-06-T01C	partly	yes	190	15	55-11486-01-1	1.(C)	792	190	yes	18,5	"K" signed
Sáp	14415	1253+30 - 1254+69	none	HU-14415-06-T04	yes	yes	139	12	55-14415-01-4	4.	455	80	partly	21	"K" signed
Sáp	14415	1251+86 - 1253+16	none	HU-14415-06-T05	yes	yes	130	6	55-14415-01-5	5.	297	90	partly	21	"K" signed
Sáp	14415	1253+16-1253+36	end loading	HU-14415-19-H05	yes	yes	20	5,1	55-14415-01-5	5.(H)	297	20	partly	21	"K" signed
Sáp	14415	1257-1257+70	none	HU-14415-06-T06	yes	yes	70	12	55-14415-01-6	6.	226	70	partly	21	
Sáránd	14944	124+20 - 125+35	none	HU-14944-06-T01	yes	yes	115	21	55-14944-01-1	1.	219	115	no	21	"K" signed
Sóstóhegy	14035	84+60 - 87+00	none	HU-14035-06-T01	yes	yes	240	7	55-14035-01-1	1.	436	240	yes	21	"K" signed
Sóstóhegy	14035	83+24-83+44	side loading	HU-14035-19-001	yes	yes	20	12	55-14035-01-1	1.(O)	436	20	yes	21	"K" signed
Tarcal	11460	115+00-116+00	none	HU-11460-06-TA1	yes	yes	100	4	55-11460-01-A1	A1.	300	100	yes	18,5	"K" signed
Tarcal	11460	113+50-113+90	side loading	HU-11460-19-OA1	yes	yes	15	4	55-11460-01-A1	A1.(O)	300	100	yes	18,5	"K" signed
Tarnaszentmiklós	12302	801+28 - 802+28	none	HU-12302-06-T01A	yes	yes	100	20	55-12302-01-1	1.(A)	396	100	no	20	"K" signed
Tarnaszentmiklós	12302	801+08 - 801+28	side loading	HU-12302-19-001	yes	yes	20	10	55-12302-01-1	1.(O)	396	20	no	20	"K" signed
Tarnaszentmiklós	12302	798+05 - 799+05	none	HU-12302-06-T01B	no	yes	100	15	55-12302-01-1	1.(B)	396	100	no	20	"K" signed
Tiszafüred	14563	684+70 - 685+85	none	HU-14563-06-T01A	yes	yes	115	14	55-14563-01-1	1.(A)	550	115	no	21	"K" signed
Tiszafüred	14563	687+70-687+80	side loading	HU-14563-19-001	yes	yes	12	10	55-14563-01-1	1.(O)	550	12	no	21	"K" signed
Tiszafüred	14563	687+90 - 689+00	none	HU-14563-06-T01B	yes	yes	110	11	55-14563-01-1	1.(B)	550	110	no	21	"K" signed
Tiszalök	14860	296+80-297+60	none	HU-14860-06-T01	yes	yes	80	7	55-14860-01-1	1.	518	80	no	16	"K" signed
Tiszalök	14860	297+60-298+30	side loading	HU-14860-19-001	yes	yes	70	10	55-14860-01-1	1.(O)	518	70	no	16	"K" signed

Service place	Code of the service palce	Position of the service place	Loading and other equipments	SLC ID of the loading and other equipment	Paved	Lighting	Size		TAF TSI ID	Name of the track	Usable length (m)	Loading length (m)	Availability of catenary	Axle load (t)	Restrictions, remarks
		From section to section			yes-no-partly	yes-no	Length (m)	Width (m)					yes / no partly?		
Tiszalök	14860	294+20-297+15	none	HU-14860-06-T05	yes	yes	280	10	55-14860-01-5	5.	287	280	no	18,5	"K" signed
Tiszavasvári	14738	565+50-566+80	none	HU-14738-06-T05	yes	yes	200	9	55-14738-01-5	5.	216	200	no	18,5	"K" signed
Tiszavasvári	14738	0+94-1+07	side loading	HU-14738-19-O01	yes	yes	13	7	55-14738-01-1	1.(O)	241	13	no	18,5	"K" signed
Tiszavasvári	14738	1+00-2+20	none	HU-14738-06-T01	yes	yes	113	24	55-14738-01-1	1.	241	113	no	18,5	"K" signed
Tokaj	11478	170+00-173+00	none	HU-11478-06-T1AA	yes	yes	300	5	55-11478-01-1A	1.(A)	730	300	yes	18,5	"K" signed Loading area can't be used between 15.12.2024. - 13.12.2025. Capacity can not be requested.
Tokaj	11478	173+00-173+30	side loading	HU-11478-19-O1A	yes	yes	50	5	55-11478-01-1A	1.(O)	730	50	yes	18,5	"K" signed
Tokaj	11478	173+30-174+20	none	HU-11478-06-T1AB	yes	yes	90	15	55-11478-01-1A	1.(B)	730	90	yes	18,5	"K" signed
Tokaj	11478	174+90 - 175+40	none	HU-11478-06-T1AC	no	yes	50	12	55-11478-01-1A	1.(AC)	730	50	yes	18,5	"K" signed
Törökszentmiklós	13789	1204-1205	none	HU-13789-06-T06	yes	yes	200	15	55-13789-01-6	6.	621	200	yes	22,5	"K" signed. Grounded, not accessible by electric locomotive
Törökszentmiklós	13789	1201-1204	side loading	HU-13789-19-O06	yes	yes	100	10	55-13789-01-6	6.(O)	621	100	yes	22,5	"K" signed. Grounded, not accessible by electric locomotive
Tunyogmatolcs	15743	34+85-37+79	none	HU-15743-06-T01	yes	yes	150	5	55-15743-01-1	1.	189	150	no	16	"K" signed
Tuzsér	14159	575+00-576+00	end loading	HU-14159-19-H06	yes	yes	15	15	55-14159-01-6csonka	6. csonka (G)	120	120	partly	21	
Tuzsér	14159	579+00-578+50	side loading	HU-14159-19-O10	yes	yes	10	8	55-14159-01-10	10.csonka(O)	150	10	yes	21	"K" signed
Tuzsér	14159	579+00-578+50	none	HU-14159-06-T10	yes	yes	120	10	55-14159-01-10	10.csonka	150	120	yes	21	"K" signed
Újfehértó	13987	2554+40 - 2555+15	none	HU-13987-06-T1AA	yes	yes	75	7	55-13987-01-1/A	1/a(A)	356	165	yes	21	"K" signed
Újfehértó	13987	2556+32 - 2556+88	none	HU-13987-06-T1AB	yes	yes	56	12	55-13987-01-1/A	1/a(B)	356	56	yes	21	"K" signed
Újfehértó	13987	2557+33 - 2557+83	none	HU-13987-06-T1AC	yes	yes	50	15	55-13987-01-1/A	1/a(C)	356	50	yes	21	K" signed Goods making great dust pollution can' be loaded (e.g. dusty grain crop, loose cargo, etc.)
Vaja-Rohod	15719	403+24 - 403+60	side loading	HU-15719-19-O01	yes	yes	18	8	55-15719-01-1	1.(O)	437	18	no	18,5	"K" signed
Vaja-Rohod	15719	403+24 - 406+60	none	HU-15719-06-T01	partly	yes	336	10	55-15719-01-1	1.	437	336	no	18,5	"K" signed
Vásárosnamény	15933	532+50 - 533+00	side and end loading	HU-15933-19-X01	yes	yes	60	15	55-15933-01-1	1.(O1)	650	60	no	21	"K" signed
Vásárosnamény	15933	532+98 - 533+58	side and end loading	HU-15933-19-X09	yes	yes	60	15	55-15933-01-9	9.(H1)	157	30	no	21	"K" signed
Vásárosnamény	15933	533+58 - 534+70	none	HU-15933-06-T01A	yes	yes	112	25	55-15933-01-1	1.(A)	650	112	no	21	"K" signed
Vásárosnamény	15933	535+07 - 535+18	none	HU-15933-06-T01B	yes	yes	11	12	55-15933-01-1	1.(B)	650	11	no	21	"K" signed
Vásárosnamény	15933	531+60 - 532+90	none	HU-15933-06-T09	yes	yes	157	6	55-15933-01-9	9.	157	127	no	21	"K" signed
Zajta	15826	145+32-149+53	side loading	HU-15826-19-O01	yes	yes	20	8	55-15826-01-1	1.(O)	293	20	no	16	"K" signed
Zajta	15826	145+32-149+53	none	HU-15826-06-T01	yes	yes	220	14	55-15826-01-1	1.	293	220	no	16	"K" signed

Public loading sidings and loading areas belonging to these loading sidings - MÁV Infrastructure Co. Ltd.

Miskolc Regional Directorate

Service place	Open access loading place registered by MÁV Infrastructure Co. Ltd.								Loading track next to loading places						Restrictions, remarks
	Code of the service palce	Position of the service place	Loading and other equipments	SLC ID of the loading and other equipment	Paved	Lighting	Size		TAF TSI ID	Name of the track	Usable length (m)	Loading length (m)	Availability of catenary	Axle load (t)	
		From section to section			yes-no-partly	yes-no	Length (m)	Width (m)					yes / no partly?		
Bánréve	12849	452+00 - 453+40	none	HU-12849-06-T15	no	no	101	14	55-12849-01-15	15.csonka	300	101	no	21	
Bánréve	12849	454+39 - 454+63	side loading	HU-12849-19-O15	yes	yes	24	13	55-12849-01-15	15.csonka(O)	300	24	no	21	
Bodrogkeresztúr	13417	111+46 - 113+05	none	HU-13417-06-T06	yes	no	161	38	55-13417-01-6	VI. rakodó vágány	184	158	no	21	
Center	12864	63+40 - 64+56	none	HU-12864-06-T01	yes	no	116	15	55-12864-01-1	1.	235	116	no	21	
Center	12864	64+56 - 65+75	side loading	HU-12864-19-O01	yes	yes	119	15	55-12864-01-1	1.(O)	235	119	no	21	
Edelény	12948	437+00 - 435+02	none	HU-12948-06-T01	no	no	100	5,6	55-12948-01-1	1.csonka	398	100	no	21	
Edelény	12948	437+05 - 439+10	none	HU-12948-06-T05	yes	no	172	5,6	55-12948-01-5 CSONKA	5.csonka	172	172	no	21	
Eger	12401	161+25 - 162+75	end loading	HU-12401-19-H09	yes	yes	38	13	55-12401-01-9	9.(H1)	115	30	no	21	
Eger	12401	160+90-165+90	none	HU-12401-06-T09	yes	yes	50	21,7	55-12401-01-9	9.	115	50	no	21	
Eger	12401	162+25 - 162+75	side loading	HU-12401-19-O08	yes	yes	21	50	55-12401-01-8	8.(O1)	210	50	no	21	
Eger	12401	165+90 - 167+20	none	HU-12401-06-T10	no	no	50	17	55-12401-01-10	10.	140	130	no	21	
Felsőzsolca	11395	1859+20 - 1864+20	none	HU-11395-06-T01	partly	yes	124	14	55-11395-01-1	1.	582	124	yes	21	
Forró-Encs	13193	342+18-345+06	none	HU-13193-06-T07	yes	yes	266	6	55-13193-01-7	7. csonka	368	322	partly	21	
Forró-Encs	13193	345+22-345+52	side loading	HU-13193-19-O07	yes	yes	30	17	55-13193-01-7	7. csonka (O)	368	30	no	21	
Füzesabony	11296	1245+20 - 1246+00	side loading	HU-11296-19-O12	yes	yes	20	16	55-11296-01-12	12.raktári csonka (O)	584	20	yes	21	
Füzesabony	11296	1245+20 - 1246+00	end loading	HU-11296-19-H19	yes	yes	113	5	55-11296-01-19	19.Homlokrakodó (H)	135	113	yes	21	
Füzesabony	11296	1241+30 - 1244	none	HU-11296-06-T20	yes	yes	270	17	55-11296-01-20	20.rakodó csonka	296	270	no	21	
Füzesabony	11296	1241+70-1244+09	none	HU-11296-06-T17	yes	yes	238	8	55-11296-01-17	17.rakodó csonka	275	238	no	21	
Gyöngyös	12096	125+40 - 127+44	side loading	HU-12096-19-O11	yes	yes	25	13	55-12096-01-11	11.rakodó	61	25	no	21	
Gyöngyös	12096	126+10 - 127+59	side loading	HU-12096-19-O17	no	yes	25	10	55-12096-01-17	17.(O)rakodó	59	25	no	21	
Gyöngyös	12096	126+10 - 127+60	none	HU-12096-06-T13	yes	yes	124	13	55-12096-01-13	13.rakodó	134	124	no	21	
Hidasnémeti	13243	566+75 -570+30	side loading	HU-13243-19-O11	yes	yes	29	17	55-13243-01-11	11.(O)	352	29	yes	21	
Hidasnémeti	13243	566+75 -570+30	none	HU-13243-06-T11	yes	yes	197	17	55-13243-01-11	11.rakodó	352	197	yes	21	
Hort-Csány	11221	773+75 - 777+50	none	HU-11221-06-T01	yes	yes	375	17	55-11221-01-1	1.	764	375	yes	21	
Jászapáti	12039	317+89 - 319+24	none	HU-12039-06-T01	yes	yes	135	8,6	55-12039-01-1	1.	388	135	no	21	
Jászárokszállás	12013	533+11 - 535+20	none	HU-12013-06-T01	yes	yes	209	12	55-12013-01-1	1.	305	209	no	21	
Jászárokszállás	12013	533+11 - 535+20	side loading	HU-12013-19-O01	yes	yes	25	10	55-12013-01-1	1.(O)	305	25	no	21	
Jászkisér	12047	236+82 - 238+95	none	HU-12047-06-T01	yes	yes	52	24	55-12047-01-1	1.	291	52	no	21	
Jászladány	12062	129+70 - 131+65	none	HU-12062-06-T01	yes	yes	207	12	55-12062-01-1	1.	340	207	no	21	
Kál-Kápolna	11288	1126-1128	none	HU-11288-06-T10	yes	yes	150	5	55-11288-01-10	10.	158	150	yes	21	
Kál-Kápolna	11288	1128+08 - 1129+65	side loading	HU-11288-19-O11	yes	no	25	10	55-11288-01-11	11.(O)	330	25	yes	21	
Kál-Kápolna	11288	1128+08 - 1129+65	none	HU-11288-06-T11	no	no	168	14	55-11288-01-11	11.	330	168	no	21	
Kál-Kápolna	11288	1126-1128	none	HU-11288-06-T17	partly	yes	215	5	55-11288-01-17	17.	215	186	yes	21	
Kazincbarcika	12781	244+70 - 245+47	none	HU-12781-06-T01	yes	no	26	11	55-12781-01-1	1.	414	26	no	21	
Kazincbarcika	12781	246+15 - 247+44	none	HU-12781-06-T09	no	no	104	10	55-12781-01-9	9.	125	104	no	21	
Ludas	11262	1001+12-1003+03	none	HU-11262-06-T15	yes	yes	218	8	55-11262-01-15	15.	180	180	no	21	
Mezőkeresztes-Mezőnyárád	11338	1465-1465+51	none	HU-11338-06-T07	yes	yes	51	3	55-11338-01-7	7.	62	51	no	21	
Mezőkeresztes-Mezőnyárád	11338	1463+98-1464+50	none	HU-11338-06-T08	yes	yes	52	3	55-11338-01-8	8.	59	52	no	21	
Mezőkeresztes-Mezőnyárád	11338	1460+50 - 1462	none	HU-11338-06-T10	yes	yes	93	13	55-11338-01-10	10.	96	93	yes	21	
Mezőkeresztes-Mezőnyárád	11338	1462 - 1462+50	none	HU-11338-06-T09	yes	yes	150	17	55-11338-01-9	9.csonka	447	150	yes	21	
Mezőkövesd	11312	1370 - 1371	end loading	HU-11312-19-H07	yes	yes	50	7	55-11312-01-7	7.(H1)csonka	62	50	yes	21	
Mezőkövesd	11312	1370 - 1371	end loading	HU-11312-19-H06	yes	yes	50	7	55-11312-01-6	6.(H1)csonka	65	50	no	21	
Mezőkövesd	11312	1368 - 1373+20	side loading	HU-11312-19-O05	yes	yes	50	12	55-11312-01-5	5.(O)	243	50	yes	21	
Mezőkövesd	11312	1371+31 - 1373+11	none	HU-11312-06-T13	no	yes	181	21	55-11312-01-13	13.	489	181	yes	21	
Miskolc-Gömöri	12674	22+00 - 23+20	none	HU-12674-06-TH4	yes	yes	120	27	55-12674-01-HALIC4	Halicka4.	311	120	no	21	Loading is not permitted between 22:00 and 06:00
Miskolc-Gömöri	12674	22+00 - 23+21	none	HU-12674-06-TH5	yes	yes	120	27	55-12674-01-HALIC5	Halicka5.	143	120	no	21	Loading is not permitted between 22:00 and 06:00
Miskolc-Gömöri	12674	22+00 - 23+00	none	HU-12674-06-TH2	yes	yes	100	30	55-12674-01-HALIC2	Halicka2.	346	100	no	21	Loading is not permitted between 22:00 and 06:00
Miskolc-Gömöri	12674	22+00 - 23+01	none	HU-12674-06-TH3	yes	yes	100	30	55-12674-01-HALIC3	Halicka3.	311	100	no	21	Loading is not permitted between 22:00 and 06:00
Miskolc-Gömöri	12674	22+80 - 24+80	none	HU-12674-06-TH1	partly	no	200	13	55-12674-01-HALIC1	Halicka1.	346	200	no	21	Loading is not permitted between 22:00 and 06:00
Miskolc-Gömöri	12674	21+40-23+50	side loading	HU-12674-19-OR1	yes	yes	210	12	55-12674-01-RÁMPA 1	Rámpa 1.(O)	210	210	no	21	Loading is not permitted between 22:00 and 06:00
Miskolc-Tiszai	11387	1879-1879+13	side loading	HU-11387-19-O13	yes	yes	80	5	55-11387-01-CS13	13.csonka(O)	37	37	no	21	Fly shunting is prohibited!
Nyékáldháza	11361	1686+80 - 1687+80	none	HU-11361-06-T01	yes	yes	100	5	55-11361-01-1	1.	554	100	yes	21	
Nyékáldháza	11361	1686+90 - 1691+30	none	HU-11361-06-T11	yes	no	440	4	55-11361-01-11	11.	653	440	yes	21	
Ózd	12880	113+82 - 116+34	none	HU-12880-06-T01	yes	yes	252	15	55-12880-01-1	1.	340	209	no	21	
Ózd	12880	116+34 - 116+84	side loading	HU-12880-19-O01	yes	yes	50	11	55-12880-01-1	1.(O)	340	50	no	21	
Recsk-Parádfürdő	12153	258+50 - 259+50	side loading	HU-12153-19-O01	yes	yes	20	10	55-12153-01-1	1.(O)	298	20	no	21	
Recsk-Parádfürdő	12153	260+50-260+23	none	HU-12153-06-T01	yes	no	73	11	55-12153-01-1	1.	298	73	no	21	
Sajóecseg	12716	103+92 - 106+00	none	HU-12716-06-T01	yes	no	154	18	55-12716-01-1	1.	550	154	no	21	
Sajószentpéter	12740	169+96 - 170+27	end loading	HU-12740-19-H09	yes	yes	12	31	55-12740-01-9	9.(H1)	90	25	no	21	
Sajószentpéter	12740	169+96 - 170+27	side loading	HU-12740-19-O01	yes	yes	12	31	55-12740-01-1	1.(O1)	879	12	no	21	
Sajószentpéter	12740	170+27 - 171+17	none	HU-12740-06-T09	yes	no	83	14	55-12740-01-9	9.	90	65	no	21	
Sárospatak	13466	360+03 - 363+13	none	HU-13466-06-T04	yes	no	260	8,5	55-13466-01-4	IV. rakodó vágány	583	310	no	21	
Sárospatak	13466	361+16 - 363+06	none	HU-13466-06-T06	yes	yes	188	10,3	55-13466-01-6	VI. rakodó vágány	273	188	no	21	
Sátoraljaújhely	13482	450+45 - 453+86	none	HU											

Service place	Code of the service palce	Position of the service place	Loading and other equipments	SLC ID of the loading and other equipment	Paved	Lighting	Size		TAF TSI ID	Name of the track	Usable length (m)	Loading length (m)	Availability of catenary	Axle load (t)	Restrictions, remarks
		From section to section			yes-no-partly	yes-no	Length (m)	Width (m)					yes / no partly?		
Szendrő	12963	304+15 - 303+00	none	HU-12963-06-T01	yes	no	190	13	55-12963-01-1	1.rakodó	244	190	no	21	
Szendrő	12963	304+15 - 306+15	none	HU-12963-06-T04	no	no	200	6,1	55-12963-01-4 CSONKA	4.csonka	150	150	no	21	
Szerencs	11445	2192+00 - 2193+30	none	HU-11445-06-T15	yes	yes	129	11	55-11445-01-15	15.	150	125	no	21	
Szerencs	11445	2193+30 - 2195+39	end loading	HU-11445-19-H15	yes	yes	77	15	55-11445-01-15	15.(H1)	150	25	no	21	
Szerencs	11445	2193+30 - 2195+39	side loading	HU-11445-19-O14	yes	yes	77	15	55-11445-01-14	14.(O1)	422	77	yes	21	
Szerencs	11445	2191+82 - 2192+50	none	HU-11445-06-T18	yes	no	69	7	55-11445-01-18	18. Ágyú egyenes	132	69	no	21	
Tiszaújváros	12567	125-132+26	none	HU-12567-06-T01	no	no	320	11	55-12567-01-1	1.	750	320	partly	21	
Vámosgyörk	11239	873+00 - 874+60	none	HU-11239-06-T08	yes	yes	36	7	55-11239-01-8	8.	369	160	yes	21	Loading area can't be used. Capacity can not be requested.
Vámosgyörk	11239	869+88 - 870+06	none	HU-11239-06-T11	no	yes	70	8	55-11239-01-11	11.	125	70	no	21	
Verpelét	12187	392+97 - 394+69	noe	HU-12187-06-T04	no	yes	171	25	55-12187-01-4	4.	329	163	no	21	

Modification: D, E, 1A, 4A, 5A, 7C, 10A, 13A, 13D, 15B, 17B, 17G, 17H, 18

Annex 7.3.11

Public loading sidings and loading areas belonging to these loading sidings - MÁV Infrastructure Co. Ltd.

Pécs Regional Directorate

Service place	Open access loading place registered by MAV Infrastructure Co. Ltd.								Loading track next to loading places						Restrictions, remarks
	Code of the service palce	Position of the service place	Loading and other equipments	SLC ID of the loading and other equipment	Paved	Lighting	Size		TAF TSI ID	Name of the track	Usable length (m)	Loading length (m)	Availability of catenary	Axle load (t)	
		From section to section			yes-no-partly	yes-no	Length (m)	Width (m)					yes / no partly?		
Abaliget	07229	1865+60 - 1867+70	none	HU-07229-06-T04	yes	yes	210	4,5	55-07229-01-4	4.	183	183	no	21	Fly shunting is not allowed, "K" sign track
Aba-Sárkeresztúr	04135	143+76-144+09	side loading	HU-04135-19-001	yes	yes	33	10	55-04135-01-1	1.(O)	431	33	no	21	
Aba-Sárkeresztúr	04135	144+85-146+00	none	HU-04135-06-T01	yes	yes	115	25	55-04135-01-1	1.	431	115	no	21	Loading area can't be used between 15.12.2024.12.10 - 13.12.2025. Capacity can not be requested.
Babócsa	05637	576+50-577+50	none	HU-05637-06-T01	yes	no	100	25	55-05637-01-1	1.	300	100	no	21	
Babócsa	05637	575+85-576+50	side loading	HU-05637-19-001	yes	no	65	12	55-05637-01-1	1.(O)	300	65	no	21	
Balatonkeresztúr	08615	72+80-73+40+30	none	HU-08615-06-T01	yes	yes	50	10	55-08615-01-1	1.	179	50	no	18,5	
Balatonszentgyörgy	03566	1799+80-1802+60	none	HU-03566-06-T09	yes	yes	280	6	55-03566-01-9	9.	282	280	partly	21	Fly shunting is prohibited! Dead end track Serving is possible only with diesel locomotive
Balatonszentgyörgy	03566	1801+60 -1802+70	none	HU-03566-06-T08	yes	yes	110	10	55-03566-01-8	8.	180	180	yes	21	Fly shunting is prohibited! Dead end track Loading area can't be used between 15.12.2024 - 13.12.2025. Capacity can not be requested.
Balatonszentgyörgy	03566	1800+60-1802+70	homlokrakodó	HU-03566-19-H09	yes	yes	10	6,5	55-03566-01-9	9.(H)	282	10	yes	21	Fly shunting is prohibited! Dead end track
Balatonszemes	03434	1385+61-1386+77	none	HU-03434-06-T05	yes	yes	116,5	8	55-03434-01-5	5.	120	116,5	no	21	
Barcs	05660	701+52 - 700+46	none	HU-05660-06-T13B	yes	no	106	4	55-05660-01-13	13.(B)	146	106	no	21	
Barcs	05660	698+45 - 699+96	none	HU-05660-06-T13A	yes	no	151	6	55-05660-01-13	13.(A)	146	133	no	21	
Barcs	05660	702+72 - 703+14	side loading	HU-05660-19-O14	yes	yes	45	15	55-05660-01-14	14.(O)	230	45	no	18,5	
Barcs	05660	701+87 - 702+57	none	HU-05660-06-T14	yes	yes	70	15	55-05660-01-14	14.	230	70	no	18,5	
Baté	06247	164+30-164+80	side loading	HU-06247-19-X01O1	yes	yes	50	12	55-06247-01-1	1.(O1)	640	50	yes	21	
Baté	06247	164+30-164+80	end loading	HU-06247-19-X05H5	yes	no	50	12	55-06247-01-5	5.(H1)	86	25	no	21	
Baté	06247	163+80-164+30	none	HU-06247-06-T05	yes	no	50	12	55-06247-01-5	5.	86	25	no	21	
Bátaszék	07146	604+48-605+40	side loading	HU-07146-19-001	yes	yes	92	10	55-07146-01-1	1.(O1)	432	92	no	21	train departure track
Bátaszék	07146	604+50-606+00	none	HU-07146-06-T11	yes	yes	150	18	55-07146-01-11	11.	150	125	no	21	
Bátaszék	07146	604+48-605+40	end loading	HU-07146-19-H11	yes	yes	92	10	55-07146-01-11	11.(H1)	150	25	no	21	
Bátaszék	07146	604+80-606+15	none	HU-07146-06-T10	yes	yes	135	17	55-07146-01-10	10.	262	135	no	21	
Berzence	05595	323-324+50	none	HU-05595-06-T01	yes	yes	133	25	55-05595-01-1	1.	384	133	no	21	
Bóly	07765	141+63-142+08	none	HU-07765-06-T04B	yes	no	45	13	55-07765-01-4	4.(B)	240	45	no	21	Loading area can't be used . Capacity can not be requested.
Bóly	07765	140+83-141+53	side loading	HU-07765-19-004	yes	no	70	12	55-07765-01-4	4.(O)	240	70	no	21	
Bóly	07765	139-95-140+63	none	HU-07765-06-T04A	yes	no	68	16	55-07765-01-4	4.(A)	240	68	no	21	Loading area can't be used . Capacity can not be requested.
Böhönye	08565	416+00 - 417+00	none	HU-08565-06-T03	yes	yes	100	15	55-08565-01-3	3.	301	100	no	20	
Böhönye	08565	416+06 - 416+26	side loading	HU-08565-19-X01O1	yes	yes	20	8	55-08565-01-1	1.(O1)	275	20	no	18,5	Loading area can't be used between 15.12.2024.12.10 - 13.12.2025. Capacity can not be requested.
Böhönye	08565	416+26 -416+46	end loading	HU-08565-19-X05H5	yes	yes	20	11	55-08565-01-5	5.(H1)	145	20	no	18,5	Loading area can't be used between 15.12.2024.12.10 - 13.12.2025. Capacity can not be requested.
Böhönye	08565	415+30-416+05	none	HU-08565-06-T05	no	no	75	12	55-08565-01-5	5.	145	75	no	18,5	Loading area can't be used between 15.12.2024.12.10 - 13.12.2025. Capacity can not be requested.
Csurgó	06411	896+10 - 896+73	side loading	HU-06411-19-X01O1	yes	yes	30; 33	2; 15	55-06411-01-1	1.(O1)	708	63	yes	21	
Csurgó	06411	898+00-898+45	none	HU-06411-06-T01	yes	yes	45	5	55-06411-01-1	1.	708	45	yes	21	
Csurgó	06411	893+00 - 892+20	none	HU-06411-06-T07	no	yes	80	10	55-06411-01-7	7.	113	80	no	21	
Csurgó	06411	894+71 - 893+22	none	HU-06411-06-T06	yes	yes	149	4	55-06411-01-6	6.	138	130	partly	21	5 km/h Serving is possible only with diesel locomotive.
Csurgó	06411	894+71 - 895+96	none	HU-06411-06-T05	yes	yes	125	4	55-06411-01-5	5.	89	89	no	21	
Csurgó	06411	896+73 - 896+93	end loading	HU-06411-19-X05H5	yes	yes	20	6	55-06411-01-5	5.(H1)	89	20	no	21	
Darány	05694	550+50-550+72	side loading	HU-05694-19-001	yes	yes	20	6	55-05694-01-1	1.(O)	300	20	no	21	
Darány	05694	553-553+47	none	HU-05694-06-T01	yes	yes	47	13	55-05694-01-1	1.	300	47	no	21	Loading area can't be used between 13.10.2025.- 14.11.2025. Capacity can not be requested.
Dombóvár alsó	06197	15+80-18+10	none	HU-06197-06-T07	no	yes	230	7	55-06197-01-7	7.	330	230	no	21	Loading area can only be used between 01. March and 15. November.
Dombóvár	06189	1589+11-1590+04	none	HU-06189-06-TE5	yes	yes	93	5,4	55-06189-01-5	S vágány	159	93	no	21	
Dombóvár	06189	1588+68-1589+71	none	HU-06189-06-TUJ	yes	yes	136	15,11	55-06189-01-ÚJ	Új vágány	163	136	no	21	
Drávafok	08052	797+26 - 799+37	none	HU-08052-06-T01	yes	no	211	6	55-08052-01-1	1.	502	211	no	21	
Gelse*	05454	1793+96 - 1794+96	none	HU-05454-06-T04A	yes	yes	100	20	55-05454-01-4	4.(A)	700	100	no	21	
Gelse*	05454	1793+47 - 1793+71	side loading	HU-05454-19-004	yes	yes	24	12	55-05454-01-4	4.(O)	700	24	no	21	Loading area can't be used between 15.12.2024.12.10 - 13.12.2025. Capacity can not be requested.
Gelse*	05454	1791+80 - 1793+20	none	HU-05454-06-T04B	no	no	140	26	55-05454-01-4	4.(B)	700	140	no	21	

Service place	Code of the service palce	Position of the service place	Loading and other equipments	SLC ID of the loading and other equipment	Paved	Lighting	Size		TAF TSI ID	Name of the track	Usable length (m)	Loading length (m)	Availability of catenary	Axle load (t)	Restrictions, remarks
		From section to section			yes-no-partly	yes-no	Length (m)	Width (m)					yes / no partly?		
Godisa	07211	1763+00-1764+04	none	HU-07211-06-T01	no	yes	104	25	55-07211-01-1	1.	600	104	yes	21	10 km/h Serving is possible only with diesel locomotive Loading area can't be used between 15.12.2024 - 13.12.2025. Capacity can not be requested.
Gyékényes*	06437	154+60-155+58	none	HU-06437-06-T21	yes	yes	98	7	55-06437-01-21	21.	98	98	no	21	
Gyékényes*	06437	157+78-159+07	side loading	HU-06437-19-001	yes	yes	129	22	55-06437-01-1	1.(O)	545	129	no	21	wagon weigh
Hidas-Bonyhád	07088	414+70-414+80	none	HU-07088-06-T04A	no	no	10	10	55-07088-01-4/A	4/A.	112	10	no	21	
Hidas-Bonyhád	07088	411+17-412+25	none	HU-07088-06-T05	yes	no	108	30	55-07088-01-5	5.	220	108	no	21	Loading area can't be used due to technical reasons, capacity can not be requested.
Kaposvár	06288	301+84 - 302+84	none	HU-06288-06-TT3	no	yes	100	5	55-06288-01-T3	T3	127	100	no	21	Capacity can only be requested for adjustment of consignment and reparation.
Kaposvár elágazás	43588	2+75-4+95	none	HU-43588-06-T10	yes	yes	220	10	55-43588-01-10	10.	354	220	no	20	
Kaposvár elágazás	43588	2+75-4+95	none	HU-43588-06-T11	yes	yes	220	10	55-43588-01-11	11.	337	220	no	20	
Kaposvár elágazás	43588	3+38-5+03	none	HU-43588-06-T12	yes	yes	165	10	55-43588-01-12	12.	190	165	no	20	
Kaposvár elágazás	43588	3+55-6+20	none	HU-43588-06-T13	yes	yes	265	10	55-43588-01-13	13.	304	265	no	20	
Karád	08318	494+60-495+10	none	HU-08318-06-T01	no	yes	50	15	55-08318-01-1	1.	180	50	no	19	10 km/h Loading area can't be used between 15.12.2024 - 13.12.2025. Capacity can not be requested.
Kisbárapáti	08284	361+91-362+81	none	HU-08284-06-T01	no	no	90	7	55-08284-01-1	1.	190	90	no	20	
Kiskorpád	06320	459+66 - 459+96	side loading	HU-06320-19-X01O1	yes	yes	30	6	55-06320-01-1	1.(O1)	720	30	yes	21	
Kiskorpád	06320	460+34-462+85	none	HU-06320-06-T05	yes	yes	251	11	55-06320-01-5	5.	259	251	no	21	
Kiskorpád	06320	459+66 - 459+96	end loading	HU-06320-19-X05H5	yes	yes	30	6	55-06320-01-5	5.(H1)	259	30	no	21	
Kurd	06163	1407+19 - 1408+29	none	HU-06163-06-T01A	yes	yes	110	6	55-06163-01-1	1.(A)	588	110	no	21	
Kurd	06163	1410+15-1410+90	none	HU-06163-06-T01B	yes	yes	75	25	55-06163-01-1	1.(B)	588	75	no	21	
Lepsény	03301	947+80-948+06	side loading	HU-03301-19-007	yes	yes	26	17	55-03301-01-7	7.(O)	465	26	partly	22,5	wagon weigh bridge, livestock loading
Lepsény	03301	946+20-947+30	none	HU-03301-06-T08	yes	yes	110	30	55-03301-01-8	8.	130	110	partly	22,5	
Lepsény	03301	947+10-949+80	none	HU-03301-06-T09	yes	yes	270	25	55-03301-01-9	9.	451	270	partly	22,5	
Lepsény	03301	00+30-2+40	none	HU-03301-06-T10	yes	no	210	30	55-03301-01-10	10.	335	210	no	22,5	
Magyarbóly	07476	370+54-371+56	none	HU-07476-06-T01A	no	yes	102	12	55-07476-01-1	1.(A)	291	102	no	21	partially paved area
Magyarbóly	07476	369+61-370+31	none	HU-07476-06-T01B	yes	yes	70	12	55-07476-01-1	1.(B)	291	70	no	21	weigh, loading gauge
Magyarbóly	07476	369+25-369+45	side loading	HU-07476-19-001	yes	yes	20	10	55-07476-01-1	1.(O)	291	20	no	21	
Marcali	08599	221+91-222+61	side loading	HU-08599-19-001	yes	yes	70	8	55-08599-01-1	1.(O)	367	70	no	18,5	
Marcali	08599	222+71-222+91	end loading	HU-08599-19-H04	yes	yes	20	7	55-08599-01-4	4.(H)	263	140	no	18,5	Loading area can't be used due to technical reasons, capacity can not be requested.
Marcali	08599	221+36-221+91	none	HU-08599-06-T01	yes	yes	55	13	55-08599-01-1	1.	367	55	no	18,5	
Marcali	08599	221+31-222+71	none	HU-08599-06-T04	yes	yes	140	6,5	55-08599-01-4	4.	263	140	no	18,5	
Mágocs-Alsómocsolád	07021	123+00-126+70	none	HU-07021-06-T04	yes	yes	370	12	55-07021-01-4	4.	289	289	no	21	
Mecsekalja-Cserkút	07286	109+78-109+98	side loading	HU-07286-19-001	yes	yes	20	20	55-07286-01-1	1.(O)	640	20	no	21	Track between Switches No 8 and 16 is excluded from traffic. Loading area can't be used between 08.09.2025. - 19.10.2025. Capacity can not be requested.
Mecsekalja-Cserkút	07286	108+79-109+64 108+59-108+79	none	HU-07286-06-T01	yes	yes	105	20	55-07286-01-1	1.	640	85	no	21	Track between Switches No 8 and 16 is excluded from traffic. Loading area can't be used between 08.09.2025. - 19.10.2025. Capacity can not be requested.
Mecsekjánosí	07526	148+60-149+15	none	HU-07526-06-T01	no	yes	55	13	55-07526-01-1	1.	173	55	no	21	
Mernye	08268	204+94-205+09	side loading	HU-08268-19-001	yes	no	15	6	55-08268-01-1	1.(O)	214	15	no	20	
Mernye	08268	205+14-205+74	none	HU-08268-06-T01	no	no	60	5	55-08268-01-1	1.	214	60	no	20	
Mesztegnő	08573	304+45-304+57	side loading	HU-08573-19-001	yes	no	12	4,5	55-08573-01-1	1.(O)	240	60	no	20	Loading area can't be used between 15.12.2024 - 13.12.2025. Capacity can not be requested.
Mesztegnő	08573	303+39-304+19	none	HU-08573-06-T01	no	no	80	17,5	55-08573-01-1	1.	240	80	no	20	
Mohács	07781	0+00 - 1+20	none	HU-07781-06-T07	yes	yes	120	4	55-07781-01-7	7.	120	74	no	21	5km/h Loading area can't be used between 15.12.2024 - 13.12.2025. Capacity can not be requested.
Mohács	07781	1+00-3+00	none	HU-07781-06-T06	yes	yes	200	20	55-07781-01-6	6.	200	200	no	21	Loading area can't be used between 15.12.2024 - 13.12.2025. Capacity can not be requested.
Murakeresztúr*	03640	2340+75-2341+10	side loading	HU-03640-19-OS13	yes	yes	35	10	55-03640-01-SZ 13	Sz.13.(O)	210	35	yes	21	Loading area can't be used between 01.10.2025 - 07.11.2025. Capacity can not be requested.
Murakeresztúr*	03640	2347+92-2344+77	none	HU-03640-06-TA1	yes	yes	120	6	55-03640-01-A1	A1	315	120	no	21	Serving is possible only with diesel locomotive
Nagyatád	08631	82+90 - 83+90	none	HU-08631-06-T01	yes	yes	100	15	55-08631-01-1	1.	343	100	no	21	Applicable speed 5 km/h, In case of crane loading the aerial cable wire between the lighting poles shall be protected.
Nagyatád	08631	21+60-22+70	none	HU-08631-06-T05	yes	no	110	10	55-08631-01-5	5.	256	110	no	21	5km/h Loading area can't be used between 15.12.2024 - 13.12.2025. Capacity can not be requested.
Nagyatád	08631	21+60-24+68	none	HU-08631-06-T06	yes	no	110; 193	12; 28	55-08631-01-6	6.	362	303	no	21	
Nagydorog	06684	234+14-234+34	end loading	HU-06684-19-X05H5	yes	no	20	10	55-06684-01-5	5.(H1)	48	20	no	21	
Nagydorog	06684	234+14-234+35	side loading	HU-06684-19-X01O1	yes	no	20	10	55-06684-01-1	1.(O1)	536	20	no	21	
Nagydorog	06684	234+11-235+17	none	HU-06684-06-T05	yes	yes	106	20	55-06684-01-5	5.	48	48	no	21	
Nagykanizsa*	03624	2210+10-2210+85	none	HU-03624-06-T16A	no	yes	75	8	55-03624-01-16/a	16/a	120	70	no	21	Capacity can only be requested for picking out overweight and adjustment of consignment.
Nagykanizsa*	03624	2207+77-2210+17	none	HU-03624-06-T19	yes	yes	240	24	55-03624-01-19	19.	271	240	no	21	Serving is possible only with diesel locomotive.

Service place	Code of the service palce	Position of the service place	Loading and other equipments	SLC ID of the loading and other equipment	Paved	Lighting	Size		TAF TSI ID	Name of the track	Usable length (m)	Loading length (m)	Availability of catenary	Axle load (t)	Restrictions, remarks
		From section to section			yes-no-partly	yes-no	Length (m)	Width (m)					yes / no partly?		
Nagykanizsa*	03624	2207+59-2207+77	end loading	HU-03624-19-H19	yes	yes	18	5	55-03624-01-19	19.(H)	271	18	no	21	Serving is possible only with diesel locomotive.
Nagykanizsa*	03624	2210+18-2211+58	none	HU-03624-06-T22	yes	yes	140	3/15	55-03624-01-22	22.	204	140	no	21	Serving is possible only with diesel locomotive.
															Loading area can't be used between 07.07.2025 - 28.07.2025. Capacity can not be requested.
															Loading area can't be used between 08.09.2025 - 04.10.2025. Capacity can not be requested.
Nagykanizsa*	03624	2207+50-2209+10	side loading	HU-03624-19-O24	yes	yes	160	5,6	55-03624-01-24	24.(O)	238	105	no	21	Serving is possible only with diesel locomotive. 5 km/h Loading area can't be used between 07.07.2025 - 28.07.2025. Capacity can not be requested. Loading area can't be used between 08.09.2025 - 04.10.2025. Capacity can not be requested.
Nagykanizsa*	03624	2209+65-2210+15	none	HU-03624-06-T25	yes	yes	50	24	55-03624-01-25	25.	76	50	no	21	Serving is possible only with diesel locomotive.
Osztopán	08458	252+68-252+93	side loading	HU-08458-19-O01	yes	yes	25	10	55-08458-01-1	1.(O)	376	25	no	21	
Osztopán	08458	252+93-254+35	none	HU-08458-06-T01	yes	yes	142	10	55-08458-01-1	1.	376	142	no	21	
Pécs	07294	51+79-55+11	none	HU-07294-06-TBU	yes	no	200	10	55-07294-01-BÜR	Bűr vágány	332	200	no	21	Serving is possible only with diesel locomotive
Pécsbánya-Rendező	07385	0+92-1+42	none	HU-07385-06-T01	yes	yes	50	10	55-07385-01-1	1.	198	50	yes	21	wagon weigh
Pécsbánya-Rendező	07385	0+92	side loading	HU-07385-19-O01	yes	yes	30	12,5	55-07385-01-1	1.(O)	198	30	yes	21	
Pécsbánya-Rendező	07385	5+65 - 6+82	none	HU-07385-06-T02A	no	no	117	11	55-07385-01-2/A	2/a.	338	117	no	21	
Pincehely	05983	1091+55 1093+10	none	HU-05983-06-T06	yes	no	155	14,5	55-05983-01-6	6.	345	155	no	21	
Sásd	07203	1727+10-1727+50	none	HU-07203-06-T01C	yes	yes	40	8	55-07203-01-1	1.(C)	645	40	no	21	
Sásd	07203	1723+03 - 1724+33	none	HU-07203-06-T01B	yes	yes	130	10	55-07203-01-1	1.(B)	645	130	no	21	
Sásd	07203	1721+65 - 1723+03	none	HU-07203-06-T01A	yes	yes	138	4	55-07203-01-1	1.(A)	645	138	no	21	
Sásd	07203	1725+66-1726+46	side loading	HU-07203-19-O01	yes	yes	80	20	55-07203-01-1	1.(O)	645	80	no	21	
Sárbogárd	05926	790+60-791+90	none	HU-05926-06-T01	yes	yes	130	10	55-05926-01-1	1.	415	130	yes	21	There is a wagon weigh bridge (100 t) on the end point side of the track. "K" sign dead end track, Fly shunting is prohibited, side loading ramp streches into clearance.
Sárbogárd	05926	789+30-789+97	side loading	HU-05926-19-O01	yes	yes	19	15	55-05926-01-1	1.(O)	415	19	yes	21	There is a wagon weigh bridge (100 t) on the end point side of the track. "K" sign dead end track, Fly shunting is prohibited, side loading ramp streches into clearance.
Sárbogárd	05926	787+50-789+50	none	HU-05926-06-T09	yes	no	200	10	55-05926-01-9	9.	600	200	no	21	
Sárbogárd	05926	789+30-789+97	side loading	HU-05926-19-X12O12	yes	yes	67	7	55-05926-01-12	12.(O1)	218	67	no	21	"K" sign dead end track, Fly shunting is prohibited, side loading ramp streches into clearance.
Sárbogárd	05926	789+30-790+48	none	HU-05926-06-T12A	no	yes	118	10	55-05926-01-12	12.(A)	218	118	no	21	"K" sign dead end track, Fly shunting is prohibited, side loading ramp streches into clearance.
Sárbogárd	05926	790+84-792+24	none	HU-05926-06-T12B	yes	yes	140	10	55-05926-01-12	12.(B)	218	140	partly	21	"K" sign dead end track, Fly shunting is prohibited, side loading ramp streches into clearance.
Sárbogárd	05926	789+97-790+49	none	HU-05926-06-T13	yes	yes	50	10	55-05926-01-13	13.	52	52	no	21	"K" sign dead end track, Fly shunting is prohibited.
Sárbogárd	05926	789+30-789+97	end loading	HU-05926-19-X13H13	yes	yes	67	7	55-05926-01-13	13.(H1)	52	67	no	21	"K" sign dead end track, Fly shunting is prohibited.
Sárosd	05892	619+09-621+00	none	HU-05892-06-T01	yes	yes	191	19	55-05892-01-1	1.	720	191	no	21	
Sárosd	05892	623+65-623+80	side loading	HU-05892-19-O01	yes	yes	15	10	55-05892-01-1	1.(O)	720	15	no	21	
Siófok B/1 kitérő ipvk.	08394	973+02-974+25	side loading	HU-08394-19-O05	yes	yes	123	27	55-08394-01-5	5.(O)	220	123	no	21	5 km/h Located in Siófok Kereskedelmi pályaudvar Loading area can't be used between 15.12.2024 - 13.12.2025. Capacity can not be requested.
Siófok B/1 kitérő ipvk.	08394	973+02 - 974+25	none	HU-08394-06-T05	yes	yes	123	27	55-08394-01-5	5.	220	123	no	21	5 km/h Located in Siófok Kereskedelmi pályaudvar
Siófok B/1 kitérő ipvk.	08394	972+90-975+81	none	HU-08394-06-T03	yes	yes	291	11	55-08394-01-3	3.	220	220	no	21	5 km/h Located in Siófok Kereskedelmi pályaudvar
Siófok B/1 kitérő ipvk.	08394	972+90-975+81	none	HU-08394-06-T04	yes	yes	291	11	55-08394-01-4	4.	230	230	no	21	5 km/h Located in Siófok Kereskedelmi pályaudvar
Siófok B/1 kitérő ipvk.	08394	972+17-975+38	end loading	HU-08394-19-H03	yes	yes	21	5	55-08394-01-3	3.(H)	220	25	no	21	5 km/h Located in Siófok Kereskedelmi pályaudvar Loading area can't be used between 15.12.2024 - 13.12.2025. Capacity can not be requested.
Siófok	03350	1148+53-1149+28	none	HU-03350-06-T17	yes	yes	75	12	55-03350-01-17	17.	105	75	yes	22,5	20 km/h
Siófok	03350	1149+28-1149+52	car loading	HU-03350-19-G17	yes	yes	24	12	55-03350-01-17	17.(G)	105	24	yes	22,5	20 km/h Only for car loading Loading area can't be used between 15.12.2024 - 13.12.2025. Capacity can not be requested.

Service place	Code of the service palce	Position of the service place	Loading and other equipments	SLC ID of the loading and other equipment	Paved	Lighting	Size		TAF TSI ID	Name of the track	Usable length (m)	Loading length (m)	Availability of catenary	Axle load (t)	Restrictions, remarks
		From section to section			yes-no-partly		Length (m)	Width (m)					yes / no partly?		
Sellye	08078	237+81- 237+96	side loading	HU-08078-19-001	yes	yes	15	8	55-08078-01-1	1.(O)	315	15	no	21	10 km/h "K"sign track, Fly shunting is not allowed, side loading ramp streches into clearance.
Sellye	08078	237+96 - 238+56	none	HU-08078-06-T01A	no	yes	60	8	55-08078-01-1	1.(A)	315	60	no	21	10 km/h "K"sign track, Fly shunting is not allowed, side loading ramp streches into clearance.
Sellye	08078	240+00 - 239+00	none	HU-08078-06-T01B	yes	yes	100	4	55-08078-01-1	1.(B)	315	100	no	21	10 Km/h "K" signed track , fly shunting is not allowed, side loading ramp streches into clearance.
Sellye	08078	237+77 - 240+07	none	HU-08078-06-T05	no	yes	230	4	55-08078-01-5	5.	276	230	no	21	
Sellye	08078	239+00 - 239+87	none	HU-08078-06-T06	yes	yes	66	8	55-08078-01-6	6.	95	66	no	21	
Simontornya	05967	968+65-973+72	none	HU-05967-06-T06	yes	no	507	17	55-05967-01-6	6.	640	507	no	21	Loading area can't be used between 21.05.2025 - 31.07.2025. Capacity can not be requested.
Somogyjád	08441	203+04-204+94	none	HU-08441-06-T01	no	no	190	10	55-08441-01-1	1.	553	190	no	21	
Somogyszob	06379	713+12-713+85	side loading	HU-06379-19-001	yes	yes	73	12	55-06379-01-1	1.(O)	712	73	yes	21	
Somogyszob	06379	714+20 - 715+64	wagon weigh	HU-06379-06-T01	yes	yes	144	4	55-06379-01-1	1.	712	144	yes	21	Wagon weigh
Szántód	03400	1272+00-1273+70	none	HU-03400-06-T01B	yes	yes	170	12,5	55-03400-01-1	1.(B)	555	170	no	21	
Szántód	03400	1275+03-1276+13	none	HU-03400-06-T01A	yes	yes	110	16	55-03400-01-1	1.(A)	555	110	no	21	
Szakály-Hőgyész	06130	1298+45-1298+70	end loading	HU-06130-19-H07	no	yes	25	10	55-06130-01-7	7.(H)	221	25	no	21	5 km/h Loading area can't be used between 15.12.2024 - 13.12.2025. Capacity can not be requested.
Szakály-Hőgyész	06130	1298+90-1300+85	none	HU-06130-06-T07	no	yes	195	14	55-06130-01-7	7.	221	195	no	21	5 km/h Loading area can't be used between 15.12.2024 - 13.12.2025. Capacity can not be requested.
Szekszárd	06767	550+66-551+56	none	HU-06767-06-T01	no	yes	80	12	55-06767-01-1	1.	469	80	no	21	
Szekszárd	06767	547+98-549+85	none	HU-06767-06-T07	yes	no	187	10	55-06767-01-7	7.	280	187	no	20	
Szekszárd	06767	547+53-550+15	none	HU-06767-06-T08	yes	no	262	14	55-06767-01-8	8.	300	262	no	20	
Szentlőrinc	07260	234+48-235+30	end loading	HU-07260-19-X10H10	yes	yes	82	10	55-07260-01-10	10.(H1)	42	20	no	21	"K" signed
Szentlőrinc	07260	235+79-238+65	none	HU-07260-06-T08	no	yes	286	6	55-07260-01-8	8.	398	286	no	21	
Szentlőrinc	07260	234+48-235+30	side loading	HU-07260-19-X09O9	yes	yes	82	10	55-07260-01-9	9.(O1)	510	82	yes	21	"K"sign track, side loading ramp streches into clearance 5 km/h 5 km/h Loading area can't be used between 15.12.2024 - 13.12.2025. Capacity can not be requested.
Szentlőrinc	07260	231+10-232+70	wagon weigh	HU-07260-06-T09	yes	yes	160	30	55-07260-01-9	9.	510	160	yes	21	"K"sign track, side loading ramp streches into clearance, wagon weigh Loading area can't be used between 15.12.2024 - 13.12.2025. Capacity can not be requested.
Szentlőrinc	07260	230+25-231+70	none	HU-07260-06-T12	yes	no	145	16	55-07260-01-12	12.	204	145	no	21	
Szigetvár	05736	384+20-385+20	none	HU-05736-06-T07	yes	yes	100	20	55-05736-01-7	7.	108	100	no	21	"K" signed
Szigetvár	05736	380+96 - 382+35	none	HU-05736-06-T06	yes	yes	139	15	55-05736-01-6	6.	266	139	no	21	
Szigetvár	05736	382+20 - 384+52	none	HU-05736-06-T05	yes	yes	232	6	55-05736-01-5	5.	430	232	no	21	train departure, loading track
Szigetvár	05736	382+20 - 384+52	none	HU-05736-06-T10	no	yes	232	6	55-05736-01-10	10.	240	232	no	21	"K" signed
Tab	08342	688+55-689+40	none	HU-08342-06-T01B	yes	yes	85	13	55-08342-01-1	1.(B)	331	85	no	18,5	20 km/h Loading area can't be used between 15.12.2024 - 13.12.2025. Capacity can not be requested.
Tab	08342	690+26-691+52	none	HU-08342-06-T01A	yes	yes	126	11	55-08342-01-1	1.(A)	331	126	no	18,5	20 km/h Loading area can't be used between 15.12.2024 - 13.12.2025. Capacity can not be requested.
Tab	08342	690+11-690+26	side loading	HU-08342-19-001	yes	yes	15	5	55-08342-01-1	1.(O)	331	15	no	18,5	20 km/h Loading area can't be used between 15.12.2024 - 13.12.2025. Capacity can not be requested.
Tamási	06890	121+02 - 122+56	none	HU-06890-06-T04	yes	yes	154	10	55-06890-01-4	4.	127	127	no	21	
Tamási	06890	122+46 - 124+00	none	HU-06890-06-T05	yes	yes	154	10	55-06890-01-5	5.	331	154	no	21	
Tamási	06890	121+66 - 122+91	none	HU-06890-06-T01	no	yes	125	5	55-06890-01-1	1.	240	125	no	21	
Taszár	06262	218+85-220+99	none	HU-06262-06-T04	yes	yes	214	6	55-06262-01-4	4.	334	94	partly	21	
Tolna-Mözs	06742	472+86-473+96	none	HU-06742-06-T03	yes	yes	110	23	55-06742-01-3	3.	195	110	no	21	Loading area can't be used between 15.12.2024 - 13.12.2025. Capacity can not be requested.
Vajta	06668	121+00-122+03	none	HU-06668-06-T01	yes	no	103	12	55-06668-01-1	1.	400	103	no	21	
Vajszló	08094	579+33 - 580+41	none	HU-08094-06-T04	yes	yes	108	5	55-08094-01-4	4.	140	108	no	21	"K"sign track, Fly shunting is not allowed
Vajszló	08094	579+63- 580+35	none	HU-08094-06-T01	yes	yes	72	6	55-08094-01-1	1.	290	72	no	21	"K"sign track, Fly shunting is not allowed
Vajszló	08094	580+35 - 580+50	side loading	HU-08094-19-001	yes	yes	15	8	55-08094-01-1	1.(O)	290	15	no	21	"K"sign track, Fly shunting is not allowed
Villány	07468	306+80-307+60	none	HU-07468-06-T09A	no	yes	80	20	55-07468-01-9	9.(A)	198	80	no	21	10 km/h Loading area can't be used between 15.12.2024 - 13.12.2025. Capacity can not be requested.
Villány	07468	307+83-308+83	none	HU-07468-06-T09B	yes	yes	100	10	55-07468-01-9	9.(B)	198	100	no	21	10 km/h Loading area can't be used between 15.12.2024 - 13.12.2025. Capacity can not be requested.
Vízvár	05629	459+30 - 460+19	none	HU-05629-06-T01A	no	yes	89	13	55-05629-01-1	1.(A)	280	89	no	21	
Vízvár	05629	460+94 - 461+94	none	HU-05629-06-T01B	yes	yes	100	6	55-05629-01-1	1.(B)	280	100	no	21	
Vízvár	05629	460+60 - 460+94	side loading	HU-05629-19-001	yes	yes	34	6	55-05629-01-1	1.(O)	280	34	no	21	
Zalakomár*	03657	2002+25 - 2002+79	side loading	HU-03657-19-004	yes	yes	54	5,5	55-03657-01-4	4.(O)	369	54	partly	21	Serving is possible only with diesel locomotive
Zalakomár*	03657	1996+63 - 1999+46	none	HU-03657-06-T04A	no	yes	283	6	55-03657-01-4	4.(A)	273	273	no	21	Serving is possible only with diesel locomotive

Service place	Code of the service palce	Position of the service place	Loading and other equipments	SLC ID of the loading and other equipment	Paved	Lighting	Size		TAF TSI ID	Name of the track	Usable length (m)	Loading length (m)	Availability of catenary	Axle load (t)	Restrictions, remarks
		From section to section			yes-no-partly	yes-no	Length (m)	Width (m)					yes / no partly?		
Zalakomár*	03657	1999+46 - 2003+07	none	HU-03657-06-T04B	yes	yes	361	23,5	55-03657-01-4	4.(B)	369	307	no	21	Serving is possible only with diesel locomotive Loading area can't be used between 15.09.2025 - 22.10.2025. Capacity can not be requested.

Public loading sidings and loading areas belonging to these loading sidings - MÁV Infrastructure Co. Ltd.

Szeged Regional Directorate

Service place	Open access loading place registered by MÁV Infrastructure Co. Ltd.								Loading track next to loading places						Restrictions, remarks
	Code of the service palce	Position of the service place	Loading and other equipments	SLC ID of the loading and other equipment	Paved	Lighting	Size		TAF TSI ID	Name of the track	Usable length (m)	Loading length (m)	Availability of catenary	Axle load (t)	
		From section to section			yes-no-partly	yes-no	Length (m)	Width (m)					yes / no partly?		
Bácsalmás	16642	435+45 - 437+10	side loading	HU-16642-19-O01	yes	no	200	20	55-16642-01-1	1.(O)	511	200	no	20	
Bácsalmás	16642	439 - 441	none	HU-16642-06-T08	yes	yes	186	15	55-16642-01-8	8.	186	186	no	20	
Bácsalmás	16642	439 - 441	none	HU-16642-06-T09	yes	yes	179	15	55-16642-01-9	9.	179	179	no	20	
Bácsbokod-Bácsborsod	16675	577 - 583	none	HU-16675-06-T01B	yes	yes	538	12	55-16675-01-1	1.(B)	679	538	no	21	
Bácsbokod-Bácsborsod	16675	583+20 - 584	none	HU-16675-06-T01A	yes	yes	80	8	55-16675-01-1	1.(A)	679	80	no	21	
Baja	16709	767 - 769	none	HU-16709-06-T07	yes	yes	200	7	55-16709-01-7	7.	224	200	no	21	extraordinary consignment max 22,5 t and 5 km/h speed restriction Loading area can't be used to 30.09.2025, capacity can't be requested.
Baja	16709	767 - 771	none	HU-16709-06-T10	yes	yes	300	7	55-16709-01-10	10.	321	300	no	21	
Baja	16709	761+42 - 771+15	none	HU-16709-06-T11	yes	yes	300	11	55-16709-01-11	11.	321	300	no	21	
Baja	16709	761+42 - 771+15	none	HU-16709-06-T12	yes	yes	300	11	55-16709-01-12	12.	321	300	no	21	
Baja	16709	23+80 - 26+50	none	HU-16709-06-T01	yes	no	270	20	55-16709-01-1	1.	300	270	no	21	Located in Baja-Külső
Baja	16709	23+80 - 26+50	none	HU-16709-06-T02	yes	no	270	20	55-16709-01-2	2.	300	270	no	21	Located in Baja-Külső
Balástya	17178	930+80-931+60	none	HU-17178-06-T04	yes	yes	80	9	55-17178-01-4	4.	125	80	partly	21	Serving is possible only with diesel locomotive.
Balástya	17178	930+80-931+60	side loading	HU-17178-19-O04	yes	yes	80	9	55-17178-01-4	4.(O)	125	10	partly	21	Serving is possible only with diesel locomotive.
Balotaszállás	16329	1368 - 1369	none	HU-16329-06-T01	no	yes	100	10	55-16329-01-1	1.	286	100	no	21	Loading area can't be used, capacity can't be requested. Under construction until 2025
Békéscsaba	18036	848+75 - 851+92	none	HU-18036-06-T34	yes	no	317	10	55-18036-01-34	34.	317	317	no	21	Between 848+75 - 849+23 in length of 48m the condition of the pavement is poor.
Békéscsaba	18036	849+75-851+92	none	HU-18036-06-T31	no	no	100	15	55-18036-01-31	31.	350	100	no	21	It is prohibited to use the connecting route for loading! Loading is prohibited under passenger bridge!
Békéscsaba	18036	845+50 - 848+10	none	HU-18036-06-TT2	yes	yes	250	15	55-18036-01-T2	T2.	299	250	no	21	
Békéscsaba	18036	845+50 - 848+10	none	HU-18036-06-TT3	yes	yes	250	21	55-18036-01-T3	T3.	255	250	no	21	
Békéscsaba	18036	845+50 - 848+10	side and end loading	HU-18036-19-XT4	yes	yes	35	4	55-18036-01-T4	T4.(OH)	232	35	no	21	
Békéscsaba	18036	845+50 - 848+10	none	HU-18036-06-TT4	yes	yes	118	10	55-18036-01-T4	T4.	232	118	no	21	
Békéscsaba	18036	845+50 - 848+10	none	HU-18036-06-TM3	yes	yes	250	10	55-18036-01-M3	M3.	309	250	no	21	
Biharnagybajom	14324	226+40-226+15	none	HU-14324-06-T01	yes	yes	160	20	55-14324-01-1	1.	331	160	no	21	
Biharnagybajom	14324	226+15-225+47	side loading	HU-14324-19-O01	yes	yes	8	30	55-14324-01-1	1.(O)	331	30	no	21	
Bösztör	16212	636+05-638+64	none	HU-16212-06-T01	yes	yes	350	12	55-16212-01-1	1.	649	350	yes	18,5	Loading area can't be used, capacity can't be requested. Under construction until 2025
Csegele	17152	773+83-775+67	none	HU-17152-06-T04	yes	yes	194	15	55-17152-01-4	4.	252	80	partly	21	extraordinary consignment, max 22,5 t. Temporarily closed for traffic.
Csegele	17152	773+83-775+67	side loading	HU-17152-19-O04	yes	yes	194	10	55-17152-01-4	4.(O)	252	21	partly	21	Serving is possible only with diesel locomotive.
Csengőd	16253	899+55 - 900+00	none	HU-16253-06-T01	no	yes	38	23	55-16253-01-1	1.	679	38	no	21	Loading area can't be used, capacity can't be requested. Under construction until 2025
Csongrád	17434	246+04 - 246+14	end loading	HU-17434-19-H01	yes	yes	10	6	55-17434-01-1	1.(H)	356	25	no	17	
Csongrád	17434	247+00 - 247+95	none	HU-17434-06-T01A	yes	yes	95	14	55-17434-01-1	1.(A)	356	95	no	17	
Csongrád	17434	248+20 - 248+40	side loading	HU-17434-19-O01	yes	yes	20	8	55-17434-01-1	1.(O)	356	20	no	17	
Csongrád	17434	248+40 - 248+70	none	HU-17434-06-T01B	yes	yes	30	14	55-17434-01-1	1.(B)	356	30	no	17	
Csongrád	17434	249+00 - 250+40	none	HU-17434-06-T01C	yes	yes	140	8	55-17434-01-1	1.(C)	356	140	no	17	
Csorvás	18630	1091+00 - 1092+42	none	HU-18630-06-T01	yes	yes	110	12	55-18630-01-1	1.	407	110	no	21	extraordinary consignment max 22,5 t and 5 km/h speed restriction
Dévaványa	18424	295+17-295+71	none	HU-18424-06-T01B	yes	no	54	15	55-18424-01-1	1.(B)	374	54	no	20	
Dévaványa	18424	1+32-2+12	none	HU-18424-06-T01A	yes	yes	80	14	55-18424-01-1	1.(A)	374	80	no	20	
Dévaványa	18424	295+71-295+87	side loading	HU-18424-19-O01	yes	no	16	8	55-18424-01-1	1.(O)	374	16	no	20	Loading area can't be used, capacity can't be requested.
Dunavecse	16386	154+97 - 156+80	none	HU-16386-06-T01	yes	no	183	19	55-16386-01-1	1.	431	183	no	20	
Földeák	19364	170+30 - 172+19	none	HU-19364-06-T04	yes	no	189	15	55-19364-01-4	4.	323	189	no	21	
Fülöpszállás	16238	776+50 - 777+00	none	HU-16238-06-T06A	yes	yes	50	20	55-16238-01-6	6.(A)	274	50	no	21	Loading area can't be used, capacity can't be requested. Under construction until 2025
Fülöpszállás	16238	778+85-781+35	none	HU-16238-06-T06B	yes	yes	150	20	55-16238-01-6	6.(B)	274	150	no	21	Loading area can't be used, capacity can't be requested. Under construction until 2025
Füzesgyarmat	14365	341 - 342	none	HU-14365-06-T01A	yes	yes	78	9	55-14365-01-1	1.(A)	249	78	no	21	
Füzesgyarmat	14365	340 - 341	none	HU-14365-06-T01B	yes	yes	16	15	55-14365-01-1	1.(B)	249	57	no	21	
Füzesgyarmat	14365	344+30-345+50	none	HU-14365-06-T03A	yes	yes	120	22	55-14365-01-3	új 3. (A)	162	95	no	21	
Füzesgyarmat	14365	345+50-346+17	none	HU-14365-06-T03B	yes	yes	67	12	55-14365-01-3	új 3. (B)	162	67	no	21	
Gádosros	17475	150+68 - 151+08	side loading	HU-17475-19-O01	yes	yes	40	9	55-17475-01-1	1.(O)	250	40	no	12	
Gádosros	17475	151+30 - 152+55	none	HU-17475-06-T01	yes	yes	125	8	55-17475-01-1	1.	250	125	no	12	
Gyoma	17863	493+30 - 494+90	none	HU-17863-06-T07	yes	no	60	14	55-17863-01-7	7.	161	60	no	17	Can be used only 100m long

Service place	Code of the service palce	Position of the service place	Loading and other equipments	SLC ID of the loading and other equipment	Paved	Lighting	Size		TAF TSI ID	Name of the track	Usable length (m)	Loading length (m)	Availability of catenary	Axle load (t)	Restrictions, remarks
		From section to section			yes-no-partly	yes-no	Length (m)	Width (m)					yes / no partly?		
Gyoma	17863	490+60 - 495+50	none	HU-17863-06-T09	yes	yes	240	15	55-17863-01-9	9.	258	248	no	22,5	
Gyoma	17863	490+60 - 495+50	none	HU-17863-06-T10	yes	yes	260	15	55-17863-01-10	10.	267	250	no	22,5	
Gyula	18697	733-735	none	HU-18697-06-T01	yes	yes	110	15	55-18697-01-1	1.	515	110	no	21	extraordinary consignment, max 22,5 t
Gyula	18697	733-735	side loading	HU-18697-19-O01	yes	yes	7	15	55-18697-01-1	1.(O)	515	20	no	21	Temporary excluded from traffic.
Gyula	18697	733-735	none	HU-18697-06-T08	yes	yes	110	10	55-18697-01-8	8.	224	60	no	21	extraordinary consignment, max 22,5 t
Gyula	18697	736-738	none	HU-18697-06-T52	no	yes	225	8	55-18697-01-5/2	5/2	254	225	no	21	extraordinary consignment, max 22,5 t
Gyula	18697	738-741	none	HU-18697-06-T09	no	no	220	8	55-18697-01-9	9.	317	220	no	21	extraordinary consignment, max 22,5 t
Gyula	18697	734-735	none	HU-18697-06-T06	no	no	25	15	55-18697-01-6	6.	355	25	no	21	extraordinary consignment max 22,5 t and 5 km/h speed restriction
Harkakötöny	16733	365+42 - 366+60	none	HU-16733-06-T05	no	no	118	9	55-16733-01-5	5.	139	118	partly	21	Serving is possible only with diesel locomotive.
Helvécia	16527	107+90 - 109+00	none	HU-16527-06-T01	yes	no	110	15	55-16527-01-1	1.	336	110	no	17	
Helvécia	16527	107+90 - 109+00	side loading	HU-16527-19-O01	yes	no	20	7,5	55-16527-01-1	1.(O)	336	20	no	17	
Hetényegyháza	16956	87+64 - 88+00	none	HU-16956-06-T01	yes	yes	36	5	55-16956-01-1	1.	213	36	no	17	Loading area can't be used to 30.11.2025. Capacity can not be requested.
Hetényegyháza	16956	87+64 - 88+00	side loading	HU-16956-19-O01	yes	yes	12	10	55-16956-01-1	1.(O)	213	12	no	17	Loading area can't be used to 30.11.2025. Capacity can not be requested.
Hódmezővásárhely	18572	1537+74 - 1538+14	none	HU-18572-06-T01B	yes	yes	40	15	55-18572-01-1/B	1/B.	670	40	no	21	
Hódmezővásárhely	18572	1538+75- 1539+55	side loading	HU-18572-19-O01B	yes	yes	80	16	55-18572-01-1/B	1/B.(O)	670	80	no	21	
Hódmezővásárhely	18572	1538+30 - 1534+30	none	HU-18572-06-T11	yes	yes	400	13	55-18572-01-11	11.	571	400	no	21	
Hódmezővásárhely	18572	1538+55 - 1538+20	end loading	HU-18572-19-H12	yes	yes	35	15	55-18572-01-12	12.(H)	30	30	no	18,5	
Jánoshalma	16618	207+75 - 209+90	side loading	HU-16618-19-O01	yes	yes	75	10	55-16618-01-1	1.(O)	540	75	no	21	
Jánoshalma	16618	207+75 - 209+90	none	HU-16618-06-T01	yes	yes	215	12	55-16618-01-1	1.	540	215	no	21	
Jánoshalma	16618	211+57 - 212+90	none	HU-16618-06-T05	yes	yes	133	7	55-16618-01-5	5.	275	133	no	21	
Kalocsa	16568	299+85 - 302+20	none	HU-16568-06-T01	yes	yes	90	60	55-16568-01-1	1.	445	90	no	18,5	
Kalocsa	16568	300 - 302	side loading	HU-16568-19-O101	yes	yes	60	15	55-16568-01-1	1.(O1)	107	60	no	18,5	
Kalocsa	16568	300 - 302	end loading	HU-16568-19-H105	yes	yes	60	15	55-16568-01-5	5.(H1)	107	38	no	18,5	
Kalocsa	16568	303+15 - 304+05	none	HU-16568-06-T06	yes	yes	210	8	55-16568-01-6	6.	310	210	no	18,5	
Kardoskút	18358	513+38 - 513+73	none	HU-18358-06-T01	no	yes	35	15	55-18358-01-1	1.	324	100	no	18,5	
Kecskemét	17111	328+61 - 329+20	end loading	HU-17111-19-H25	yes	yes	78	5	55-17111-01-25	25.(H)	78	78	no	20	
Kecskemét	17111	330+30 - 332+10	none	HU-17111-06-T21B	yes	yes	180	5	55-17111-01-21	21.(B)	250	180	no	20	
Kecskemét	17111	329+61 - 330+10	none	HU-17111-06-T21A	yes	yes	49	5	55-17111-01-21	21.(A)	250	49	no	20	
Kecskemét- alsó	16535	34+35 - 36+00	none	HU-16535-06-T01	yes	yes	165	15	55-16535-01-1	1.	275	165	no	21	
Kecskemét- alsó	16535	34+41 - 36+00	none	HU-16535-06-T08	yes	yes	159	12	55-16535-01-8	8.	370	159	no	21	
Kecskemét- alsó	16535	29+43 - 32+20	none	HU-16535-06-T09	yes	no	277	15	55-16535-01-9	9.	286	277	no	21	
Kelebia	16352	1564+40 - 1565+80	none	HU-16352-06-T11	yes	yes	140	9	55-16352-01-11	11.	306	140	partly	21	Under construction until 2025
Kétegyháza	18051	1018+70 - 1019+50	none	HU-18051-06-T10	yes	yes	81	19	55-18051-01-10	10.	540	235	no	21	
Kiskörös	16261	1003+70 1006+00	none	HU-16261-06-T15	yes	yes	230	20	55-16261-01-15	15.	324	230	no	21	Loading area can't be used, capacity can't be requested. Under construction until 2025
Kiskunfélegyháza	17137	572+62-576+92	none	HU-17137-06-T18	yes	yes	379	20	55-17137-01-18	18.	379	368	no	21	The area is divided by a level-crossing in section no. 575+60.
Kiskunfélegyháza	17137	572+34-574+52	end loading	HU-17137-19-H17	yes	yes	141	10	55-17137-01-17	17.(H)	185	141	no	21	
Kiskunfélegyháza	17137	572+62-574+26	none	HU-17137-06-T19	yes	yes	107	10	55-17137-01-19	19.	113	113	no	21	
Kiskunhalas	16311	1264 - 1272	none	HU-16311-06-T01	yes	yes	100	18	55-16311-01-1	1.	821	100	yes	21	Loading area can't be used, capacity can't be requested. Under construction until 2025
Kiskunhalas	16311	1264 - 1272	side loading	HU-16311-19-O01	yes	yes	100	18	55-16311-01-1	1.(O)	821	100	yes	21	Loading area can't be used, capacity can't be requested. Under construction until 2025
Kiskunhalas	16311	1275 - 1277	none	HU-16311-06-T22	yes	yes	160	3	55-16311-01-22	22.	183	160	no	21	Loading area can't be used, capacity can't be requested. Under construction until 2025
Kiskunhalas	16311	1268+86 - 1270+80	none	HU-16311-06-T13	yes	yes	194	9	55-16311-01-13	13.	246	194	no	21	Loading area can't be used, capacity can't be requested. Under construction until 2025
Kiskunhalas	16311	1268+86 - 1270+80	end loading	HU-16311-19-H12	yes	yes	120	7	55-16311-01-12	12.(H)	120	120	no	20	Loading area can't be used, capacity can't be requested. Under construction until 2025
Kiskunmajsa	16758	243+07 - 245+50	end loading	HU-16758-19-H05	yes	yes	243	10	55-16758-01-5	5.(H)	220	220	no	21	Passable with 5 km/h speed
Kiskunmajsa	16758	245 - 248	none	HU-16758-06-T01	yes	yes	300	3	55-16758-01-1	1.	692	300	yes	21	Passable with 5 km/h speed
Kiskunmajsa	16758	245 - 248	side loading	HU-16758-19-O01	yes	yes	65	3	55-16758-01-1	1.(O)	692	65	yes	21	Passable with 5 km/h speed
Kisszállás	16337	1446+55-1447+55	none	HU-16337-06-T07	no	yes	100	15	55-16337-01-7	7.	110	100	no	20	Loading area can't be used, capacity can't be requested. Under construction until 2025
Kisszállás	16337	1449 - 1452	none	HU-16337-06-T01	yes	yes	125	15	55-16337-01-1	1.	410	125	no	20	Loading area can't be used, capacity can't be requested. Under construction until 2025
Kiskundorozsma	17194	5+00 - 6+10	none	HU-17194-06-TSZ	no	no	110	5	55-17194-01-SZÁLLÁS	Szállás2.	200	110	no	21	In case of extraordinary consignment permission it is passable with 22,5 t axle load at 5 km/h speed.
Kistelek	17160	865+24 - 866+50	side loading	HU-17160-19-O01	yes	yes	126	9	55-17160-01-1	1.(O)	848	126	partly	21	Serving is possible only with diesel locomotive.
Kistelek	17160	861 - 864	none	HU-17160-06-T01	yes	yes	200	8	55-17160-01-1	1.	848	200	partly	21	Serving is possible only with diesel locomotive.
Komádi	18507	344 - 345	none	HU-18507-06-T04	yes	no	89	15	55-18507-01-4	4.	89	89	no	17,5	Out of order, the line is impassable.
Komádi	18507	343 - 347	none	HU-18507-06-T01A	yes	no	60	15	55-18507-01-1	1.(A)	218	60	no	17,5	Out of order, the line is impassable.

Service place	Code of the service palce	Position of the service place	Loading and other equipments	SLC ID of the loading and other equipment	Paved	Lighting	Size		TAF TSI ID	Name of the track	Usable length (m)	Loading length (m)	Availability of catenary	Axle load (t)	Restrictions, remarks
		From section to section			yes-no partly	yes-no	Length (m)	Width (m)					yes / no partly?		
Komádi	18507	343 - 347	side loading	HU-18507-19-001	yes	no	10	15	55-18507-01-1	1.(O)	218	10	no	17,5	Out of order, the line is impassable.
Komádi	18507	343 - 347	none	HU-18507-06-T01B	yes	no	40	15	55-18507-01-1	1.(B)	218	40	no	17,5	Out of order, the line is impassable.
Kondoros	18283	54 - 55	side loading	HU-18283-19-001	yes	no	24	8	55-18283-01-1	1.(O)	374	24	no	20	
Kondoros	18283	53 - 56	none	HU-18283-06-T01B	yes	no	34	22	55-18283-01-1	1.(B)	374	34	no	20	
Kondoros	18283	53 - 56	none	HU-18283-06-T01A	yes	no	145	13	55-18283-01-1	1.(A)	374	145	no	20	
Körösladány	18440	135-136	none	HU-18440-06-T01A	yes	yes	102	11	55-18440-01-1	1.(A)	341	102	no	21	
Körösladány	18440	137-138	side loading	HU-18440-19-001	yes	yes	20	7	55-18440-01-1	1.(O)	341	20	no	21	
Körösladány	18440	138-139	none	HU-18440-06-T01B	yes	yes	15	13	55-18440-01-1	1.(B)	341	15	no	21	
Körösszakál	18515	242-244	none	HU-18515-06-T01A	yes	no	123	15	55-18515-01-1	1.(A)	318	123	no	12	Out of order, the line is impassable.
Körösszakál	18515	244-245	side loading	HU-18515-19-001	yes	no	10	5	55-18515-01-1	1.(O)	318	10	no	12	Out of order, the line is impassable.
Körösszakál	18515	244-245	none	HU-18515-06-T01B	yes	no	100	16	55-18515-01-1	1.(B)	318	25	no	12	Out of order, the line is impassable.
Kunfehértó	16584	3+50 - 5+30	none	HU-16584-06-T04	yes	yes	180	10	55-16584-01-4	4.	337	180	no	21	
Kunszentmárton	18135	346+25 - 346+87	none	HU-18135-06-T01A	yes	yes	62	12	55-18135-01-1	1.(A)	308	62	no	17	
Kunszentmárton	18135	344+69 - 345+04	side loading	HU-18135-19-001	yes	yes	35	10	55-18135-01-1	1.(O)	308	35	no	17	
Kunszentmárton	18135	345+16 - 348+16	none	HU-18135-06-T05	yes	no	300	14	55-18135-01-5	5.	378	300	no	21	extraordinary consignment, max 22,5 t and 10 km/h speed restriction
Kunszentmiklós-Tass	16204	535+80 - 538+10	none	HU-16204-06-T15	yes	yes	106	33	55-16204-01-15	15.	249	106	no	18,5	Loading area can't be used, capacity can't be requested. Under construction until 2025
Kunszentmiklós-Tass	16204	534+40 - 534+90	none	HU-16204-06-T01	yes	yes	106	33	55-16204-01-1	1.	814	15	no	18,5	Loading area can't be used, capacity can't be requested. Under construction until 2025
Kunszentmiklós-Tass	16204	534+40 - 534+90	side loading	HU-16204-19-001	yes	yes	70	13	55-16204-01-1	1.(O)	814	15	no	18,5	Loading area can't be used, capacity can't be requested. Under construction until 2025
Kútvolgy	18580	1444+50 - 1442+00	none	HU-18580-06-T01	yes	no	250	4	55-18580-01-1	1.	927	250	no	21	extraordinary consignment, max 22,5 t and 10 km/h speed restriction, main track also
Lajosmizse	16915	679+30 - 681+50	none	HU-16915-06-T01	yes	yes	220	5	55-16915-01-1	1.	342	220	no	21	
Lajosmizse	16915	679+18 - 679+30	side loading	HU-16915-19-001	yes	yes	12	8	55-16915-01-1	1.(O)	342	12	no	21	
Lakitelek	17285	264+86 - 265+96	none	HU-17285-06-T01	yes	yes	110	9	55-17285-01-1	1.	328	110	no	17	Loading area can't be used between 01.04.2025.-30.07.2025. Capacity can not be requested.
Lakitelek	17285	264+86 - 265+11	side loading	HU-17285-19-001	yes	yes	25	9	55-17285-01-1	1.(O)	328	25	no	17	Loading area can't be used between 01.04.2025.-30.07.2025. Capacity can not be requested.
Lőkősháza	18069	1133+20-1135+70	none	HU-18069-06-T16	yes	yes	250	6	HU-18069-01-16	16.	397	250	yes	21	Loading area can't be used, capacity can't be requested.
Lőkősháza	18069	1132+68-1133+20	side and endloading	HU-18069-19-X16	yes	yes	51	6	HU-18069-01-16	16.(OH)	397	51	partly	21	Loading area can't be used, capacity can't be requested.
Magyarbánhegyes	19273	189 - 191	none	HU-19273-06-T01	yes	yes	300	9	55-19273-01-1	1.	703	300	no	17	Temporarily closed for traffic.
Magyarbánhegyes	19273	189 - 191	side loading	HU-19273-19-001	yes	yes	50	5	55-19273-01-1	1.(O)	703	50	no	17	Temporarily closed for traffic.
Makó-Újváros	19372	266+43 - 267+03	none	HU-19372-06-T01A	yes	yes	60	7	55-19372-01-1	1.(A)	425	60	no	18,5	
Makó-Újváros	19372	267+78 - 268+55	none	HU-19372-06-T01B	yes	yes	77	7	55-19372-01-1	1.(B)	425	77	no	18,5	
Makó-Újváros	19372	268+65 - 268+97	none	HU-19372-06-T01C	yes	yes	32	7	55-19372-01-1	1.(C)	425	32	no	18,5	
Makó-Újváros	19372	269+21 - 270+50	none	HU-19372-06-T01D	yes	yes	129	7	55-19372-01-1	1.(D)	425	129	no	18,5	
Martfű	18093	144+80 - 147+30	none	HU-18093-06-T01	yes	yes	150	12	55-18093-01-1	1.	482	150	no	21	extraordinary consignment, max 22,5 t Loading area can't be used between 13.07.2025.-13.10.2025. Capacity can not be requested.
Martfű	18093	147+30 - 147+45	side loading	HU-18093-19-001	yes	yes	15	10	55-18093-01-1	1.(O)	482	10	no	21	extraordinary consignment, max 22,5 t Loading area can't be used between 13.07.2025.-13.10.2025. Capacity can not be requested.
Medgyesegyháza	19281	259+25 - 258+25	none	HU-19281-06-T01A	yes	no	100	10	55-19281-01-1	1.(A)	719	100	no	17	Temporarily closed for traffic.
Medgyesegyháza	19281	258+15 - 255+40	none	HU-19281-06-T01B	yes	no	275	7	55-19281-01-1	1.(B)	719	275	no	17	Temporarily closed for traffic.
Mezőberény	17889	686+89 - 690+89	none	HU-17889-06-T04	yes	yes	400	12	55-17889-01-4	4.	437	400	no	22,5	Service by diesel locomotive only.
Mezőhegyes	19166	496+74 - 497+50	none	HU-19166-06-T17A	yes	yes	76	8	55-19166-01-17	17.(A)	247	76	no	17	Temporarily closed for traffic.
Mezőhegyes	19166	497+83 - 499+11	none	HU-19166-06-T17B	yes	yes	110	7	55-19166-01-17	17.(B)	247	110	no	17	Temporarily closed for traffic.
Mezőhegyes	19166	504+75 - 505+00	side loading	HU-19166-19-O13	yes	yes	25	15	55-19166-01-13	13.(O)	267	25	no	17	Temporarily closed for traffic.
Mezőhegyes	19166	505+00 - 505+10	none	HU-19166-06-T13	yes	yes	10	15	55-19166-01-13	13.	270	15	no	17	Temporarily closed for traffic.
Mezőkovácsháza	19182	119 - 121	none	HU-19182-06-T01B	no	yes	76	20	55-19182-01-1	1.(B)	660	76	no	17	Temporarily closed for traffic.
Mezőkovácsháza	19182	121 - 124	none	HU-19182-06-T01A	yes	yes	224	7	55-19182-01-1	1.(A)	660	224	no	17	Temporarily closed for traffic.
Mezőkovácsháza	19182	121 - 124	side loading	HU-19182-19-001	yes	yes	56	5	55-19182-01-1	1.(O)	660	56	no	17	Temporarily closed for traffic.
Mezőtúr	17848	299+20 - 299+88	none	HU-17848-06-T12	yes	yes	38	8	55-17848-01-12	12.	67	38	no	20	
Mezőtúr	17848	299+21 - 301+67	side loading	HU-17848-19-O13	yes	yes	39	12	55-17848-01-13	13.(O)	256	39	no	21	
Mezőtúr	17848	0+85 - 3+33	end loading	HU-17848-19-HR2	yes	yes	5	4	55-17848-01-13	R2.(H)	288	30	no	21	
Mezőtúr	17848	0+85 - 3+33	none	HU-17848-06-TR2	yes	yes	248	23	55-17848-01-R2	R2.	283	248	no	21	
Mezőtúr	17848	0+60 - 3+33	none	HU-17848-06-TR1	yes	yes	248	23	55-17848-01-R1	R1.	295	248	no	21	
Mélykút	16626	309+40 - 311+40	none	HU-16626-06-T01	yes	yes	200	20	55-16626-01-1	1.	562	200	no	21	
Mindszent	18218	169+13 - 171+11	none	HU-18218-06-T01	yes	yes	198	12	55-18218-01-1	1.	424	198	no	21	
Mindszent	18218	171+70 - 170+85	side loading	HU-18218-19-001	yes	yes	15	14	55-18218-01-1	1.(O)	424	15	no	21	
Mindszent	18218	171+11 - 171+29	none	HU-18218-06-T01A	yes	yes	18	14	55-18218-01-1	1.(A)	424	18	no	21	
Murony	17897	753+00-755+10	none	HU-17897-06-T05	yes	yes	210	6	55-17897-01-5	5.	336	210	no	22,5	
Nagykörös	17095	171+40 - 174+75 174+89 - 175+34	none	HU-17095-06-T09	yes	yes	380	11	55-17095-01-9	9.	465	380	no	21	

Service place	Code of the service palce	Position of the service place	Loading and other equipments	SLC ID of the loading and other equipment	Paved	Lighting	Size		TAF TSI ID	Name of the track	Usable length (m)	Loading length (m)	Availability of catenary	Axle load (t)	Restrictions, remarks
		From section to section			yes-no-partly	yes-no	Length (m)	Width (m)					yes / no partly?		
Nagykőrös	17095	175+78 - 176+18	side loading	HU-17095-19-O09	yes	yes	40	10	55-17095-01-9	9.(O)	465	40	no	21	
Nagykőrös	17095	171+40 - 176+10	end loading	HU-17095-19-H11	yes	yes	470	10	55-17095-01-11	11.(H)	473	470	no	21	
Nagyszénás	18317	293+10 - 293+70	none	HU-18317-06-T01A	yes	yes	60	12	55-18317-01-1	1.(A)	254	60	no	21	
Nagyszénás	18317	293+90 - 294+90	none	HU-18317-06-T01B	yes	yes	100	18	55-18317-01-1	1.(B)	254	100	no	21	
Nagytóke	18150	96+93 - 98+53	none	HU-18150-06-T01	yes	yes	160	12	55-18150-01-1	1.	638	160	no	21	
Okány	18796	82-84	none	HU-18796-06-T01	yes	yes	85	11	55-18796-01-1	1.	174	52	no	16	Loading area can't be used, capacity can't be requested. In case of extraordinary consignment permission it is passable with 17,5 t axle load.
Okány	18796	82-84	side loading	HU-18796-19-O01	yes	yes	7	15	55-18796-01-1	1.(O)	174	15	no	16	Loading area can't be used, capacity can't be requested. In case of extraordinary consignment permission it is passable with 17,5 t axle load.
Okány	18796	83-84	none	HU-18796-06-TCS	yes	yes	65	11	55-18796-01-CSONKA	Csonka vágány	65	63	no	16	Loading area can't be used, capacity can't be requested. In case of extraordinary consignment permission it is passable with 17,5 t axle load.
Orosháza	18614	1242+87 - 1243+70	side loading	HU-18614-19-O101	yes	yes	73	12	55-18614-01-1	1.(O1)	743	73	no	21	
Orosháza	18614	1238+25 - 1238+54	side loading	HU-18614-19-O201	yes	yes	29	9	55-18614-01-1	1.(O2)	743	29	no	21	
Orosháza	18614	1236 - 1244	end loading	HU-18614-19-H16	yes	yes	73	12	55-18614-01-16	16.(H)	103	73	no	21	
Orosháza	18614	1236+28 - 1239+02	none	HU-18614-06-T12	yes	yes	274	8	55-18614-01-12	12.	365	274	no	21	
Sarkad	18739	596-597	side loading	HU-18739-19-O01	yes	yes	20	7	55-18739-01-1	1.(O)	871	20	no	17,5	temporarily excluded from traffic
Sarkad	18739	597-598	none	HU-18739-06-T01A	yes	yes	75	15	55-18739-01-1	1.(A)	871	195	no	17,5	
Sarkad	18739	598-599	none	HU-18739-06-T01B	yes	yes	130	15	55-18739-01-1	1.(B)	871	130	no	17,5	
Soltvadkert	16287	1103+45 - 1105+00	none	HU-16287-06-T05	yes	yes	114	13	55-16287-01-5	5.	127	114	no	18,5	Loading area can't be used, capacity can't be requested. Under construction until 2025
Szabadkígyós	18044	930+83 - 932+79	none	HU-18044-06-T01	yes	yes	196	116	55-18044-01-1	1.	487	196	no	21	Loading area can't be used, capacity can't be requested. Under construction until 2025
Szabadszállás	16220	716+85 - 717+85	none	HU-16220-06-T01A	yes	yes	122	12	55-16220-01-1	1.(A)	573	122	yes	18,5	Loading area can't be used, capacity can't be requested. Under construction until 2025
Szabadszállás	16220	716+33 - 716+63	none	HU-16220-06-T05	no	yes	29	11	55-16220-01-5	5.	93	73	yes	18,5	Loading area can't be used, capacity can't be requested. Under construction until 2025
Szabadszállás	16220	716+85 - 717+85	side loading	HU-16220-19-O01	yes	yes	25	12	55-16220-01-1	1.(O)	573	122	yes	18,5	Loading area can't be used, capacity can't be requested. Under construction until 2025
Szabadszállás	16220	716 - 718	end loading	HU-16220-19-H05	yes	yes	25	12	55-16220-01-5	5.(H)	93	20	yes	18,5	Loading area can't be used, capacity can't be requested. Under construction until 2025
Szalkszentmárton mrh.	16378	83+65 - 86+15	none	HU-16378-06-T01	yes	no	252	13	55-16378-01-1	1.	630	186	no	20	
Szarvas	18259	198 - 199+10	none	HU-18259-06-T01	yes	yes	110	15	55-18259-01-1	1.	402	110	no	21	
Szarvas	18259	198 - 199+10	side loading	HU-18259-19-O01	yes	yes	46	5,5	55-18259-01-1	1.(O)	402	46	no	21	
Szarvas	18259	198 - 199+10	end loading	HU-18259-19-H01	yes	yes	19	5	55-18259-01-1	1.(H)	402	44	no	21	
Szarvas	18259	200+43 - 202+83	none	HU-18259-06-T05	yes	yes	240	9	55-18259-01-5	5.	339	240	no	21	
Szatymaz	17186	1013 - 1015	side loading	HU-17186-19-O01	yes	yes	50	10	55-17186-01-1	1.(O)	158	50	partly	21	Serving is possible only with diesel locomotive.
Szatymaz	17186	1013 - 1015	none	HU-17186-06-T01	yes	yes	30	16	55-17186-01-1	1.	158	30	partly	21	Serving is possible only with diesel locomotive.
Szatymaz	17186	1008 - 1010	end loading	HU-17186-19-H07	yes	no	192	7	55-17186-01-7	7.(H)	347	192	partly	21	Serving is possible only with diesel locomotive.
Szeged-Rókus	18531	04+57 - 07+57	none	HU-18531-06-T19	yes	no	300	7	55-18531-01-19	19.	599	300	no	21	
Szeged-Rendező	17210	8+17-12+42	none	HU-17210-06-T12	yes	no	400	8	55-17236-01-12	12.	425	400	no	20	Located in Szeged-Tisza pályaudvar
Szeged-Rendező	17210	8+76 12+54	none	HU-17210-06-T13	yes	no	300	10	55-17236-01-13	13.	378	300	no	20	Located in Szeged-Tisza pályaudvar
Szeged-Rendező	17210	9+30-12+50	none	HU-17210-06-T14	yes	no	250	6	55-17236-01-14	14.	320	250	no	20	Located in Szeged-Tisza pályaudvar
Szegvár	18200	82+82 - 83+50	none	HU-18200-06-T01B	yes	yes	68	20	55-18200-01-1	1.(B)	688	68	no	21	
Szegvár	18200	84+10 - 84+30	side loading	HU-18200-19-O01	yes	yes	20	8	55-18200-01-1	1.(O)	688	20	no	21	
Székkutas	18598	1353+71 -1348+81	none	HU-18598-06-T01	yes	no	490	6	55-18598-01-1	1.	798	490	no	21	In case of extraordinary consignment permission it is passable with max 22,5 t. Max 5 km/h.
Szentes	18184	217+40 - 218+16	none	HU-18184-06-T01A	yes	yes	76	26	55-18184-01-1	1.(A)	534	76	no	21	extraordinary consignment, max 22,5 t and 5 km/h speed restriction
Szentes	18184	218+55 - 218+70	none	HU-18184-06-T01B	yes	yes	15	15	55-18184-01-1	1.(B)	534	15	no	21	extraordinary consignment, max 22,5 t and 5 km/h speed restriction
Szentes	18184	219+45 - 219+98	none	HU-18184-06-T01C	yes	yes	53	27	55-18184-01-1	1.(C)	534	53	no	21	extraordinary consignment, max 22,5 t and 5 km/h speed restriction
Szentes	18184	220+63 - 220+78	side loading	HU-18184-19-O01	yes	yes	15	16	55-18184-01-1	1.(O1)	534	15	no	21	extraordinary consignment, max 22,5 t and 5 km/h speed restriction
Szentes	18184	219+98 - 220+63	none	HU-18184-06-T11	yes	yes	65	16	55-18184-01-11	11.	65	65	no	21	extraordinary consignment, max 22,5 t and 5 km/h speed restriction

Service place	Code of the service palce	Position of the service place	Loading and other equipments	SLC ID of the loading and other equipment	Paved	Lighting	Size		TAF TSI ID	Name of the track	Usable length (m)	Loading length (m)	Availability of catenary	Axle load (t)	Restrictions, remarks
		From section to section			yes-no-partly	yes-no	Length (m)	Width (m)					yes / no partly?		
Szentes	18184	220+63 - 220+91	end loading	HU-18184-19-H11	yes	yes	28	16	55-18184-01-11	11.(H1)	65	28	no	21	extraordinary consignment, max 22,5 t and 5 km/h speed restriction
Szentes	18184	216+89 - 221+14	none	HU-18184-06-T12	yes	yes	425	15	55-18184-01-12	12.	470	425	no	21	Passable with 5 km/h speed
Szentes	18184	221+14 - 221+34	end loading	HU-18184-19-H12	yes	yes	20	10	55-18184-01-12	12.(H)	470	20	no	21	Passable with 5 km/h speed
Táborfalva	16881	584+51 - 585+43	end loading	HU-16881-19-H05	yes	yes	90	10	55-16881-01-5	5.(H)	255	90	no	21	
Telekgerendás	18655	989+90 - 992+90	none	HU-18655-06-T04	no	yes	331	15	55-18655-01-4	4.	306	300	no	21	extraordinary consignment, max 22,5 t and 5 km/h speed restriction
Tiszaöldvár	18101	196+69 - 197+01	none	HU-18101-06-T01A	yes	yes	314	20	55-18101-01-1	1.(A)	668	314	no	21	
Tiszaöldvár	18101	196+69 - 197+01	none	HU-18101-06-T01B	yes	yes	32	20	55-18101-01-1	1.(B)	668	32	no	21	
Tótkomlós	18374	615+35 - 615+55	none	HU-18374-06-T01B	yes	yes	20	10	55-18374-01-1	1.(B)	330	20	no	18,5	
Tótkomlós	18374	613+50 - 615+10	none	HU-18374-06-T01A	yes	yes	160	7	55-18374-01-1	1.(A)	330	160	no	18,5	
Városföld	17129	442+24-445+20	none	HU-17129-06-T11	yes	yes	130	8	55-17129-01-11	11.	291	130	partly	20	Serving is possible only with diesel locomotive.
Városföld	17129	442+24-445+20	side loading	HU-17129-19-O11	yes	yes	130	8	55-17129-01-11	11.(O)	291	130	partly	20	5km/h speed restriction Serving is possible only with diesel locomotive.
Véztő	18465	338	side loading	HU-18465-19-O01	yes	yes	20	7	55-18465-01-1	1.(O)	467	20	no	17,5	
Véztő	18465	338	none	HU-18465-06-T01A	yes	yes	14	7	55-18465-01-1	1.(A)	467	14	no	17,5	
Véztő	18465	338 - 340	none	HU-18465-06-T01B	yes	yes	15	10	55-18465-01-1	1.(B)	467	15	no	17,5	
Véztő	18465	338 - 340	none	HU-18465-06-T01C	yes	yes	91	10	55-18465-01-1	1.(C)	467	91	no	17,5	

Public loading sidings and loading areas belonging to these loading sidings - MÁV Infrastructure Co. Ltd.

Szombathely Regional Directorate

Service place	Open access loading place registered by MÁV Infrastructure Co. Ltd.								Loading track next to loading places						Restrictions, remarks
	Code of the service palce	Position of the service place	Loading and other equipments	SLC ID of the loading and other equipment	Paved	Lighting	Size		TAF TSI ID	Name of the track	Usable length (m)	Loading length (m)	Availability of catenary	Axle load (t)	
		From section to section			yes-no-partly	yes-no	Length (m)	Width (m)					yes / no partly?		
Ajka*	03996	800 - 802	none	HU-03996-06-T14	yes	yes	125	8	55-03996-01-14	14.	416	125	partly	21	Serving is possible only with diesel locomotive.
Andráshida*	05108	167+80-170+30	none	HU-05108-06-T05	yes	yes	200	5	55-05108-01-5	5.	254	200	no	22,5	
Aszófő	04424	703 - 704	none	HU-04424-06-T01	yes	yes	100	6	55-04424-01-1	1.	568	100	no	21	
Badacsonytomaj	04549	1013 - 1014	none	HU-04549-06-T04	yes	yes	100	4,5	55-04549-01-4	4.	583	100	no	21	
Bak*	04937	523+22 - 527+57	none	HU-04937-06-T01B	yes	yes	100	2,5	55-04937-01-1	1.(B)	348	100	no	20	
Bak*	04937	523+22 - 527+57	none	HU-04937-06-T01A	yes	yes	140	2,5	55-04937-01-1	1.(A)	348	140	no	20	
Bak*	04937	523+22 - 527+57	side loading	HU-04937-19-O01	yes	yes	60	2,5	55-04937-01-1	1.(O)	348	60	no	20	
Bakonyszentlászló*	02972	349+50- 349+70	side loading	HU-02972-19-O01	yes	yes	20	5	55-02972-01-1	1.(O)	372	20	no	21	
Bakonyszentlászló*	02972	349+70 - 350+20	none	HU-02972-06-T01	yes	yes	50	8	55-02972-01-1	1.	372	50	no	21	
Balatonfüred	04416	651+22-651+66	side loading	HU-04416-19-O07	yes	yes	34	10	55-04416-01-7	7.(O)	642	34	no	21	
Balatonfüred	04416	651+50-653+30	none	HU-04416-06-T07	yes	yes	180	5,5	55-04416-01-7	7.	642	180	no	21	
Csajág	04317	304 - 306	none	HU-04317-06-T06	no	yes	200	8	55-04317-01-6	6.	247	200	no	21	
Csőmódér - Páka*	04960	761+90 - 764+98	side loading	HU-04960-19-O01	no	no	150	2,5	55-04960-01-1	1.(O)	254	150	no	20	
Devecser*	04044	922+45 - 923+90	none	HU-04044-06-T01	yes	no	145	26	55-04044-01-1	1.	623	145	no	21	
Devecser*	04044	919+80 - 921+20	none	HU-04044-06-T08	yes	no	72	17	55-04044-01-8	8.	91	72	no	21	
Egyed-Rábacsanak*	03087	248+36 - 248+53	side loading	HU-03087-19-O01	yes	yes	17	6	55-03087-01-1	1.(O)	285	17	no	21	
Egyed-Rábacsanak*	03087	246+63 - 248+36	none	HU-03087-06-T01	yes	no	173	33	55-03087-01-1	1.	285	173	no	21	
Gecse-Gyarmat*	2105	309+92-311+91	none	HU-02105-06-T01	yes	yes	199	10	55-02105-01-1	1.	710	199	no	21	
Gutorfőlede*	04952	674+18 - 676+72	side loading	HU-04952-19-O01	no	no	18	7	55-04952-01-1	1.(O)	208	18	no	20	
Gutorfőlede*	04952	674+18 - 676+72	none	HU-04952-06-T01	no	no	120	7	55-04952-01-1	1.	208	120	no	20	
Gyömöre*	02089	258- 258+30	end loading	HU-02089-19-H05	yes	yes	30	10	55-02089-01-5	5.(H1)	30	30	no	21	Loading track closed
Gyömöre*	02089	258- 258+30	side loading	HU-02089-19-O01	yes	yes	30	10	55-02089-01-1	1.(O1)	690	30	no	21	Loading track closed
Gyömöre*	02089	252+76 - 254+00	none	HU-02089-06-T01	yes	yes	120	12	55-02089-01-1	1.	120	80	no	21	Track 1 can be used as a dead-end track.
Győrszemere*	02055	157+15-159+02	none	HU-02055-06-T04	yes	yes	187	4	55-02055-01-4	4.	370	187	no	21	
Hajmáskér*	03939	364+50-365+20	side loading	HU-03939-19-O01	yes	yes	138	10	55-03939-01-1	1.(O1)	594	138	yes	21	
Hajmáskér*	03939	365+20-367	side loading	HU-03939-19-X07	yes	yes	138	10	55-03939-01-7	7.(O)	121	26	partly	21	Serving is possible only with diesel locomotive.
Hajmáskér*	03939	365+20-367	end loading	HU-03939-19-H07	yes	yes	138	10	55-03939-01-7	7.(H)	121	26	partly	21	Serving is possible only with diesel locomotive.
Hajmáskér*	03939	363+80-367	none	HU-03939-06-T07	yes	yes	250	10	55-03939-01-7	7.	121	95	partly	21	Serving is possible only with diesel locomotive.
Hajmáskér*	03939	364+40 - 367+40	none	HU-03939-06-T08	yes	yes	300	13	55-03939-01-8	8.	362	262	partly	21	Serving is possible only with diesel locomotive.
Herend*	03954	586+60 -587+50	none	HU-03954-06-T10	yes	yes	90	10	55-03954-01-10	10.	90	65	no	21	
Herend*	03954	586+60 -587+50	end loading	HU-03954-19-H10	yes	yes	60	15	55-03954-01-10	10.(H1)	90	25	no	21	
Herend*	03954	586+00 - 586+60	side loading	HU-03954-19-O01	yes	yes	60	15	55-03954-01-1	1.(O1)	668	60	yes	21	
Herend*	03954	579+68 -580+18	end loading	HU-03954-19-H08	yes	yes	20	6	55-03954-01-8	8.(H)	18	20	no	21	
Herend*	03954	579+78 - 582+98	none	HU-03954-06-T08	yes	yes	20	6	55-03954-01-8	8.	20	20	no	21	
Herend*	03954	583+68 -583+88	end loading	HU-03954-19-H06	yes	yes	20	6	55-03954-01-6	6.(H)	300	20	no	21	
Herend*	03954	583+88 - 585+88	none	HU-03954-06-T06	yes	yes	200	6	55-03954-01-6	6.	300	180	no	21	
Herend*	03954	585+88 - 586+28	side loading	HU-03954-19-O06	yes	yes	40	6	55-03954-01-6	6.(O)	300	40	no	21	
Jánosháza*	04705	81+00-82+50	none	HU-04705-06-T01	yes	yes	150	6	55-04705-01-1	1.	432	150	no	21	
Kerta*	04085	1081 - 1084	none	HU-04085-06-T01	yes	yes	100	10	55-04085-01-1	1.	484	100	no	21	
Keszthely*	04747	248+91 - 249+51	none	HU-04747-06-T07B	yes	yes	60	7,5	55-04747-01-7b	7.b.	196	60	yes	21	
Lenti*	04986	853+53 - 862+24	none	HU-04986-06-T01	yes	yes	60	6	55-04986-01-1	1.	593	60	no	20	
Lenti*	04986	853+53 - 862+24	side loading	HU-04986-19-O01	yes	yes	60	6	55-04986-01-1	1.(O)	593	60	no	20	
Lenti*	04986	0+00 - 3+94	none	HU-04986-06-TKCS	yes	yes	300	2	55-04986-01-K csonk	Kerti csonka	490	300	no	20	
Mezőlak*	02139	519+51 - 521+10	none	HU-02139-06-T05	yes	yes	159	26	55-02139-01-5	5.	251	159	no	21	
Mezőlak*	02139	521+60 - 521+92	none	HU-02139-06-T01	yes	yes	32	3,5	55-02139-01-1	1.	699	250	no	21	
Mezőlak*	02139	521+10 - 521+60	side loading	HU-02139-19-O01	yes	yes	50	6	55-02139-01-1	1.(O)	699	50	no	18,5	
Őriszentpéter*	05074	356 - 358	none	HU-05074-06-T08	yes	yes	200	12,5	55-05074-01-8	8.	217	200	partly	22,5	Serving is possible only with diesel locomotive.
Pannonhalma*	02931	150+50 - 152+25	none	HU-02931-06-T01	yes	yes	175	13	55-02931-01-1	1.	365	175	no	21	
Pannonhalma*	02931	152+25 - 152+45	side loading	HU-02931-19-O01	yes	yes	20	5	55-02931-01-1	1.(O)	365	20	no	21	
Pápa*	02121	445+80 - 447+30	none	HU-02121-06-T09	yes	yes	150	15	55-02121-01-9	9.	234	150	no	21	
Pápa*	02121	445+80 - 447+30	none	HU-02121-06-T15	yes	yes	150	15	55-02121-01-15	15.	372	150	no	21	
Pápa*	02121	444+75 - 446+40	none	HU-02121-06-T01	yes	yes	165	10	55-02121-01-1	1.	430	165	no	21	
Pápa*	02121	446+92 - 447+17	end loading	HU-02121-19-H01	yes	yes	25	4	55-02121-01-1	1.(H)	430	25	no	21	
Pápa*	02121	445+10 - 447+40	none	HU-02121-06-T10	yes	yes	230	10	55-02121-01-10	10.	320	230	no	21	
Papkeszi*	04192	83 - 83+60	none	HU-04192-06-T01	no	no	60	10	55-04192-01-1	1.	299	60	no	21	Excluded from traffic.
Pétfürdő*	03921	261+90 - 262+50	side loading	HU-03921-19-O01	no	yes	60	10	55-03921-01-1	1.(O)	478	60	yes	21	
Polgárdi-Ipartelepek	04275	180 - 180+20	side loading	HU-04275-19-O01	yes	yes	20	12	55-04275-01-1	1.(O)	302	20	no	21	Excluded from traffic.
Polgárdi-Ipartelepek	04275	178+70 - 179+90	none	HU-04275-06-T06	yes	yes	120	5	55-04275-01-6	6.	124	120	no	21	Excluded from traffic.
Polgárdi-Ipartelepek	04275	179+90 - 180	none	HU-04275-06-T01	yes	yes	10	10	55-04275-01-1	1.	302	10	no	21	Excluded from traffic.
Rábapordány*	03095	288+97 - 291+13	none	HU-03095-06-T01	yes	no	216	27	55-03095-01-1	1.	314	216	no	21	
Révfülöp	04507	905+00 - 905+60	none	HU-04507-06-T04	yes	yes	60	10	55-04507-01-4	4.	309	60	no	21	
Sárvár*	02212	908+75 - 910+65	none	HU-02212-06-T01	yes	yes	190	7	55-02212-01-1	1.	172/727	160	no	21	
Sárvár*	02212	918+45 - 919+25	none	HU-02212-06-T12	no	no	80	20	55-02212-01-12	12.	101	80	no	21	
Sárvár*	02212	914+50 - 916+92	none	HU-02212-06-T11	yes	yes	242	25	55-02212-01-11	11.	874	242	partly	21	Serving is possible only with diesel locomotive.
Sümeg*	04663	258 - 261	side loading	HU-04663-19-O04	no	no	60	5	55-04663-01-4	4.(O)	361	60	no	21	

Service place	Code of the service palce	Position of the service place	Loading and other equipments	SLC ID of the loading and other equipment	Paved	Lighting	Size		TAF TSI ID	Name of the track	Usable length (m)	Loading length (m)	Availability of catenary	Axle load (t)	Restrictions, remarks
		From section to section			yes-no-partly	yes-no	Length (m)	Width (m)					yes / no partly?		
Sümeg*	04663	258 - 261	none	HU-04663-06-T04	no	yes	130	8	55-04663-01-4	4.	361	130	no	20	
Szany-Rábaszentandrás*	03079	177+92 - 182+37	none	HU-03079-06-T01	yes	no	445	10-36	55-03079-01-1	1.	473	268 ,116	no	21	
Szentgál*	03962	639+80 - 640+80	none	HU-03962-06-T01	no	yes	100	8	55-03962-01-1	1.	645	100	no	21	
Tapolca*	04598	447+99 - 446+71	none	HU-04598-06-T33	yes	yes	128	10	55-04598-01-33	33.	128	128	no	21	
Tapolca*	04598	449+03 - 449+63	side loading	HU-04598-19-O01	yes	yes	60	15	55-04598-01-1	1.(O1)	618	60	no	21	
Tapolca*	04598	449+03 - 449+63	end loading	HU-04598-19-H14	yes	yes	60	15	55-04598-01-14	14.(H1)	55	15	no	21	
Tarjánpuszta*	02949	212+57 - 213+42	none	HU-02949-06-T01A	yes	yes	85	15	55-02949-01-1	1.(A)	375	85	no	21	
Tarjánpuszta*	02949	213+42 - 213+62	side loading	HU-02949-19-O01	yes	yes	20	5	55-02949-01-1	1.(O)	375	20	no	21	
Tarjánpuszta*	02949	214+25 - 215	none	HU-02949-06-T01B	yes	yes	75	15	55-02949-01-1	1.(B)	375	75	no	21	
Tarjánpuszta*	02949	215+10 - 215+50	none	HU-02949-06-T01C	no	yes	40	14	55-02949-01-1	1.(C)	375	40	no	21	
Tarjánpuszta*	02949	215+50 - 215+90	none	HU-02949-06-T01D	yes	yes	70	14	55-02949-01-1	1.(D)	375	70	no	21	
Ukk*	04689	164+33 - 164+38	none	HU-04689-06-T07	yes	yes	225	7	55-04689-01-7	7.	225	225	no	21	
Uzsabánya*	04648	32+54-33+90	s (under reconstruc	HU-04648-06-T06	yes	yes	135	8	55-04648-01-6	6.	208	135	no	20	
Városlőd-Kislőd*	03988	740 - 740+90		HU-03988-06-T01A	yes	yes	90	11	55-03988-01-1	1.(A)	616	90	partly	21	Serving is possible only with diesel locomotive.
Városlőd-Kislőd*	03988	740 +90- 741+20	side loading	HU-03988-19-O01	yes	yes	30	11	55-03988-01-1	1.(O)	616	30	partly	21	Serving is possible only with diesel locomotive.
Városlőd-Kislőd*	03988	742+50 - 743+50	none	HU-03988-06-T01B	yes	yes	100	6	55-03988-01-1	1.(B)	616	100	partly	21	Serving is possible only with diesel locomotive.
Várpalota*	03871	216+70 - 218	side loading	HU-03871-19-O01	yes	yes	130	15	55-03871-01-1	1.(O1)	619	130	partly	21	Serving is possible only with diesel locomotive.
Várpalota*	03871	216+10 - 216+70	end loading	HU-03871-19-H13	yes	yes	60	9	55-03871-01-13	13.(H1)	172	60	partly	21	Serving is possible only with diesel locomotive.
Várpalota*	03871	216+10 - 218+00	none	HU-03871-06-T14	yes	yes	190	9	55-03871-01-14	14.	305	190	no	21	
Várpalota*	03871	221+80-223+50	none	HU-03871-06-T15	yes	yes	145	10	55-03871-01-15	15.	145	145	no	21	
Vaszar*	02113	370+50 - 371+00	none	HU-02113-19-O01	yes	yes	140	20	55-02113-01-1	1.(O)	685	140	no	21	
Vaszar*	02113	372+52-374+54	none	HU-02113-06-T01	yes	yes	202	29	55-02113-01-1	1.	685	202	no	21	
Veszprém*	03947	447 - 448	none	HU-03947-06-TK01	yes	yes	250	16	55-03947-01-K1	K1.	253	250	no	21	
Veszprém*	03947	445 - 448	none	HU-03947-06-TK02	yes	yes	250	16	55-03947-01-K2	K2	259	120	no	21	
Veszprém*	03947	445 - 448	none	HU-03947-06-TK03	yes	yes	250	16	55-03947-01-K3	K3	258	250	no	21	
Veszprém*	03947	445 - 448	none	HU-03947-06-TK04	yes	yes	250	16	55-03947-01-K4	K4	260	250	no	21	
Veszprémvarsány*	02964	285+85 - 286+75	none	HU-02964-06-T01	yes	yes	90	17	55-02964-01-1	1.	290	90	no	21	
Veszprémvarsány*	02964	286+75 - 287+25	side loading	HU-02964-19-O01	yes	yes	50	14	55-02964-01-1	1.(O)	290	50	no	21	
Veszprémvarsány*	02964	279+80 - 280+95	none	HU-02964-06-T07	yes	yes	115	17	55-02964-01-7	7.	115	115	no	21	
Vinár*	02154	590+72 - 592+10	side loading	HU-02154-19-O01	no	yes	138	4,5	55-02154-01-1	1.(O)	450	138	no	21	
Zalabér - Batyk*	04846	310+50 - 311+50	none	HU-04846-06-T06	yes	yes	100	10	55-04846-01-6	6.	360	100	no	21	

Service place	Code of the service palce	Position of the service place	Loading and other equipments	SLC ID of the loading and other equipment	Paved	Lighting	Size		TAF TSI ID	Name of the track	Usable length (m)	Loading length (m)	Availability of catenary	Axle load (t)	Restrictions, remarks
		From section to section			yes-no-partly	yes-no	Length (m)	Width (m)					yes / no partly?		
Zalahaláp*	04606	46+75 - 46+95	end loading	HU-04606-19-H01	no	no	20	10	55-04606-01-1	1.(H)	120	20	no	0	Loading area can't be used, because the section Zalahaláp-ERDÉSZET ipvk.pvh.- Zalahaláp is impassable.
Zalahaláp*	04606	45+65-46+25	none	HU-04606-06-T01	no	no	60	10	55-04606-01-1	1.	120	60	no	0	Loading area can't be used, because the section Zalahaláp-ERDÉSZET ipvk.pvh.- Zalahaláp is impassable.
Zalaegerszeg*	04895	4+12 - 3+57	side and end loading	HU-04895-19-XK01	yes	yes	45	8	55-04895-01-Ker 1	Ker.telep1.(OH)	180	45	no	20	
Zalaegerszeg*	04895	3+04 - 1+24	none	HU-04895-06-TK02	yes	yes	180	10	55-04895-01-Ker 2	Ker.telep2.	180	180	no	20	
Zalaegerszeg*	04895	3+04 - 1+24	none	HU-04895-06-TK03	yes	yes	170	15	55-04895-01-Ker 3	Ker.telep3.	170	170	no	20	
Zalaegerszeg*	04895	3+93 - 2 +23	none	HU-04895-06-TK04	yes	yes	170	4	55-04895-01-Ker 4	Ker.telep4.	170	170	no	20	
Zalaszentiván*	05371	475+20 -475+70	none	HU-05371-06-T09	yes	yes	50	18	55-05371-01-9	9.	115	50	no	21	
Zalalövő*	05033	230 - 232	side and end loading	HU-05033-19-X08	yes	yes	40	10	55-05033-01-8	8.(OH)	230	40	partly	22,5	Serving is possible only with diesel locomotive.
Zalalövő*	05033	230 - 232	none	HU-05033-06-T10	yes	yes	100	10	55-05033-01-10	10.	150	100	no	22,5	
Zalaszentgrót*	04721	60 - 62	side loading	HU-04721-19-O01	no	yes	45	12	55-04721-01-1	1.(O)	314	45	no	21	
Zalaszentgrót*	04721	60 - 62	wage	HU-04721-06-T01	yes	yes	50	12	55-04721-01-1	1.	314	50	no	21	
Zalaszentgrót*	04721	59 - 62	none	HU-04721-06-T04	yes	yes	234	13	55-04721-01-4	4.	239	234	no	21	
Zalaszentmihály - Pacsa*	05413	1645 - 1650	none	HU-05413-06-T05A	yes	yes	70	11	55-05413-01-5	5.(A)	583	70	no	21	
Zalaszentmihály - Pacsa*	05413	1645 - 1650	none	HU-05413-06-T05B	yes	yes	244	15	55-05413-01-5	5.(B)	583	244	no	21	
Zalaszentmihály - Pacsa*	05413	1645 - 1650	none	HU-05413-06-T05C	yes	no	132	15	55-05413-01-5	5.(C)	583	132	no	21	
Zánka-Köveskál	04473	837+50 - 838+50	none	HU-04473-06-T01	yes	yes	100	8	55-04473-01-1	1.	461	100	no	21	
Zirc*	02998	516+70-517+50	none	HU-02998-06-T07	no	yes	80	8	55-02998-01-7	7.	325	80	no	18,5	

*To: 30.06.2025

Sign of tracks						
In case there is no building between 750 - 4100 mm height from the top of the rail counting from the centre of the track in						
*	2000	2050	2100	2150	2200	2250
millimeters						
K						
A						
B						
C						
D						
E						
F						

* „K” signed tracks are those, where there is any kind of building between the heights stated above inside 2000 millimeters. Warehouse and secondary tracks belong to this category.