

Public loading sidings and loading areas belonging to these loading sidings - GYSEV Zrt.

Modification: D, 17D, 18, 20A, 20C

| Service place | Open access loading place registered by GYSEV Zrt. | | | | | | | | Loading track next to loading places | | | | | | Restrictions, remarks | |
|-------------------|--|-------------------------------|------------------------------|---|---------------|----------|------------|-----------|--------------------------------------|-------------------|-------------------|--------------------|--------------------------|---------------|--|--|
| | Code of the service place | Position of the service place | Loading and other equipments | SLC ID of the loading and other equipment | Paved | Lighting | Size | | TAF TSI ID | Name of the track | Usable length (m) | Loading length (m) | Availability of catenary | Axle load (t) | | |
| | | From section to section | | | yes-no-partly | yes-no | Length (m) | Width (m) | | | | | yes - no - partly | | | |
| Acsád | 05249 | 831-836 | none | HU-05249-06-T04 | yes | yes | 400 | 40 | 55-05249-01-IV | IV. | 414 | 400 | no | 21 | Serving is possible only with diesel locomotive. | |
| Ajka | 03996 | 800 - 802 | none | HU-03996-06-T14 | yes | yes | 125 | 8 | 55-03996-01-14 | 14. | 416 | 125 | partly | 21 | | |
| Andráshida | 05108 | 167+80-170+30 | none | HU-05108-06-T05 | yes | yes | 200 | 5 | 55-05108-01-5 | 5. | 254 | 200 | no | 22,5 | | |
| Bak | 04937 | 523+22 - 527+57 | none | HU-04937-06-T01B | yes | yes | 100 | 2,5 | 55-04937-01-1 | 1.(B) | 348 | 100 | no | 20 | | |
| Bak | 04937 | 523+22 - 527+57 | none | HU-04937-06-T01A | yes | yes | 140 | 2,5 | 55-04937-01-1 | 1.(A) | 348 | 140 | no | 20 | | |
| Bak | 04937 | 523+22 - 527+57 | side loading | HU-04937-19-001 | yes | yes | 60 | 2,5 | 55-04937-01-1 | 1.(O) | 348 | 60 | no | 20 | | |
| Bakonyszentlászló | 02972 | 349+50 - 349+70 | side loading | HU-02972-19-001 | yes | yes | 20 | 5 | 55-02972-01-1 | 1.(O) | 372 | 20 | no | 21 | | |
| Bakonyszentlászló | 02972 | 349+70 - 350+20 | none | HU-02972-06-T01 | yes | yes | 50 | 8 | 55-02972-01-1 | 1. | 372 | 50 | no | 21 | | |
| Beled | 02402 | 337 - 342 | side loading | HU-02402-19-001 | yes | yes | 500 | 20 | 55-02402-01-1 | I/a | 679 | 500 | partly | 21 | | |
| | | | loading area | HU-02402-06-T01 | yes | yes | 20 | 20 | 55-02402-01-1 | I/b | 679 | 20 | | | | |
| Bősárkány | 02360 | 652 - 656 | loading area | HU-02360-06-T01 | yes | yes | 350 | 10 | 55-02360-01-1 | I/a | 643 | 350 | partly | 21 | | |
| | | | side loading | HU-02360-19-001 | yes | yes | 25 | 5 | 55-02360-01-1 | I/b | 643 | 25 | | | | |
| Bük | 05231 | 718-720 | loading area | HU-05231-06-T07 | yes | yes | 180 | 40 | 55-05231-01-VIII | VIII. | 196 | 180 | no | 21 | | |
| | | 720-721 | loading area, end loading | HU-05231-19-H08 | yes | yes | 108 | 40 | 55-05231-01-VIII | VIII. | 108 | 108 | no | 21 | | |
| Csákánydoroszló | 02295 | 1503 - 1505 | loading area | HU-02295-06-T04 | no | yes | 50 | 20 | 55-02295-01-IV | IV. | 55 | 50 | no | 21 | | |
| | | 1503 - 1502 | loading area | HU-02295-06-T06 | no | yes | 50 | 10 | 55-02295-01-VI | VI. | 64 | 50 | no | 21 | | |
| | | 304 - 306 | loading area | HU-02576-06-T01A | yes | yes | 100 | 5 | 55-02576-01-I/A | I/A | 335 | 100 | yes | 21 | | |
| Csorna | 02576 | 309 - 310 | loading area | HU-02576-06-T01B | yes | yes | 50 | 5 | 55-02576-01-I/B | I/B | 218 | 50 | yes | 21 | | |
| | | 313 - 317 | loading area | HU-02576-06-T17 | yes | no | 400 | 5 | 55-02576-01-XVII | XVII. | 578 | 400 | no | 21 | | |
| Csőmőder - Páka | 04960 | 761+90 - 764+98 | side loading | HU-04960-19-001 | no | no | 150 | 2,5 | 55-04960-01-1 | 1.(O) | 254 | 150 | no | 20 | | |
| Devecser | 04044 | 922+45 - 923+90 | none | HU-04044-06-T01 | yes | no | 145 | 26 | 55-04044-01-1 | 1. | 623 | 145 | no | 21 | | |
| Devecser | 04044 | 919+80 - 921+20 | none | HU-04044-06-T08 | yes | no | 72 | 17 | 55-04044-01-8 | 8. | 91 | 72 | no | 21 | | |
| Egyed-Rábacsanak | 03087 | 248+36 - 248+53 | side loading | HU-03087-19-001 | yes | yes | 17 | 6 | 55-03087-01-1 | 1.(O) | 285 | 17 | no | 21 | | |
| Egyed-Rábacsanak | 03087 | 246+63 - 248+36 | none | HU-03087-06-T01 | yes | no | 173 | 33 | 55-03087-01-1 | 1. | 285 | 173 | no | 21 | | |
| Enese | 02535 | 163 - 165 | loading area | HU-02535-06-T01 | yes | yes | 200 | 5 | 55-02535-01-1 | I. | 670 | 200 | yes | 21 | | |
| Fertőszentmiklós | 02667 | 602 - 603 | loading area, end loading | HU-02667-19-H08 | yes | yes | 140 | 10 | 55-02667-01-VIII | VIII. | 149 | 140 | no | 21 | | |
| | | 602 - 603 | loading area | HU-02667-06-T09 | yes | yes | 25 | 25 | 55-02667-01-IX | IX. | 137 | 25 | no | 21 | | |
| Gecse-Gyarmat | 2105 | 309+92-311+91 | none | HU-02105-06-T01 | yes | yes | 199 | 10 | 55-02105-01-1 | 1. | 710 | 199 | no | 21 | | |
| Gelse | 05454 | 1793+96 - 1794+96 | none | HU-05454-06-T04A | yes | yes | 100 | 20 | 55-05454-01-4 | 4.(A) | 700 | 100 | no | 21 | | |
| Gelse | 05454 | 1793+47 - 1793+71 | side loading | HU-05454-19-004 | yes | yes | 24 | 12 | 55-05454-01-4 | 4.(O) | 700 | 24 | no | 21 | Loading area can't be used between 15.12.2024.12.10 - 13.12.2025. Capacity can not be requested. | |
| Gelse | 05454 | 1791+80 - 1793+20 | none | HU-05454-06-T04B | no | no | 140 | 26 | 55-05454-01-4 | 4.(B) | 700 | 140 | no | 21 | | |
| Guttorfőde | 04952 | 674+18 - 676-72 | side loading | HU-04952-19-001 | no | no | 18 | 7 | 55-04952-01-1 | 1.(O) | 208 | 18 | no | 20 | | |
| Guttorfőde | 04952 | 674+18 - 676-72 | none | HU-04952-06-T01 | no | no | 120 | 7 | 55-04952-01-1 | 1. | 208 | 120 | no | 20 | | |
| Gyékényes | 06437 | 154+60-155+58 | none | HU-06437-06-T21 | yes | yes | 98 | 7 | 55-06437-01-21 | 21. | 98 | 98 | no | 21 | | |
| Gyékényes | 06437 | 157+78-159+07 | side loading | HU-06437-19-001 | yes | yes | 129 | 22 | 55-06437-01-1 | 1.(O) | 545 | 129 | no | 21 | wagon weigh | |
| Gyömöre | 02089 | 258- 258+30 | end loading | HU-02089-19-H05 | yes | yes | 30 | 10 | 55-02089-01-5 | 5.(H) | 30 | 30 | no | 21 | Loading track closed | |
| Gyömöre | 02089 | 258- 258+30 | side loading | HU-02089-19-001 | yes | yes | 30 | 10 | 55-02089-01-1 | 1.(O1) | 690 | 30 | no | 21 | Loading track closed | |
| Gyömöre | 02089 | 252+76 - 254+00 | none | HU-02089-06-T01 | yes | yes | 120 | 12 | 55-02089-01-1 | 1. | 120 | 80 | no | 21 | Track 1 can be used as a dead-end track. | |
| Győr-Gysev | 02501 | 2 - 3 | loading area | HU-02501-06-T01 | yes | no | 100 | 10 | 55-02505-01-1 | I/a | 420 | 100 | no | 21 | | |
| | | 2 - 3 | side loading | HU-02501-19-001 | yes | no | 50 | 15 | 55-02505-01-1 | I/b | 420 | 50 | no | 21 | | |
| Győrszabadhegy | 02022 | 37+50-37+71 | end loading | HU-02022-19-HJC | yes | yes | 21 | 5 | 55-02022-01-JÁKI | Jáki csonka(H) | 326 | 326 | no | 21 | "K" signed | |
| Győrszabadhegy | 02022 | 39+50-42 | none | HU-02022-06-T01 | yes | yes | 250 | 5 | 55-02022-01-1 | 01. | 430 | 250 | no | 21 | Loading area can't be used, capacity is not available. | |
| Győrszemere | 02055 | 157+15-159+02 | none | HU-02055-06-T04 | yes | yes | 187 | 4 | 55-02055-01-4 | 4. | 370 | 187 | no | 21 | "K" signed | |
| Hajmáskér | 03939 | 364+50-365+20 | side loading | HU-03939-19-001 | yes | yes | 138 | 10 | 55-03939-01-1 | 1.(O1) | 594 | 138 | yes | 21 | | |
| Hajmáskér | 03939 | 365+20-367 | side loading | HU-03939-19-X07 | yes | yes | 138 | 10 | 55-03939-01-7 | 7.(O) | 121 | 26 | partly | 21 | Serving is possible only with diesel locomotive. | |
| Hajmáskér | 03939 | 365+20-367 | end loading | HU-03939-19-H07 | yes | yes | 138 | 10 | 55-03939-01-7 | 7.(H) | 121 | 26 | partly | 21 | Serving is possible only with diesel locomotive. | |
| Hajmáskér | 03939 | 363+80-367 | none | HU-03939-06-T07 | yes | yes | 250 | 10 | 55-03939-01-7 | 7. | 121 | 95 | partly | 21 | Serving is possible only with diesel locomotive. | |
| Hajmáskér | 03939 | 364+40 - 367+40 | none | HU-03939-06-T08 | yes | yes | 300 | 13 | 55-03939-01-8 | 8. | 362 | 262 | partly | 21 | Serving is possible only with diesel locomotive. | |
| Hegyfalu | 02469 | 147 - 150 | loading area | HU-02469-06-T04 | yes | yes | 306 | 6 | 55-02469-01-IV | IV/ a | 404 | 306 | partly | 21 | | |
| | | 149 - 150 | side loading | HU-02469-19-004 | yes | yes | 10 | 6 | 55-02469-01-IV | IV/b | 404 | 10 | | | | |
| Hérend | 03954 | 586+60 -587+50 | none | HU-03954-06-T10 | yes | yes | 90 | 10 | 55-03954-01-10 | 10. | 90 | 65 | no | 21 | | |
| Hérend | 03954 | 586+60 -587+50 | end loading | HU-03954-19-H10 | yes | yes | 60 | 15 | 55-03954-01-10 | 10.(H1) | 90 | 25 | no | 21 | | |
| Hérend | 03954 | 586+00 - 586+60 | side loading | HU-03954-19-001 | yes | yes | 60 | 15 | 55-03954-01-1 | 1.(O1) | 668 | 60 | yes | 21 | | |
| Hérend | 03954 | 579+68 -580+18 | end loading | HU-03954-19-H08 | yes | yes | 20 | 6 | 55-03954-01-8 | 8.(H) | 18 | 20 | no | 21 | | |
| Hérend | 03954 | 579+78 - 582+98 | none | HU-03954-06-T08 | yes | yes | 20 | 6 | 55-03954-01-8 | 8. | 20 | 20 | no | 21 | | |
| Hérend | 03954 | 583+68 -583+88 | end loading | HU-03954-19-H06 | yes | yes | 20 | 6 | 55-03954-01-6 | 6.(H) | 300 | 20 | no | 21 | | |
| Hérend | 03954 | 583+88 - 585+88 | none | HU-03954-06-T06 | yes | yes | 200 | 6 | 55-03954-01-6 | 6. | 300 | 180 | no | 21 | | |
| Hérend | 03954 | 585+88 - 586+28 | side loading | HU-03954-19-006 | yes | yes | 40 | 6 | 55-03954-01-6 | 6.(O) | 300 | 40 | no | 21 | | |
| Ják - Balogunyom | 02261 | 1244 - 1243 | loading area | HU-02261-06-T07 | no | yes | 100 | 20 | 55-02261-01-VII | VII. | 100 | 100 | no | 21 | | |

| Service place | Open access loading place registered by GYSEV Zrt. | | | | | | | | Loading track next to loading places | | | | | | Restrictions, remarks |
|---------------|--|-------------------------------|------------------------------|---|---------------|----------|------------|-----------|--------------------------------------|-------------------|-------------------|--------------------|--------------------------|---------------|--|
| | Code of the service place | Position of the service place | Loading and other equipments | SLC ID of the loading and other equipment | Paved | Lighting | Size | | TAF TSI ID | Name of the track | Usable length (m) | Loading length (m) | Availability of catenary | Axle load (t) | |
| | | From section to section | | | yes-no-partly | yes-no | Length (m) | Width (m) | | | | | yes - no - partly | | |
| Jánosháza | 04705 | 81+00-82+50 | none | HU-04705-06-T01 | yes | yes | 150 | 6 | 55-04705-01-1 | I. | 432 | 150 | no | 21 | |
| Jánossomorja | 02345 | 792-793 | loading area | HU-02345-06-T05 | no | yes | 150 | 10 | 55-02345-01-V | V. | 273 | 150 | no | 21 | |
| | | 458 - 463 | loading area | HU-02626-06-T06 | no | yes | 500 | 10 | 55-02626-01-VI | VI. | 608 | 500 | partly | 21 | |
| Kapuvár | 02626 | 461 - 462 | loading area, end loading | HU-02626-19-H08 | yes | yes | 20 | 15 | 55-02626-01-VIII | VIII. | 42 | 20 | no | 21 | Loading area can't be used between 17.03.2025. - 30.09.2025. Capacity can not be requested. |
| Kerta | 04085 | 1081 - 1084 | none | HU-04085-06-T01 | yes | yes | 100 | 10 | 55-04085-01-1 | I. | 484 | 100 | no | 21 | |
| Keszthely | 04747 | 248+91 - 249+51 | none | HU-04747-06-T07B | yes | yes | 60 | 7,5 | 55-04747-01-7b | 7.b. | 196 | 60 | yes | 21 | |
| Köny | 02543 | 217 - 219 | loading area | HU-02543-06-T01 | yes | no | 150 | 3 | 55-02543-01-I | I. | 401 | 150 | yes | 21 | 10 km/h |
| Körmend | 02287 | 1412 - 1416 | loading area | HU-02287-06-T01 | yes | yes | 150 | 20 | 55-02287-01-I/A | I.A | 394 | 150 | no | 21 | |
| | | 1412 - 1414 | loading area | HU-02287-06-T11 | yes | yes | 124 | 20 | 55-02287-01-XI | XI. | 124 | 124 | no | 20 | |
| Lenti | 04986 | 853+53 - 862+24 | none | HU-04986-06-T01 | yes | yes | 60 | 6 | 55-04986-01-1 | I. | 593 | 60 | no | 20 | |
| Lenti | 04986 | 853+53 - 862+24 | side loading | HU-04986-19-001 | yes | yes | 60 | 6 | 55-04986-01-1 | 1.(O) | 593 | 60 | no | 20 | |
| Lenti | 04986 | 0+00 - 3+94 | none | HU-04986-06-TKCS | yes | yes | 300 | 2 | 55-04986-01-K csonk | Kerti csonka | 490 | 300 | no | 20 | |
| Lövő | 05207 | 573-576 | loading area | HU-05207-06-T04 | yes | yes | 250 | 30 | 55-05207-01-IV | IV. | 294 | 250 | no | 21 | |
| Mezőlak | 02139 | 519+51 - 521+10 | none | HU-02139-06-T05 | yes | yes | 159 | 26 | 55-02139-01-5 | 5. | 251 | 159 | no | 21 | |
| Mezőlak | 02139 | 521+60 - 521+92 | none | HU-02139-06-T01 | yes | yes | 32 | 3,5 | 55-02139-01-1 | 1. | 699 | 250 | no | 21 | |
| Mezőlak | 02139 | 521+10 - 521+60 | side loading | HU-02139-19-001 | yes | yes | 50 | 6 | 55-02139-01-1 | 1.(O) | 699 | 50 | no | 18,5 | |
| Murakeresztúr | 03640 | 2340+75-2341+10 | side loading | HU-03640-19-0513 | yes | yes | 35 | 10 | 55-03640-01-SZ 13 | Sz.13.(O) | 210 | 35 | yes | 21 | Loading area can't be used between 01.10.2025— 07.11.2025. Capacity can not be requested. |
| Murakeresztúr | 03640 | 2347+92-2344+77 | none | HU-03640-06-TA1 | yes | yes | 120 | 6 | 55-03640-01-A1 | A1 | 315 | 120 | no | 21 | Serving is possible only with diesel locomotive |
| Nagyecenk | 05173 | 449-450 | loading area | HU-05173-06-T04 | yes | yes | 150 | 15 | 55-05173-01-IV | IV. | 215 | 150 | no | 21 | |
| Nagykanizsa | 03624 | 2210+10-2210+85 | none | HU-03624-06-T16A | no | yes | 75 | 8 | 55-03624-01-16/a | 16/a | 120 | 70 | no | 21 | Capacity can only be requested for picking out overweight and adjustment of consignment. |
| Nagykanizsa | 03624 | 2207+77-2210+17 | none | HU-03624-06-T19 | yes | yes | 240 | 24 | 55-03624-01-19 | 19. | 271 | 240 | no | 21 | Serving is possible only with diesel locomotive. |
| Nagykanizsa | 03624 | 2207+59-2207+77 | end loading | HU-03624-19-H19 | yes | yes | 18 | 5 | 55-03624-01-19 | 19.(H) | 271 | 18 | no | 21 | Serving is possible only with diesel locomotive. |
| Nagykanizsa | 03624 | 2210+18-2211+58 | none | HU-03624-06-T22 | yes | yes | 140 | 3/15 | 55-03624-01-22 | 22. | 204 | 140 | no | 21 | Serving is possible only with diesel locomotive. Loading area can't be used between 07.07.2025— 28.07.2025. Capacity can not be requested. Loading area can't be used between 08.09.2025— 04.10.2025. Capacity can not be requested. |
| Nagykanizsa | 03624 | 2207+50-2209+10 | side loading | HU-03624-19-024 | yes | yes | 160 | 5,6 | 55-03624-01-24 | 24.(O) | 238 | 105 | no | 21 | Serving is possible only with diesel locomotive. 5 km/h Loading area can't be used between 07.07.2025 - 28.07.2025. Capacity can not be requested. Loading area can't be used between 08.09.2025 - 04.10.2025. Capacity can not be requested. |
| Nagykanizsa | 03624 | 2209+65-2210+15 | none | HU-03624-06-T25 | yes | yes | 50 | 24 | 55-03624-01-25 | 25. | 76 | 50 | no | 21 | Serving is possible only with diesel locomotive. |
| Óriszentpéter | 05074 | 356 - 358 | none | HU-05074-06-T08 | yes | yes | 200 | 12,5 | 55-05074-01-8 | 8. | 217 | 200 | partly | 22,5 | Serving is possible only with diesel locomotive. |
| Pácsony | 05330 | 1292 - 1294 | loading area | HU-05330-06-T04 | yes | yes | 188 | 14 | 55-05330-01-IV | IV. | 188 | 188 | no | 21 | |
| Pannonhalma | 02931 | 150+50 - 152+25 | none | HU-02931-06-T01 | yes | yes | 175 | 13 | 55-02931-01-1 | I. | 365 | 175 | no | 21 | |
| Pannonhalma | 02931 | 152+25 - 152+45 | side loading | HU-02931-19-001 | yes | yes | 20 | 5 | 55-02931-01-1 | 1.(O) | 365 | 20 | no | 21 | |
| Pápa | 02121 | 445+80 - 447+30 | none | HU-02121-06-T09 | yes | yes | 150 | 15 | 55-02121-01-9 | 9. | 234 | 150 | no | 21 | |
| Pápa | 02121 | 445+80 - 447+30 | none | HU-02121-06-T15 | yes | yes | 150 | 15 | 55-02121-01-15 | 15. | 372 | 150 | no | 21 | |
| Pápa | 02121 | 444+75 - 446+40 | none | HU-02121-06-T01 | yes | yes | 165 | 10 | 55-02121-01-1 | 1. | 430 | 165 | no | 21 | |
| Pápa | 02121 | 446+92 - 447+17 | end loading | HU-02121-19-H01 | yes | yes | 25 | 4 | 55-02121-01-1 | 1.(H) | 430 | 25 | no | 21 | |
| Pápa | 02121 | 445+10 - 447+40 | none | HU-02121-06-T10 | yes | yes | 230 | 10 | 55-02121-01-10 | 10. | 320 | 230 | no | 21 | |
| Papkesztű | 04192 | 83 - 83+60 | none | HU-04192-06-T01 | no | no | 60 | 10 | 55-04192-01-1 | 1. | 299 | 60 | no | 21 | Excluded from traffic. |
| Pétfürdő | 03921 | 261+90 - 262+50 | side loading | HU-03921-19-001 | no | yes | 60 | 10 | 55-03921-01-1 | 1.(O) | 478 | 60 | yes | 21 | |
| Pinnye | 02683 | 673 - 675 | side loading | HU-02683-19-001 | yes | yes | 20 | 2 | 55-02683-01-1 | I/a | 429 | 20 | yes | 21 | |
| | | | loading area | HU-02683-06-T01 | yes | yes | 200 | 5 | 55-02683-01-1 | I/b | 429 | 200 | yes | 21 | |
| Rajka | 01974 | 1071-1072 | side loading | HU-01974-19-001 | yes | yes | 25 | 10 | 55-01974-01-1 | I/a | 810 | 25 | yes | 21 | |
| Rábapordány | 03095 | 288+97 - 291+13 | loading area | HU-01974-06-T01 | yes | yes | 150 | 15 | 55-01974-01-1 | I/b | 810 | 150 | yes | 21 | |
| Rábatamási | 02592 | 371 - 372 | loading area | HU-03095-06-T01 | yes | no | 216 | 27 | 55-03095-01-1 | 1. | 314 | 216 | no | 21 | |
| Sárvár | 02212 | 908+75 - 910+65 | none | HU-02592-06-T03 | yes | no | 120 | 10 | 55-02592-01-III | III. | 168 | 120 | no | 21 | |
| Sárvár | 02212 | 908+75 - 910+65 | none | HU-02212-06-T01 | yes | yes | 190 | 7 | 55-02212-01-1 | 1. | 172/727 | 160 | no | 21 | |
| Sárvár | 02212 | 918+45 - 919+25 | none | HU-02212-06-T12 | no | no | 80 | 20 | 55-02212-01-12 | 12. | 101 | 80 | no | 21 | |

| Service place | Open access loading place registered by GYSEV Zrt. | | | | | | | | Loading track next to loading places | | | | | | Restrictions, remarks | |
|-------------------------|--|-------------------------------|------------------------------|---|---------------|----------|------------|-----------|--------------------------------------|-------------------|-------------------|--------------------|--------------------------|---------------|---|--|
| | Code of the service place | Position of the service place | Loading and other equipments | SLC ID of the loading and other equipment | Paved | Lighting | Size | | TAF TSI ID | Name of the track | Usable length (m) | Loading length (m) | Availability of catenary | Axle load (t) | | |
| | | From section to section | | | yes-no-partly | yes-no | Length (m) | Width (m) | | | | | yes - no - partly | | | |
| Sárvár | 02212 | 914+50 - 916+92 | none | HU-02212-06-T11 | yes | yes | 242 | 25 | 55-02212-01-11 | 11. | 874 | 242 | partly | 21 | Serving is possible only with diesel locomotive. | |
| Sopron-Rendező | 48025 | 9 - 16 | loading area | HU-48025-06-T01 | yes | yes | 650 | 5 | 55-48025-01-1 | 1. | 731 | 650 | no | 21 | | |
| Sümege | 04663 | 258 - 261 | side loading | HU-04663-19-004 | no | no | 60 | 5 | 55-04663-01-4 | 4.(O) | 361 | 60 | no | 21 | | |
| Sümege | 04663 | 258 - 261 | none | HU-04663-06-T04 | no | yes | 130 | 8 | 55-04663-01-4 | 4. | 361 | 130 | no | 20 | | |
| Szany-Rabaszentandrás | 03079 | 177+92 - 182+37 | none | HU-03079-06-T01 | yes | no | 445 | 10-36 | 55-03079-01-1 | 1. | 473 | 268 - 116 | no | 21 | | |
| Szentgál | 03962 | 639+80 - 640+80 | none | HU-03962-06-T01 | no | yes | 100 | 8 | 55-03962-01-1 | 1. | 645 | 100 | no | 21 | | |
| Szentgotthárd | 02329 | 1693 - 1692 | loading area | HU-02329-06-T10 | yes | yes | 90 | 10 | 55-02329-01-X | X. | 98 | 90 | no | 21 | | |
| | | 1693 - 1694 | loading area | HU-02329-06-T11 | no | yes | 50 | 10 | 55-02329-01-XI | XI. | 89 | 50 | no | 21 | | |
| Szil-Sopronnémeti | 02378 | 461 - 463 | loading area | HU-02378-06-T01 | yes | yes | 277 | 20 | 55-02378-01-I | I. | 301 | 277 | partly | 21 | | |
| Szombathelyi Rendező | 43778 | 961-964 | loading area | HU-43778-06-TUK | yes | no | 230 | 30 | 55-43778-01-ÜJKIHÜZÖ | űtkihűző | 238 | 230 | no | 21 | | |
| | | 957-959 | side loading | HU-43778-19-ORM | yes | yes | 80 | 20 | 55-43778-01-RAMPA | rampa | 185 | 80 | no | 21 | | |
| | | 967 - 970 | loading area | HU-43778-06-TK1 | yes | no | 80 | 30 | 55-43778-01-KPU_I | Konténer PU I/a | 270 | 80 | partly | 21 | without electric power | |
| | | | side-end loading | HU-43778-19-XK1 | yes | no | 150 | 30 | 55-43778-01-KPU_II | Konténer PU I/b | 270 | 150 | | | | |
| | | 967 - 970 | loading area | HU-43778-06-TK2 | yes | no | 230 | 15 | 55-43778-01-KPU_II | Konténer Pu. II. | 273 | 230 | partly | 21 | without electric power | |
| Tapolca | 04598 | 447+49 - 446+71 | none | HU-04598-06-T33 | yes | yes | 128 | 10 | 55-04598-01-33 | 33. | 128 | 60 | no | 21 | | |
| Tapolca | 04598 | 449+03 - 449+63 | side loading | HU-04598-19-001 | yes | yes | 60 | 15 | 55-04598-01-1 | 1.(O1) | 618 | 60 | no | 21 | | |
| Tapolca | 04598 | 449+03 - 449+63 | end loading | HU-04598-19-H14 | yes | yes | 60 | 15 | 55-04598-01-14 | 14.(H1) | 55 | 15 | no | 21 | | |
| Tarlánpuszta | 02949 | 212+57 - 213+42 | none | HU-02949-06-T01A | yes | yes | 85 | 15 | 55-02949-01-1 | 1.(A) | 375 | 85 | no | 21 | | |
| Tarlánpuszta | 02949 | 213+42 - 213+62 | side loading | HU-02949-19-001 | yes | yes | 20 | 5 | 55-02949-01-1 | 1.(O) | 375 | 20 | no | 21 | | |
| Tarlánpuszta | 02949 | 214+25 - 215 | none | HU-02949-06-T01B | yes | yes | 75 | 15 | 55-02949-01-1 | 1.(B) | 375 | 75 | no | 21 | | |
| Tarlánpuszta | 02949 | 215+10 - 215+50 | none | HU-02949-06-T01C | no | yes | 40 | 14 | 55-02949-01-1 | 1.(C) | 375 | 40 | no | 21 | | |
| Tarlánpuszta | 02949 | 215+50 - 215+90 | none | HU-02949-06-T01D | yes | yes | 70 | 14 | 55-02949-01-1 | 1.(D) | 375 | 70 | no | 21 | | |
| Ukk | 04689 | 164+33 - 164+38 | none | HU-04689-06-T07 | yes | yes | 225 | 7 | 55-04689-01-7 | 7. | 225 | 225 | no | 21 | | |
| Uzbánnya | 04648 | 32+54-33+90 | one under reconstruct | HU-04648-06-T06 | yes | yes | 135 | 8 | 55-04648-01-6 | 6. | 208 | 135 | no | 20 | | |
| Városlöd-Kislöd | 03988 | 740 - 740+90 | none | HU-03988-06-T01A | yes | yes | 90 | 11 | 55-03988-01-1 | 1.(A) | 616 | 90 | partly | 21 | Serving is possible only with diesel locomotive. | |
| Városlöd-Kislöd | 03988 | 740 +90- 741+20 | side loading | HU-03988-19-001 | yes | yes | 30 | 11 | 55-03988-01-1 | 1.(O) | 616 | 30 | partly | 21 | Serving is possible only with diesel locomotive. | |
| Városlöd-Kislöd | 03988 | 742+50 - 743+50 | none | HU-03988-06-T01B | yes | yes | 100 | 6 | 55-03988-01-1 | 1.(B) | 616 | 100 | partly | 21 | Serving is possible only with diesel locomotive. | |
| Várpalota | 03871 | 216+70 - 218 | side loading | HU-03871-19-001 | yes | yes | 130 | 15 | 55-03871-01-1 | 1.(O1) | 619 | 130 | partly | 21 | Serving is possible only with diesel locomotive. | |
| Várpalota | 03871 | 216+10 - 216+70 | end loading | HU-03871-19-H13 | yes | yes | 60 | 9 | 55-03871-01-13 | 13.(H1) | 172 | 60 | partly | 21 | Serving is possible only with diesel locomotive. | |
| Várpalota | 03871 | 216+10 - 218+00 | none | HU-03871-06-T14 | yes | yes | 190 | 9 | 55-03871-01-14 | 14. | 305 | 190 | no | 21 | | |
| Várpalota | 03871 | 221+80-223+50 | none | HU-03871-06-T15 | yes | yes | 145 | 10 | 55-03871-01-15 | 15. | 145 | 145 | no | 21 | | |
| Vasvár | 05314 | 1186 - 1188 | loading area | HU-05314-06-T03 | yes | yes | 200 | 10 | 55-05314-01-III | III. | 30 | 200 | no | 21 | | |
| Vasvár | 02113 | 370+50 - 371+00 | none | HU-02113-19-001 | yes | yes | 140 | 20 | 55-02113-01-1 | 1.(O) | 685 | 140 | no | 21 | | |
| Vasvár | 02113 | 372+52-374+54 | none | HU-02113-06-T01 | yes | yes | 20 | 29 | 55-02113-01-1 | 1. | 685 | 20 | no | 21 | | |
| Veszprém | 03947 | 447 - 448 | none | HU-03947-06-TK01 | yes | yes | 250 | 16 | 55-03947-01-K1 | K1. | 253 | 250 | no | 21 | | |
| Veszprém | 03947 | 445 - 448 | none | HU-03947-06-TK02 | yes | yes | 250 | 16 | 55-03947-01-K2 | K2 | 259 | 120 | no | 21 | | |
| Veszprém | 03947 | 445 - 448 | none | HU-03947-06-TK03 | yes | yes | 250 | 16 | 55-03947-01-K3 | K3 | 258 | 250 | no | 21 | | |
| Veszprém | 03947 | 445 - 448 | none | HU-03947-06-TK04 | yes | yes | 250 | 16 | 55-03947-01-K4 | K4 | 260 | 250 | no | 21 | | |
| Veszprémvarsány | 02964 | 285+85 - 286+75 | none | HU-02964-06-T01 | yes | yes | 90 | 17 | 55-02964-01-1 | 1. | 290 | 90 | no | 21 | | |
| Veszprémvarsány | 02964 | 286+75 - 287+25 | side loading | HU-02964-19-001 | yes | yes | 50 | 14 | 55-02964-01-1 | 1.(O) | 290 | 50 | no | 21 | | |
| Veszprémvarsány | 02964 | 279+80 - 280+95 | none | HU-02964-06-T07 | yes | yes | 115 | 17 | 55-02964-01-7 | 7. | 115 | 115 | no | 21 | | |
| Vinár | 02154 | 590+72 - 592+10 | side loading | HU-02154-19-001 | no | yes | 138 | 4,5 | 55-02154-01-1 | 1.(O) | 450 | 138 | no | 21 | | |
| Zalabér - Batty | 04846 | 310+50 - 311+50 | none | HU-04846-06-T06 | yes | yes | 100 | 10 | 55-04846-01-6 | 6. | 360 | 100 | no | 21 | | |
| Zalaegerszeg | 04895 | 4-12 - 3+57 | side and end loading | HU-04895-19-XK01 | yes | yes | 45 | 8 | 55-04895-01-Ker 1 | Ker.telep1.(OH) | 180 | 45 | no | 20 | | |
| Zalaegerszeg | 04895 | 3+04 - 1+24 | none | HU-04895-06-TK02 | yes | yes | 180 | 10 | 55-04895-01-Ker 2 | Ker.telep2. | 180 | 180 | no | 20 | | |
| Zalaegerszeg | 04895 | 3+04 - 1+24 | none | HU-04895-06-TK03 | yes | yes | 170 | 15 | 55-04895-01-Ker 3 | Ker.telep3. | 170 | 170 | no | 20 | | |
| Zalaegerszeg | 04895 | 3+93 - 2 +23 | none | HU-04895-06-TK04 | yes | yes | 170 | 4 | 55-04895-01-Ker 4 | Ker.telep4. | 170 | 170 | no | 20 | | |
| Zalahaláp | 04606 | 46+75 - 46+95 | end loading | HU-04606-19-H01 | no | no | 20 | 10 | 55-04606-01-1 | 1.(H) | 120 | 20 | no | 0 | Loading area can't be used, because the section Zalahaláp-ERDÉSZET ipvk.pvh. - Zalahaláp is impassable. | |
| Zalahaláp | 04606 | 45+65-46+25 | none | HU-04606-06-T01 | no | no | 60 | 10 | 55-04606-01-1 | 1. | 120 | 60 | no | 0 | Loading area can't be used, because the section Zalahaláp-ERDÉSZET ipvk.pvh. - Zalahaláp is impassable. | |
| Zalakomár | 03657 | 2002+25 - 2002+79 | side loading | HU-03657-19-004 | yes | yes | 54 | 5,5 | 55-03657-01-4 | 4.(O) | 369 | 54 | partly | 21 | Serving is possible only with diesel locomotive | |
| Zalakomár | 03657 | 1996+63 - 1999+46 | none | HU-03657-06-T04A | no | yes | 283 | 6 | 55-03657-01-4 | 4.(A) | 273 | 273 | no | 21 | Serving is possible only with diesel locomotive | |
| Zalakomár | 03657 | 1999+46 - 2003+07 | none | HU-03657-06-T04B | yes | yes | 361 | 23,5 | 55-03657-01-4 | 4.(B) | 369 | 307 | no | 21 | Serving is possible only with diesel locomotive Loading area can't be used between 15.09.2025—22.10.2025. Capacity can not be requested. | |
| Zalalövő | 05033 | 230 - 232 | side and end loading | HU-05033-19-X08 | yes | yes | 40 | 10 | 55-05033-01-8 | 8.(OH) | 230 | 40 | partly | 22,5 | Serving is possible only with diesel locomotive. | |
| Zalalövő | 05033 | 230 - 232 | none | HU-05033-06-T10 | yes | yes | 100 | 10 | 55-05033-01-10 | 10. | 150 | 100 | no | 22,5 | | |
| Zalaszentgrót | 04721 | 60 - 62 | side loading | HU-04721-19-001 | no | yes | 45 | 12 | 55-04721-01-1 | 1.(O) | 314 | 45 | no | 21 | | |
| Zalaszentgrót | 04721 | 60 - 62 | wage | HU-04721-06-T01 | yes | yes | 50 | 12 | 55-04721-01-1 | 1. | 314 | 50 | no | 21 | | |
| Zalaszentgrót | 04721 | 59 - 62 | none | HU-04721-06-T04 | yes | yes | 234 | 13 | 55-04721-01-4 | 4. | 239 | 234 | no | 21 | | |
| Zalaszentiván | 05371 | 475+20 -475+70 | none | HU-05371-06-T09 | yes | yes | 50 | 18 | 55-05371-01-9 | 9. | 115 | 50 | no | 21 | | |
| Zalaszentmihály - Pacsa | 05413 | 1645 - 1650 | none | HU-05413-06-T05A | yes | yes | 70 | 11 | 55-05413-01-5 | 5.(A) | 583 | 70 | no | 21 | | |
| Zalaszentmihály - Pacsa | 05413 | 1645 - 1650 | none | HU-05413-06-T05B | yes | yes | 244 | 15 | 55-05413-01-5 | 5.(B) | 583 | 244 | no | 21 | | |
| Zalaszentmihály - Pacsa | 05413 | 1645 - 1650 | none | HU-05413-06-T05C | yes | no | 132 | 15 | 55-05413-01-5 | 5.(C) | 583 | 132 | no | 21 | | |
| Zirc | 02998 | 516+70-517+50 | none | HU-02998-06-T07 | no | yes | 80 | 8 | 55-02998-01-7 | 7. | 325 | 80 | no | 18,5 | | |

| Service place | Open access loading place registered by GYSEV Zrt. | | | | | | | | Loading track next to loading places | | | | | | Restrictions, remarks |
|---------------|--|-------------------------------|------------------------------|---|---------------|----------|------------|-----------|--------------------------------------|-------------------|-------------------|--------------------|--------------------------|---------------|-----------------------|
| | Code of the service place | Position of the service place | Loading and other equipments | SLC ID of the loading and other equipment | Paved | Lighting | Size | | TAF TSI ID | Name of the track | Usable length (m) | Loading length (m) | Availability of catenary | Axle load (t) | |
| | | From section to section | | | yes-no-partly | yes-no | Length (m) | Width (m) | | | | | yes - no - partly | | |