

Effective and Applicable: from 09 July 2025

TEXT

1. 1.5.1 Validity of Network Statement

This Network Statement is valid from 00:00 of 05⁹ July 2025 to 24:00 of 13 December 2025.

ANNEXES

2. 1.7.1 - Information on European rail network for competitive freight and on their contacts

The personnel changes in the management of the Corridors are included in the correction appendix.

3. 2.2.2-3 - Railway networks in own operation and industrial tracks connected to the open access railway network - MÁV Infrastructure Co. Ltd.

The following modification was made:

Debrecen Regional Directorate							
Name of the service place	Name of the privately owned railway network	Branching-off					Handing-over/taking-over point
		From stations (name of the stations)	From open line (between stations)	From a connecting track (name of the connecting track)	Number of the branching-off turnout (switch)	Profile section of the branching-off turnout (switch)	
Apafa	FRANZ KAMINSKI Wagonbau Hungária Kft. (Gépállomás)	Apafa	-	-	I/1	2277+79	Apafa V. track
Apafa	President 2000 - Kft. (Kossuth-TSZ)	Apafa	-	-	22	2291+12	-
Baktalórántháza	Solness-K DIMEX Kft.	Baktalórántháza	-	-	8/1	337+48	-
Kaba	Kaba Nádudvari Agrokémiai Kft. (NITROGÉNművek)	Kaba	-	Kaba-Bojárhollos vontató	III/1	87+22	87+22
Karcag	Karcag-Örömalom	-	Karcag - Kunmadaras	-	A/1	49+82	-
Karcag	Karcag Rizshántoló	Karcag	-	-	26	1620+25	-
Nyirmada	Carbon - Black Kft.	Nyirmada	-	-	6	465+49	Nyirmada III. track
Nyirmada	Baromfi-Coop-Kft.	Nyirmada	-	-	4	463+05	Nyirmada III. track
Nyirtelek	HM Arzenál saját célú vasúti pályahálózat	Nyirtelek	-	Nyirtelek iparvágány	4	400+03	-

4. 7.3.7.3 - Availability of personnel of IM for using the weighing service - MÁV Infrastructure Co. Ltd.

The following modification was made:

16	Kaposvár	06288	00:00-24:00 00:00-14:00 17:00-24:00	
17	Kazincbarcika	12781	03:20-24:00	Employee of a railway company with an exam
17	Kál-Kápolna	11288	00:00-24:00	By occasional order personnel is provided from Püspökladány
18	Kiskunfélegyháza	16352	00:00-24:00	

5. 7.3.7 - Wagon weigh bridges (scales) - MÁV Infrastructure Co. Ltd.

The following modification was made:

Infrastructure Manager Regional Directorate	Number	Station	Service place code	Weighing capacity	Length of bridge	Type		Opening hours	Average weigh capacity (wagon/hour)	Availability of Catenary above the track equipped with scales (yes/no)	Remarks	Effective till
Miskolc	11.	Bánréve	12849	100 t	9,5+1,5+9,5m	hybrid	MS-DUÁL	06-18	20	no		12.07.2026
	12.	Kazincbarcika	12781	100t	9+3+9m	hybrid	MS-DUÁL	6-18	20	no	The scale will be put out of service.	12.05.2025
	13	Kál-Kápolna	11288	100 t	9,5+1,5+9,5m	hibrid	MS-DUÁL	0-24	20	igen		2027.05.23
	14	Füzesabony	11296	100 t	9,5+1,5+9,5m	electronic	SCHENCK	0-24	8	yes		04.07.2026
	15	Miskolc-Rendező	12641	100 t	9,5+1,5+9,5m	electronic	aknás	0-24	20	no		01-12-2025 07.05.2027
	16	Szerencs	11445	100 t	9+3+9m	electronic	ARDIN	0-24	8	yes		19-05-2025 16.05.2027
Debrecen	17	Debrecen	13912	100 t	9+3+9m	electronic	ARDIN	0-24	18	no		03.06.2027
	18	Eperjeske-Átrakó I. vg.	14191	200 t	9+9+3+9m	electronic	ARDIN (AR-D8203)	0-24	18	no	also suitable for authentic dynamic measurement	14.08.2026
	19	Eperjeske-Átrakó XLI. Vg.	14191	120 t	9,5+1,5+9,5m	hybrid	MS-DUÁL	0-24	25	no		27.05.2027
	20	Eperjeske-Rendező I.sz. automata	44255	120 t	27m	hybrid-hump	ARDIN	0-24	60	no	Broad scales	14.11.2025
	21	Eperjeske-Rendező II.sz. automata	44255	120 t	27m	hybrid-hump	ARDIN	0-24	60	no	Broad scales	14.11.2025
	22	Eperjeske-Rendező Lapos	44255	150 t	9+5+9m	electronic	ARDIN	0-24	solid:30	no	Broad scales	14.11.2025
	23	Karcag	13847	100 t	9+3+9 m	electronic	ARDIN (D43-09B)	0-24	15.jan	yes	for authentic dynamic measurement only given for information	29.07.2026
	24	Mátészalka	15495	100 t	9,5+1,5+9,5m	hybrid	MS-DUÁL	0-24	10	no		13.05.2027
	25	Nyíregyháza	14019	100 t	9+3+9m	electronic	ARDIN	0-24	15	no		02.06.2027
	26	Nyírbátor	15453	100 t	9+3+9 m	electronic	ARDIN	0-24	solid: 18	no		13.05.2027
	27	Püspökladány	13862	100 t	9,5+1,5+9,5m	electronic	SCHENCK	0-24	10	no		31.07.2026
	28	Törökszentmiklós	13789	100 t	9+3+9m	electronic	ARDIN (D43-09B)	0-24	10	yes	for authentic dynamic measurement only given for information	26-07-2026 11.06.2027
29	Záhony 70/B vágány	44230	200 t	9+4,5+9m	electronic	ARDIN	0-24	fluid: 20, solid: 30	no	Broad scales	14.11.2025	
30	Záhony-Rendező VIII. vg.	42077	100 t	9+3+9m	electronic	ARDIN	0-24	fluid: 20, solid: 25	yes		14.08.2026	

6. 7.3.7 - Wagon weigh bridges (scales)- GYSEV

The following modification was made:

	Number	Station	Service place code	Weighing capacity	Length of bridge	Type		Opening hours	Average weigh capacity (wagon/hour)	Availability of Catenary above the track equipped with scale (yes/no)	Remarks	Effective till
GYSEV Zrt.	1.	Ajka	03996	100 t	9,5+1,5+9,5m	hybrid	MS-DUÁL	0-24	6	yes		01.06.2025 19.06.2027
	2.	Celldömök	02170	100 t	9,5+1,5+9,5m	hybrid	MS-DUÁL	0-24	6	no		27.08.2026
	3.	Gyékényes	06437	100 t	9+3+9m	electronic	ARDIN	0-24	solid: 15	no		01.10.2026
	4.	Murakeresztúr	03640	100 t	9+3+9m	electronic	ARDIN	0-24	15	yes	Waiting for repairation	To be specified later
	5.	Nagykanizsa	03624	100 t	9+3+9m	electronic	ARDIN	0-24	20	no		03.10.2026
	6.	Sopron-Rendező	48025	100 t	2x 9,5 m	hibrid	MS DUAL	0-24		no		2025-06-23 23.06.2027
	7.	Szentgotthárd	02329	100 t	2 x 9,5m	electronic	Ardin (8201-28)	Mon-Sat 6-18		no		26.06.2025 24.06.2027
	8.	Szombathely-Rendező	43778	100 t	2 x 9,5m	hybrid	MS-DUAL	0-24	7	no		27.06.2025 25.06.2027
	9.	Veszprém	03947	100 t	9+3+9m	electronic	ARDIN	0-24	6	no		14.08.2026
	10.	Zalaegerszeg	04895	100 t	9,5+1,5+9,5m	hybrid	MS-DUÁL	0-24	7	no		03.09.2026

7. 7.3.11- Public loading sidings and loading areas belonging to these loading sidings - MÁV Infrastructure Co. Ltd

The following modification was made:

Debrecen Regional Directorate															
Service place	Open access loading place registered by MÁV Infrastructure Co. Ltd.								Loading track next to loading places						Restrictions, remarks
	Code of the service palce	Position of the service place	Loading and other equipments	SLC ID of the loading and other equipment	Paved	Lighting	Size		TAF TSI ID	Name of the track	Usable length (m)	Loading length (m)	Availability of catenary	Axle load (t)	
		From section to section			yes-no partly	yes-no	Length (m)	Width (m)					yes / no partly?		
Hajdúhadház	13953	2407+96-2410+16	none	HU-13953-06-T01A	yes	yes	220	10	55-13953-01-1	1.(A)	530	220	yes	21	Loading area can't be used between 21.07.2025. - 03.09.2025. Capacity can not be requested
Hajdúhadház	13953	2410+16-2410+46	side loading	HU-13953-19-001	yes	yes	30	20	55-13953-01-1	1.(O)	530	30	yes	21	Loading area can't be used between 21.07.2025. - 03.09.2025. Capacity can not be requested
Hajdúhadház	13953	2412+14-2412+74	none	HU-13953-06-T01B	yes	yes	60	15	55-13953-01-1	1.(B)	530	60	yes	21	Loading area can't be used between 21.07.2025. - 03.09.2025. Capacity can not be requested
Maes Nagymacs	14480	151+60-154+50	none	HU-14480-06-T01	yes	yes	290	25	55-14480-01-1	1.	626	290	no	21	"K" signed Loading area can't be used, capacity can not be requested. Towed vehicles with an axle load of 22.5 t may be used as exceptional consignment without any specific restriction.
Maes Nagymacs	14480	156+60-156+70	side loading	HU-14480-19-001	yes	yes	10	6	55-14480-01-1	1. (O)	626	10	no	21	"K" signed Loading area can't be used, capacity can not be requested.

8. 7.3.11- Public loading sidings and loading areas belonging to these loading sidings - GySEV Zrt

The following modification was made:

Service place	Open access loading place registered by GYSEV Zrt.								Loading track next to loading places						Restrictions, remarks
	Code of the service place	Position of the service place	Loading and other equipments	SLC ID of the loading and other equipment	Paved	Lighting	Size		TAF TSI ID	Name of the track	Usable length (m)	Loading length (m)	Availability of catenary	Axle load (t)	
		From section to section			yes-no-partly	yes-no	Length (m)	Width (m)					yes - no - partly		
Jánossomorja	02345	792-793	loading area	HU-02345-06-T05	no	yes	150	10	55-02345-01-V	V.	273	150	no	21	
Kapunvár	02626	458 - 463	loading area	HU-02626-06-T06	no	yes	500	10	55-02626-01-VI	VI.	608	500	partly	21	Loading area can't be used between 17.03.2025. - 30.09.2025. Capacity can not be requested.
		461 - 462	loading area, end loading	HU-02626-19-H08	yes	yes	20	15	55-02626-01-VIII	VIII.	42	20	no	21	Loading area can't be used between 17.03.2025.- 30.09.2025. Capacity can not be requested.