

Effective: from 09 July 2025

Applicable: from 14 December 2025

ANNEXES**1. 1.7.1 Information on European rail network for competitive freight and on their contacts**

The personnel changes in the management of the Corridors are included in the correction appendix.

2. 7.3.3.6 Public loading sidings and loading areas belonging to these loading sidings - MÁV Infrastructure Co. Ltd.

The following modification was made:

Debrecen Regional Directorate															
Service place	Open access loading place registered by MÁV Infrastructure Co. Ltd.								Loading track next to loading places						Restrictions, remarks
	Code of the service palce	Position of the service place	Loading and other equipments	SLC ID of the loading and other equipment	Paved	Lighting	Size		TAF TSI ID	Name of the track	Usable length (m)	Loading length (m)	Availability of catenary	Axle load (t)	
		From section to section			yes-no-partly	yes-no	Length (m)	Width (m)					yes / no partly?		
Maacs Nagymacs	14480	151+60-154+50	none	HU-14480-06-T01	yes	yes	290	25	55-14480-01-1	1.	626	290	no	21	"K "signed Loading area can't be used, capacity can not be requested. Towed vehicles with an axle load of 22.5 t may be used as exceptional consignment without any specific restriction.
Maacs Nagymacs	14480	156+60-156+70	side loading	HU-14480-19-001	yes	yes	10	6	55-14480-01-1	1. (O)	626	10	no	21	"K" signed Loading area can't be used, capacity can not be requested.

3. 7.3.7.3 Availability of personnel of IM for using the weighing service - MÁV Infrastructure Co. Ltd.

The following modification was made:

Station	Service place code number	Service hours	Remarks
Kazincbarcika	12781	03:20-24:00	Employee of a railway company with an exam
Kál-Kápolna	11288	00:00-24:00	By occasional order personnel is provided from Füzesabony

4. 7.3.7 Wagon weigh bridges (scales) - MÁV Infrastructure Co. Ltd.

The following modification was made:

Station	Service place code	Weighing capacity	Length of bridge	Type		Opening hours	Average weigh capacity (wagon/hour)	Availability of Catenary above the track equipped with scales (yes/no)	Remarks	Effective till
Kazincbarcika	12781	100t	9+3+9m	hybrid	MS-DUÁL	6-18	20	no	The scale will be put out of service.	To be specified later
Kál-Kápolna	11288	100 t	9,5+1,5+9,5m	hibrid	MS-DUÁL	0-24	20	igen		2027.05.23
Miskolc-Rendező	12641	100 t	9,5+1,5+9,5m	electronic	aknás	0-24	20	no		To be specified later 07.05.2027
Szerencs	11445	100 t	9+3+9m	electronic	ARDIN	0-24	8	yes		To be specified later 16.05.2027
Törökszentmiklós	13789	100 t	9+3+9m	electronic	ARDIN (D43-09B)	0-24	10	yes	for authentic dynamic measurement only given for information	26.07.2026 11.06.2027

5. 7.3.7 Wagon weigh bridges (scales) - MÁV Infrastructure Co. Ltd.

The following modification was made:

Station	Service place code	Weighing capacity	Length of bridge	Type		Opening hours	Average weigh capacity (wagon/hour)	Availability of Catenary above the track equipped with scale (yes/no)	Remarks	Effective till
Ajka	03996	100 t	9,5+1,5+9,5m	hybrid	MS-DUÁL	0-24	6	yes		To be specified later 19.06.2027
Sopron-Rendező	48025	100 t	2x 9,5 m	hybrid	MS-DUAL	0-24		no		To be specified later 23.06.2027
Szentgotthárd	02329	100 t	2 x 9.5m	electronic	Ardin (820i-28)	Mon-Sat 6-18		no		To be specified later 24.06.2027
Szombathely-Rendező	43778	100 t	2 x 9,5m	hybrid	MS-DUAL	0-24	7	no		To be specified later 25.06.2027